

ESTUDO DE CASO DE ARQUITETURA DE DADOS

Modelagem de Dados de Referência para uma Plataforma de Locação, Gestão de Frotas e Seminovos

no porte da Localiza

Modelagem conceitual, justificativas arquiteturais, invariantes e scripts DDL
completos para PostgreSQL e MySQL

Este documento é uma reconstrução de referência baseada em evidências públicas e em decisões explícitas de projeto. Não reproduz esquema proprietário, nomes internos, segredos, dados reais de clientes ou qualquer implementação confidencial da Localiza. O objetivo é estudo técnico, treinamento de modelagem e preparação para entrevistas.

Versão 1.0

15 de julho de 2026

Sumário

1	Escopo e limites da reconstrução	1
2	Evidências públicas e consequências de modelagem	1
2.1	A operação não é apenas um sistema de reservas	1
2.2	A reserva compromete um grupo, não necessariamente um veículo exato .	2
2.3	Cliente, usuário, condutor e pagador podem ser diferentes	2
2.4	O preço é composto, contextual e versionado	2
2.5	Retirada digital, telemetria e comandos remotos	3
2.6	Fidelidade exige razão de pontos	3
2.7	Dados pessoais e pagamentos precisam de segregação	3
2.8	Persistência poliglota é mais provável que um banco único	3
3	Arquitetura recomendada	4
3.1	Visão conceitual de produção	4
3.2	Implementação executável do estudo de caso	4
4	Princípios globais de modelagem	5
4.1	Chaves técnicas e chaves de negócio	5
4.2	Auditoria e concorrência otimista	5
4.3	Tempo, fuso e intervalos semiabertos	5
4.4	Dinheiro e unidades	6
4.5	Temporalidade e versionamento	6
4.6	Status com histórico	6
5	Relações centrais do modelo	6
6	Catálogo completo por contexto delimitado	8
6.1	Estrutura organizacional - org	8
6.2	Pessoas, empresas e risco - party	8
6.3	Catálogo comercial e automotivo - catalog	8
6.4	Clientes corporativos e parceiros - corporate	9
6.5	Ativo físico e ciclo de vida - fleet	9
6.6	Planos tarifários e cálculo - pricing	9
6.7	Capacidade e disponibilidade - availability	9
6.8	Reserva - reservation	10
6.9	Contrato e execução da locação - rental	10
6.10	Vistoria, combustível, limpeza e danos - inspection	11

6.11	Cobranças, faturas e pagamentos - billing	11
6.12	Multas, pedágios e estacionamento - traffic	11
6.13	Acidentes, sinistros e assistência - claim	11
6.14	Manutenção e recalls - maintenance	12
6.15	Telemetria e comandos - telematics	12
6.16	Fidelidade - loyalty	12
6.17	Gestão de frotas e assinatura - fleet_mgmt	12
6.18	Desmobilização e seminovos - used_car	13
6.19	Privacidade e governança - privacy	13
6.20	Integração confiável - integration	13
7	Dimensão física da baseline	13
8	Agregados críticos e regras de propriedade	14
9	Invariantes centrais	15
9.1	Alocação e disponibilidade	15
9.2	Contrato e retirada	16
9.3	Veículo e medições	16
9.4	Pricing, billing e pagamentos	16
9.5	Fidelidade e privacidade	16
10	Máquinas de estado	17
10.1	Reserva	17
10.2	Contrato	17
10.3	Pagamento	17
10.4	Veículo	18
11	Fluxos transacionais	18
11.1	Cotação e reserva	18
11.2	Retirada	18
11.3	Devolução	19
11.4	Multa ou pedágio tardio	19
12	DDL crítico e garantias de integridade	19
12.1	Calendário único do veículo no PostgreSQL	19
12.2	Vigências tarifárias sem sobreposição	20
12.3	Reserva concorrente por buckets	20
12.4	Ledger de cobranças	21

12.5	Ledger de fidelidade	21
12.6	Outbox transacional	21
13	Diferenças entre PostgreSQL e MySQL	21
13.1	Protocolo concorrente obrigatório no MySQL	22
14	Índices, particionamento e padrões de acesso	23
15	Estratégia de consistência	23
15.1	Consistência forte	23
15.2	Consistência eventual	23
16	Segurança, privacidade e controle de acesso	23
16.1	Cofre de PII	23
16.2	Meios de pagamento	23
16.3	Autorização	24
16.4	Auditoria	24
17	Modelo analítico separado	24
18	Fronteiras deliberadas	24
19	Antipadrões evitados	24
20	Ordem recomendada de implementação	25
21	Cenários obrigatórios de teste	25
22	Execução e validação dos scripts	26
22.1	PostgreSQL	26
22.2	MySQL	26
22.3	Correção de contagem	26
23	Conclusão técnica	26
24	Fontes públicas consultadas	27
A	Manifesto físico das 262 tabelas	28
B	DDL completo - PostgreSQL	34
B.1	Bootstrap, schemas e funções - linhas 1 a 100	34
B.2	Tabelas - linhas 101 a 5014	36
B.3	Chaves estrangeiras - linhas 5015 a 5538	163

B.4	Índices, exclusões temporais e imutabilidade - linhas 5539 a 5982	195
C	DDL completo - MySQL	218
C.1	Bootstrap - linhas 1 a 20	218
C.2	Tabelas - linhas 21 a 4942	218
C.3	Chaves estrangeiras - linhas 4943 a 5467	345
C.4	Índices, triggers e protocolo de concorrência - linhas 5468 a 5792	378

1 Escopo e limites da reconstrução

Não é tecnicamente defensável tratar uma operação no porte da Localiza como se ela dependesse de uma única base relacional, de um único esquema ou de um único conjunto de transações. Nenhuma fonte pública consultada expõe o modelo entidade-relacionamento interno, o DDL, os nomes reais de tabelas, as fronteiras de serviços, o particionamento ou a topologia de persistência da companhia. O que pode ser conhecido publicamente é o porte da operação, os produtos oferecidos, as regras contratuais, os componentes de preço, os processos de retirada e devolução, a existência de fidelidade, telemetria, proteção de dados e alguns elementos do ecossistema tecnológico.

O resultado deve ser lido como uma arquitetura de referência: uma reconstrução detalhada de como uma plataforma desse tipo pode ser modelada com boa separação de responsabilidades, integridade temporal, auditabilidade e capacidade de evolução. Quando o documento afirma algo sustentado diretamente por materiais públicos, utiliza o rótulo FATO PÚBLICO. Quando deriva uma consequência provável, utiliza **[INFERÊNCIA - alta confiança]** ou **[INFERÊNCIA - confiança média]**. Quando escolhe uma implementação para o estudo de caso sem afirmar que ela corresponde à implementação interna da empresa, utiliza **[DECISÃO DE PROJETO]**.

A baseline física entregue possui 262 tabelas lógicas distribuídas em 20 contextos delimitados, 3.064 colunas declaradas, 520 chaves estrangeiras e 138 índices secundários catalogados no manifesto. O script MySQL possui uma tabela física adicional, destinada à serialização concorrente do calendário por veículo.

2 Evidências públicas e consequências de modelagem

2.1 A operação não é apenas um sistema de reservas

FATO PÚBLICO. Relatórios públicos da companhia descrevem uma frota de centenas de milhares de veículos, operação de aluguel, gestão de frotas e venda de grande volume de veículos seminovos. Essa escala e essa diversidade de linhas de negócio exigem que aquisição do ativo, incorporação à frota, alocação geográfica, disponibilidade, locação, manutenção, telemetria, desmobilização e venda sejam tratados como ciclos relacionados, mas distintos [1].

A consequência arquitetural é que o modelo não pode ser reduzido à sequência simplificada cliente, reserva, carro e pagamento. O ciclo completo precisa admitir, no mínimo, o seguinte encadeamento operacional:

```
aquisicao do veiculo
-> incorporacao a frota
-> classificacao comercial
-> alocao geografica
-> disponibilidade
-> reserva
-> contrato
-> retirada
-> uso
-> devolucao
-> inspecao
```

```
-> manutencao  
-> nova locacao  
-> preparacao para venda  
-> venda e baixa
```

2.2 A reserva compromete um grupo, não necessariamente um veículo exato

FATO PÚBLICO. A oferta pública de grupos de carros deixa claro que o cliente seleciona uma categoria composta por determinado modelo ou similares, e que o veículo efetivamente disponibilizado depende da frota presente no momento da retirada [2].

Essa regra determina quatro decisões estruturais. Primeiro, a reserva deve referenciar `vehicle_group`, e não exigir `vehicle_id`. Segundo, o inventário comercial precisa controlar capacidade por grupo, agência e intervalo. Terceiro, a atribuição do veículo físico deve ocorrer mais tarde, normalmente na preparação ou na retirada. Quarto, o catálogo precisa representar caminhos de upgrade autorizados entre grupos.

Inserir diretamente `reservation.vehicle_id` como única forma de compromisso de inventário é adequado apenas a um exercício simplificado. Em uma operação real, essa escolha elimina a fungibilidade da frota, torna a reserva excessivamente rígida e mistura duas preocupações diferentes: capacidade comercial do grupo e ocupação temporal do ativo físico.

2.3 Cliente, usuário, condutor e pagador podem ser diferentes

FATO PÚBLICO. As condições gerais de aluguel distinguem cliente pessoa física, cliente pessoa jurídica, usuário ou representante, condutor principal e condutores adicionais. Também existem processos de análise cadastral e de garantia financeira [3].

Por isso, o contrato não deve ser representado apenas por duas colunas como `customer_id` e `driver_id`. O desenho utiliza participantes com papéis temporais, permitindo que uma organização seja a cliente, uma pessoa faça a reserva, outra conduza o veículo e uma terceira entidade seja o pagador. Os papéis relevantes incluem `CUSTOMER`, `BOOKER`, `CORPORATE_USER`, `LEGAL_REPRESENTATIVE`, `PRIMARY_DRIVER`, `ADDITIONAL_DRIVER` e `PAYER`.

2.4 O preço é composto, contextual e versionado

FATO PÚBLICO. Tarifários e documentos contratuais públicos contemplam tarifa-base, modalidades de quilometragem, excedentes, horas adicionais, devolução em agência diferente, condutor adicional, condutor jovem, proteções, combustível, limpeza, multas, taxas administrativas, cancelamento, não comparecimento, reboque, chaveiro, placa e outros itens [4, 3].

Um único campo `daily_rate` não preserva a composição comercial nem permite auditoria. O modelo separa plano tarifário, versão publicada, aplicabilidade, regras, cotação e linhas de preço. Também preserva quatro estágios que não devem ser confundidos: preço cotado, preço reservado, preço contratado e valor realizado ou faturado. A alteração de uma tabela de preços não pode modificar retrospectivamente uma cotação já aceita.

2.5 Retirada digital, telemetria e comandos remotos

FATO PÚBLICO. Materiais públicos descrevem retirada digital em volume relevante e condições contratuais que preveem telemetria para localização, quilometragem, segurança, prevenção de fraude, detecção de uso inadequado e determinados comandos remotos [1, 3].

Isso justifica entidades próprias para elegibilidade digital, sessão de check-in, aceite de termos, credencial de acesso, comandos ao veículo, resposta do provedor, associação entre veículo e dispositivo, trilha de auditoria e resumos de telemetria. Misturar todos esses eventos em colunas do contrato criaria um agregado excessivamente grande e sem histórico adequado.

2.6 Fidelidade exige razão de pontos

FATO PÚBLICO. O regulamento público de fidelidade contempla níveis, aquisição de pontos após fechamento e pagamento, expiração, resgate, transferência, benefícios e reprocessamento quando um contrato é corrigido [5].

A fonte da verdade não deve ser um saldo mutável em `loyalty_account`. O desenho utiliza um ledger imutável com lançamentos de aquisição, resgate, expiração, ajuste, reversão e transferência. O saldo é uma projeção da soma dos lançamentos disponíveis; reprocessamentos geram reversão e novo lançamento, em vez de alteração destrutiva do histórico.

2.7 Dados pessoais e pagamentos precisam de segregação

FATO PÚBLICO. A política de privacidade contempla documentos, habilitação, dados cadastrais, contatos, dados financeiros, navegação e compartilhamentos com prestadores e autoridades [6]. Para cartões, o ambiente operacional deve utilizar tokenização, e dados sensíveis de autenticação, como o código de segurança, não devem ser armazenados após autorização [8].

O modelo separa identidade, contatos, documentos protegidos, consentimentos, bases legais, retenção, solicitações do titular e auditoria de acesso. Meios de pagamento armazenam apenas referências tokenizadas, bandeira, últimos dígitos, validade e identificadores do provedor.

2.8 Persistência poliglota é mais provável que um banco único

FATO PÚBLICO. Vagas técnicas públicas associadas à companhia mencionam tecnologias relacionais e não relacionais, mensageria, streaming, microsserviços e arquitetura distribuída [7].

[INFERÊNCIA - alta confiança]. Uma operação desse porte provavelmente combina bancos transacionais, serviços modernos, sistemas legados, mensageria, armazenamento de eventos, object storage e plataformas analíticas. O estudo de caso usa um PostgreSQL ou um MySQL único para permanecer executável, mas organiza o banco por contextos delimitados e inclui outbox, inbox, idempotência e sagas para representar uma futura separação física.

3 Arquitetura recomendada

3.1 Visão conceitual de produção




Figura 1: Camadas conceituais e fluxo principal de integração.

A arquitetura separa domínios que têm invariantes, ritmos de mudança e padrões de volume diferentes. Reservas e disponibilidade exigem decisões concorrentes de inventário; contratos concentram execução da locação; billing funciona como subledger operacional; telemetria é um fluxo de eventos de alto volume; analytics deve ser alimentado por eventos ou captura de mudanças, e não por consultas indiscriminadas ao OLTP.

3.2 Implementação executável do estudo de caso

[**DECISÃO DE PROJETO**]. Para o side project, a escolha mais eficiente é um único database com separação lógica por contexto. No PostgreSQL, cada contexto é um schema. No MySQL, que não possui namespaces internos equivalentes, o contexto aparece como prefixo do nome da tabela.

```

rental_platform_case
|-- org
|-- party
|-- catalog
|-- corporate
|-- fleet
|-- pricing
|-- availability
|-- reservation
|-- rental
|-- inspection
|-- billing
|-- traffic
|-- claim
|-- maintenance
|-- telematics
  
```

```
|-- loyalty  
|-- fleet_mgmt  
|-- used_car  
|-- privacy  
`-- integration
```

Enquanto os contextos permanecem no mesmo banco, chaves estrangeiras garantem integridade referencial. Em uma evolução distribuída, cada schema pode se tornar um banco ou serviço próprio; referências cruzadas passam a ser identificadores externos, sincronização ocorre por eventos e cada contexto conserva snapshots locais das informações de que necessita.

4 Princípios globais de modelagem

4.1 Chaves técnicas e chaves de negócio

Todas as entidades usam um identificador técnico. No PostgreSQL, o tipo é `uuid`; no MySQL, a baseline usa `char(36)` com geração na aplicação. Identificadores exibidos ao cliente permanecem separados, por exemplo `reservation_number`, `contract_number`, `invoice_number`, `fleet_number`, `service_order_number`, `claim_number` e `sale_order_number`.

CPF, CNPJ, placa, chassi, número de habilitação, e-mail e números externos não são chaves primárias. Alguns podem ter unicidade contextual, mas continuam sendo identificadores naturais sujeitos a alteração, reemissão, correção ou regras de privacidade.

4.2 Auditoria e concorrência otimista

Agregados mutáveis incluem, quando aplicável, `created_at`, `created_by`, `updated_at`, `updated_by` e `row_version`. O campo de versão permite detectar atualização perdida. Históricos, ledgers e registros contabilizados não devem sofrer atualização destrutiva.

4.3 Tempo, fuso e intervalos semiabertos

Instantes são armazenados com informação suficiente para representar UTC e o fuso da agência. O PostgreSQL utiliza `timestamp_tz`; o MySQL utiliza `datetime(6)` com a convenção operacional de persistência em UTC. Também se preservam `branch.timezone` e, quando necessário, a data comercial local.

Períodos seguem a convenção semiaberta já presente no conteúdo-base:

```
[inicio, fim)
```

Isso permite que uma ocupação termine exatamente quando a seguinte começa, sem que os dois intervalos sejam considerados sobrepostos.

4.4 Dinheiro e unidades

Valores monetários usam tipos decimais, nunca ponto flutuante binário. Cada lançamento financeiro separa quantidade, unidade, valor unitário, base, desconto, tributo e valor bruto, acompanhado de código de moeda. Unidades de medida são catalogadas para quilômetro, hora, diária, litro, unidade e outras grandezas comerciais.

4.5 Temporalidade e versionamento

Cadastros que mudam no tempo preservam vigência por `valid_from` e `valid_to`, ou por `range` nativo no PostgreSQL. Exemplos incluem versões de tarifa, composição de grupos, preço de combustível, regras de quilometragem, classificação de fidelidade, alocação do veículo, acordos corporativos e retenção de dados.

Versões publicadas e dados já contabilizados são imutáveis. Correções ocorrem por nova versão, estorno, reversão, ajuste compensatório ou supersessão explícita.

4.6 Status com histórico

Não existe uma tabela universal de status. Reserva, contrato, veículo, pagamento, sinistro e ordem de serviço possuem estados e transições diferentes. O padrão recomendado conserva o status atual no agregado para leitura rápida e um histórico de transições como trilha autoritativa.

5 Relações centrais do modelo

A tabela a seguir substitui um diagrama excessivamente denso e explicita as cardinalidades que estruturam o modelo.

Tabela 1: Relações centrais entre agregados.

Origem	Card.	Destino	Semântica
org. legal_entity	1:N	org. branch	Uma entidade jurídica opera várias agências.
party. party	1:N	party. customer_account	A mesma pessoa ou empresa pode manter contas por entidade jurídica ou mercado.
party. party	1:0..1	party. person	Especialização para pessoa física.
party. party	1:0..1	party. organization	Especialização para pessoa jurídica.
party. person	1:N	party. driver_license	Preserva renovações e verificações de habilitação.
catalog. vehicle_make	1:N	catalog. vehicle_model	Hierarquia de catálogo automotivo.
catalog. vehicle_model	1:N	catalog. vehicle_variant	Versão, motorização e ano do modelo.

Origem	Card.	Destino	Semântica
catalog. vehicle_variant	1:N	fleet. vehicle	Cada ativo físico possui uma variante.
catalog. vehicle_group	N:N	catalog. vehicle_variant	Composição temporal dos grupos comerciais.
catalog. vehicle_group	1:N	reservation. reservation	A reserva solicita capacidade de um grupo.
pricing. rate_plan	1:N	pricing. rate_plan_version	Publicações temporais e imutáveis de tarifa.
pricing. rate_plan_version	1:N	pricing. quote	A cotação registra a versão efetivamente utilizada.
pricing. quote	1:N	pricing. quote_line	Decomposição auditável do preço.
reservation. reservation	1:N	reservation. reservation_driver	Condutores associados à intenção comercial.
reservation. reservation	1:N	availability. capacity_commitment	Compromisso de inventário por grupo e intervalo.
reservation. reservation	0..1:0..1	rental. rental_contract	Conversão opcional de reserva em contrato.
rental. rental_contract	1:N	rental. contract_party_role	Participantes do contrato com papéis distintos.
rental. rental_contract	1:N	rental. vehicle_assignment	Permite troca de veículo sem apagar o histórico.
rental. vehicle_assignment	1:1	fleet. vehicle_calendar_entry	A locação ocupa o ativo no calendário unificado.
rental. rental_contract	1:N	inspection. inspection	Vistorias de retirada, devolução e eventos intermediários.
inspection. damage_record	1:N	inspection. damage_observation	Dano físico persistente observado em diversas vistorias.
rental. rental_contract	1:N	billing. charge	O contrato produz lançamentos operacionais.
billing. invoice	1:N	billing. invoice_line	Documento financeiro composto por linhas faturadas.
billing. payment_transaction	1:N	billing. payment_allocation	Um pagamento pode liquidar diversos recebíveis.

Origem	Card.	Destino	Semântica
<code>fleet.</code> <code>vehicle</code>	1:N	<code>traffic.</code> <code>traffic_notice</code>	Infrações são recebidas pelo veículo e atribuídas temporalmente.
<code>loyalty.</code> <code>loyalty_account</code>	1:N	<code>loyalty.</code> <code>points_ledger</code>	Razão imutável de pontos.

6 Catálogo completo por contexto delimitado

6.1 Estrutura organizacional - org

O contexto organizacional representa entidades jurídicas, unidades internas, agências, operadores, horários, exceções de calendário e canais de origem. Ele separa proprietário da marca, entidade responsável pelo contrato, operador da agência e eventual parceiro ou franqueado. Essa distinção é necessária para faturamento, autorização, escopo de dados e responsabilidade operacional.

Tabelas físicas: `legal_entity`, `business_unit`, `branch`, `branch_operator`, `branch_hours`, `branch_calendar_exception` e `channel`.

6.2 Pessoas, empresas e risco - party

`party` é o supertipo de identidade. `person` e `organization` armazenam atributos específicos. `customer_account` representa a relação comercial por entidade jurídica. Contatos e endereços são historizáveis; representantes de empresas são relações próprias; habilitação, verificação de identidade, análise de risco e restrições cadastrais possuem registros independentes.

Identificadores de baixa entropia, como CPF e CNPJ, não devem ser indexados por hash simples. A recomendação é criptografar o valor original e utilizar HMAC com segredo para pesquisa determinística. A mesma regra se aplica ao número da habilitação quando pesquisa exata for necessária.

Tabelas físicas: `party`, `person`, `organization`, `party_identifier`, `contact_point`, `postal_address`, `party_address`, `customer_account`, `organization_representative`, `driver_profile`, `driver_license`, `identity_verification`, `risk_assessment` e `customer_restriction`.

6.3 Catálogo comercial e automotivo - catalog

A hierarquia automotiva separa fabricante, modelo e variante. Grupos comerciais são independentes do modelo físico e possuem composição temporal. O catálogo comum de produtos permite que cotação, reserva, contrato e cobrança referenciem itens coerentes, sem recorrer a uma estrutura EAV irrestrita.

Tabelas físicas: `unit_of_measure`, `tax_category`, `vehicle_make`, `vehicle_model`, `vehicle_variant`, `feature`, `variant_feature`, `vehicle_group`, `vehicle_group_variant`, `vehicle_group_upgrade`, `commercial_product`, `coverage`, `protection_coverage` e `charge_type`.

6.4 Clientes corporativos e parceiros - corporate

Acordos empresariais podem definir tarifas, grupos permitidos, centros de custo, motoristas autorizados, ordens de compra, faturamento consolidado, vouchers e regras por parceiro. Essas políticas não devem ser espalhadas como flags no cadastro do cliente.

Tabelas físicas: `partner`, `partner_agreement`, `corporate_agreement`, `corporate_cost_center`, `authorized_driver`, `corporate_billing_profile`, `rate_entitlement`, `purchase_order`, `voucher` e `consolidated_billing_instruction`.

6.5 Ativo físico e ciclo de vida - fleet

O veículo possui identidade técnica, VIN, número de frota, variante, proprietário, estado operacional atual, ciclo de vida atual, localização, odômetro e combustível projetados para leitura rápida. Históricos são autoritativos. Ciclo do ativo e estado operacional são ortogonais: um veículo pode estar em frota, mas temporariamente em manutenção, limpeza, transferência ou bloqueio.

O calendário unificado é a principal defesa contra conflitos. Locação, manutenção, transferência, inspeção, limpeza e preparação para venda ocupam o mesmo recurso temporal. A existência de tabelas de calendário isoladas por processo permitiria que duas áreas reservassem o mesmo veículo simultaneamente.

Tabelas físicas: `acquisition_order`, `acquisition_order_line`, `vehicle`, `vehicle_registration`, `vehicle_group_assignment`, `vehicle_operational_state_history`, `vehicle_lifecycle_history`, `vehicle_restriction`, `vehicle_location_history`, `vehicle_calendar_entry`, `odometer_reading`, `fuel_reading`, `asset_document`, `accessory_asset`, `vehicle_accessory_assignment`, `vehicle_cost_basis`, `depreciation_entry` e `disposal_eligibility`.

6.6 Planos tarifários e cálculo - pricing

Uma versão de plano tarifário é selecionada por entidade jurídica, mercado, agência de origem e destino, grupo, canal, segmento, acordo corporativo, parceiro, modalidade, período de retirada e duração. Preços-base permanecem relacionais; regras especiais podem utilizar expressão versionada em JSON, desde que entradas, saídas e rastreabilidade continuem explícitas.

Tabelas físicas: `rate_plan`, `rate_plan_version`, `rate_plan_applicability`, `rental_length_band`, `season`, `base_rate`, `mileage_package`, `mileage_rate`, `one_way_rule`, `one_way_price`, `fuel_price`, `preauthorization_rule`, `pricing_rule`, `promotion`, `coupon`, `coupon_redemption`, `quote`, `quote_line`, `pricing_calculation` e `quote_rule_trace`.

6.7 Capacidade e disponibilidade - availability

O contexto distingue capacidade comercial por grupo da ocupação de um veículo específico. `inventory_bucket` é uma projeção otimizada por agência, grupo e faixa de tempo; `availability_hold` representa retenção temporária; `capacity_commitment` registra compromisso confirmado; realocação, allotment, alerta de oversell e forecast suportam planejamento operacional.

A projeção de saldo comercial já presente no conteúdo-base é:

```

sellable_remaining =
    projected_capacity_qty
  - blocked_qty
  - safety_buffer_qty
  + overbook_limit_qty
  - held_qty
  - committed_qty

```

[INFERÊNCIA - confiança média]. Uma operação dessa escala provavelmente usa previsões de retorno, atraso e não comparecimento. A baseline suporta esses fatores, mas mantém o limite de overbooking igual a zero até que uma política explícita seja introduzida.

Tabelas físicas: `inventory_bucket`, `availability_hold`, `capacity_commitment`, `upgrade_path`, `fleet_allotment`, `relocation_order`, `relocation_leg`, `oversell_alert` e `forecast_snapshot`.

6.8 Reserva - reservation

A reserva registra cliente, solicitante, grupo, filiais, datas planejadas, modalidade, canal, versão de tarifa, cotação, garantia e status. O veículo exato permanece ausente até a atribuição operacional. Alterações, cancelamento, não comparecimento, produtos, condutores, notas e compromissos de inventário são entidades próprias.

Tabelas físicas: `reservation`, `reservation_driver`, `reservation_product`, `reservation_price_line`, `reservation_status_history`, `reservation_change`, `reservation_cancellation`, `no_show_assessment`, `reservation_guarantee`, `partner_booking`, `digital_pickup_eligibility`, `reservation_note` e `reservation_inventory_commitment`.

6.9 Contrato e execução da locação - rental

O contrato pode nascer de uma reserva ou ser aberto no balcão. Revisões preservam alterações contratuais. Participantes são associados por papel e vigência. Produtos e preços contratados são congelados em snapshots. A troca de veículo cria uma nova atribuição, sem sobrescrever a anterior.

Sessões de retirada digital, credenciais, comandos de acesso e aceite de termos ficam separados do agregado principal. Um caso de atraso pode permanecer aberto mesmo enquanto outras partes do contrato continuam sendo processadas.

Tabelas físicas: `rental_contract`, `contract_revision`, `contract_party_role`, `contract_product`, `contract_price_snapshot_line`, `vehicle_assignment`, `pickup_event`, `return_event`, `extension`, `vehicle_replacement`, `contract_status_history`, `contract_terms_acceptance`, `contract_document`, `digital_pickup_session`, `vehicle_access_credential`, `vehicle_access_command`, `overdue_case` e `contract_reprocessing`.

6.10 Vistoria, combustível, limpeza e danos - inspection

`damage_record` representa um dano físico persistente. `damage_observation` registra como esse dano apareceu em uma vistoria específica. `damage_attribution` decide a responsabilidade; `damage_assessment` estima custo. Essa separação permite distinguir um dano preexistente de um dano introduzido durante determinada locação.

Fotos e documentos não são armazenados como grandes BLOBs no OLTP. A tabela de mídia guarda chave de objeto, tipo, hash, origem e metadados de captura; o arquivo permanece em object storage.

Tabelas físicas: `inspection_template`, `inspection_template_item`, `inspection`, `inspection_item_result`, `inspection_media`, `damage_record`, `damage_observation`, `damage_attribution`, `damage_assessment`, `damage_price_table_version`, `fuel_assessment`, `cleaning_assessment` e `lost_found_item`.

6.11 Cobranças, faturas e pagamentos - billing

`charge` é o subledger operacional. Cada fato econômico produz uma linha com origem, tipo, período, quantidade, unidade, versão tarifária, regra e chave de idempotência. Fatura, recebível, transação de pagamento e alocação são conceitos distintos. Uma transação pode liquidar vários recebíveis; uma fatura pode receber vários pagamentos.

Cobranças contabilizadas não são editadas. A correção usa reversão e relançamento. Pré-autorização permanece separada do pagamento final, pois pode ser aumentada, capturada parcialmente, liberada ou expirar.

Tabelas físicas: `payment_method_token`, `charge`, `invoice`, `invoice_line`, `receivable`, `payment_intent`, `payment_transaction`, `payment_allocation`, `preauthorization`, `refund`, `credit_note`, `chargeback`, `tax_document`, `dunning_case`, `collection_action`, `settlement_batch`, `settlement_item`, `reconciliation_issue` e `accounting_export`.

6.12 Multas, pedágios e estacionamento - traffic

Eventos tardios são importados de provedores, deduplicados e atribuídos ao contrato que ocupava o veículo no instante do fato. A atribuição utiliza `vehicle_id` e o horário da infração contra os intervalos de `vehicle_assignment`. Uma multa posterior ao fechamento gera cobrança e fatura suplementares; não reabre nem reescreve a fatura original.

Tabelas físicas: `provider_import_batch`, `traffic_notice`, `traffic_attribution`, `driver_nomination`, `traffic_appeal`, `toll_tag`, `toll_tag_assignment`, `toll_transaction`, `parking_transaction` e `traffic_charge_link`.

6.13 Acidentes, sinistros e assistência - claim

Incidente, sinistro, decisão de cobertura, custo real, cobrança ao cliente e recuperação contra terceiros são fatos diferentes. A separação impede que o valor cobrado seja confundido com o custo do reparo ou com o valor reconhecido pela seguradora.

Tabelas físicas: `insurance_policy`, `policy_coverage`, `incident`, `incident_party`, `incident_vehicle`, `incident_document`, `claim`, `claim_coverage_decision`, `claim_cost`, `third_party_claim`, `recovery_case` e `roadside_assistance_case`.

6.14 Manutenção e recalls - `maintenance`

Planos podem disparar por quilometragem, tempo, condição telemática, campanha do fabricante ou inspeção manual. Uma ordem de serviço ativa cria uma ocupação no calendário unificado do veículo. O mesmo ativo, portanto, não pode estar alugado, em manutenção, em transferência e em preparação de venda ao mesmo tempo.

Tabelas físicas: `maintenance_plan`, `maintenance_rule`, `maintenance_due`, `vendor`, `workshop`, `service_order`, `service_order_item`, `part`, `service_order_part`, `recall_campaign`, `vehicle_recall`, `tire`, `tire_assignment` e `downtime`.

6.15 Telemetria e comandos - `telematics`

O PostgreSQL ou MySQL transacional guarda dispositivos, associações, saúde, índice de eventos, resumos de viagens, eventos de condução, geofences, comandos e respostas. Coordenadas brutas de alta frequência devem seguir para armazenamento temporal ou `columnar` e `object storage`, alimentados por `streaming`.

Toda tentativa de comando remoto precisa registrar solicitante, justificativa, expiração, referência do provedor, confirmação e resultado. A deduplicação de eventos usa identificador ou sequência emitida pelo dispositivo.

Tabelas físicas: `provider`, `device`, `vehicle_device_assignment`, `device_health_event`, `telemetry_event_index`, `trip_summary`, `driving_event`, `geofence`, `geofence_event`, `vehicle_command`, `command_result` e `telemetry_rule_version`.

6.16 Fidelidade - `loyalty`

O ledger registra aquisição, resgate, expiração, ajuste, reversão e transferência. Lotes de pontos preservam origem e validade; alocações de resgate indicam quais lotes foram consumidos. Níveis e regras são versionados. Benefícios possuem concessão e uso independentes.

Tabelas físicas: `loyalty_account`, `loyalty_tier`, `tier_rule_version`, `tier_history`, `earning_rule`, `redemption_rule`, `points_ledger`, `points_lot`, `redemption`, `redemption_allocation`, `benefit`, `benefit_entitlement`, `benefit_usage` e `points_transfer`.

6.17 Gestão de frotas e assinatura - `fleet_mgmt`

Locação diária, gestão de frota e assinatura compartilham ativos, motoristas, manutenção e cobrança, mas possuem ciclos contratuais diferentes. O modelo evita uma única tabela de contrato repleta de colunas nulas e regras condicionais.

Tabelas físicas: `fleet_service_contract`, `fleet_service_level`, `managed_vehicle_assignment`, `mileage_commitment`, `telemetry_package`, `replacement_entitlement`, `fleet_service_event`, `subscription_plan`, `subscription_contract` e `subscription_vehicle_assignment`.

6.18 Desmobilização e seminovos - `used_car`

O fluxo começa com a candidatura à desmobilização, passa por avaliação, recondiçãoamento, anúncio, lead, test-drive, pedido de venda, pagamento e transferência de propriedade. Idade, quilometragem, custo de manutenção, valor residual, demanda e estratégia de frota podem contribuir para a decisão.

[INFERÊNCIA - alta confiança]. A decisão real de desmobilização provavelmente combina vários desses fatores. O modelo suporta a informação necessária sem alegar qual algoritmo interno é utilizado.

Tabelas físicas: `disposal_candidate`, `vehicle_valuation`, `refurbishment_order`, `refurbishment_item`, `sale_channel`, `listing`, `lead`, `test_drive`, `sale_order`, `sale_order_vehicle`, `vehicle_transfer`, `used_vehicle_warranty` e `sale_document`.

6.19 Privacidade e governança - `privacy`

O modelo registra versões de aviso, finalidades, bases legais, consentimentos, solicitações do titular, políticas de retenção, impedimentos legais à exclusão, jobs de eliminação, acessos a dados e compartilhamentos. Nem todo tratamento depende de consentimento; a base legal precisa estar explícita.

Pseudonimização não equivale a anonimização. Um token reversível continua sendo dado pessoal protegido. Exclusão e anonimização precisam respeitar retenção obrigatória, disputas e `legal_hold`.

Tabelas físicas: `privacy_notice`, `privacy_notice_version`, `processing_purpose`, `legal_basis`, `consent_receipt`, `data_subject_request`, `retention_policy`, `legal_hold`, `erasure_job`, `data_access_audit`, `data_sharing_record` e `token_map`.

6.20 Integração confiável - `integration`

Outbox e inbox evitam perda e duplicação de efeitos entre banco e mensageria. Chaves de idempotência protegem APIs e callbacks. Referências externas mantêm mapeamentos com provedores. Sagas registram coordenação e compensação. Dead letters, auditoria, jobs e lotes de importação suportam operação e diagnóstico.

Tabelas físicas: `outbox_event`, `inbox_message`, `idempotency_key`, `external_reference`, `saga_instance`, `saga_step`, `dead_letter`, `audit_event`, `job_run` e `import_batch`.

7 Dimensão física da baseline

Tabela 2: Contagem por contexto no manifesto físico.

Contexto	Tabelas	Colunas	FKs	Índices	Mutáveis
org	7	73	8	4	6
party	14	156	16	13	12
catalog	14	119	13	5	14
corporate	10	112	23	1	10
fleet	18	186	30	16	10

Contexto	Tabelas	Colunas	FKs	Índices	Mutáveis
pricing	20	241	47	8	17
availability	9	112	23	8	8
reservation	13	149	38	7	7
rental	18	237	60	10	11
inspection	13	158	29	4	8
billing	19	266	45	12	15
traffic	10	118	22	5	9
claim	12	148	26	3	11
maintenance	14	160	24	6	14
telematics	12	136	21	10	6
loyalty	14	148	27	3	11
fleet_mgmt	10	113	23	4	9
used_car	13	155	24	3	11
privacy	12	141	18	8	9
integration	10	136	3	8	9
Total	262	3.064	520	138	207

A coluna de índices contabiliza os índices secundários declarados no manifesto, não as estruturas implícitas criadas para chaves primárias e restrições de unicidade. A coluna de mutabilidade identifica tabelas cujo ciclo normal admite atualização; ledgers, históricos e evidências concluídas tendem a ser append-only ou protegidos por trigger.

8 Agregados críticos e regras de propriedade

Tabela 3: Agregados críticos e regras não negociáveis.

Agregado	Campos ou vínculos centrais	Regra principal
party. party	Tipo, status canônico e especialização	Pessoa e organização compartilham identidade técnica, mas não atributos específicos.
party. customer_account	Party, entidade jurídica, segmento e perfil	Uma party pode manter contas distintas por empresa ou mercado.
party. driver_license	Número protegido, categoria, validade e verificação	A habilitação preserva histórico e não é chave primária.
catalog. vehicle_group	Código, mercado, capacidade e composição	A reserva referencia grupo, não modelo garantido.
fleet. vehicle	VIN, número de frota, variante, proprietário e estados	Placa, grupo e localização são historizáveis.

Agregado	Campos ou vínculos centrais	Regra principal
<code>fleet. vehicle_calendar_entry</code>	Veículo, intervalo, tipo e status	Ocupações conflitantes são proibidas.
<code>pricing. rate_plan_version</code>	Plano, versão, vigência, moeda e hash	Uma versão publicada é imutável.
<code>pricing. quote</code>	Contexto, validade, moeda e total	A cotação expira, mas continua auditável.
<code>pricing. quote_line</code>	Produto, quantidade, valores e regra	É snapshot; não é recalculada com a tarifa atual.
<code>reservation. reservation</code>	Grupo, filiais, período, cliente e canal	Não exige veículo físico.
<code>availability. capacity_commitment</code>	Grupo, filial, intervalo e quantidade	Confirmação e liberação são idempotentes.
<code>rental. rental_contract</code>	Cliente, modalidade, datas, moeda e revisão	Reserva é opcional e fechamento não apaga histórico.
<code>rental. vehicle_assignment</code>	Contrato, veículo, intervalo e sequência	Substituição cria nova atribuição.
<code>inspection. inspection</code>	Tipo, veículo, contrato, momento e responsável	Vistoria concluída torna-se imutável.
<code>billing. charge</code>	Origem, tipo, valores, moeda e idempotência	Ajustes usam reversão, não update.
<code>billing. payment_transaction</code>	Provedor, tipo, valor e referência externa	Callback externo é idempotente.
<code>traffic. traffic_notice</code>	Veículo, autoridade, instante e valor	Importação é deduplicada por referência externa.
<code>loyalty. points_ledger</code>	Conta, tipo, pontos, origem e validade	Saldo deriva do ledger.
<code>integration. outbox_event</code>	Agregado, versão, tipo, payload e publicação	É persistido na mesma transação do agregado.

9 Invariantes centrais

9.1 Alocação e disponibilidade

1. Um veículo não pode possuir duas ocupações conflitantes no mesmo intervalo.
2. A reserva compromete capacidade do grupo, não necessariamente um veículo físico.
3. O veículo atribuído deve pertencer ao grupo solicitado ou a um caminho de upgrade permitido.
4. Um veículo bloqueado, fora de serviço, vendido ou em preparação de venda não pode ser atribuído.
5. Uma reserva cancelada ou expirada deve liberar sua capacidade exatamente uma vez.

6. A confirmação precisa falhar integralmente quando qualquer bucket do intervalo não possui saldo.

9.2 Contrato e retirada

7. A data planejada de devolução deve ser posterior à retirada planejada.
8. A ativação exige condutor elegível, veículo atribuído, garantia financeira aplicável e vistoria obrigatória concluída.
9. Produtos e proteções contratados ficam congelados após a ativação, salvo revisão formal permitida pela regra de negócio.
10. A substituição do veículo não apaga a atribuição anterior.
11. Uma extensão revalida inventário, risco e garantia financeira.
12. Multa, pedágio ou dano tardio não reabre nem reescreve o contrato encerrado.

9.3 Veículo e medições

13. O odômetro não pode diminuir sem um lançamento explícito de correção.
14. O nível de combustível permanece dentro do domínio configurado.
15. Mudança de placa cria nova versão de registro.
16. Mudança de grupo cria novo intervalo de classificação.
17. Toda mudança de localização possui origem operacional ou ajuste auditado.

9.4 Pricing, billing e pagamentos

18. Toda linha cotada referencia a versão de regra utilizada.
19. Snapshot de preço não muda quando uma nova tarifa é publicada.
20. Toda cobrança e callback externo possuem chave de idempotência.
21. Toda reversão referencia o lançamento original.
22. A soma de alocações não excede o valor disponível do pagamento.
23. Dados completos de cartão e código de segurança não são armazenados.

9.5 Fidelidade e privacidade

24. Pontos ficam disponíveis somente quando os requisitos da regra são satisfeitos.
25. Um mesmo evento não pode gerar pontuação duas vezes.
26. O resgate consome lotes de maneira determinística e auditável.
27. Reprocessamento gera reversão e novo lançamento.
28. Todo acesso administrativo a PII sensível é auditado.
29. Exclusão respeita retenção obrigatória e impedimentos legais.
30. Dados analíticos utilizam identificadores pseudônimos.

10 Máquinas de estado

10.1 Reserva

```
DRAFT
  -> HELD
    -> CONFIRMED
      -> PICKUP_READY
      -> CONVERTED

HELD -> EXPIRED
HELD -> CANCELLED
CONFIRMED -> CANCELLED
CONFIRMED -> NO_SHOW
PICKUP_READY -> NO_SHOW
```

Uma reserva convertida não volta a ser confirmada. Correções posteriores pertencem ao contrato ou a um fluxo explícito de reproprocessamento.

10.2 Contrato

```
OPENING
  -> ACTIVE
    -> OVERDUE
    -> RETURN_PENDING
    -> CLOSED

OPENING -> CANCELLED
```

Alterações após ativação produzem revisão. Alterações depois do fechamento produzem cobranças suplementares, reversões ou reproprocessamento; não uma mutação silenciosa do histórico.

10.3 Pagamento

```
CREATED
  -> REQUIRES_ACTION
  -> AUTHORIZED
    -> CAPTURED
      -> SETTLED
      -> PARTIALLY_REFUNDED
      -> REFUNDED
      -> CHARGEBACK

AUTHORIZED -> VOIDED
CREATED -> FAILED
```

A redução para PAID e UNPAID perde eventos necessários à conciliação, reembolso, chargeback e suporte.

10.4 Veículo

```
ORDERED
-> RECEIVED
    -> IN_FLEET
        -> DISPOSAL_CANDIDATE
            -> SALE_PREPARATION
                -> LISTED_FOR_SALE
                    -> SOLD
                        -> DEREGISTERED
```

Enquanto o ciclo está em `IN_FLEET`, o estado operacional pode alternar entre disponibilidade, preparação, locação, processamento de devolução, limpeza, manutenção, transferência, quarentena e bloqueio.

11 Fluxos transacionais

11.1 Cotação e reserva

1. Receber agência, intervalo, grupo, canal e cliente.
2. Selecionar a versão tarifária aplicável.
3. Calcular tarifa-base, modalidade, quilometragem, produtos, proteções, promoções, one-way, taxas e tributos.
4. Persistir `quote` e `quote_line` como snapshot.
5. Criar `availability_hold` com expiração.
6. Criar ou validar a garantia financeira.
7. Confirmar a reserva.
8. Converter o hold em `capacity_commitment`.
9. Persistir `ReservationConfirmed` na outbox.

No monólito, confirmação, compromisso de capacidade e outbox pertencem à mesma transação. Em uma arquitetura distribuída, uma saga coordena os passos e registra compensações.

11.2 Retirada

1. Revalidar identidade, habilitação e restrições cadastrais.
2. Confirmar ou criar a pré-autorização.
3. Selecionar o veículo exato, respeitando grupo e upgrade.
4. Criar a ocupação no calendário do veículo.
5. Executar vistoria de retirada e registrar odômetro e combustível.
6. Registrar o aceite da versão contratual.
7. Ativar o contrato e mudar o estado operacional para `RENTED`.
8. Publicar os eventos de ativação e retirada pela outbox.

A ativação falha integralmente quando o veículo já está ocupado, a habilitação está inválida, a garantia obrigatória falha ou a vistoria exigida não foi concluída.

11.3 Devolução

1. Registrar horário, agência e responsável pela devolução.
2. Fechar o intervalo de atribuição do veículo.
3. Registrar odômetro e combustível.
4. Executar a vistoria e identificar danos novos.
5. Avaliar limpeza, combustível, tempo, quilometragem e agência de destino.
6. Criar cobranças e eventuais reversões.
7. Emitir fatura e recebível.
8. Capturar ou cobrar o pagamento e liberar o saldo da pré-autorização.
9. Fechar o contrato.
10. Direcionar o veículo para disponibilidade, limpeza, manutenção ou quarentena.
11. Publicar o fechamento; depois da quitação, avaliar fidelidade.

11.4 Multa ou pedágio tardio

1. Receber e deduplicar o evento do provedor.
2. Localizar o veículo e o intervalo de atribuição que contém o instante do fato.
3. Identificar contrato e condutor aplicável.
4. Abrir o processo de atribuição ou indicação.
5. Gerar cobrança e taxa administrativa conforme regra vigente.
6. Emitir fatura suplementar.
7. Em caso de recurso procedente, criar reversão vinculada.

12 DDL crítico e garantias de integridade

12.1 Calendário único do veículo no PostgreSQL

O PostgreSQL utiliza range temporal e exclusion constraint. A restrição impede sobreposição entre ocupações ativas do mesmo veículo no próprio mecanismo relacional.

```
CREATE EXTENSION IF NOT EXISTS btree_gist;

ALTER TABLE fleet.vehicle_calendar_entry
ADD CONSTRAINT ex_vehicle_calendar_no_overlap
EXCLUDE USING gist (
    vehicle_id      WITH =,
    occupied_period WITH &&
)
WHERE (
    status IN ('HELD', 'CONFIRMED', 'ACTIVE', 'CLOSED')
);
```

Intervalos adjacentes são aceitos porque a modelagem usa limites semiabertos. Locação, manutenção, transferência, limpeza, inspeção, preparação de venda e bloqueio manual compartilham a mesma tabela.

12.2 Vigências tarifárias sem sobreposição

Versões publicadas do mesmo plano não podem cobrir o mesmo instante. O PostgreSQL aplica a mesma família de restrição à vigência da tarifa. No MySQL, a validação é realizada por triggers e pelo protocolo da aplicação.

```
ALTER TABLE pricing.rate_plan_version
ADD CONSTRAINT ex_rate_plan_published_period
EXCLUDE USING gist (
    rate_plan_id WITH =,
    valid_period WITH &&
)
WHERE (status = 'PUBLISHED');
```

12.3 Reserva concorrente por buckets

A aplicação bloqueia os buckets do intervalo em ordem determinística. A operação somente prossegue se todos possuem saldo. A ordenação de locks reduz deadlocks e a transação impede confirmação parcial.

```
BEGIN;

SELECT *
FROM availability.inventory_bucket
WHERE branch_id = :branch_id
    AND vehicle_group_id = :vehicle_group_id
    AND bucket_start >= :pickup_bucket
    AND bucket_start < :return_bucket
ORDER BY bucket_start
FOR UPDATE;

UPDATE availability.inventory_bucket
SET held_qty = held_qty + :requested_quantity,
    projection_version = projection_version + 1,
    updated_at = now()
WHERE branch_id = :branch_id
    AND vehicle_group_id = :vehicle_group_id
    AND bucket_start >= :pickup_bucket
    AND bucket_start < :return_bucket;

COMMIT;
```

12.4 Ledger de cobranças

Uma cobrança possui chave de idempotência, referência à origem e, quando for reversão, referência ao lançamento anterior. Triggers impedem alteração ou exclusão de linhas contabilizadas.

+ 300,00	DAMAGE
- 300,00	DAMAGE_REVERSAL
+ 180,00	DAMAGE_REASSESSED

A fatura não é a própria cobrança. **charge** representa o evento econômico; **invoice** representa o documento; **receivable** representa a obrigação; **payment_transaction** representa o movimento no provedor; **payment_allocation** indica o que foi liquidado.

12.5 Ledger de fidelidade

O fluxo recomendado é fechamento do contrato, confirmação da quitação, avaliação da regra e lançamento de aquisição. Reprocessamento do contrato reverte o lançamento anterior e cria outro, sem editar o histórico.

12.6 Outbox transacional

O evento é inserido na mesma transação do agregado. Um publicador assíncrono envia mensagens e registra sucesso ou erro. A inbox do consumidor deduplica o **message_id**. Esse padrão elimina a janela em que a transação confirma no banco, mas o processo falha antes de publicar na fila.

13 Diferenças entre PostgreSQL e MySQL

Tabela 4: Decisões equivalentes nos dois dialetos.

Tema	PostgreSQL	MySQL 8.x
Namespaces	Vinte schemas dentro do database.	Um database com prefixo de contexto em cada tabela.
Identificadores	<code>uuid</code> e <code>gen_random_uuid()</code> .	<code>char(36)</code> gerado pela aplicação na baseline.
Tempo	<code>timestampz</code> e ranges nativos.	<code>datetime(6)</code> em UTC e colunas de início e fim.
Não sobreposição	<code>EXCLUDEUSINGgist</code> .	Triggers mais lock de linha-guarda por veículo.
JSON	<code>jsonb</code> com operadores e índices próprios.	<code>json</code> .
Índices parciais	Suporte nativo por predicado.	Índices mais amplos; o status fica no predicado da consulta.
Atualização de timestamp	Função e triggers de <code>touch_up_dated_at</code> .	<code>ONUPDATECURRENT_TIMESTAMP(6)</code> .
Imutabilidade	Triggers de rejeição e proteção de estados.	Triggers equivalentes.

Tema	PostgreSQL	MySQL 8.x
Bootstrap	Script <code>psql</code> com criação e conexão ao database.	<code>CREATEDATABASE</code> , <code>USE</code> e configuração de sessão.

13.1 Protocolo concorrente obrigatório no MySQL

O trigger isolado detecta conflitos visíveis, mas não resolve duas transações concorrentes que consultem antes de qualquer uma confirmar. O script fornece `fleet_vehicle_calendar_guard` e `sp_lock_vehicle_calendar_slot`. A aplicação chama o procedimento e grava o calendário na mesma transação.

```

START TRANSACTION;

CALL sp_lock_vehicle_calendar_slot(
    'vehicle-uuid',
    '2026-08-01 10:00:00.000000',
    '2026-08-05 10:00:00.000000',
    NULL
);

INSERT INTO fleet_vehicle_calendar_entry (
    id,
    legal_entity_id,
    vehicle_id,
    start_at,
    end_at,
    entry_type,
    status,
    source_type,
    source_id
) VALUES (
    'calendar-entry-uuid',
    'legal-entity-uuid',
    'vehicle-uuid',
    '2026-08-01 10:00:00.000000',
    '2026-08-05 10:00:00.000000',
    'RENTAL',
    'CONFIRMED',
    'RENTAL_CONTRACT',
    'contract-uuid'
);

COMMIT;

```

Para volume muito alto, a representação de UUID no MySQL pode evoluir para identificadores ordenados em `binary(16)`, encapsulados por conversores na aplicação. Essa otimização não altera o modelo lógico.

14 Índices, particionamento e padrões de acesso

Índices operacionais priorizam pesquisa de reservas por agência, grupo e horário; contratos por cliente e data; contratos vencidos por data planejada; veículos disponíveis por agência e grupo; multas e transações por referência externa; outbox por estado de publicação; e telemetria por dispositivo e instante.

Tabelas append-only de grande volume, como índice telemático, auditoria, transações financeiras, localização e outbox, são candidatas a particionamento temporal. No PostgreSQL, BRIN é útil quando o armazenamento físico acompanha o tempo. B-tree permanece necessário para identificadores exatos. Particionamento não deve ser aplicado indistintamente: adiciona complexidade de manutenção e deve responder a um volume e a um padrão de consulta demonstráveis.

15 Estratégia de consistência

15.1 Consistência forte

As seguintes regras pertencem à transação local que modifica o agregado: não sobrepor o veículo, não vender capacidade inexistente, confirmar uma reserva uma única vez, não duplicar cobrança, não duplicar pagamento, não duplicar pontos e não processar o mesmo callback duas vezes.

15.2 Consistência eventual

Pesquisa de disponibilidade, perfil 360 do cliente, notificações, dashboards, CRM, warehouse, saldo cacheado de pontos e estado atual projetado do veículo podem ser atualizados por eventos. A fonte autoritativa permanece no agregado ou no ledger correspondente.

Transações distribuídas em duas fases não são recomendadas para pagamentos externos, mensageria ou múltiplos serviços. O padrão é transação local, outbox, idempotência, saga e compensação.

16 Segurança, privacidade e controle de acesso

16.1 Cofre de PII

Em uma implementação madura, dados cadastrais comuns podem permanecer no contexto de party, enquanto CPF, CNPJ, habilitação e documentos sensíveis ficam em um cofre de PII. Outros domínios recebem apenas `party_id`, `customer_account_id` e `driver_profile_id`. Pesquisa exata utiliza HMAC; exibição utiliza dados descriptografados sob autorização e auditoria.

16.2 Meios de pagamento

`payment_method_token` armazena provedor, referência do cliente no provedor, token, bandeira, últimos dígitos, validade, fingerprint, endereço de cobrança e status. Número completo do cartão, código de segurança, dados de trilha magnética e PIN permanecem fora do sistema.

16.3 Autorização

Papéis operacionais típicos incluem agente de agência, gerente, operador de frota, manutenção, finanças, fraude, atendimento, privacidade, integração e auditoria. O escopo combina entidade jurídica, agência, país e operador. Row-level security pode oferecer defesa em profundidade no PostgreSQL, mas não substitui autorização explícita na aplicação.

16.4 Auditoria

Eventos de auditoria registram ator, ação, recurso, entidade jurídica, agência, instante, request, correlation ID, token de IP e hashes antes e depois. Payloads de auditoria não devem replicar indiscriminadamente PII completa.

17 Modelo analítico separado

O banco operacional não deve atender diretamente a todas as consultas gerenciais. Um warehouse utiliza dimensões de data, horário, agência, veículo, grupo, segmento, canal, produto, parceiro, promoção e geografia. Atributos historizáveis podem seguir SCD tipo 2.

Fatos recomendados incluem cotação, reserva, transição de reserva, contrato, contrato por dia, veículo por dia, cobrança, transação de pagamento, indisponibilidade de manutenção, dano ou sinistro, lançamento de fidelidade, viagem telemática e venda de seminovo.

`fact_vehicle_day` é particularmente importante para utilização física e financeira, dias alugados, dias disponíveis, dias em manutenção, dias em transferência, dias em preparação para venda, receita por veículo-dia e custo por veículo-dia. O identificador do cliente no warehouse deve ser pseudônimo.

18 Fronteiras deliberadas

O núcleo não tenta substituir folha de pagamento, recrutamento, contabilidade geral completa, tesouraria corporativa, compras administrativas, patrimônio não veicular, CRM completo, campanhas de marketing, armazenamento bruto de GPS ou object storage. Billing é um subledger operacional que exporta lançamentos ao ERP; não é o razão geral da companhia.

19 Antipadrões evitados

1. Uma tabela gigante de locação contendo cliente, motorista, veículo, tarifa, proteção, combustível, dano, pagamento, multa e pontos.
2. Reservar sempre um veículo exato e perder capacidade por grupo.
3. Manter fidelidade apenas com um saldo mutável.
4. Recalcular contratos antigos com a tarifa vigente hoje.
5. Armazenar todo GPS no mesmo OLTP de reservas.
6. Usar uma única tabela para diária, assinatura, gestão de frota e venda.

7. Excluir cobranças e pagamentos em vez de estornar.
8. Usar JSON para esconder relações essenciais.
9. Criar calendários separados que não se enxergam.
10. Confiar apenas em trigger de sobreposição no MySQL sob concorrência.

20 Ordem recomendada de implementação

A primeira fase deve entregar **org, party, catalog, fleet, pricing, availability, reservation, rental, inspection, billing** e **integration**. Essa fatia já demonstra cotação, reserva por grupo, controle concorrente, atribuição de veículo, retirada, substituição, devolução, vistoria, cobrança, pagamento e outbox.

A segunda fase adiciona manutenção, trânsito, sinistros, fidelidade e privacidade. A terceira acrescenta telemetria, corporate, gestão de frotas, assinatura, seminovos e analytics.

21 Cenários obrigatórios de teste

1. Duas reservas concorrentes no último saldo de um grupo.
2. Expiração de hold liberando capacidade uma única vez.
3. Tentativa de atribuir o mesmo veículo a dois contratos.
4. Manutenção sobreposta a uma locação.
5. Upgrade permitido e downgrade bloqueado.
6. Locação de balcão sem reserva.
7. Cliente pessoa jurídica, condutor e pagador diferentes.
8. Troca de veículo no meio do contrato.
9. Extensão atravessando nova versão tarifária.
10. Devolução em outra agência.
11. Combustível registrado no domínio configurado.
12. Dano já existente na vistoria de retirada.
13. Multa recebida meses depois do fechamento.
14. Callback de pagamento duplicado.
15. Cobrança estornada e relançada.
16. Pontos creditados somente após quitação.
17. Reprocessamento revertendo a pontuação anterior.
18. Tentativa de vender veículo ainda alugado.
19. Solicitação de exclusão bloqueada por retenção legal.
20. Alteração de placa preservando histórico.
21. Correção de odômetro sem apagar a leitura original.
22. Falha do publicador depois do commit da outbox.
23. Mensagem consumida duas vezes sem duplicar efeito.
24. Duas inserções MySQL concorrentes usando a linha-guarda.

22 Execução e validação dos scripts

22.1 PostgreSQL

O arquivo PostgreSQL é um bootstrap para `psql`: cria o database, conecta-se a ele, habilita `pgcrypto` e `btree_gist`, cria os 20 schemas e executa o restante do DDL em transação.

```
psql -U postgres -f rental_platform_postgresql.sql
```

Para Flyway ou Liquibase, o bloco de criação e `\connect` deve ser removido, e o restante executado em conexão já aberta com o database correto.

A materialização atual do arquivo contém 262 tabelas, 520 chaves estrangeiras, 214 triggers e quatro funções auxiliares. Conforme o registro de validação do pacote, o bootstrap foi executado em PostgreSQL 17.10; testes rejeitaram sobreposição do calendário, sobreposição de versões tarifárias publicadas, alteração de cobrança contabilizada e alteração do ledger de fidelidade, enquanto intervalos adjacentes foram aceitos.

22.2 MySQL

O arquivo MySQL é destinado a MySQL 8.x com InnoDB, `utf8mb4` e collation `utf8mb4_0900_ai_ci`.

```
mysql -u root -p < rental_platform_mysql.sql
```

A materialização contém 263 tabelas físicas, 521 chaves estrangeiras, 18 triggers e um stored procedure. A tabela e a chave estrangeira adicionais pertencem ao mecanismo de linha-guarda do calendário. A aplicação gera UUIDs em `char(36)`.

Conforme o registro do pacote, o DDL foi analisado no dialeto MySQL e executado como smoke test no MariaDB 11.8.6 após a substituição exclusiva da collation por `utf8mb4_unicode_ci`. Esse ensaio é uma evidência forte de compatibilidade, mas não substitui a execução final na versão exata do Oracle MySQL selecionada para o projeto.

22.3 Correção de contagem

Uma descrição anterior mencionou 221 triggers no PostgreSQL. A contagem direta do arquivo final anexado a este documento é 214. O valor materializado no DDL é o autoritativo e deve prevalecer.

23 Conclusão técnica

A modelagem se apoia em cinco decisões centrais. A reserva ocorre por grupo e o veículo exato é atribuído depois. O ativo possui calendário único, impedindo conflito entre locação, manutenção, transferência e venda. A precificação é versionada e conserva snapshots distintos para cotação, reserva, contrato e faturamento. Cobranças, pagamentos e pontos usam ledgers auditáveis e reversíveis. OLTP, eventos, telemetria bruta, documentos e analytics permanecem separados por natureza de carga e responsabilidade.

O desenho não afirma reproduzir o esquema proprietário da Localiza. Ele representa uma baseline empresarial coerente com regras públicas, com a escala reportada e com os problemas reais de uma operação de locação e gestão de frotas. Para entrevistas técnicas, a distinção entre capacidade por grupo, ocupação do ativo, contrato versionado, subledger financeiro, idempotência e integração por outbox é o principal elemento que separa um CRUD acadêmico de uma arquitetura de dados madura.

24 Fontes públicas consultadas

Referências

- [1] Localiza & Co. Materiais públicos de resultados e relatório de 2025. <https://api.mziq.com/mzfilemanager/v2/d/08f327aa-e610-4d9d-b683-8ff0f7caae07/b588eef5-90e3-92ff-04d9-4fd4d20656ba?origin=2> e <https://api.mziq.com/mzfilemanager/v2/d/08f327aa-e610-4d9d-b683-8ff0f7caae07/bd8e39a1-b1b1-a804-aade-5c23f304a888?origin=2>.
- [2] Localiza. Grupos de carros. <https://www.localiza.com/brasil/pt-br/grupos-de-carros>.
- [3] Localiza. Condições gerais do contrato de aluguel de carros. https://www.localiza.com/Contratos/brasil/pt/Contrato_Geral_Aluguel_de_Carros.pdf.
- [4] Localiza. Tarifário público de aluguel. <https://www.localiza.com/brasil-site/pt-br/Documents/tarifario-localiza.pdf>.
- [5] Localiza. Regulamento do programa de fidelidade. <https://cdn-site.localiza.com/wp-content/uploads/2022/12/Regulamento-Fidelidade-2024.pdf>.
- [6] Localiza & Co. Política de privacidade. <https://ri.localiza.com/politica-de-privacidade/>.
- [7] Localiza. Oportunidade técnica pública com referências ao ecossistema de dados e integração. https://localiza.gupy.io/jobs/11500116?jobBoardSource=gupy_public_page.
- [8] PCI Security Standards Council. Payment Card Industry Data Security Standard. <https://www.pcisecuritystandards.org/standards/>.
- [9] PostgreSQL Global Development Group. Documentação de constraints, ranges e exclusion constraints. <https://www.postgresql.org/docs/current/ddl-constraints.html> e <https://www.postgresql.org/docs/current/rangetypes.html>.
- [10] Oracle. MySQL 8.0 Reference Manual - trigger syntax. <https://dev.mysql.com/doc/refman/8.0/en/trigger-syntax.html>.

A Manifesto físico das 262 tabelas

O manifesto abaixo enumera todas as tabelas lógicas, com quantidade de colunas, chaves estrangeiras, índices secundários catalogados e indicação de mutabilidade. No MySQL, os nomes físicos concatenam contexto e tabela com underscore; no PostgreSQL, o contexto é o schema.

Tabela 5: Manifesto completo da baseline lógica.

Contexto	Tabela	Col.	FK	Idx.	Mutável
org	legal_entity	13	0	0	sim
org	business_unit	10	2	1	sim
org	branch	18	2	2	sim
org	branch_operator	8	2	1	não
org	branch_hours	8	1	0	sim
org	branch_calendar_exception	9	1	0	sim
org	channel	7	0	0	sim
party	party	9	1	1	sim
party	person	9	1	0	sim
party	organization	8	1	0	sim
party	party_identifier	13	1	1	sim
party	contact_point	12	1	2	sim
party	postal_address	14	0	0	sim
party	party_address	9	2	1	sim
party	customer_account	13	2	2	sim
party	organization_representative	9	2	2	sim
party	driver_profile	10	1	0	sim
party	driver_license	14	1	1	sim
party	identity_verification	11	1	1	não
party	risk_assessment	11	1	1	não
party	customer_restriction	14	1	1	sim
catalog	unit_of_measure	7	0	0	sim
catalog	tax_category	8	0	0	sim
catalog	vehicle_make	7	0	0	sim
catalog	vehicle_model	7	1	0	sim
catalog	vehicle_variant	15	1	1	sim
catalog	feature	7	0	0	sim
catalog	variant_feature	5	2	0	sim
catalog	vehicle_group	11	0	1	sim
catalog	vehicle_group_variant	8	2	1	sim
catalog	vehicle_group_upgrade	9	2	1	sim
catalog	commercial_product	10	2	1	sim
catalog	coverage	8	0	0	sim
catalog	protection_coverage	8	2	0	sim
catalog	charge_type	9	1	0	sim
corporate	partner	8	1	0	sim
corporate	partner_agreement	14	2	0	sim
corporate	corporate_agreement	14	2	1	sim
corporate	corporate_cost_center	8	2	0	sim
corporate	authorized_driver	10	3	0	sim
corporate	corporate_billing_profile	12	3	0	sim
fleet	acquisition_order	12	2	0	sim

Contexto	Tabela	Col.	FK	Idx.	Mutável
fleet	acquisition_order_line	10	2	0	sim
fleet	vehicle	18	5	2	sim
fleet	vehicle_registration	12	1	2	sim
fleet	vehicle_group_assignment	9	2	1	sim
fleet	vehicle_operational_state_history	8	1	1	não
fleet	vehicle_lifecycle_history	8	1	1	não
fleet	vehicle_restriction	13	1	1	sim
fleet	vehicle_location_history	10	2	1	não
fleet	vehicle_calendar_entry	13	2	2	sim
fleet	odometer_reading	10	2	1	não
fleet	fuel_reading	8	1	1	não
fleet	asset_document	11	1	1	sim
fleet	accessory_asset	9	2	0	sim
fleet	vehicle_accessory_assignment	8	2	1	sim
fleet	vehicle_cost_basis	8	1	0	não
fleet	depreciation_entry	9	1	0	não
fleet	disposal_eligibility	10	1	1	não
pricing	rate_plan	10	1	0	sim
pricing	rate_plan_version	14	1	1	sim
pricing	rate_plan_applicability	13	7	1	sim
pricing	rental_length_band	9	1	0	sim
pricing	season	10	1	0	sim
pricing	base_rate	13	5	1	sim
pricing	mileage_package	11	1	0	sim
pricing	mileage_rate	10	2	0	sim
pricing	one_way_rule	13	4	1	sim
pricing	one_way_price	10	1	0	sim
pricing	fuel_price	11	2	1	sim
pricing	preauthorization_rule	12	2	0	sim
pricing	pricing_rule	12	1	0	sim
pricing	promotion	13	0	0	sim
pricing	coupon	11	1	0	sim
pricing	coupon_redemption	9	4	1	não
pricing	quote	22	7	2	sim
pricing	quote_line	19	4	0	sim
pricing	pricing_calculation	10	1	0	não
pricing	quote_rule_trace	9	1	0	não
corporate	rate_entitlement	10	3	0	sim
corporate	purchase_order	12	2	0	sim
corporate	voucher	14	3	0	sim
corporate	consolidated_billing_instruction	10	2	0	sim
availability	inventory_bucket	13	2	1	sim
availability	availability_hold	15	2	2	sim
availability	capacity_commitment	14	2	2	sim
availability	upgrade_path	11	3	1	sim
availability	fleet_allotment	12	4	1	sim
availability	relocation_order	13	3	0	sim
availability	relocation_leg	10	3	0	sim
availability	oversell_alert	13	2	1	sim
availability	forecast_snapshot	11	2	0	não
reservation	reservation	26	13	3	sim

Contexto	Tabela	Col.	FK	Idx.	Mutável
reservation	reservation_driver	9	2	0	sim
reservation	reservation_product	8	2	0	sim
reservation	reservation_price_line	18	6	0	não
reservation	reservation_status_history	8	1	1	não
reservation	reservation_change	11	2	0	não
reservation	reservation_cancellation	10	2	0	não
reservation	no_show_assessment	10	1	0	não
reservation	reservation_guarantee	13	1	0	sim
reservation	partner_booking	11	3	0	sim
reservation	digital_pickup_eligibility	9	1	1	não
reservation	reservation_note	8	1	0	sim
reservation	reservation_inventory_commitment	8	3	2	sim
rental	rental_contract	22	8	3	sim
rental	contract_revision	11	2	0	não
rental	contract_party_role	9	2	1	sim
rental	contract_product	10	2	0	sim
rental	contract_price_snapshot_line	19	7	0	não
rental	vehicle_assignment	15	6	2	sim
rental	pickup_event	13	6	0	não
rental	return_event	13	6	0	não
rental	extension	15	2	1	sim
rental	vehicle_replacement	9	3	0	não
rental	contract_status_history	8	1	1	não
rental	contract_terms_acceptance	12	4	0	não
rental	contract_document	12	2	1	sim
rental	digital_pickup_session	14	3	0	sim
rental	vehicle_access_credential	12	2	0	sim
rental	vehicle_access_command	15	2	1	sim
rental	overdue_case	13	1	0	sim
rental	contract_reprocessing	15	1	0	sim
inspection	inspection_template	11	0	0	sim
inspection	inspection_template_item	10	1	0	sim
inspection	inspection	17	5	2	sim
inspection	inspection_item_result	10	2	0	não
inspection	inspection_media	13	2	1	não
inspection	damage_record	13	1	1	sim
inspection	damage_observation	9	3	0	não
inspection	damage_attribution	12	4	0	sim
inspection	damage_assessment	17	3	0	sim
inspection	damage_price_table_version	12	0	0	sim
inspection	fuel_assessment	12	3	0	não
inspection	cleaning_assessment	10	2	0	não
inspection	lost_found_item	12	3	0	sim
billing	payment_method_token	15	2	2	sim
billing	charge	28	7	3	sim
billing	invoice	19	6	2	sim
billing	invoice_line	11	2	0	não
billing	receivable	11	1	1	sim
billing	payment_intent	18	6	1	sim
billing	payment_transaction	14	1	1	não
billing	payment_allocation	8	3	1	não

Contexto	Tabela	Col.	FK	Idx.	Mutável
billing	preauthorization	17	3	0	sim
billing	refund	13	2	0	sim
billing	credit_note	12	2	0	sim
billing	chargeback	14	1	0	sim
billing	tax_document	14	2	0	sim
billing	dunning_case	13	2	0	sim
billing	collection_action	10	1	1	não
billing	settlement_batch	12	0	0	sim
billing	settlement_item	11	2	0	sim
billing	reconciliation_issue	12	1	0	sim
billing	accounting_export	14	1	0	sim
traffic	provider_import_batch	12	0	0	sim
traffic	traffic_notice	16	2	2	sim
traffic	traffic_attribution	13	4	0	sim
traffic	driver_nomination	12	2	0	sim
traffic	traffic_appeal	13	1	0	sim
traffic	toll_tag	8	1	0	sim
traffic	toll_tag_assignment	7	2	1	sim
traffic	toll_transaction	15	4	1	sim
traffic	parking_transaction	14	2	1	sim
traffic	traffic_charge_link	8	4	0	não
claim	insurance_policy	12	2	0	sim
claim	policy_coverage	8	2	0	sim
claim	incident	16	2	2	sim
claim	incident_party	10	2	0	sim
claim	incident_vehicle	11	2	0	sim
claim	incident_document	9	1	0	não
claim	claim	16	3	0	sim
claim	claim_coverage_decision	12	2	0	sim
claim	claim_cost	14	2	1	sim
claim	third_party_claim	12	2	0	sim
claim	recovery_case	12	2	0	sim
claim	roadside_assistance_case	16	4	0	sim
maintenance	maintenance_plan	11	1	0	sim
maintenance	maintenance_rule	12	1	0	sim
maintenance	maintenance_due	11	3	2	sim
maintenance	vendor	8	1	0	sim
maintenance	workshop	11	3	0	sim
maintenance	service_order	20	3	2	sim
maintenance	service_order_item	12	1	0	sim
maintenance	part	8	1	0	sim
maintenance	service_order_part	9	2	0	sim
maintenance	recall_campaign	11	0	0	sim
maintenance	vehicle_recall	11	3	0	sim
maintenance	tire	12	0	0	sim
maintenance	tire_assignment	11	2	1	sim
maintenance	downtime	13	3	1	sim
telematics	provider	8	0	0	sim
telematics	device	11	1	1	sim
telematics	vehicle_device_assignment	9	2	1	sim
telematics	device_health_event	8	1	1	não

Contexto	Tabela	Col.	FK	Idx.	Mutável
telematics	telemetry_event_index	16	2	2	não
telematics	trip_summary	16	3	2	não
telematics	driving_event	14	4	2	não
telematics	geofence	9	0	0	sim
telematics	geofence_event	11	4	1	não
telematics	vehicle_command	14	3	0	sim
telematics	command_result	9	1	0	não
telematics	telemetry_rule_version	11	0	0	sim
loyalty	loyalty_account	11	2	0	sim
loyalty	loyalty_tier	8	0	0	sim
loyalty	tier_rule_version	11	1	0	sim
loyalty	tier_history	9	3	1	sim
loyalty	earning_rule	11	0	0	sim
loyalty	redemption_rule	11	0	0	sim
loyalty	points_ledger	14	4	2	não
loyalty	points_lot	11	2	0	sim
loyalty	redemption	14	3	0	sim
loyalty	redemption_allocation	5	2	0	não
loyalty	benefit	8	0	0	sim
loyalty	benefit_entitlement	13	2	0	sim
loyalty	benefit_usage	9	4	0	não
loyalty	points_transfer	13	4	0	sim
fleet_mgmt	fleet_service_contract	14	3	0	sim
fleet_mgmt	fleet_service_level	10	2	0	sim
fleet_mgmt	managed_vehicle_assignment	11	4	1	sim
fleet_mgmt	mileage_commitment	12	2	1	sim
fleet_mgmt	telemetry_package	9	1	0	sim
fleet_mgmt	replacement_entitlement	10	2	0	sim
fleet_mgmt	fleet_service_event	9	2	1	não
fleet_mgmt	subscription_plan	13	1	0	sim
fleet_mgmt	subscription_contract	14	3	0	sim
fleet_mgmt	subscription_vehicle_assignment	11	3	1	sim
used_car	disposal_candidate	12	1	0	sim
used_car	vehicle_valuation	12	1	1	não
used_car	refurbishment_order	13	2	0	sim
used_car	refurbishment_item	12	1	0	sim
used_car	sale_channel	8	0	0	sim
used_car	listing	15	2	1	sim
used_car	lead	12	2	1	sim
used_car	test_drive	13	3	0	sim
used_car	sale_order	15	3	0	sim
used_car	sale_order_vehicle	11	4	0	sim
used_car	vehicle_transfer	12	3	0	sim
used_car	used_vehicle_warranty	10	1	0	sim
used_car	sale_document	10	1	0	não
privacy	privacy_notice	7	0	0	sim
privacy	privacy_notice_version	12	1	0	sim
privacy	processing_purpose	8	0	0	sim
privacy	legal_basis	10	1	0	sim
privacy	consent_receipt	12	4	1	não
privacy	data_subject_request	14	3	1	sim

Contexto	Tabela	Col.	FK	Idx.	Mutável
privacy	retention_policy	14	0	0	sim
privacy	legal_hold	14	1	2	sim
privacy	erasure_job	14	3	1	sim
privacy	data_access_audit	13	1	2	não
privacy	data_sharing_record	12	4	1	não
privacy	token_map	11	0	0	sim
integration	outbox_event	15	0	2	sim
integration	inbox_message	12	0	1	sim
integration	idempotency_key	13	0	1	sim
integration	external_reference	11	0	2	sim
integration	saga_instance	12	0	0	sim
integration	saga_step	14	1	0	sim
integration	dead_letter	14	0	0	sim
integration	audit_event	16	2	2	não
integration	job_run	14	0	0	sim
integration	import_batch	15	0	0	sim

B DDL completo - PostgreSQL

O código a seguir é a transcrição integral do arquivo `rental_platform_postgresql.sql`. A numeração lateral corresponde às linhas do arquivo-fonte. Quebras visuais automáticas podem ocorrer em linhas muito extensas; a sequência e o conteúdo SQL foram preservados.

B.1 Bootstrap, schemas e funções - linhas 1 a 100

```
1  -- =====
2  -- Rental Platform Case Study - PostgreSQL DDL
3  -- Target: PostgreSQL with pgcrypto and btree_gist available.
4  -- Run with psql, because this bootstrap uses \gexec and \connect.
5  --
6  -- No production secret, real customer data, proprietary table name or Localiza
7  -- internal implementation is represented here. This is an evidence-informed
8  -- reference architecture for study and interview preparation.
9  -- =====
10 \set ON_ERROR_STOP on

12 SELECT 'CREATE DATABASE rental_platform_case ENCODING ''UTF8'''
13 WHERE NOT EXISTS (
14     SELECT 1 FROM pg_database WHERE datname = 'rental_platform_case'
15 )\gexec

17 \connect rental_platform_case

19 BEGIN;

21 CREATE EXTENSION IF NOT EXISTS pgcrypto;
22 CREATE EXTENSION IF NOT EXISTS btree_gist;
```

```
24 CREATE SCHEMA IF NOT EXISTS availability;
25 CREATE SCHEMA IF NOT EXISTS billing;
26 CREATE SCHEMA IF NOT EXISTS catalog;
27 CREATE SCHEMA IF NOT EXISTS claim;
28 CREATE SCHEMA IF NOT EXISTS corporate;
29 CREATE SCHEMA IF NOT EXISTS fleet;
30 CREATE SCHEMA IF NOT EXISTS fleet_mgmt;
31 CREATE SCHEMA IF NOT EXISTS inspection;
32 CREATE SCHEMA IF NOT EXISTS integration;
33 CREATE SCHEMA IF NOT EXISTS loyalty;
34 CREATE SCHEMA IF NOT EXISTS maintenance;
35 CREATE SCHEMA IF NOT EXISTS org;
36 CREATE SCHEMA IF NOT EXISTS party;
37 CREATE SCHEMA IF NOT EXISTS pricing;
38 CREATE SCHEMA IF NOT EXISTS privacy;
39 CREATE SCHEMA IF NOT EXISTS rental;
40 CREATE SCHEMA IF NOT EXISTS reservation;
41 CREATE SCHEMA IF NOT EXISTS telematics;
42 CREATE SCHEMA IF NOT EXISTS traffic;
43 CREATE SCHEMA IF NOT EXISTS used_car;
```

```
45 CREATE OR REPLACE FUNCTION integration.touch_updated_at()
46 RETURNS trigger
47 LANGUAGE plpgsql
48 AS $$
49 BEGIN
50     NEW.updated_at := clock_timestamp();
51     RETURN NEW;
52 END;
53 $$;
```

```
55 CREATE OR REPLACE FUNCTION integration.reject_mutation()
56 RETURNS trigger
57 LANGUAGE plpgsql
58 AS $$
59 BEGIN
60     RAISE EXCEPTION 'immutable row in %.%', TG_TABLE_SCHEMA, TG_TABLE_NAME
61     USING ERRCODE = '55000';
62 END;
63 $$;
```

```
65 CREATE OR REPLACE FUNCTION integration.protect_posted_charge()
66 RETURNS trigger
67 LANGUAGE plpgsql
68 AS $$
69 BEGIN
70     IF TG_OP = 'DELETE' AND OLD.posting_status = 'POSTED' THEN
71         RAISE EXCEPTION 'posted charges are immutable' USING ERRCODE = '55000';
72     END IF;
73     IF TG_OP = 'UPDATE' AND OLD.posting_status = 'POSTED' THEN
74         RAISE EXCEPTION 'posted charges must be reversed, not updated' USING ERRCODE = '55000';
75     END IF;
76     IF TG_OP = 'DELETE' THEN
77         RETURN OLD;
78     END IF;
79     RETURN NEW;
80 END;
81 $$;
```

```
83 CREATE OR REPLACE FUNCTION integration.protect_completed_inspection()
84 RETURNS trigger
85 LANGUAGE plpgsql
86 AS $$
87 BEGIN
88     IF TG_OP = 'DELETE' AND OLD.status = 'COMPLETED' THEN
89         RAISE EXCEPTION 'completed inspections are immutable' USING ERRCODE = '55000';
90     END IF;
91     IF TG_OP = 'UPDATE' AND OLD.status = 'COMPLETED' THEN
92         RAISE EXCEPTION 'completed inspections must be superseded, not updated' USING ERRCODE = '55000';
93     END IF;
94     IF TG_OP = 'DELETE' THEN
95         RETURN OLD;
96     END IF;
97     RETURN NEW;
98 END;
99 $$;
```

B.2 Tabelas - linhas 101 a 5014

```

101 -- -----
102 -- Tables
103 -- -----
104 CREATE TABLE org.legal_entity (
105     id                uuid NOT NULL DEFAULT gen_random_uuid(),
106     entity_code       varchar(30) NOT NULL,
107     legal_name        varchar(200) NOT NULL,
108     trade_name        varchar(160),
109     tax_identifier_ciphertext text,
110     tax_identifier_hmac bytea,
111     country_code      char(2) NOT NULL,
112     currency_code     char(3) NOT NULL,
113     timezone          varchar(64) NOT NULL,
114     status            varchar(20) NOT NULL DEFAULT 'ACTIVE',
115     created_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
116     updated_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
117     row_version       bigint NOT NULL DEFAULT 0,
118     CONSTRAINT pk_org_legal_entity PRIMARY KEY (id),
119     CONSTRAINT uq_org_legal_entity_entity_code_1 UNIQUE (entity_code),
120     CONSTRAINT uq_org_legal_entity_country_code_tax_identifier_hmac_2 UNIQUE (country_code, tax_identifier_hmac),
121     CONSTRAINT ck_org_legal_entity_1 CHECK (status IN ('ACTIVE','INACTIVE','SUSPENDED'))
122 );

```

```

124 CREATE TABLE org.business_unit (
125     id                uuid NOT NULL DEFAULT gen_random_uuid(),
126     legal_entity_id   uuid NOT NULL,
127     parent_business_unit_id uuid,
128     unit_code         varchar(30) NOT NULL,
129     name              varchar(160) NOT NULL,
130     unit_type         varchar(30) NOT NULL,
131     status            varchar(20) NOT NULL DEFAULT 'ACTIVE',
132     created_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
133     updated_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
134     row_version       bigint NOT NULL DEFAULT 0,
135     CONSTRAINT pk_org_business_unit PRIMARY KEY (id),
136     CONSTRAINT uq_org_business_unit_legal_entity_id_unit_code_1 UNIQUE (legal_entity_id, unit_code),
137     CONSTRAINT ck_org_business_unit_1 CHECK (status IN ('ACTIVE','INACTIVE'))
138 );

```

```
140 CREATE TABLE org.branch (
141     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
142     legal_entity_id                   uuid NOT NULL,
143     business_unit_id                  uuid,
144     branch_code                       varchar(30) NOT NULL,
145     name                             varchar(180) NOT NULL,
146     branch_type                       varchar(30) NOT NULL,
147     operator_type                     varchar(20) NOT NULL,
148     country_code                      char(2) NOT NULL,
149     timezone                          varchar(64) NOT NULL,
150     airport_code                      varchar(8),
151     latitude                          decimal(10,7),
152     longitude                         decimal(10,7),
153     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
154     opened_at                         date,
155     closed_at                         date,
156     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
157     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
158     row_version                       bigint NOT NULL DEFAULT 0,
159     CONSTRAINT pk_org_branch PRIMARY KEY (id),
160     CONSTRAINT uq_org_branch_legal_entity_id_branch_code_1 UNIQUE (legal_entity_id, branch_code),
161     CONSTRAINT ck_org_branch_1 CHECK (branch_type IN ('AIRPORT','URBAN','MALL','DEALERSHIP','MAINTENANCE_HUB','USED_CAR_STORE','VIRTUAL')),
162     CONSTRAINT ck_org_branch_2 CHECK (operator_type IN ('OWNED','FRANCHISE','PARTNER')),
163     CONSTRAINT ck_org_branch_3 CHECK (status IN ('PLANNED','ACTIVE','TEMPORARILY_CLOSED','CLOSED')),
164     CONSTRAINT ck_org_branch_4 CHECK (closed_at IS NULL OR opened_at IS NULL OR closed_at >= opened_at)
165 );

167 CREATE TABLE org.branch_operator (
168     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
169     branch_id                         uuid NOT NULL,
170     operator_party_id                 uuid NOT NULL,
171     operator_role                     varchar(30) NOT NULL,
172     valid_from                        timestampz NOT NULL,
173     valid_to                          timestampz,
174     agreement_reference               varchar(100),
175     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
176     CONSTRAINT pk_org_branch_operator PRIMARY KEY (id),
177     CONSTRAINT ck_org_branch_operator_1 CHECK (valid_to IS NULL OR valid_to > valid_from)
178 );
```

```
180 CREATE TABLE org.branch_hours (
181     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
182     branch_id                         uuid NOT NULL,
183     day_of_week                       smallint NOT NULL,
184     opens_at                          time,
185     closes_at                         time,
186     is_closed                         boolean NOT NULL DEFAULT FALSE,
187     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
188     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
189     CONSTRAINT pk_org_branch_hours PRIMARY KEY (id),
190     CONSTRAINT uq_org_branch_hours_branch_id_day_of_week_1 UNIQUE (branch_id, day_of_week),
191     CONSTRAINT ck_org_branch_hours_1 CHECK (day_of_week BETWEEN 1 AND 7),
192     CONSTRAINT ck_org_branch_hours_2 CHECK (is_closed OR closes_at > opens_at)
193 );

195 CREATE TABLE org.branch_calendar_exception (
196     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
197     branch_id                         uuid NOT NULL,
198     exception_date                    date NOT NULL,
199     opens_at                          time,
200     closes_at                         time,
201     is_closed                         boolean NOT NULL DEFAULT TRUE,
202     reason                            varchar(160),
203     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
204     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
205     CONSTRAINT pk_org_branch_calendar_exception PRIMARY KEY (id),
206     CONSTRAINT uq_org_branch_calendar_exception_branch_id_except_d9b41bc0 UNIQUE (branch_id, exception_date),
207     CONSTRAINT ck_org_branch_calendar_exception_1 CHECK (is_closed OR closes_at > opens_at)
208 );

210 CREATE TABLE org.channel (
211     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
212     channel_code                       varchar(30) NOT NULL,
213     name                              varchar(100) NOT NULL,
214     channel_type                       varchar(30) NOT NULL,
215     status                             varchar(20) NOT NULL DEFAULT 'ACTIVE',
216     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
217     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
218     CONSTRAINT pk_org_channel PRIMARY KEY (id),
219     CONSTRAINT uq_org_channel_channel_code_1 UNIQUE (channel_code),
220     CONSTRAINT ck_org_channel_1 CHECK (channel_type IN ('WEB', 'MOBILE_APP', 'BRANCH', 'CALL_CENTER', 'PARTNER', 'API', 'KIOSK')),
221     CONSTRAINT ck_org_channel_2 CHECK (status IN ('ACTIVE', 'INACTIVE'))
222 );
```

```
224 CREATE TABLE party.party (
225     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
226     party_type                        varchar(20) NOT NULL,
227     canonical_status                 varchar(20) NOT NULL DEFAULT 'ACTIVE',
228     preferred_language               varchar(10),
229     home_country_code               char(2),
230     merged_into_party_id             uuid,
231     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
232     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
233     row_version                      bigint NOT NULL DEFAULT 0,
234     CONSTRAINT pk_party_party PRIMARY KEY (id),
235     CONSTRAINT ck_party_party_1 CHECK (party_type IN ('PERSON','ORGANIZATION')),
236     CONSTRAINT ck_party_party_2 CHECK (canonical_status IN ('ACTIVE','BLOCKED','MERGED','ANONYMIZED','DECEASED','INACTIVE'))
237 );
```

```
239 CREATE TABLE party.person (
240     party_id                         uuid NOT NULL,
241     given_name                       varchar(100) NOT NULL,
242     family_name                     varchar(140) NOT NULL,
243     preferred_name                   varchar(100),
244     birth_date                       date,
245     nationality_country_code         char(2),
246     gender_code                     varchar(20),
247     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
248     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
249     CONSTRAINT pk_party_person PRIMARY KEY (party_id)
250 );
```

```
252 CREATE TABLE party.organization (
253     party_id                         uuid NOT NULL,
254     legal_name                       varchar(200) NOT NULL,
255     trade_name                       varchar(180),
256     organization_type                varchar(30),
257     incorporation_country_code       char(2),
258     website_url                      varchar(500),
259     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
260     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
261     CONSTRAINT pk_party_organization PRIMARY KEY (party_id)
262 );
```

```

264 CREATE TABLE party.party_identifier (
265     id                uuid NOT NULL DEFAULT gen_random_uuid(),
266     party_id          uuid NOT NULL,
267     identifier_type    varchar(40) NOT NULL,
268     issuing_country_code char(2) NOT NULL,
269     identifier_ciphertext text NOT NULL,
270     identifier_hmac     bytea NOT NULL,
271     identifier_last4    varchar(8),
272     valid_from         date,
273     valid_to           date,
274     verified_at        timestampz,
275     status             varchar(20) NOT NULL DEFAULT 'ACTIVE',
276     created_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
277     updated_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
278     CONSTRAINT pk_party_party_identifier PRIMARY KEY (id),
279     CONSTRAINT uq_party_party_identifier_identifier_type_issuing_2a125238 UNIQUE (identifier_type, issuing_country_code, identifier_hmac),
280     CONSTRAINT ck_party_party_identifier_1 CHECK (valid_to IS NULL OR valid_from IS NULL OR valid_to >= valid_from),
281     CONSTRAINT ck_party_party_identifier_2 CHECK (status IN ('ACTIVE','EXPIRED','REVOKED','UNVERIFIED'))
282 );

```

```

284 CREATE TABLE party.contact_point (
285     id                uuid NOT NULL DEFAULT gen_random_uuid(),
286     party_id          uuid NOT NULL,
287     contact_type       varchar(20) NOT NULL,
288     usage_type         varchar(20) NOT NULL,
289     value_ciphertext   text NOT NULL,
290     value_hmac         bytea NOT NULL,
291     is_primary         boolean NOT NULL DEFAULT FALSE,
292     verified_at        timestampz,
293     valid_from         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
294     valid_to           timestampz,
295     created_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
296     updated_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
297     CONSTRAINT pk_party_contact_point PRIMARY KEY (id),
298     CONSTRAINT ck_party_contact_point_1 CHECK (contact_type IN ('EMAIL','PHONE','MOBILE','WHATSAPP')),
299     CONSTRAINT ck_party_contact_point_2 CHECK (usage_type IN ('PERSONAL','WORK','BILLING','EMERGENCY')),
300     CONSTRAINT ck_party_contact_point_3 CHECK (valid_to IS NULL OR valid_to > valid_from)
301 );

```

```
303 CREATE TABLE party.postal_address (
304     id                uuid NOT NULL DEFAULT gen_random_uuid(),
305     country_code       char(2) NOT NULL,
306     postal_code        varchar(20),
307     state_region       varchar(100),
308     city               varchar(120) NOT NULL,
309     district           varchar(120),
310     street              varchar(180),
311     street_number      varchar(30),
312     complement         varchar(140),
313     latitude           decimal(10,7),
314     longitude          decimal(10,7),
315     created_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
316     updated_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
317     row_version        bigint NOT NULL DEFAULT 0,
318     CONSTRAINT pk_party_postal_address PRIMARY KEY (id)
319 );

321 CREATE TABLE party.party_address (
322     id                uuid NOT NULL DEFAULT gen_random_uuid(),
323     party_id           uuid NOT NULL,
324     address_id         uuid NOT NULL,
325     usage_type         varchar(20) NOT NULL,
326     is_primary         boolean NOT NULL DEFAULT FALSE,
327     valid_from         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
328     valid_to           timestampz,
329     created_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
330     updated_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
331     CONSTRAINT pk_party_party_address PRIMARY KEY (id),
332     CONSTRAINT uq_party_party_address_party_id_address_id_usage__32d5144f UNIQUE (party_id, address_id, usage_type, valid_from),
333     CONSTRAINT ck_party_party_address_1 CHECK (usage_type IN ('HOME','WORK','BILLING','MAILING','REGISTERED')),
334     CONSTRAINT ck_party_party_address_2 CHECK (valid_to IS NULL OR valid_to > valid_from)
335 );
```

```
337 CREATE TABLE party.customer_account (  
338     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
339     party_id                          uuid NOT NULL,  
340     legal_entity_id                   uuid NOT NULL,  
341     customer_number                   varchar(40) NOT NULL,  
342     segment                           varchar(30) NOT NULL,  
343     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',  
344     credit_limit                       decimal(19,4),  
345     currency_code                     char(3),  
346     opened_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
347     closed_at                         timestampz,  
348     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
349     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
350     row_version                       bigint NOT NULL DEFAULT 0,  
351     CONSTRAINT pk_party_customer_account PRIMARY KEY (id),  
352     CONSTRAINT uq_party_customer_account_legal_entity_id_custome_0bdb7276 UNIQUE (legal_entity_id, customer_number),  
353     CONSTRAINT uq_party_customer_account_legal_entity_id_party_id_2 UNIQUE (legal_entity_id, party_id),  
354     CONSTRAINT ck_party_customer_account_1 CHECK (segment IN ('RETAIL','CORPORATE','PARTNER','GOVERNMENT','INTERNAL')),  
355     CONSTRAINT ck_party_customer_account_2 CHECK (status IN ('PENDING','ACTIVE','SUSPENDED','CLOSED')),  
356     CONSTRAINT ck_party_customer_account_3 CHECK (closed_at IS NULL OR closed_at >= opened_at)  
357 );
```

```
359 CREATE TABLE party.organization_representative (  
360     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
361     organization_party_id             uuid NOT NULL,  
362     person_party_id                   uuid NOT NULL,  
363     role_type                          varchar(40) NOT NULL,  
364     valid_from                         timestampz NOT NULL,  
365     valid_to                           timestampz,  
366     authority_document_id              uuid,  
367     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
368     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
369     CONSTRAINT pk_party_organization_representative PRIMARY KEY (id),  
370     CONSTRAINT ck_party_organization_representative_1 CHECK (valid_to IS NULL OR valid_to > valid_from)  
371 );
```



```

373 CREATE TABLE party.driver_profile (
374     id                uuid NOT NULL DEFAULT gen_random_uuid(),
375     person_party_id    uuid NOT NULL,
376     status             varchar(20) NOT NULL DEFAULT 'PENDING',
377     first_approved_at  timestampz,
378     last_reviewed_at   timestampz,
379     young_driver_until date,
380     notes              text,
381     created_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
382     updated_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
383     row_version        bigint NOT NULL DEFAULT 0,
384     CONSTRAINT pk_party_driver_profile PRIMARY KEY (id),
385     CONSTRAINT uq_party_driver_profile_person_party_id_1 UNIQUE (person_party_id),
386     CONSTRAINT ck_party_driver_profile_1 CHECK (status IN ('PENDING','APPROVED','RESTRICTED','SUSPENDED','REJECTED'))
387 );

```

```

389 CREATE TABLE party.driver_license (
390     id                uuid NOT NULL DEFAULT gen_random_uuid(),
391     driver_profile_id  uuid NOT NULL,
392     issuing_country_code char(2) NOT NULL,
393     license_number_ciphertext text NOT NULL,
394     license_number_hmac bytea NOT NULL,
395     category          varchar(20) NOT NULL,
396     issued_at         date,
397     expires_at        date NOT NULL,
398     status            varchar(20) NOT NULL DEFAULT 'UNVERIFIED',
399     verification_source varchar(40),
400     verified_at       timestampz,
401     created_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
402     updated_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
403     row_version        bigint NOT NULL DEFAULT 0,
404     CONSTRAINT pk_party_driver_license PRIMARY KEY (id),
405     CONSTRAINT uq_party_driver_license_issuing_country_code_lice_53885997 UNIQUE (issuing_country_code, license_number_hmac),
406     CONSTRAINT ck_party_driver_license_1 CHECK (status IN ('UNVERIFIED','VALID','EXPIRED','SUSPENDED','REVOKED','REJECTED')),
407     CONSTRAINT ck_party_driver_license_2 CHECK (issued_at IS NULL OR expires_at > issued_at)
408 );

```

```
410 CREATE TABLE party.identity_verification (  
411     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
412     party_id                          uuid NOT NULL,  
413     verification_type                  varchar(40) NOT NULL,  
414     provider                           varchar(60),  
415     provider_reference                 varchar(160),  
416     result                            varchar(20) NOT NULL,  
417     score                             decimal(8,5),  
418     evidence_json                      jsonb,  
419     verified_at                        timestamptz NOT NULL,  
420     expires_at                         timestamptz,  
421     created_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
422     CONSTRAINT pk_party_identity_verification PRIMARY KEY (id),  
423     CONSTRAINT ck_party_identity_verification_1 CHECK (result IN ('APPROVED', 'REJECTED', 'REVIEW', 'EXPIRED')),  
424     CONSTRAINT ck_party_identity_verification_2 CHECK (expires_at IS NULL OR expires_at > verified_at)  
425 );
```

```
427 CREATE TABLE party.risk_assessment (  
428     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
429     party_id                          uuid NOT NULL,  
430     assessment_type                    varchar(40) NOT NULL,  
431     risk_level                         varchar(20) NOT NULL,  
432     score                             decimal(10,5),  
433     rule_version                       varchar(60),  
434     decision                           varchar(30) NOT NULL,  
435     reason_codes                       jsonb,  
436     assessed_at                       timestamptz NOT NULL,  
437     expires_at                         timestamptz,  
438     created_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
439     CONSTRAINT pk_party_risk_assessment PRIMARY KEY (id),  
440     CONSTRAINT ck_party_risk_assessment_1 CHECK (risk_level IN ('LOW', 'MEDIUM', 'HIGH', 'CRITICAL')),  
441     CONSTRAINT ck_party_risk_assessment_2 CHECK (decision IN ('APPROVE', 'REVIEW', 'REJECT', 'LIMIT')),  
442     CONSTRAINT ck_party_risk_assessment_3 CHECK (expires_at IS NULL OR expires_at > assessed_at)  
443 );
```

```
445 CREATE TABLE party.customer_restriction (
446     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
447     party_id                          uuid NOT NULL,
448     restriction_type                  varchar(40) NOT NULL,
449     severity                          varchar(20) NOT NULL,
450     reason_code                       varchar(60),
451     starts_at                         timestamptz NOT NULL,
452     ends_at                           timestamptz,
453     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
454     created_by                        uuid,
455     released_by                       uuid,
456     released_at                       timestamptz,
457     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
458     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
459     row_version                       bigint NOT NULL DEFAULT 0,
460     CONSTRAINT pk_party_customer_restriction PRIMARY KEY (id),
461     CONSTRAINT ck_party_customer_restriction_1 CHECK (severity IN ('INFO','WARNING','BLOCKING')),
462     CONSTRAINT ck_party_customer_restriction_2 CHECK (status IN ('ACTIVE','RELEASED','EXPIRED')),
463     CONSTRAINT ck_party_customer_restriction_3 CHECK (ends_at IS NULL OR ends_at > starts_at)
464 );
```

```
466 CREATE TABLE catalog.unit_of_measure (
467     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
468     unit_code                          varchar(20) NOT NULL,
469     name                               varchar(80) NOT NULL,
470     dimension                          varchar(30) NOT NULL,
471     decimal_scale                      smallint NOT NULL DEFAULT 0,
472     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
473     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
474     CONSTRAINT pk_catalog_unit_of_measure PRIMARY KEY (id),
475     CONSTRAINT uq_catalog_unit_of_measure_unit_code_1 UNIQUE (unit_code),
476     CONSTRAINT ck_catalog_unit_of_measure_1 CHECK (decimal_scale BETWEEN 0 AND 9)
477 );
```

```
479 CREATE TABLE catalog.tax_category (
480     id                uuid NOT NULL DEFAULT gen_random_uuid(),
481     tax_category_code  varchar(30) NOT NULL,
482     name              varchar(100) NOT NULL,
483     country_code      char(2) NOT NULL,
484     configuration_json jsonb,
485     status            varchar(20) NOT NULL DEFAULT 'ACTIVE',
486     created_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
487     updated_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
488     CONSTRAINT pk_catalog_tax_category PRIMARY KEY (id),
489     CONSTRAINT uq_catalog_tax_category_country_code_tax_category_code_1 UNIQUE (country_code, tax_category_code),
490     CONSTRAINT ck_catalog_tax_category_1 CHECK (status IN ('ACTIVE','INACTIVE'))
491 );
```

```
493 CREATE TABLE catalog.vehicle_make (
494     id                uuid NOT NULL DEFAULT gen_random_uuid(),
495     make_code         varchar(30) NOT NULL,
496     name              varchar(100) NOT NULL,
497     country_code      char(2),
498     status            varchar(20) NOT NULL DEFAULT 'ACTIVE',
499     created_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
500     updated_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
501     CONSTRAINT pk_catalog_vehicle_make PRIMARY KEY (id),
502     CONSTRAINT uq_catalog_vehicle_make_make_code_1 UNIQUE (make_code),
503     CONSTRAINT ck_catalog_vehicle_make_1 CHECK (status IN ('ACTIVE','INACTIVE'))
504 );
```

```
506 CREATE TABLE catalog.vehicle_model (
507     id                uuid NOT NULL DEFAULT gen_random_uuid(),
508     make_id           uuid NOT NULL,
509     model_code        varchar(40) NOT NULL,
510     name              varchar(120) NOT NULL,
511     status            varchar(20) NOT NULL DEFAULT 'ACTIVE',
512     created_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
513     updated_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
514     CONSTRAINT pk_catalog_vehicle_model PRIMARY KEY (id),
515     CONSTRAINT uq_catalog_vehicle_model_make_id_model_code_1 UNIQUE (make_id, model_code),
516     CONSTRAINT ck_catalog_vehicle_model_1 CHECK (status IN ('ACTIVE','INACTIVE'))
517 );
```

```

519 CREATE TABLE catalog.vehicle_variant (
520     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
521     model_id                          uuid NOT NULL,
522     variant_code                      varchar(50) NOT NULL,
523     trim_name                        varchar(120),
524     manufacture_year                 smallint,
525     model_year                       smallint,
526     engine_description                varchar(120),
527     transmission_type                 varchar(30),
528     fuel_type                        varchar(30),
529     seat_count                       smallint,
530     door_count                       smallint,
531     luggage_capacity                 smallint,
532     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
533     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
534     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
535     CONSTRAINT pk_catalog_vehicle_variant PRIMARY KEY (id),
536     CONSTRAINT uq_catalog_vehicle_variant_model_id_variant_code_69e5c55d UNIQUE (model_id, variant_code, model_year),
537     CONSTRAINT ck_catalog_vehicle_variant_1 CHECK (transmission_type IS NULL OR transmission_type IN ('MANUAL','AUTOMATIC','CVT','DUAL_CLUTCH','OTHER')),
538     CONSTRAINT ck_catalog_vehicle_variant_2 CHECK (fuel_type IS NULL OR fuel_type IN ('GASOLINE','ETHANOL','FLEX','DIESEL','HYBRID','ELECTRIC','OTHER')),
539     CONSTRAINT ck_catalog_vehicle_variant_3 CHECK (seat_count IS NULL OR seat_count > 0),
540     CONSTRAINT ck_catalog_vehicle_variant_4 CHECK (door_count IS NULL OR door_count > 0),
541     CONSTRAINT ck_catalog_vehicle_variant_5 CHECK (status IN ('ACTIVE','INACTIVE'))
542 );

544 CREATE TABLE catalog.feature (
545     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
546     feature_code                      varchar(40) NOT NULL,
547     name                             varchar(100) NOT NULL,
548     feature_type                      varchar(30) NOT NULL,
549     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
550     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
551     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
552     CONSTRAINT pk_catalog_feature PRIMARY KEY (id),
553     CONSTRAINT uq_catalog_feature_feature_code_1 UNIQUE (feature_code),
554     CONSTRAINT ck_catalog_feature_1 CHECK (status IN ('ACTIVE','INACTIVE'))
555 );

557 CREATE TABLE catalog.variant_feature (
558     vehicle_variant_id               uuid NOT NULL,
559     feature_id                       uuid NOT NULL,
560     feature_value                     varchar(120),
561     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
562     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
563     CONSTRAINT pk_catalog_variant_feature PRIMARY KEY (vehicle_variant_id, feature_id)
564 );

```

```

566 CREATE TABLE catalog.vehicle_group (
567     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
568     group_code                        varchar(30) NOT NULL,
569     name                             varchar(120) NOT NULL,
570     market_country_code              char(2) NOT NULL,
571     description                       text,
572     minimum_seats                     smallint,
573     minimum_luggage                   smallint,
574     sort_order                        integer NOT NULL DEFAULT 0,
575     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
576     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
577     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
578     CONSTRAINT pk_catalog_vehicle_group PRIMARY KEY (id),
579     CONSTRAINT uq_catalog_vehicle_group_market_country_code_1 UNIQUE (market_country_code, group_code),
580     CONSTRAINT ck_catalog_vehicle_group_1 CHECK (status IN ('ACTIVE','INACTIVE'))
581 );

583 CREATE TABLE catalog.vehicle_group_variant (
584     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
585     vehicle_group_id                  uuid NOT NULL,
586     vehicle_variant_id                uuid NOT NULL,
587     valid_from                        timestamptz NOT NULL,
588     valid_to                          timestamptz,
589     priority                          smallint NOT NULL DEFAULT 100,
590     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
591     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
592     CONSTRAINT pk_catalog_vehicle_group_variant PRIMARY KEY (id),
593     CONSTRAINT uq_catalog_vehicle_group_variant_vehicle_group_id_b7063c95 UNIQUE (vehicle_group_id, vehicle_variant_id, valid_from),
594     CONSTRAINT ck_catalog_vehicle_group_variant_1 CHECK (valid_to IS NULL OR valid_to > valid_from)
595 );

597 CREATE TABLE catalog.vehicle_group_upgrade (
598     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
599     from_group_id                     uuid NOT NULL,
600     to_group_id                       uuid NOT NULL,
601     priority                          smallint NOT NULL DEFAULT 100,
602     valid_from                        timestamptz NOT NULL,
603     valid_to                          timestamptz,
604     requires_approval                  boolean NOT NULL DEFAULT FALSE,
605     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
606     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
607     CONSTRAINT pk_catalog_vehicle_group_upgrade PRIMARY KEY (id),
608     CONSTRAINT uq_catalog_vehicle_group_upgrade_from_group_id_to_0a9e3cb2 UNIQUE (from_group_id, to_group_id, valid_from),
609     CONSTRAINT ck_catalog_vehicle_group_upgrade_1 CHECK (from_group_id <> to_group_id),
610     CONSTRAINT ck_catalog_vehicle_group_upgrade_2 CHECK (valid_to IS NULL OR valid_to > valid_from)
611 );

```

```
613 CREATE TABLE catalog.commercial_product (  
614     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
615     product_code                      varchar(40) NOT NULL,  
616     name                             varchar(140) NOT NULL,  
617     product_type                     varchar(30) NOT NULL,  
618     unit_code                        varchar(20) NOT NULL,  
619     tax_category_id                  uuid,  
620     configuration_json               jsonb,  
621     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',  
622     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
623     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
624     CONSTRAINT pk_catalog_commercial_product PRIMARY KEY (id),  
625     CONSTRAINT uq_catalog_commercial_product_product_code_1 UNIQUE (product_code),  
626     CONSTRAINT ck_catalog_commercial_product_1 CHECK (product_type IN ('RENTAL', 'ACCESSORY', 'SERVICE', 'PROTECTION', 'FEE', 'MILEAGE', 'DISCOUNT', 'TAX')),  
627     CONSTRAINT ck_catalog_commercial_product_2 CHECK (status IN ('ACTIVE', 'INACTIVE'))  
628 );
```

```
630 CREATE TABLE catalog.coverage (  
631     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
632     coverage_code                    varchar(40) NOT NULL,  
633     name                             varchar(140) NOT NULL,  
634     description                      text,  
635     coverage_type                    varchar(30) NOT NULL,  
636     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',  
637     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
638     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
639     CONSTRAINT pk_catalog_coverage PRIMARY KEY (id),  
640     CONSTRAINT uq_catalog_coverage_coverage_code_1 UNIQUE (coverage_code),  
641     CONSTRAINT ck_catalog_coverage_1 CHECK (status IN ('ACTIVE', 'INACTIVE'))  
642 );
```

```
644 CREATE TABLE catalog.protection_coverage (  
645     protection_product_id            uuid NOT NULL,  
646     coverage_id                      uuid NOT NULL,  
647     deductible_amount                decimal(19,4),  
648     coverage_limit_amount            decimal(19,4),  
649     currency_code                    char(3),  
650     terms_json                       jsonb,  
651     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
652     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
653     CONSTRAINT pk_catalog_protection_coverage PRIMARY KEY (protection_product_id, coverage_id),  
654     CONSTRAINT ck_catalog_protection_coverage_1 CHECK (deductible_amount IS NULL OR deductible_amount >= 0),  
655     CONSTRAINT ck_catalog_protection_coverage_2 CHECK (coverage_limit_amount IS NULL OR coverage_limit_amount >= 0)  
656 );
```

```

658 CREATE TABLE catalog.charge_type (
659     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
660     charge_code                       varchar(50) NOT NULL,
661     name                              varchar(140) NOT NULL,
662     category                          varchar(30) NOT NULL,
663     default_product_id                uuid,
664     is_reversible                     boolean NOT NULL DEFAULT TRUE,
665     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
666     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
667     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
668     CONSTRAINT pk_catalog_charge_type PRIMARY KEY (id),
669     CONSTRAINT uq_catalog_charge_type_charge_code_1 UNIQUE (charge_code),
670     CONSTRAINT ck_catalog_charge_type_1 CHECK (category IN ('RENTAL','USAGE','PROTECTION','FEE','DAMAGE','TRAFFIC','TOLL','TAX','DISCOUNT','OTHER')),
671     CONSTRAINT ck_catalog_charge_type_2 CHECK (status IN ('ACTIVE','INACTIVE'))
672 );

```

```

674 CREATE TABLE corporate.partner (
675     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
676     party_id                          uuid NOT NULL,
677     partner_code                      varchar(40) NOT NULL,
678     partner_type                      varchar(30) NOT NULL,
679     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
680     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
681     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
682     row_version                       bigint NOT NULL DEFAULT 0,
683     CONSTRAINT pk_corporate_partner PRIMARY KEY (id),
684     CONSTRAINT uq_corporate_partner_partner_code_1 UNIQUE (partner_code),
685     CONSTRAINT uq_corporate_partner_party_id_2 UNIQUE (party_id),
686     CONSTRAINT ck_corporate_partner_1 CHECK (partner_type IN ('OTA','TRAVEL_AGENCY','AIRLINE','BANK','INSURER','MARKETPLACE','OTHER')),
687     CONSTRAINT ck_corporate_partner_2 CHECK (status IN ('ACTIVE','SUSPENDED','INACTIVE'))
688 );

```

```

690 CREATE TABLE corporate.partner_agreement (
691     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
692     partner_id                        uuid NOT NULL,
693     legal_entity_id                  uuid NOT NULL,
694     agreement_number                  varchar(60) NOT NULL,
695     valid_from                        timestamptz NOT NULL,
696     valid_to                          timestamptz,
697     commission_model                  varchar(30),
698     commission_value                  decimal(19,6),
699     currency_code                     char(3),
700     terms_json                        jsonb,
701     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
702     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
703     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
704     row_version                       bigint NOT NULL DEFAULT 0,
705     CONSTRAINT pk_corporate_partner_agreement PRIMARY KEY (id),
706     CONSTRAINT uq_corporate_partner_agreement_legal_entity_id_ag_0279997d UNIQUE (legal_entity_id, agreement_number),
707     CONSTRAINT ck_corporate_partner_agreement_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
708     CONSTRAINT ck_corporate_partner_agreement_2 CHECK (status IN ('DRAFT','ACTIVE','SUSPENDED','EXPIRED','TERMINATED'))
709 );

```

```

711 CREATE TABLE corporate.corporate_agreement (
712     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
713     customer_account_id               uuid NOT NULL,
714     legal_entity_id                  uuid NOT NULL,
715     agreement_number                  varchar(60) NOT NULL,
716     valid_from                        timestamptz NOT NULL,
717     valid_to                          timestamptz,
718     billing_mode                       varchar(30) NOT NULL,
719     currency_code                     char(3) NOT NULL,
720     credit_limit                       decimal(19,4),
721     terms_json                        jsonb,
722     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',
723     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
724     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
725     row_version                       bigint NOT NULL DEFAULT 0,
726     CONSTRAINT pk_corporate_corporate_agreement PRIMARY KEY (id),
727     CONSTRAINT uq_corporate_corporate_agreement_legal_entity_id_50e67ddc UNIQUE (legal_entity_id, agreement_number),
728     CONSTRAINT ck_corporate_corporate_agreement_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
729     CONSTRAINT ck_corporate_corporate_agreement_2 CHECK (billing_mode IN ('DIRECT','CONSOLIDATED','PREPAID','VOUCHER')),
730     CONSTRAINT ck_corporate_corporate_agreement_3 CHECK (status IN ('DRAFT','ACTIVE','SUSPENDED','EXPIRED','TERMINATED'))
731 );

```

```
733 CREATE TABLE corporate.corporate_cost_center (  
734     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
735     corporate_agreement_id            uuid NOT NULL,  
736     parent_cost_center_id            uuid,  
737     cost_center_code                  varchar(50) NOT NULL,  
738     name                             varchar(140) NOT NULL,  
739     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',  
740     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
741     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
742     CONSTRAINT pk_corporate_corporate_cost_center PRIMARY KEY (id),  
743     CONSTRAINT uq_corporate_corporate_cost_center_corporate_agre_88789ddd UNIQUE (corporate_agreement_id, cost_center_code),  
744     CONSTRAINT ck_corporate_corporate_cost_center_1 CHECK (status IN ('ACTIVE','INACTIVE'))  
745 );  
  
747 CREATE TABLE corporate.authorized_driver (  
748     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
749     corporate_agreement_id            uuid NOT NULL,  
750     driver_profile_id                 uuid NOT NULL,  
751     cost_center_id                    uuid,  
752     valid_from                        timestampz NOT NULL,  
753     valid_to                          timestampz,  
754     authorization_level                varchar(30),  
755     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',  
756     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
757     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
758     CONSTRAINT pk_corporate_authorized_driver PRIMARY KEY (id),  
759     CONSTRAINT uq_corporate_authorized_driver_corporate_agreemen_cb7456fb UNIQUE (corporate_agreement_id, driver_profile_id, valid_from),  
760     CONSTRAINT ck_corporate_authorized_driver_1 CHECK (valid_to IS NULL OR valid_to > valid_from),  
761     CONSTRAINT ck_corporate_authorized_driver_2 CHECK (status IN ('ACTIVE','SUSPENDED','EXPIRED','REVOKED'))  
762 );
```

```

764 CREATE TABLE corporate.corporate_billing_profile (
765     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
766     corporate_agreement_id            uuid NOT NULL,
767     billing_party_id                  uuid NOT NULL,
768     billing_address_id                uuid,
769     payment_terms_days                integer NOT NULL DEFAULT 0,
770     invoice_frequency                  varchar(20) NOT NULL,
771     purchase_order_required            boolean NOT NULL DEFAULT FALSE,
772     tax_document_email_ciphertext     text,
773     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
774     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
775     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
776     row_version                       bigint NOT NULL DEFAULT 0,
777     CONSTRAINT pk_corporate_corporate_billing_profile PRIMARY KEY (id),
778     CONSTRAINT uq_corporate_corporate_billing_profile_corporate__64893437 UNIQUE (corporate_agreement_id),
779     CONSTRAINT ck_corporate_corporate_billing_profile_1 CHECK (payment_terms_days >= 0),
780     CONSTRAINT ck_corporate_corporate_billing_profile_2 CHECK (invoice_frequency IN ('PER_CONTRACT', 'WEEKLY', 'BIWEEKLY', 'MONTHLY')),
781     CONSTRAINT ck_corporate_corporate_billing_profile_3 CHECK (status IN ('ACTIVE', 'INACTIVE'))
782 );

784 CREATE TABLE fleet.acquisition_order (
785     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
786     legal_entity_id                    uuid NOT NULL,
787     supplier_party_id                  uuid NOT NULL,
788     order_number                       varchar(60) NOT NULL,
789     order_date                         date NOT NULL,
790     expected_delivery_date              date,
791     currency_code                      char(3) NOT NULL,
792     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',
793     total_amount                       decimal(19,4) NOT NULL DEFAULT 0,
794     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
795     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
796     row_version                       bigint NOT NULL DEFAULT 0,
797     CONSTRAINT pk_fleet_acquisition_order PRIMARY KEY (id),
798     CONSTRAINT uq_fleet_acquisition_order_legal_entity_id_order_number_1 UNIQUE (legal_entity_id, order_number),
799     CONSTRAINT ck_fleet_acquisition_order_1 CHECK (status IN ('DRAFT', 'APPROVED', 'PLACED', 'PARTIALLY_RECEIVED', 'RECEIVED', 'CANCELLED')),
800     CONSTRAINT ck_fleet_acquisition_order_2 CHECK (total_amount >= 0)
801 );

```

```

803 CREATE TABLE fleet.acquisition_order_line (
804     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
805     acquisition_order_id              uuid NOT NULL,
806     line_number                      integer NOT NULL,
807     vehicle_variant_id               uuid NOT NULL,
808     quantity_ordered                 integer NOT NULL,
809     quantity_received                 integer NOT NULL DEFAULT 0,
810     unit_price                       decimal(19,4) NOT NULL,
811     expected_delivery_date            date,
812     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
813     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
814     CONSTRAINT pk_fleet_acquisition_order_line PRIMARY KEY (id),
815     CONSTRAINT uq_fleet_acquisition_order_line_acquisition_order_26372419 UNIQUE (acquisition_order_id, line_number),
816     CONSTRAINT ck_fleet_acquisition_order_line_1 CHECK (quantity_ordered > 0),
817     CONSTRAINT ck_fleet_acquisition_order_line_2 CHECK (quantity_received >= 0),
818     CONSTRAINT ck_fleet_acquisition_order_line_3 CHECK (quantity_received <= quantity_ordered),
819     CONSTRAINT ck_fleet_acquisition_order_line_4 CHECK (unit_price >= 0)
820 );

822 CREATE TABLE fleet.vehicle (
823     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
824     fleet_number                     varchar(40) NOT NULL,
825     vin                             varchar(40) NOT NULL,
826     vehicle_variant_id               uuid NOT NULL,
827     owning_legal_entity_id           uuid NOT NULL,
828     acquisition_order_line_id        uuid,
829     acquired_at                      date,
830     in_service_at                    date,
831     current_branch_id                uuid,
832     current_vehicle_group_id          uuid,
833     current_operational_state         varchar(30) NOT NULL DEFAULT 'PICKUP_PREPARATION',
834     current_lifecycle_state           varchar(30) NOT NULL DEFAULT 'RECEIVED',
835     current_odometer_km               decimal(12,1) NOT NULL DEFAULT 0,
836     current_fuel_level                decimal(5,2),
837     status_reason                     varchar(120),
838     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
839     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
840     row_version                       bigint NOT NULL DEFAULT 0,
841     CONSTRAINT pk_fleet_vehicle PRIMARY KEY (id),
842     CONSTRAINT uq_fleet_vehicle_fleet_number_1 UNIQUE (fleet_number),
843     CONSTRAINT uq_fleet_vehicle_vin_2 UNIQUE (vin),
844     CONSTRAINT ck_fleet_vehicle_1 CHECK (current_operational_state IN ('AVAILABLE', 'PICKUP_PREPARATION', 'RENTED', 'RETURN_PROCESSING', 'CLEANING', 'MAINTENANCE', 'IN_TRANSFER', 'QUARANTINED',
845     'BLOCKED', 'SALE_PREPARATION')),
846     CONSTRAINT ck_fleet_vehicle_2 CHECK (current_lifecycle_state IN ('ORDERED', 'RECEIVED', 'IN_FLEET', 'DISPOSAL_CANDIDATE', 'SALE_PREPARATION', 'LISTED_FOR_SALE', 'SOLD', 'DEREGISTERED')),
847     CONSTRAINT ck_fleet_vehicle_3 CHECK (current_odometer_km >= 0),
848     CONSTRAINT ck_fleet_vehicle_4 CHECK (current_fuel_level IS NULL OR (current_fuel_level >= 0 AND current_fuel_level <= 100))
849 );

```

```
850 CREATE TABLE fleet.vehicle_registration (
851     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
852     vehicle_id                        uuid NOT NULL,
853     country_code                     char(2) NOT NULL,
854     registration_number               varchar(30) NOT NULL,
855     registration_hmac                 bytea,
856     issuing_region                    varchar(80),
857     valid_from                        timestampz NOT NULL,
858     valid_to                          timestampz,
859     document_object_key               varchar(500),
860     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
861     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
862     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
863     CONSTRAINT pk_fleet_vehicle_registration PRIMARY KEY (id),
864     CONSTRAINT uq_fleet_vehicle_registration_country_code_regist_344750a9 UNIQUE (country_code, registration_number, valid_from),
865     CONSTRAINT ck_fleet_vehicle_registration_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
866     CONSTRAINT ck_fleet_vehicle_registration_2 CHECK (status IN ('ACTIVE','EXPIRED','REVOKED','REPLACED'))
867 );

869 CREATE TABLE fleet.vehicle_group_assignment (
870     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
871     vehicle_id                        uuid NOT NULL,
872     vehicle_group_id                  uuid NOT NULL,
873     valid_from                        timestampz NOT NULL,
874     valid_to                          timestampz,
875     assignment_reason                  varchar(60),
876     assigned_by                        uuid,
877     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
878     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
879     CONSTRAINT pk_fleet_vehicle_group_assignment PRIMARY KEY (id),
880     CONSTRAINT uq_fleet_vehicle_group_assignment_vehicle_id_valid_from_1 UNIQUE (vehicle_id, valid_from),
881     CONSTRAINT ck_fleet_vehicle_group_assignment_1 CHECK (valid_to IS NULL OR valid_to > valid_from)
882 );
```

```
884 CREATE TABLE fleet.vehicle_operational_state_history (  
885     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
886     vehicle_id                        uuid NOT NULL,  
887     from_status                       varchar(40),  
888     to_status                         varchar(40) NOT NULL,  
889     reason_code                       varchar(60),  
890     reason_text                       text,  
891     changed_by                        uuid,  
892     changed_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
893     CONSTRAINT pk_fleet_vehicle_operational_state_history PRIMARY KEY (id),  
894     CONSTRAINT ck_fleet_vehicle_operational_state_history_1 CHECK (to_status IN ('AVAILABLE', 'PICKUP_PREPARATION', 'RENTED', 'RETURN_PROCESSING', 'CLEANING', 'MAINTENANCE', 'IN_TRANSFER', 'QUARANTINED', 'BLOCKED', 'SALE_PREPARATION'))  
895 );  
  
897 CREATE TABLE fleet.vehicle_lifecycle_history (  
898     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
899     vehicle_id                        uuid NOT NULL,  
900     from_status                       varchar(40),  
901     to_status                         varchar(40) NOT NULL,  
902     reason_code                       varchar(60),  
903     reason_text                       text,  
904     changed_by                        uuid,  
905     changed_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
906     CONSTRAINT pk_fleet_vehicle_lifecycle_history PRIMARY KEY (id),  
907     CONSTRAINT ck_fleet_vehicle_lifecycle_history_1 CHECK (to_status IN ('ORDERED', 'RECEIVED', 'IN_FLEET', 'DISPOSAL_CANDIDATE', 'SALE_PREPARATION', 'LISTED_FOR_SALE', 'SOLD', 'DEREGISTERED'))  
908 );
```

```
910 CREATE TABLE fleet.vehicle_restriction (
911     id                        uuid NOT NULL DEFAULT gen_random_uuid(),
912     vehicle_id                uuid NOT NULL,
913     restriction_type           varchar(40) NOT NULL,
914     severity                   varchar(20) NOT NULL,
915     reason_code                varchar(60),
916     starts_at                  timestamptz NOT NULL,
917     ends_at                    timestamptz,
918     status                     varchar(20) NOT NULL DEFAULT 'ACTIVE',
919     source_type                varchar(40),
920     source_id                  uuid,
921     created_at                  timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
922     updated_at                  timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
923     row_version                 bigint NOT NULL DEFAULT 0,
924     CONSTRAINT pk_fleet_vehicle_restriction PRIMARY KEY (id),
925     CONSTRAINT ck_fleet_vehicle_restriction_1 CHECK (severity IN ('INFO','WARNING','BLOCKING')),
926     CONSTRAINT ck_fleet_vehicle_restriction_2 CHECK (status IN ('ACTIVE','RELEASED','EXPIRED')),
927     CONSTRAINT ck_fleet_vehicle_restriction_3 CHECK (ends_at IS NULL OR ends_at > starts_at)
928 );

930 CREATE TABLE fleet.vehicle_location_history (
931     id                        uuid NOT NULL DEFAULT gen_random_uuid(),
932     vehicle_id                uuid NOT NULL,
933     branch_id                  uuid,
934     latitude                    decimal(10,7),
935     longitude                   decimal(10,7),
936     location_type              varchar(30) NOT NULL,
937     source_type                varchar(40) NOT NULL,
938     source_id                  uuid,
939     recorded_at                 timestamptz NOT NULL,
940     created_at                  timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
941     CONSTRAINT pk_fleet_vehicle_location_history PRIMARY KEY (id),
942     CONSTRAINT ck_fleet_vehicle_location_history_1 CHECK (location_type IN ('BRANCH','GPS','WORKSHOP','CUSTOMER','TRANSFER','OTHER'))
943 );
```

```

945 CREATE TABLE fleet.vehicle_calendar_entry (
946     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
947     legal_entity_id                   uuid NOT NULL,
948     vehicle_id                        uuid NOT NULL,
949     start_at                          timestampz NOT NULL,
950     end_at                            timestampz NOT NULL,
951     entry_type                        varchar(30) NOT NULL,
952     status                            varchar(20) NOT NULL,
953     source_type                       varchar(40) NOT NULL,
954     source_id                         uuid,
955     notes                             text,
956     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
957     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
958     row_version                       bigint NOT NULL DEFAULT 0,
959     CONSTRAINT pk_fleet_vehicle_calendar_entry PRIMARY KEY (id),
960     CONSTRAINT ck_fleet_vehicle_calendar_entry_1 CHECK (end_at > start_at),
961     CONSTRAINT ck_fleet_vehicle_calendar_entry_2 CHECK (entry_type IN ('RENTAL', 'MAINTENANCE', 'TRANSFER', 'CLEANING', 'INSPECTION', 'SALE_PREPARATION', 'MANUAL_BLOCK')),
962     CONSTRAINT ck_fleet_vehicle_calendar_entry_3 CHECK (status IN ('HELD', 'CONFIRMED', 'ACTIVE', 'CLOSED', 'CANCELLED', 'SUPERSEDED'))
963 );

```

```

965 CREATE TABLE fleet.odometer_reading (
966     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
967     vehicle_id                        uuid NOT NULL,
968     reading_km                        decimal(12,1) NOT NULL,
969     reading_at                        timestampz NOT NULL,
970     source_type                       varchar(40) NOT NULL,
971     source_id                         uuid,
972     is_correction                     boolean NOT NULL DEFAULT FALSE,
973     corrects_reading_id               uuid,
974     recorded_by                       uuid,
975     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
976     CONSTRAINT pk_fleet_odometer_reading PRIMARY KEY (id),
977     CONSTRAINT ck_fleet_odometer_reading_1 CHECK (reading_km >= 0),
978     CONSTRAINT ck_fleet_odometer_reading_2 CHECK (corrects_reading_id IS NULL OR corrects_reading_id <> id)
979 );

```



```

981 CREATE TABLE fleet.fuel_reading (
982     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
983     vehicle_id                        uuid NOT NULL,
984     fuel_level_percent                decimal(5,2) NOT NULL,
985     reading_at                        timestamptz NOT NULL,
986     source_type                       varchar(40) NOT NULL,
987     source_id                         uuid,
988     recorded_by                       uuid,
989     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
990     CONSTRAINT pk_fleet_fuel_reading PRIMARY KEY (id),
991     CONSTRAINT ck_fleet_fuel_reading_1 CHECK (fuel_level_percent >= 0 AND fuel_level_percent <= 100)
992 );

994 CREATE TABLE fleet.asset_document (
995     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
996     vehicle_id                        uuid NOT NULL,
997     document_type                     varchar(40) NOT NULL,
998     object_key                        varchar(500) NOT NULL,
999     content_type                      varchar(100),
1000     sha256                            bytea,
1001     issued_at                         date,
1002     expires_at                       date,
1003     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
1004     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1005     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1006     CONSTRAINT pk_fleet_asset_document PRIMARY KEY (id),
1007     CONSTRAINT ck_fleet_asset_document_1 CHECK (expires_at IS NULL OR issued_at IS NULL OR expires_at >= issued_at),
1008     CONSTRAINT ck_fleet_asset_document_2 CHECK (status IN ('ACTIVE','EXPIRED','REVOKED','REPLACED'))
1009 );

1011 CREATE TABLE fleet.accessory_asset (
1012     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1013     asset_code                         varchar(50) NOT NULL,
1014     product_id                        uuid NOT NULL,
1015     serial_number                     varchar(100),
1016     owning_legal_entity_id            uuid NOT NULL,
1017     status                            varchar(20) NOT NULL DEFAULT 'AVAILABLE',
1018     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1019     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1020     row_version                       bigint NOT NULL DEFAULT 0,
1021     CONSTRAINT pk_fleet_accessory_asset PRIMARY KEY (id),
1022     CONSTRAINT uq_fleet_accessory_asset_asset_code_1 UNIQUE (asset_code),
1023     CONSTRAINT ck_fleet_accessory_asset_1 CHECK (status IN ('AVAILABLE','ASSIGNED','MAINTENANCE','LOST','RETIRED'))
1024 );

```

```

1026 CREATE TABLE fleet.vehicle_accessory_assignment (
1027     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1028     vehicle_id                        uuid NOT NULL,
1029     accessory_asset_id                uuid NOT NULL,
1030     start_at                          timestamptz NOT NULL,
1031     end_at                            timestamptz,
1032     assignment_reason                 varchar(60),
1033     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1034     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1035     CONSTRAINT pk_fleet_vehicle_accessory_assignment PRIMARY KEY (id),
1036     CONSTRAINT uq_fleet_vehicle_accessory_assignment_accessory_a_3ae41b12 UNIQUE (accessory_asset_id, start_at),
1037     CONSTRAINT ck_fleet_vehicle_accessory_assignment_1 CHECK (end_at IS NULL OR end_at > start_at)
1038 );

```

```

1040 CREATE TABLE fleet.vehicle_cost_basis (
1041     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1042     vehicle_id                        uuid NOT NULL,
1043     purchase_amount                   decimal(19,4) NOT NULL,
1044     capitalized_cost_amount            decimal(19,4) NOT NULL DEFAULT 0,
1045     currency_code                     char(3) NOT NULL,
1046     effective_date                    date NOT NULL,
1047     source_reference                  varchar(100),
1048     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1049     CONSTRAINT pk_fleet_vehicle_cost_basis PRIMARY KEY (id),
1050     CONSTRAINT uq_fleet_vehicle_cost_basis_vehicle_id_effective_date_1 UNIQUE (vehicle_id, effective_date),
1051     CONSTRAINT ck_fleet_vehicle_cost_basis_1 CHECK (purchase_amount >= 0),
1052     CONSTRAINT ck_fleet_vehicle_cost_basis_2 CHECK (capitalized_cost_amount >= 0)
1053 );

```

```

1055 CREATE TABLE fleet.depreciation_entry (
1056     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1057     vehicle_id                        uuid NOT NULL,
1058     period_start                      date NOT NULL,
1059     period_end                        date NOT NULL,
1060     depreciation_amount                decimal(19,4) NOT NULL,
1061     book_value_after                   decimal(19,4) NOT NULL,
1062     currency_code                     char(3) NOT NULL,
1063     accounting_reference                varchar(100),
1064     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1065     CONSTRAINT pk_fleet_depreciation_entry PRIMARY KEY (id),
1066     CONSTRAINT uq_fleet_depreciation_entry_vehicle_id_period_sta_7a43f62c UNIQUE (vehicle_id, period_start, period_end),
1067     CONSTRAINT ck_fleet_depreciation_entry_1 CHECK (period_end >= period_start),
1068     CONSTRAINT ck_fleet_depreciation_entry_2 CHECK (depreciation_amount >= 0),
1069     CONSTRAINT ck_fleet_depreciation_entry_3 CHECK (book_value_after >= 0)
1070 );

```

```
1072 CREATE TABLE fleet.disposal_eligibility (
1073     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1074     vehicle_id                        uuid NOT NULL,
1075     evaluated_at                      timestampz NOT NULL,
1076     eligible                          boolean NOT NULL,
1077     reason_codes                      jsonb,
1078     recommended_channel               varchar(40),
1079     estimated_residual_value          decimal(19,4),
1080     currency_code                     char(3),
1081     model_version                     varchar(60),
1082     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1083     CONSTRAINT pk_fleet_disposal_eligibility PRIMARY KEY (id)
1084 );

1086 CREATE TABLE pricing.rate_plan (
1087     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1088     legal_entity_id                  uuid NOT NULL,
1089     plan_code                        varchar(50) NOT NULL,
1090     name                             varchar(160) NOT NULL,
1091     rental_mode                      varchar(30) NOT NULL,
1092     description                       text,
1093     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
1094     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1095     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1096     row_version                       bigint NOT NULL DEFAULT 0,
1097     CONSTRAINT pk_pricing_rate_plan PRIMARY KEY (id),
1098     CONSTRAINT uq_pricing_rate_plan_legal_entity_id_plan_code_1 UNIQUE (legal_entity_id, plan_code),
1099     CONSTRAINT ck_pricing_rate_plan_1 CHECK (rental_mode IN ('HOURLY','DAILY','WEEKLY','MONTHLY','SUBSCRIPTION','CORPORATE')),
1100     CONSTRAINT ck_pricing_rate_plan_2 CHECK (status IN ('ACTIVE','INACTIVE'))
1101 );
```

```
1103 CREATE TABLE pricing.rate_plan_version (  
1104     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
1105     rate_plan_id                      uuid NOT NULL,  
1106     version_number                   integer NOT NULL,  
1107     valid_from                       timestampz NOT NULL,  
1108     valid_to                         timestampz,  
1109     status                           varchar(20) NOT NULL DEFAULT 'DRAFT',  
1110     currency_code                    char(3) NOT NULL,  
1111     calculation_version               varchar(60) NOT NULL,  
1112     ruleset_hash                     varchar(64) NOT NULL,  
1113     published_at                     timestampz,  
1114     published_by                      uuid,  
1115     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1116     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1117     row_version                      bigint NOT NULL DEFAULT 0,  
1118     CONSTRAINT pk_pricing_rate_plan_version PRIMARY KEY (id),  
1119     CONSTRAINT uq_pricing_rate_plan_version_rate_plan_id_version_number_1 UNIQUE (rate_plan_id, version_number),  
1120     CONSTRAINT ck_pricing_rate_plan_version_1 CHECK (valid_to IS NULL OR valid_to > valid_from),  
1121     CONSTRAINT ck_pricing_rate_plan_version_2 CHECK (status IN ('DRAFT', 'PUBLISHED', 'RETIRED'))  
1122 );
```

```
1124 CREATE TABLE pricing.rate_plan_applicability (  
1125     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
1126     rate_plan_version_id              uuid NOT NULL,  
1127     origin_branch_id                  uuid,  
1128     destination_branch_id             uuid,  
1129     vehicle_group_id                  uuid,  
1130     channel_id                        uuid,  
1131     customer_segment                  varchar(30),  
1132     corporate_agreement_id            uuid,  
1133     partner_id                        uuid,  
1134     priority                          smallint NOT NULL DEFAULT 100,  
1135     condition_json                     jsonb,  
1136     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1137     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1138     CONSTRAINT pk_pricing_rate_plan_applicability PRIMARY KEY (id)  
1139 );
```

```
1141 CREATE TABLE pricing.rental_length_band (
1142     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1143     rate_plan_version_id              uuid NOT NULL,
1144     band_code                         varchar(30) NOT NULL,
1145     minimum_minutes                   integer NOT NULL,
1146     maximum_minutes                   integer,
1147     billing_unit                      varchar(20) NOT NULL,
1148     priority                          smallint NOT NULL DEFAULT 100,
1149     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1150     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1151     CONSTRAINT pk_pricing_rental_length_band PRIMARY KEY (id),
1152     CONSTRAINT uq_pricing_rental_length_band_rate_plan_version_i_f4ae433d UNIQUE (rate_plan_version_id, band_code),
1153     CONSTRAINT ck_pricing_rental_length_band_1 CHECK (minimum_minutes >= 0),
1154     CONSTRAINT ck_pricing_rental_length_band_2 CHECK (maximum_minutes IS NULL OR maximum_minutes > minimum_minutes),
1155     CONSTRAINT ck_pricing_rental_length_band_3 CHECK (billing_unit IN ('HOURLY', 'DAILY', 'WEEKLY', 'MONTHLY'))
1156 );

1158 CREATE TABLE pricing.season (
1159     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1160     legal_entity_id                  uuid NOT NULL,
1161     season_code                      varchar(30) NOT NULL,
1162     name                             varchar(100) NOT NULL,
1163     start_date                       date NOT NULL,
1164     end_date                         date NOT NULL,
1165     priority                          smallint NOT NULL DEFAULT 100,
1166     recurrence_rule                  varchar(300),
1167     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1168     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1169     CONSTRAINT pk_pricing_season PRIMARY KEY (id),
1170     CONSTRAINT uq_pricing_season_legal_entity_id_season_code_start_date_1 UNIQUE (legal_entity_id, season_code, start_date),
1171     CONSTRAINT ck_pricing_season_1 CHECK (end_date >= start_date)
1172 );
```

```

1174 CREATE TABLE pricing.base_rate (
1175     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1176     rate_plan_version_id              uuid NOT NULL,
1177     vehicle_group_id                  uuid NOT NULL,
1178     origin_branch_id                  uuid,
1179     rental_length_band_id             uuid,
1180     season_id                         uuid,
1181     amount                            decimal(19,4) NOT NULL,
1182     currency_code                     char(3) NOT NULL,
1183     valid_from                        timestamptz NOT NULL,
1184     valid_to                          timestamptz,
1185     minimum_charge_amount             decimal(19,4),
1186     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1187     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1188     CONSTRAINT pk_pricing_base_rate PRIMARY KEY (id),
1189     CONSTRAINT ck_pricing_base_rate_1 CHECK (amount >= 0),
1190     CONSTRAINT ck_pricing_base_rate_2 CHECK (minimum_charge_amount IS NULL OR minimum_charge_amount >= 0),
1191     CONSTRAINT ck_pricing_base_rate_3 CHECK (valid_to IS NULL OR valid_to > valid_from)
1192 );

1194 CREATE TABLE pricing.mileage_package (
1195     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1196     rate_plan_version_id              uuid NOT NULL,
1197     package_code                      varchar(40) NOT NULL,
1198     name                              varchar(120) NOT NULL,
1199     included_km                       decimal(12,2),
1200     included_km_per_unit               decimal(12,2),
1201     is_unlimited                       boolean NOT NULL DEFAULT FALSE,
1202     billing_mode                      varchar(20) NOT NULL,
1203     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
1204     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1205     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1206     CONSTRAINT pk_pricing_mileage_package PRIMARY KEY (id),
1207     CONSTRAINT uq_pricing_mileage_package_rate_plan_version_id_p_3dc9d824 UNIQUE (rate_plan_version_id, package_code),
1208     CONSTRAINT ck_pricing_mileage_package_1 CHECK (included_km IS NULL OR included_km >= 0),
1209     CONSTRAINT ck_pricing_mileage_package_2 CHECK (included_km_per_unit IS NULL OR included_km_per_unit >= 0),
1210     CONSTRAINT ck_pricing_mileage_package_3 CHECK (billing_mode IN ('FIXED','PER_RENTAL_UNIT','FLEXIBLE')),
1211     CONSTRAINT ck_pricing_mileage_package_4 CHECK (status IN ('ACTIVE','INACTIVE'))
1212 );

```

```
1214 CREATE TABLE pricing.mileage_rate (
1215     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1216     mileage_package_id                uuid NOT NULL,
1217     vehicle_group_id                  uuid,
1218     excess_km_amount                   decimal(19,4) NOT NULL,
1219     flex_km_amount                     decimal(19,4),
1220     currency_code                      char(3) NOT NULL,
1221     valid_from                        timestamptz NOT NULL,
1222     valid_to                          timestamptz,
1223     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1224     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1225     CONSTRAINT pk_pricing_mileage_rate PRIMARY KEY (id),
1226     CONSTRAINT ck_pricing_mileage_rate_1 CHECK (excess_km_amount >= 0),
1227     CONSTRAINT ck_pricing_mileage_rate_2 CHECK (flex_km_amount IS NULL OR flex_km_amount >= 0),
1228     CONSTRAINT ck_pricing_mileage_rate_3 CHECK (valid_to IS NULL OR valid_to > valid_from)
1229 );

1231 CREATE TABLE pricing.one_way_rule (
1232     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1233     rate_plan_version_id              uuid NOT NULL,
1234     origin_branch_id                  uuid,
1235     destination_branch_id             uuid,
1236     origin_region                     varchar(80),
1237     destination_region                 varchar(80),
1238     vehicle_group_id                  uuid,
1239     calculation_type                   varchar(30) NOT NULL,
1240     priority                          smallint NOT NULL DEFAULT 100,
1241     valid_from                        timestamptz NOT NULL,
1242     valid_to                          timestamptz,
1243     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1244     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1245     CONSTRAINT pk_pricing_one_way_rule PRIMARY KEY (id),
1246     CONSTRAINT ck_pricing_one_way_rule_1 CHECK (calculation_type IN ('FIXED','DISTANCE','PERCENTAGE','WAIVED','DENIED')),
1247     CONSTRAINT ck_pricing_one_way_rule_2 CHECK (valid_to IS NULL OR valid_to > valid_from)
1248 );
```

```
1250 CREATE TABLE pricing.one_way_price (
1251     id                uuid NOT NULL DEFAULT gen_random_uuid(),
1252     one_way_rule_id    uuid NOT NULL,
1253     fixed_amount       decimal(19,4),
1254     amount_per_km      decimal(19,6),
1255     percentage_rate    decimal(9,6),
1256     minimum_amount     decimal(19,4),
1257     maximum_amount     decimal(19,4),
1258     currency_code      char(3),
1259     created_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1260     updated_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1261     CONSTRAINT pk_pricing_one_way_price PRIMARY KEY (id),
1262     CONSTRAINT uq_pricing_one_way_price_one_way_rule_id_1 UNIQUE (one_way_rule_id),
1263     CONSTRAINT ck_pricing_one_way_price_1 CHECK (fixed_amount IS NULL OR fixed_amount >= 0),
1264     CONSTRAINT ck_pricing_one_way_price_2 CHECK (amount_per_km IS NULL OR amount_per_km >= 0),
1265     CONSTRAINT ck_pricing_one_way_price_3 CHECK (percentage_rate IS NULL OR percentage_rate >= 0),
1266     CONSTRAINT ck_pricing_one_way_price_4 CHECK (minimum_amount IS NULL OR minimum_amount >= 0),
1267     CONSTRAINT ck_pricing_one_way_price_5 CHECK (maximum_amount IS NULL OR maximum_amount >= 0)
1268 );
```

```
1270 CREATE TABLE pricing.fuel_price (
1271     id                uuid NOT NULL DEFAULT gen_random_uuid(),
1272     legal_entity_id    uuid NOT NULL,
1273     branch_id          uuid,
1274     fuel_type          varchar(30) NOT NULL,
1275     amount_per_liter    decimal(19,6) NOT NULL,
1276     service_multiplier  decimal(10,6) NOT NULL DEFAULT 1,
1277     currency_code      char(3) NOT NULL,
1278     valid_from         timestampz NOT NULL,
1279     valid_to           timestampz,
1280     created_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1281     updated_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1282     CONSTRAINT pk_pricing_fuel_price PRIMARY KEY (id),
1283     CONSTRAINT ck_pricing_fuel_price_1 CHECK (amount_per_liter >= 0),
1284     CONSTRAINT ck_pricing_fuel_price_2 CHECK (service_multiplier >= 0),
1285     CONSTRAINT ck_pricing_fuel_price_3 CHECK (valid_to IS NULL OR valid_to > valid_from)
1286 );
```



```

1288 CREATE TABLE pricing.preauthorization_rule (
1289     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1290     rate_plan_version_id              uuid NOT NULL,
1291     vehicle_group_id                  uuid,
1292     customer_segment                  varchar(30),
1293     fixed_amount                      decimal(19,4),
1294     rental_multiplier                  decimal(10,6),
1295     minimum_amount                    decimal(19,4),
1296     maximum_amount                    decimal(19,4),
1297     currency_code                     char(3) NOT NULL,
1298     priority                          smallint NOT NULL DEFAULT 100,
1299     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1300     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1301     CONSTRAINT pk_pricing_preauthorization_rule PRIMARY KEY (id),
1302     CONSTRAINT ck_pricing_preauthorization_rule_1 CHECK (fixed_amount IS NULL OR fixed_amount >= 0),
1303     CONSTRAINT ck_pricing_preauthorization_rule_2 CHECK (rental_multiplier IS NULL OR rental_multiplier >= 0),
1304     CONSTRAINT ck_pricing_preauthorization_rule_3 CHECK (minimum_amount IS NULL OR minimum_amount >= 0),
1305     CONSTRAINT ck_pricing_preauthorization_rule_4 CHECK (maximum_amount IS NULL OR maximum_amount >= 0)
1306 );

```

```

1308 CREATE TABLE pricing.pricing_rule (
1309     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1310     rate_plan_version_id              uuid NOT NULL,
1311     rule_code                          varchar(60) NOT NULL,
1312     rule_type                          varchar(40) NOT NULL,
1313     priority                          smallint NOT NULL DEFAULT 100,
1314     condition_json                     jsonb NOT NULL,
1315     action_json                        jsonb NOT NULL,
1316     valid_from                         timestamptz,
1317     valid_to                           timestamptz,
1318     status                             varchar(20) NOT NULL DEFAULT 'ACTIVE',
1319     created_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1320     updated_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1321     CONSTRAINT pk_pricing_pricing_rule PRIMARY KEY (id),
1322     CONSTRAINT uq_pricing_pricing_rule_rate_plan_version_id_rule_code_1 UNIQUE (rate_plan_version_id, rule_code),
1323     CONSTRAINT ck_pricing_pricing_rule_1 CHECK (valid_to IS NULL OR valid_from IS NULL OR valid_to > valid_from),
1324     CONSTRAINT ck_pricing_pricing_rule_2 CHECK (status IN ('ACTIVE','INACTIVE'))
1325 );

```

```
1327 CREATE TABLE pricing.promotion (
1328     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1329     promotion_code                    varchar(50) NOT NULL,
1330     name                              varchar(160) NOT NULL,
1331     valid_from                        timestamptz NOT NULL,
1332     valid_to                          timestamptz NOT NULL,
1333     priority                          smallint NOT NULL DEFAULT 100,
1334     stacking_policy                   varchar(30) NOT NULL,
1335     condition_json                    jsonb,
1336     action_json                      jsonb,
1337     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',
1338     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1339     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1340     row_version                       bigint NOT NULL DEFAULT 0,
1341     CONSTRAINT pk_pricing_promotion PRIMARY KEY (id),
1342     CONSTRAINT uq_pricing_promotion_promotion_code_1 UNIQUE (promotion_code),
1343     CONSTRAINT ck_pricing_promotion_1 CHECK (valid_to > valid_from),
1344     CONSTRAINT ck_pricing_promotion_2 CHECK (stacking_policy IN ('EXCLUSIVE','STACKABLE','BEST_ONLY')),
1345     CONSTRAINT ck_pricing_promotion_3 CHECK (status IN ('DRAFT','ACTIVE','PAUSED','EXPIRED','CANCELLED'))
1346 );
```

```
1348 CREATE TABLE pricing.coupon (
1349     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1350     promotion_id                      uuid NOT NULL,
1351     coupon_code                       varchar(80) NOT NULL,
1352     maximum_redemptions               integer,
1353     maximum_per_party                 integer,
1354     valid_from                        timestamptz,
1355     valid_to                          timestamptz,
1356     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
1357     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1358     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1359     row_version                       bigint NOT NULL DEFAULT 0,
1360     CONSTRAINT pk_pricing_coupon PRIMARY KEY (id),
1361     CONSTRAINT uq_pricing_coupon_coupon_code_1 UNIQUE (coupon_code),
1362     CONSTRAINT ck_pricing_coupon_1 CHECK (maximum_redemptions IS NULL OR maximum_redemptions > 0),
1363     CONSTRAINT ck_pricing_coupon_2 CHECK (maximum_per_party IS NULL OR maximum_per_party > 0),
1364     CONSTRAINT ck_pricing_coupon_3 CHECK (valid_to IS NULL OR valid_from IS NULL OR valid_to > valid_from),
1365     CONSTRAINT ck_pricing_coupon_4 CHECK (status IN ('ACTIVE','PAUSED','EXPIRED','CANCELLED'))
1366 );
```

```

1368 CREATE TABLE pricing.coupon_redemption (
1369     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1370     coupon_id                        uuid NOT NULL,
1371     party_id                         uuid,
1372     reservation_id                   uuid,
1373     quote_id                         uuid,
1374     redeemed_at                      timestampz NOT NULL,
1375     status                           varchar(20) NOT NULL,
1376     idempotency_key                   varchar(160) NOT NULL,
1377     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1378     CONSTRAINT pk_pricing_coupon_redemption PRIMARY KEY (id),
1379     CONSTRAINT uq_pricing_coupon_redemption_idempotency_key_1 UNIQUE (idempotency_key),
1380     CONSTRAINT ck_pricing_coupon_redemption_1 CHECK (status IN ('RESERVED','CONSUMED','RELEASED','REVERSED'))
1381 );

```

```

1383 CREATE TABLE pricing.quote (
1384     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1385     quote_number                     varchar(60) NOT NULL,
1386     legal_entity_id                  uuid NOT NULL,
1387     customer_account_id              uuid,
1388     rate_plan_version_id              uuid NOT NULL,
1389     origin_branch_id                 uuid NOT NULL,
1390     destination_branch_id             uuid NOT NULL,
1391     vehicle_group_id                  uuid NOT NULL,
1392     channel_id                       uuid NOT NULL,
1393     planned_pickup_at                 timestampz NOT NULL,
1394     planned_return_at                 timestampz NOT NULL,
1395     currency_code                     char(3) NOT NULL,
1396     subtotal_amount                   decimal(19,4) NOT NULL,
1397     discount_amount                   decimal(19,4) NOT NULL DEFAULT 0,
1398     tax_amount                        decimal(19,4) NOT NULL DEFAULT 0,
1399     total_amount                      decimal(19,4) NOT NULL,
1400     expires_at                        timestampz NOT NULL,
1401     status                           varchar(20) NOT NULL DEFAULT 'VALID',
1402     context_json                      jsonb,
1403     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1404     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1405     row_version                       bigint NOT NULL DEFAULT 0,
1406     CONSTRAINT pk_pricing_quote PRIMARY KEY (id),
1407     CONSTRAINT uq_pricing_quote_legal_entity_id_quote_number_1 UNIQUE (legal_entity_id, quote_number),
1408     CONSTRAINT ck_pricing_quote_1 CHECK (planned_return_at > planned_pickup_at),
1409     CONSTRAINT ck_pricing_quote_2 CHECK (expires_at > created_at),
1410     CONSTRAINT ck_pricing_quote_3 CHECK (subtotal_amount >= 0),
1411     CONSTRAINT ck_pricing_quote_4 CHECK (discount_amount >= 0),
1412     CONSTRAINT ck_pricing_quote_5 CHECK (tax_amount >= 0),
1413     CONSTRAINT ck_pricing_quote_6 CHECK (total_amount >= 0),
1414     CONSTRAINT ck_pricing_quote_7 CHECK (status IN ('VALID','EXPIRED','CONVERTED','CANCELLED'))

```

1415);

```

1417 CREATE TABLE pricing.quote_line (
1418     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1419     quote_id                          uuid NOT NULL,
1420     line_number                       integer NOT NULL,
1421     product_id                       uuid,
1422     charge_type_id                   uuid,
1423     description                       varchar(240) NOT NULL,
1424     quantity                         decimal(19,6) NOT NULL,
1425     unit_code                         varchar(20) NOT NULL,
1426     unit_amount                      decimal(19,4) NOT NULL,
1427     base_amount                      decimal(19,4) NOT NULL,
1428     discount_amount                  decimal(19,4) NOT NULL DEFAULT 0,
1429     tax_amount                       decimal(19,4) NOT NULL DEFAULT 0,
1430     gross_amount                     decimal(19,4) NOT NULL,
1431     service_start_at                 timestampz,
1432     service_end_at                   timestampz,
1433     rule_reference                    varchar(160),
1434     line_metadata                     jsonb,
1435     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1436     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1437     CONSTRAINT pk_pricing_quote_line PRIMARY KEY (id),
1438     CONSTRAINT uq_pricing_quote_line_quote_id_line_number_1 UNIQUE (quote_id, line_number),
1439     CONSTRAINT ck_pricing_quote_line_1 CHECK (quantity > 0),
1440     CONSTRAINT ck_pricing_quote_line_2 CHECK (discount_amount >= 0),
1441     CONSTRAINT ck_pricing_quote_line_3 CHECK (tax_amount >= 0),
1442     CONSTRAINT ck_pricing_quote_line_4 CHECK (gross_amount = base_amount - discount_amount + tax_amount),
1443     CONSTRAINT ck_pricing_quote_line_5 CHECK (service_end_at IS NULL OR service_start_at IS NULL OR service_end_at > service_start_at)
1444 );

```

```

1446 CREATE TABLE pricing.pricing_calculation (
1447     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1448     quote_id                          uuid NOT NULL,
1449     calculation_sequence              integer NOT NULL,
1450     calculation_version               varchar(60) NOT NULL,
1451     input_hash                        varchar(64) NOT NULL,
1452     input_snapshot                     jsonb NOT NULL,
1453     output_snapshot                   jsonb NOT NULL,
1454     duration_ms                       integer,
1455     calculated_at                     timestampz NOT NULL,
1456     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1457     CONSTRAINT pk_pricing_pricing_calculation PRIMARY KEY (id),
1458     CONSTRAINT uq_pricing_pricing_calculation_quote_id_calculati_d1b53ccc UNIQUE (quote_id, calculation_sequence),
1459     CONSTRAINT ck_pricing_pricing_calculation_1 CHECK (duration_ms IS NULL OR duration_ms >= 0)
1460 );

```

```
1462 CREATE TABLE pricing.quote_rule_trace (  
1463     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
1464     pricing_calculation_id            uuid NOT NULL,  
1465     sequence_number                   integer NOT NULL,  
1466     rule_code                         varchar(60) NOT NULL,  
1467     matched                          boolean NOT NULL,  
1468     condition_result                  jsonb,  
1469     action_result                     jsonb,  
1470     explanation                       text,  
1471     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1472     CONSTRAINT pk_pricing_quote_rule_trace PRIMARY KEY (id),  
1473     CONSTRAINT uq_pricing_quote_rule_trace_pricing_calculation_i_ea988f52 UNIQUE (pricing_calculation_id, sequence_number)  
1474 );
```

```
1476 CREATE TABLE corporate.rate_entitlement (  
1477     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
1478     corporate_agreement_id            uuid NOT NULL,  
1479     rate_plan_id                      uuid NOT NULL,  
1480     vehicle_group_id                  uuid,  
1481     valid_from                        timestampz NOT NULL,  
1482     valid_to                          timestampz,  
1483     priority                          smallint NOT NULL DEFAULT 100,  
1484     constraints_json                  jsonb,  
1485     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1486     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1487     CONSTRAINT pk_corporate_rate_entitlement PRIMARY KEY (id),  
1488     CONSTRAINT ck_corporate_rate_entitlement_1 CHECK (valid_to IS NULL OR valid_to > valid_from)  
1489 );
```

```

1491 CREATE TABLE corporate.purchase_order (
1492     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1493     corporate_agreement_id            uuid NOT NULL,
1494     purchase_order_number             varchar(80) NOT NULL,
1495     cost_center_id                    uuid,
1496     valid_from                        date,
1497     valid_to                          date,
1498     authorized_amount                 decimal(19,4),
1499     currency_code                     char(3),
1500     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
1501     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1502     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1503     row_version                       bigint NOT NULL DEFAULT 0,
1504     CONSTRAINT pk_corporate_purchase_order PRIMARY KEY (id),
1505     CONSTRAINT uq_corporate_purchase_order_corporate_agreement_i_393e33a8 UNIQUE (corporate_agreement_id, purchase_order_number),
1506     CONSTRAINT ck_corporate_purchase_order_1 CHECK (valid_to IS NULL OR valid_from IS NULL OR valid_to >= valid_from),
1507     CONSTRAINT ck_corporate_purchase_order_2 CHECK (authorized_amount IS NULL OR authorized_amount >= 0),
1508     CONSTRAINT ck_corporate_purchase_order_3 CHECK (status IN ('ACTIVE','EXHAUSTED','EXPIRED','CANCELLED'))
1509 );

```

```

1511 CREATE TABLE corporate.voucher (
1512     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1513     corporate_agreement_id            uuid,
1514     partner_agreement_id              uuid,
1515     voucher_code                      varchar(100) NOT NULL,
1516     authorized_party_id               uuid,
1517     valid_from                        timestamptz,
1518     valid_to                          timestamptz,
1519     maximum_amount                    decimal(19,4),
1520     currency_code                     char(3),
1521     usage_limit                       integer NOT NULL DEFAULT 1,
1522     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
1523     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1524     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1525     row_version                       bigint NOT NULL DEFAULT 0,
1526     CONSTRAINT pk_corporate_voucher PRIMARY KEY (id),
1527     CONSTRAINT uq_corporate_voucher_voucher_code_1 UNIQUE (voucher_code),
1528     CONSTRAINT ck_corporate_voucher_1 CHECK (usage_limit > 0),
1529     CONSTRAINT ck_corporate_voucher_2 CHECK (maximum_amount IS NULL OR maximum_amount >= 0),
1530     CONSTRAINT ck_corporate_voucher_3 CHECK (valid_to IS NULL OR valid_from IS NULL OR valid_to > valid_from),
1531     CONSTRAINT ck_corporate_voucher_4 CHECK (status IN ('ACTIVE','RESERVED','CONSUMED','EXPIRED','CANCELLED'))
1532 );

```

```
1534 CREATE TABLE corporate.consolidated_billing_instruction (  
1535     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
1536     corporate_billing_profile_id      uuid NOT NULL,  
1537     grouping_key                     varchar(40) NOT NULL,  
1538     cutoff_day                       smallint,  
1539     delivery_channel                 varchar(20) NOT NULL,  
1540     recipient_contact_id             uuid,  
1541     configuration_json               jsonb,  
1542     status                          varchar(20) NOT NULL DEFAULT 'ACTIVE',  
1543     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1544     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1545     CONSTRAINT pk_corporate_consolidated_billing_instruction PRIMARY KEY (id),  
1546     CONSTRAINT ck_corporate_consolidated_billing_instruction_1 CHECK (cutoff_day IS NULL OR cutoff_day BETWEEN 1 AND 31),  
1547     CONSTRAINT ck_corporate_consolidated_billing_instruction_2 CHECK (delivery_channel IN ('EMAIL','SFTP','API','PORTAL')),  
1548     CONSTRAINT ck_corporate_consolidated_billing_instruction_3 CHECK (status IN ('ACTIVE','INACTIVE'))  
1549 );
```

```
1551 CREATE TABLE availability.inventory_bucket (  
1552     branch_id                        uuid NOT NULL,  
1553     vehicle_group_id                uuid NOT NULL,  
1554     bucket_start                     timestamptz NOT NULL,  
1555     local_business_date              date NOT NULL,  
1556     projected_capacity_qty           integer NOT NULL DEFAULT 0,  
1557     blocked_qty                      integer NOT NULL DEFAULT 0,  
1558     safety_buffer_qty                integer NOT NULL DEFAULT 0,  
1559     overbook_limit_qty               integer NOT NULL DEFAULT 0,  
1560     held_qty                         integer NOT NULL DEFAULT 0,  
1561     committed_qty                   integer NOT NULL DEFAULT 0,  
1562     projection_version                bigint NOT NULL DEFAULT 0,  
1563     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1564     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1565     CONSTRAINT pk_availability_inventory_bucket PRIMARY KEY (branch_id, vehicle_group_id, bucket_start),  
1566     CONSTRAINT ck_availability_inventory_bucket_1 CHECK (projected_capacity_qty >= 0),  
1567     CONSTRAINT ck_availability_inventory_bucket_2 CHECK (blocked_qty >= 0),  
1568     CONSTRAINT ck_availability_inventory_bucket_3 CHECK (safety_buffer_qty >= 0),  
1569     CONSTRAINT ck_availability_inventory_bucket_4 CHECK (overbook_limit_qty >= 0),  
1570     CONSTRAINT ck_availability_inventory_bucket_5 CHECK (held_qty >= 0),  
1571     CONSTRAINT ck_availability_inventory_bucket_6 CHECK (committed_qty >= 0)  
1572 );
```

```
1574 CREATE TABLE availability.availability_hold (
1575     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1576     hold_token                        varchar(120) NOT NULL,
1577     branch_id                        uuid NOT NULL,
1578     vehicle_group_id                 uuid NOT NULL,
1579     start_at                          timestampz NOT NULL,
1580     end_at                            timestampz NOT NULL,
1581     quantity                          integer NOT NULL DEFAULT 1,
1582     expires_at                       timestampz NOT NULL,
1583     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
1584     source_type                       varchar(40),
1585     source_id                         uuid,
1586     idempotency_key                   varchar(160) NOT NULL,
1587     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1588     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1589     row_version                       bigint NOT NULL DEFAULT 0,
1590     CONSTRAINT pk_availability_availability_hold PRIMARY KEY (id),
1591     CONSTRAINT uq_availability_availability_hold_hold_token_1 UNIQUE (hold_token),
1592     CONSTRAINT uq_availability_availability_hold_idempotency_key_2 UNIQUE (idempotency_key),
1593     CONSTRAINT ck_availability_availability_hold_1 CHECK (end_at > start_at),
1594     CONSTRAINT ck_availability_availability_hold_2 CHECK (quantity > 0),
1595     CONSTRAINT ck_availability_availability_hold_3 CHECK (expires_at > created_at),
1596     CONSTRAINT ck_availability_availability_hold_4 CHECK (status IN ('ACTIVE', 'CONVERTED', 'EXPIRED', 'RELEASED'))
1597 );

1599 CREATE TABLE availability.capacity_commitment (
1600     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1601     branch_id                        uuid NOT NULL,
1602     vehicle_group_id                 uuid NOT NULL,
1603     start_at                          timestampz NOT NULL,
1604     end_at                            timestampz NOT NULL,
1605     quantity                          integer NOT NULL DEFAULT 1,
1606     commitment_type                   varchar(30) NOT NULL,
1607     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
1608     source_type                       varchar(40) NOT NULL,
1609     source_id                         uuid NOT NULL,
1610     idempotency_key                   varchar(160) NOT NULL,
1611     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1612     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1613     row_version                       bigint NOT NULL DEFAULT 0,
1614     CONSTRAINT pk_availability_capacity_commitment PRIMARY KEY (id),
1615     CONSTRAINT uq_availability_capacity_commitment_idempotency_key_1 UNIQUE (idempotency_key),
1616     CONSTRAINT ck_availability_capacity_commitment_1 CHECK (end_at > start_at),
1617     CONSTRAINT ck_availability_capacity_commitment_2 CHECK (quantity > 0),
1618     CONSTRAINT ck_availability_capacity_commitment_3 CHECK (commitment_type IN ('RESERVATION', 'ALLOTMENT', 'MANUAL', 'BUFFER')),
1619     CONSTRAINT ck_availability_capacity_commitment_4 CHECK (status IN ('ACTIVE', 'CONSUMED', 'RELEASED', 'CANCELLED'))
1620 );
```



```

1622 CREATE TABLE availability.upgrade_path (
1623     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1624     origin_branch_id                  uuid,
1625     from_group_id                     uuid NOT NULL,
1626     to_group_id                       uuid NOT NULL,
1627     priority                          smallint NOT NULL DEFAULT 100,
1628     valid_from                        timestamptz NOT NULL,
1629     valid_to                          timestamptz,
1630     cost_policy                       varchar(30) NOT NULL,
1631     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
1632     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1633     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1634     CONSTRAINT pk_availability_upgrade_path PRIMARY KEY (id),
1635     CONSTRAINT uq_availability_upgrade_path_origin_branch_id_fro_bc702385 UNIQUE (origin_branch_id, from_group_id, to_group_id, valid_from),
1636     CONSTRAINT ck_availability_upgrade_path_1 CHECK (from_group_id <> to_group_id),
1637     CONSTRAINT ck_availability_upgrade_path_2 CHECK (valid_to IS NULL OR valid_to > valid_from),
1638     CONSTRAINT ck_availability_upgrade_path_3 CHECK (cost_policy IN ('FREE','CUSTOMER_PAYS','MANAGER_APPROVAL')),
1639     CONSTRAINT ck_availability_upgrade_path_4 CHECK (status IN ('ACTIVE','INACTIVE'))
1640 );

```

```

1642 CREATE TABLE availability.fleet_allotment (
1643     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1644     partner_agreement_id              uuid,
1645     corporate_agreement_id            uuid,
1646     branch_id                         uuid NOT NULL,
1647     vehicle_group_id                  uuid NOT NULL,
1648     start_at                          timestamptz NOT NULL,
1649     end_at                            timestamptz NOT NULL,
1650     quantity                          integer NOT NULL,
1651     release_at                        timestamptz,
1652     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
1653     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1654     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1655     CONSTRAINT pk_availability_fleet_allotment PRIMARY KEY (id),
1656     CONSTRAINT ck_availability_fleet_allotment_1 CHECK (end_at > start_at),
1657     CONSTRAINT ck_availability_fleet_allotment_2 CHECK (quantity > 0),
1658     CONSTRAINT ck_availability_fleet_allotment_3 CHECK (status IN ('ACTIVE','RELEASED','EXPIRED','CANCELLED'))
1659 );

```

```

1661 CREATE TABLE availability.relocation_order (
1662     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1663     legal_entity_id                  uuid NOT NULL,
1664     order_number                     varchar(60) NOT NULL,
1665     origin_branch_id                 uuid NOT NULL,
1666     destination_branch_id            uuid NOT NULL,
1667     planned_departure_at              timestampz NOT NULL,
1668     planned_arrival_at               timestampz NOT NULL,
1669     status                           varchar(20) NOT NULL DEFAULT 'PLANNED',
1670     reason_code                       varchar(60),
1671     created_by                        uuid,
1672     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1673     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1674     row_version                       bigint NOT NULL DEFAULT 0,
1675     CONSTRAINT pk_availability_relocation_order PRIMARY KEY (id),
1676     CONSTRAINT uq_availability_relocation_order_legal_entity_id_2783fe4e UNIQUE (legal_entity_id, order_number),
1677     CONSTRAINT ck_availability_relocation_order_1 CHECK (planned_arrival_at > planned_departure_at),
1678     CONSTRAINT ck_availability_relocation_order_2 CHECK (status IN ('PLANNED', 'DISPATCHED', 'IN_TRANSIT', 'COMPLETED', 'CANCELLED'))
1679 );

```

```

1681 CREATE TABLE availability.relocation_leg (
1682     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1683     relocation_order_id              uuid NOT NULL,
1684     sequence_number                   integer NOT NULL,
1685     vehicle_id                       uuid NOT NULL,
1686     calendar_entry_id                uuid,
1687     departed_at                      timestampz,
1688     arrived_at                       timestampz,
1689     status                           varchar(20) NOT NULL DEFAULT 'PLANNED',
1690     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1691     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1692     CONSTRAINT pk_availability_relocation_leg PRIMARY KEY (id),
1693     CONSTRAINT uq_availability_relocation_leg_relocation_order_i_26aef275 UNIQUE (relocation_order_id, sequence_number),
1694     CONSTRAINT uq_availability_relocation_leg_relocation_order_i_53141511 UNIQUE (relocation_order_id, vehicle_id),
1695     CONSTRAINT ck_availability_relocation_leg_1 CHECK (arrived_at IS NULL OR departed_at IS NULL OR arrived_at >= departed_at),
1696     CONSTRAINT ck_availability_relocation_leg_2 CHECK (status IN ('PLANNED', 'IN_TRANSIT', 'COMPLETED', 'CANCELLED'))
1697 );

```

```

1699 CREATE TABLE availability.oversell_alert (
1700     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1701     branch_id                         uuid NOT NULL,
1702     vehicle_group_id                  uuid NOT NULL,
1703     bucket_start                       timestampz NOT NULL,
1704     shortage_qty                       integer NOT NULL,
1705     severity                           varchar(20) NOT NULL,
1706     status                             varchar(20) NOT NULL DEFAULT 'OPEN',
1707     detected_at                       timestampz NOT NULL,
1708     resolved_at                       timestampz,
1709     resolution_note                    text,
1710     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1711     updated_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1712     row_version                        bigint NOT NULL DEFAULT 0,
1713     CONSTRAINT pk_availability_oversell_alert PRIMARY KEY (id),
1714     CONSTRAINT ck_availability_oversell_alert_1 CHECK (shortage_qty > 0),
1715     CONSTRAINT ck_availability_oversell_alert_2 CHECK (severity IN ('LOW','MEDIUM','HIGH','CRITICAL')),
1716     CONSTRAINT ck_availability_oversell_alert_3 CHECK (status IN ('OPEN','ACKNOWLEDGED','RESOLVED','IGNORED'))
1717 );

1719 CREATE TABLE availability.forecast_snapshot (
1720     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1721     branch_id                         uuid NOT NULL,
1722     vehicle_group_id                  uuid NOT NULL,
1723     bucket_start                       timestampz NOT NULL,
1724     forecast_version                   varchar(60) NOT NULL,
1725     expected_returns_qty               decimal(12,4) NOT NULL,
1726     expected_pickups_qty               decimal(12,4) NOT NULL,
1727     expected_no_show_qty               decimal(12,4) NOT NULL,
1728     confidence                         decimal(8,6),
1729     generated_at                       timestampz NOT NULL,
1730     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1731     CONSTRAINT pk_availability_forecast_snapshot PRIMARY KEY (id),
1732     CONSTRAINT uq_availability_forecast_snapshot_branch_id_vehicle_group_id_bucket_start_forecast_version UNIQUE (branch_id, vehicle_group_id, bucket_start, forecast_version),
1733     CONSTRAINT ck_availability_forecast_snapshot_1 CHECK (expected_returns_qty >= 0),
1734     CONSTRAINT ck_availability_forecast_snapshot_2 CHECK (expected_pickups_qty >= 0),
1735     CONSTRAINT ck_availability_forecast_snapshot_3 CHECK (expected_no_show_qty >= 0),
1736     CONSTRAINT ck_availability_forecast_snapshot_4 CHECK (confidence IS NULL OR (confidence >= 0 AND confidence <= 1))
1737 );

```

```
1739 CREATE TABLE reservation.reservation (
1740     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1741     reservation_number                 varchar(60) NOT NULL,
1742     legal_entity_id                   uuid NOT NULL,
1743     customer_account_id               uuid,
1744     booker_party_id                   uuid,
1745     requested_vehicle_group_id        uuid NOT NULL,
1746     pickup_branch_id                  uuid NOT NULL,
1747     planned_return_branch_id          uuid NOT NULL,
1748     planned_pickup_at                 timestampz NOT NULL,
1749     planned_return_at                 timestampz NOT NULL,
1750     rental_mode                       varchar(30) NOT NULL,
1751     channel_id                        uuid NOT NULL,
1752     rate_plan_version_id              uuid NOT NULL,
1753     quote_id                          uuid,
1754     corporate_agreement_id            uuid,
1755     cost_center_id                    uuid,
1756     purchase_order_id                uuid,
1757     voucher_id                        uuid,
1758     current_status                    varchar(20) NOT NULL DEFAULT 'DRAFT',
1759     guarantee_status                  varchar(20) NOT NULL DEFAULT 'NOT_REQUIRED',
1760     expires_at                        timestampz,
1761     external_reference                varchar(160),
1762     notes                             text,
1763     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1764     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1765     row_version                       bigint NOT NULL DEFAULT 0,
1766     CONSTRAINT pk_reservation PRIMARY KEY (id),
1767     CONSTRAINT uq_reservation_legal_entity_id_reserv_ab7bda09 UNIQUE (legal_entity_id, reservation_number),
1768     CONSTRAINT ck_reservation_reservation_1 CHECK (planned_return_at > planned_pickup_at),
1769     CONSTRAINT ck_reservation_reservation_2 CHECK (rental_mode IN ('HOURLY', 'DAILY', 'WEEKLY', 'MONTHLY', 'CORPORATE')),
1770     CONSTRAINT ck_reservation_reservation_3 CHECK (current_status IN ('DRAFT', 'HELD', 'CONFIRMED', 'PICKUP_READY', 'CONVERTED', 'CANCELLED', 'EXPIRED', 'NO_SHOW')),
1771     CONSTRAINT ck_reservation_reservation_4 CHECK (guarantee_status IN ('NOT_REQUIRED', 'PENDING', 'AUTHORIZED', 'FAILED', 'EXPIRED', 'RELEASED'))
1772 );
```

```
1774 CREATE TABLE reservation.reservation_driver (  
1775     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
1776     reservation_id                    uuid NOT NULL,  
1777     driver_profile_id                  uuid NOT NULL,  
1778     driver_role                        varchar(20) NOT NULL,  
1779     eligibility_status                  varchar(20) NOT NULL DEFAULT 'PENDING',  
1780     eligibility_checked_at              timestampz,  
1781     young_driver_applies                boolean NOT NULL DEFAULT FALSE,  
1782     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1783     updated_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1784     CONSTRAINT pk_reservation_reservation_driver PRIMARY KEY (id),  
1785     CONSTRAINT uq_reservation_reservation_driver_reservation_id_5504cc73 UNIQUE (reservation_id, driver_profile_id),  
1786     CONSTRAINT ck_reservation_reservation_driver_1 CHECK (driver_role IN ('PRIMARY','ADDITIONAL')),  
1787     CONSTRAINT ck_reservation_reservation_driver_2 CHECK (eligibility_status IN ('PENDING','ELIGIBLE','INELIGIBLE','REVIEW'))  
1788 );
```

```
1790 CREATE TABLE reservation.reservation_product (  
1791     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
1792     reservation_id                    uuid NOT NULL,  
1793     product_id                        uuid NOT NULL,  
1794     quantity                          decimal(19,6) NOT NULL,  
1795     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',  
1796     configuration_json                 jsonb,  
1797     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1798     updated_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1799     CONSTRAINT pk_reservation_reservation_product PRIMARY KEY (id),  
1800     CONSTRAINT uq_reservation_reservation_product_reservation_id_937dcf71 UNIQUE (reservation_id, product_id),  
1801     CONSTRAINT ck_reservation_reservation_product_1 CHECK (quantity > 0),  
1802     CONSTRAINT ck_reservation_reservation_product_2 CHECK (status IN ('ACTIVE','REMOVED','UNAVAILABLE'))  
1803 );
```

```

1805 CREATE TABLE reservation.reservation_price_line (
1806     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1807     reservation_id                    uuid NOT NULL,
1808     line_number                       integer NOT NULL,
1809     quote_line_id                     uuid,
1810     product_id                        uuid,
1811     charge_type_id                    uuid,
1812     description                       varchar(240) NOT NULL,
1813     quantity                          decimal(19,6) NOT NULL,
1814     unit_code                         varchar(20) NOT NULL,
1815     unit_amount                       decimal(19,4) NOT NULL,
1816     base_amount                       decimal(19,4) NOT NULL,
1817     discount_amount                   decimal(19,4) NOT NULL DEFAULT 0,
1818     tax_amount                        decimal(19,4) NOT NULL DEFAULT 0,
1819     gross_amount                      decimal(19,4) NOT NULL,
1820     currency_code                     char(3) NOT NULL,
1821     rate_plan_version_id              uuid NOT NULL,
1822     rule_reference                    varchar(160),
1823     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1824     CONSTRAINT pk_reservation_reservation_price_line PRIMARY KEY (id),
1825     CONSTRAINT uq_reservation_reservation_price_line_reservation_653da8d8 UNIQUE (reservation_id, line_number),
1826     CONSTRAINT ck_reservation_reservation_price_line_1 CHECK (quantity > 0),
1827     CONSTRAINT ck_reservation_reservation_price_line_2 CHECK (discount_amount >= 0),
1828     CONSTRAINT ck_reservation_reservation_price_line_3 CHECK (tax_amount >= 0),
1829     CONSTRAINT ck_reservation_reservation_price_line_4 CHECK (gross_amount = base_amount - discount_amount + tax_amount)
1830 );

1832 CREATE TABLE reservation.reservation_status_history (
1833     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1834     reservation_id                    uuid NOT NULL,
1835     from_status                       varchar(40),
1836     to_status                         varchar(40) NOT NULL,
1837     reason_code                       varchar(60),
1838     reason_text                       text,
1839     changed_by                        uuid,
1840     changed_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1841     CONSTRAINT pk_reservation_reservation_status_history PRIMARY KEY (id),
1842     CONSTRAINT ck_reservation_reservation_status_history_1 CHECK (to_status IN ('DRAFT','HELD','CONFIRMED','PICKUP_READY','CONVERTED','CANCELLED','EXPIRED','NO_SHOW'))
1843 );

```

```
1845 CREATE TABLE reservation.reservation_change (  
1846     id                        uuid NOT NULL DEFAULT gen_random_uuid(),  
1847     reservation_id            uuid NOT NULL,  
1848     change_sequence            integer NOT NULL,  
1849     change_type                varchar(40) NOT NULL,  
1850     requested_by_party_id      uuid,  
1851     previous_snapshot          jsonb NOT NULL,  
1852     new_snapshot               jsonb NOT NULL,  
1853     price_delta_amount         decimal(19,4) NOT NULL DEFAULT 0,  
1854     currency_code              char(3),  
1855     changed_at                 timestamptz NOT NULL,  
1856     created_at                 timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1857     CONSTRAINT pk_reservation_reservation_change PRIMARY KEY (id),  
1858     CONSTRAINT uq_reservation_reservation_change_reservation_id_fa6280d3 UNIQUE (reservation_id, change_sequence)  
1859 );
```

```
1861 CREATE TABLE reservation.reservation_cancellation (  
1862     id                        uuid NOT NULL DEFAULT gen_random_uuid(),  
1863     reservation_id            uuid NOT NULL,  
1864     cancelled_at               timestamptz NOT NULL,  
1865     cancelled_by_party_id      uuid,  
1866     reason_code                varchar(60) NOT NULL,  
1867     reason_text                text,  
1868     fee_amount                 decimal(19,4) NOT NULL DEFAULT 0,  
1869     currency_code              char(3),  
1870     policy_rule_reference       varchar(160),  
1871     created_at                 timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
1872     CONSTRAINT pk_reservation_reservation_cancellation PRIMARY KEY (id),  
1873     CONSTRAINT uq_reservation_reservation_cancellation_reservation_id_1 UNIQUE (reservation_id),  
1874     CONSTRAINT ck_reservation_reservation_cancellation_1 CHECK (fee_amount >= 0)  
1875 );
```

```
1877 CREATE TABLE reservation.no_show_assessment (
1878     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1879     reservation_id                    uuid NOT NULL,
1880     assessed_at                       timestampz NOT NULL,
1881     grace_period_minutes              integer NOT NULL,
1882     fee_amount                        decimal(19,4) NOT NULL DEFAULT 0,
1883     currency_code                     char(3),
1884     rule_reference                     varchar(160),
1885     waived                            boolean NOT NULL DEFAULT FALSE,
1886     waiver_reason                     text,
1887     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1888     CONSTRAINT pk_reservation_no_show_assessment PRIMARY KEY (id),
1889     CONSTRAINT uq_reservation_no_show_assessment_reservation_id_1 UNIQUE (reservation_id),
1890     CONSTRAINT ck_reservation_no_show_assessment_1 CHECK (grace_period_minutes >= 0),
1891     CONSTRAINT ck_reservation_no_show_assessment_2 CHECK (fee_amount >= 0)
1892 );

1894 CREATE TABLE reservation.reservation_guarantee (
1895     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1896     reservation_id                    uuid NOT NULL,
1897     guarantee_type                     varchar(30) NOT NULL,
1898     amount                            decimal(19,4),
1899     currency_code                     char(3),
1900     provider_reference                 varchar(160),
1901     status                             varchar(20) NOT NULL,
1902     authorized_at                      timestampz,
1903     expires_at                        timestampz,
1904     idempotency_key                    varchar(160) NOT NULL,
1905     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1906     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1907     row_version                        bigint NOT NULL DEFAULT 0,
1908     CONSTRAINT pk_reservation_reservation_guarantee PRIMARY KEY (id),
1909     CONSTRAINT uq_reservation_reservation_guarantee_idempotency_key_1 UNIQUE (idempotency_key),
1910     CONSTRAINT ck_reservation_reservation_guarantee_1 CHECK (amount IS NULL OR amount >= 0),
1911     CONSTRAINT ck_reservation_reservation_guarantee_2 CHECK (guarantee_type IN ('CARD_PREAUTH','VOUCHER','CORPORATE_CREDIT','PREPAYMENT','NONE')),
1912     CONSTRAINT ck_reservation_reservation_guarantee_3 CHECK (status IN ('PENDING','AUTHORIZED','FAILED','EXPIRED','RELEASED','CONSUMED'))
1913 );
```



```

1915 CREATE TABLE reservation.partner_booking (
1916     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1917     reservation_id                    uuid NOT NULL,
1918     partner_id                        uuid NOT NULL,
1919     partner_agreement_id              uuid,
1920     external_booking_reference         varchar(160) NOT NULL,
1921     external_status                   varchar(60),
1922     commission_amount                 decimal(19,4),
1923     currency_code                     char(3),
1924     raw_payload                       jsonb,
1925     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1926     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1927     CONSTRAINT pk_reservation_partner_booking PRIMARY KEY (id),
1928     CONSTRAINT uq_reservation_partner_booking_partner_id_external_083fe7a4 UNIQUE (partner_id, external_booking_reference),
1929     CONSTRAINT ck_reservation_partner_booking_1 CHECK (commission_amount IS NULL OR commission_amount >= 0)
1930 );

```

```

1932 CREATE TABLE reservation.digital_pickup_eligibility (
1933     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1934     reservation_id                    uuid NOT NULL,
1935     eligible                          boolean NOT NULL,
1936     decision                          varchar(20) NOT NULL,
1937     reason_codes                      jsonb,
1938     rule_version                      varchar(60),
1939     assessed_at                       timestamptz NOT NULL,
1940     expires_at                       timestamptz,
1941     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1942     CONSTRAINT pk_reservation_digital_pickup_eligibility PRIMARY KEY (id),
1943     CONSTRAINT ck_reservation_digital_pickup_eligibility_1 CHECK (decision IN ('ELIGIBLE', 'INELIGIBLE', 'REVIEW')),
1944     CONSTRAINT ck_reservation_digital_pickup_eligibility_2 CHECK (expires_at IS NULL OR expires_at > assessed_at)
1945 );

```

```

1947 CREATE TABLE reservation.reservation_note (
1948     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1949     reservation_id                    uuid NOT NULL,
1950     note_type                         varchar(30) NOT NULL,
1951     note_text                         text NOT NULL,
1952     visibility                        varchar(20) NOT NULL,
1953     created_by                        uuid,
1954     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1955     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1956     CONSTRAINT pk_reservation_reservation_note PRIMARY KEY (id),
1957     CONSTRAINT ck_reservation_reservation_note_1 CHECK (visibility IN ('INTERNAL', 'CUSTOMER_VISIBLE', 'PARTNER_VISIBLE'))
1958 );

```

```

1960 CREATE TABLE reservation.reservation_inventory_commitment (
1961     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1962     reservation_id                    uuid NOT NULL,
1963     availability_hold_id                uuid,
1964     capacity_commitment_id              uuid,
1965     relation_type                       varchar(20) NOT NULL,
1966     linked_at                          timestamptz NOT NULL,
1967     created_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1968     updated_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1969     CONSTRAINT pk_reservation_reservation_inventory_commitment PRIMARY KEY (id),
1970     CONSTRAINT ck_reservation_reservation_inventory_commitment_1 CHECK (relation_type IN ('HOLD','COMMITMENT')),
1971     CONSTRAINT ck_reservation_reservation_inventory_commitment_2 CHECK ((relation_type = 'HOLD' AND availability_hold_id IS NOT NULL AND capacity_commitment_id IS NULL) OR (
        relation_type = 'COMMITMENT' AND capacity_commitment_id IS NOT NULL AND availability_hold_id IS NULL))
1972 );

```

```

1974 CREATE TABLE rental.rental_contract (
1975     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
1976     contract_number                    varchar(60) NOT NULL,
1977     legal_entity_id                    uuid NOT NULL,
1978     reservation_id                      uuid,
1979     customer_account_id                 uuid NOT NULL,
1980     origin_branch_id                    uuid NOT NULL,
1981     planned_return_branch_id             uuid NOT NULL,
1982     actual_return_branch_id              uuid,
1983     rental_mode                         varchar(30) NOT NULL,
1984     mileage_package_id                   uuid,
1985     opened_at                           timestamptz NOT NULL,
1986     activated_at                         timestamptz,
1987     planned_return_at                    timestamptz NOT NULL,
1988     actual_return_at                     timestamptz,
1989     current_revision_number               integer NOT NULL DEFAULT 0,
1990     current_status                       varchar(20) NOT NULL DEFAULT 'OPENING',
1991     currency_code                        char(3) NOT NULL,
1992     created_channel_id                    uuid NOT NULL,
1993     closed_reason                        varchar(60),
1994     created_at                           timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1995     updated_at                           timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
1996     row_version                          bigint NOT NULL DEFAULT 0,
1997     CONSTRAINT pk_rental_rental_contract PRIMARY KEY (id),
1998     CONSTRAINT uq_rental_rental_contract_legal_entity_id_contrac_e46b4872 UNIQUE (legal_entity_id, contract_number),
1999     CONSTRAINT uq_rental_rental_contract_reservation_id_2 UNIQUE (reservation_id),
2000     CONSTRAINT ck_rental_rental_contract_1 CHECK (planned_return_at > opened_at),
2001     CONSTRAINT ck_rental_rental_contract_2 CHECK (actual_return_at IS NULL OR actual_return_at >= opened_at),
2002     CONSTRAINT ck_rental_rental_contract_3 CHECK (activated_at IS NULL OR activated_at >= opened_at),
2003     CONSTRAINT ck_rental_rental_contract_4 CHECK (rental_mode IN ('HOURLY','DAILY','WEEKLY','MONTHLY','CORPORATE')),
2004     CONSTRAINT ck_rental_rental_contract_5 CHECK (current_status IN ('OPENING','ACTIVE','OVERDUE','RETURN_PENDING','CLOSED','CANCELLED'))
2005 );

```

```
2007 CREATE TABLE rental.contract_revision (
2008     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2009     contract_id                       uuid NOT NULL,
2010     revision_number                   integer NOT NULL,
2011     previous_revision_id              uuid,
2012     reason_code                       varchar(60) NOT NULL,
2013     effective_at                      timestampz NOT NULL,
2014     document_hash                     varchar(64),
2015     pricing_snapshot_hash             varchar(64),
2016     snapshot_json                     jsonb NOT NULL,
2017     created_by                        uuid,
2018     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2019     CONSTRAINT pk_rental_contract_revision PRIMARY KEY (id),
2020     CONSTRAINT uq_rental_contract_revision_contract_id_revision_number_1 UNIQUE (contract_id, revision_number),
2021     CONSTRAINT ck_rental_contract_revision_1 CHECK (revision_number >= 0)
2022 );

2024 CREATE TABLE rental.contract_party_role (
2025     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2026     contract_id                       uuid NOT NULL,
2027     party_id                           uuid NOT NULL,
2028     role_type                          varchar(30) NOT NULL,
2029     valid_from                         timestampz NOT NULL,
2030     valid_to                           timestampz,
2031     source_type                        varchar(40),
2032     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2033     updated_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2034     CONSTRAINT pk_rental_contract_party_role PRIMARY KEY (id),
2035     CONSTRAINT uq_rental_contract_party_role_contract_id_party_id_4a6cbbcb UNIQUE (contract_id, party_id, role_type, valid_from),
2036     CONSTRAINT ck_rental_contract_party_role_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
2037     CONSTRAINT ck_rental_contract_party_role_2 CHECK (role_type IN ('CUSTOMER', 'BOOKER', 'CORPORATE_USER', 'REPRESENTATIVE', 'PRIMARY_DRIVER', 'ADDITIONAL_DRIVER', 'PAYER', 'BENEFICIARY'))
2038 );
```

```

2040 CREATE TABLE rental.contract_product (
2041     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2042     contract_id                       uuid NOT NULL,
2043     product_id                       uuid NOT NULL,
2044     quantity                         decimal(19,6) NOT NULL,
2045     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
2046     locked_at_activation              boolean NOT NULL DEFAULT FALSE,
2047     configuration_json                jsonb,
2048     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2049     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2050     row_version                      bigint NOT NULL DEFAULT 0,
2051     CONSTRAINT pk_rental_contract_product PRIMARY KEY (id),
2052     CONSTRAINT uq_rental_contract_product_contract_id_product_id_1 UNIQUE (contract_id, product_id),
2053     CONSTRAINT ck_rental_contract_product_1 CHECK (quantity > 0),
2054     CONSTRAINT ck_rental_contract_product_2 CHECK (status IN ('ACTIVE','REMOVED','CONSUMED'))
2055 );

2057 CREATE TABLE rental.contract_price_snapshot_line (
2058     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2059     contract_id                       uuid NOT NULL,
2060     contract_revision_id              uuid NOT NULL,
2061     line_number                      integer NOT NULL,
2062     reservation_price_line_id         uuid,
2063     product_id                       uuid,
2064     charge_type_id                   uuid,
2065     description                      varchar(240) NOT NULL,
2066     quantity                         decimal(19,6) NOT NULL,
2067     unit_code                        varchar(20) NOT NULL,
2068     unit_amount                      decimal(19,4) NOT NULL,
2069     base_amount                      decimal(19,4) NOT NULL,
2070     discount_amount                  decimal(19,4) NOT NULL DEFAULT 0,
2071     tax_amount                       decimal(19,4) NOT NULL DEFAULT 0,
2072     gross_amount                     decimal(19,4) NOT NULL,
2073     currency_code                    char(3) NOT NULL,
2074     rate_plan_version_id             uuid NOT NULL,
2075     rule_reference                    varchar(160),
2076     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2077     CONSTRAINT pk_rental_contract_price_snapshot_line PRIMARY KEY (id),
2078     CONSTRAINT uq_rental_contract_price_snapshot_line_contract_r_0abd84bf UNIQUE (contract_revision_id, line_number),
2079     CONSTRAINT ck_rental_contract_price_snapshot_line_1 CHECK (quantity > 0),
2080     CONSTRAINT ck_rental_contract_price_snapshot_line_2 CHECK (discount_amount >= 0),
2081     CONSTRAINT ck_rental_contract_price_snapshot_line_3 CHECK (tax_amount >= 0),
2082     CONSTRAINT ck_rental_contract_price_snapshot_line_4 CHECK (gross_amount = base_amount - discount_amount + tax_amount)
2083 );

```

```

2085 CREATE TABLE rental.vehicle_assignment (
2086     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2087     contract_id                       uuid NOT NULL,
2088     calendar_entry_id                 uuid NOT NULL,
2089     vehicle_id                        uuid NOT NULL,
2090     sequence_number                   smallint NOT NULL,
2091     pickup_branch_id                  uuid NOT NULL,
2092     planned_return_branch_id           uuid NOT NULL,
2093     actual_return_branch_id            uuid,
2094     start_at                          timestampz NOT NULL,
2095     end_at                            timestampz,
2096     assignment_reason                  varchar(20) NOT NULL,
2097     status                            varchar(20) NOT NULL DEFAULT 'PLANNED',
2098     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2099     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2100     row_version                       bigint NOT NULL DEFAULT 0,
2101     CONSTRAINT pk_rental_vehicle_assignment PRIMARY KEY (id),
2102     CONSTRAINT uq_rental_vehicle_assignment_contract_id_sequence_number_1 UNIQUE (contract_id, sequence_number),
2103     CONSTRAINT uq_rental_vehicle_assignment_calendar_entry_id_2 UNIQUE (calendar_entry_id),
2104     CONSTRAINT ck_rental_vehicle_assignment_1 CHECK (end_at IS NULL OR end_at > start_at),
2105     CONSTRAINT ck_rental_vehicle_assignment_2 CHECK (assignment_reason IN ('INITIAL','REPLACEMENT')),
2106     CONSTRAINT ck_rental_vehicle_assignment_3 CHECK (status IN ('PLANNED','ACTIVE','COMPLETED','CANCELLED'))
2107 );

```

```

2109 CREATE TABLE rental.pickup_event (
2110     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2111     contract_id                       uuid NOT NULL,
2112     vehicle_assignment_id              uuid NOT NULL,
2113     branch_id                         uuid NOT NULL,
2114     picked_up_at                      timestampz NOT NULL,
2115     odometer_reading_id                uuid NOT NULL,
2116     fuel_reading_id                    uuid,
2117     inspection_id                      uuid,
2118     performed_by                       uuid,
2119     digital_pickup                     boolean NOT NULL DEFAULT FALSE,
2120     latitude                           decimal(10,7),
2121     longitude                           decimal(10,7),
2122     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2123     CONSTRAINT pk_rental_pickup_event PRIMARY KEY (id),
2124     CONSTRAINT uq_rental_pickup_event_vehicle_assignment_id_1 UNIQUE (vehicle_assignment_id)
2125 );

```

```

2127 CREATE TABLE rental.return_event (
2128     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2129     contract_id                       uuid NOT NULL,
2130     vehicle_assignment_id             uuid NOT NULL,
2131     branch_id                         uuid NOT NULL,
2132     returned_at                       timestampz NOT NULL,
2133     odometer_reading_id              uuid NOT NULL,
2134     fuel_reading_id                  uuid,
2135     inspection_id                     uuid,
2136     performed_by                      uuid,
2137     after_hours                       boolean NOT NULL DEFAULT FALSE,
2138     latitude                          decimal(10,7),
2139     longitude                         decimal(10,7),
2140     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2141     CONSTRAINT pk_rental_return_event PRIMARY KEY (id),
2142     CONSTRAINT uq_rental_return_event_vehicle_assignment_id_1 UNIQUE (vehicle_assignment_id)
2143 );

2145 CREATE TABLE rental.extension (
2146     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2147     contract_id                       uuid NOT NULL,
2148     requested_at                      timestampz NOT NULL,
2149     requested_by_party_id             uuid,
2150     previous_planned_return_at        timestampz NOT NULL,
2151     new_planned_return_at             timestampz NOT NULL,
2152     status                            varchar(20) NOT NULL DEFAULT 'REQUESTED',
2153     availability_checked_at           timestampz,
2154     payment_checked_at                timestampz,
2155     price_delta_amount                decimal(19,4),
2156     currency_code                     char(3),
2157     decision_reason                   text,
2158     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2159     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2160     row_version                       bigint NOT NULL DEFAULT 0,
2161     CONSTRAINT pk_rental_extension PRIMARY KEY (id),
2162     CONSTRAINT ck_rental_extension_1 CHECK (new_planned_return_at > previous_planned_return_at),
2163     CONSTRAINT ck_rental_extension_2 CHECK (status IN ('REQUESTED', 'APPROVED', 'REJECTED', 'CANCELLED', 'APPLIED'))
2164 );

```

```

2166 CREATE TABLE rental.vehicle_replacement (
2167     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2168     contract_id                       uuid NOT NULL,
2169     previous_assignment_id            uuid NOT NULL,
2170     new_assignment_id                 uuid NOT NULL,
2171     reason_code                       varchar(60) NOT NULL,
2172     replaced_at                       timestamptz NOT NULL,
2173     authorized_by                     uuid,
2174     notes                             text,
2175     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2176     CONSTRAINT pk_rental_vehicle_replacement PRIMARY KEY (id),
2177     CONSTRAINT uq_rental_vehicle_replacement_previous_assignment_id_1 UNIQUE (previous_assignment_id),
2178     CONSTRAINT uq_rental_vehicle_replacement_new_assignment_id_2 UNIQUE (new_assignment_id),
2179     CONSTRAINT ck_rental_vehicle_replacement_1 CHECK (previous_assignment_id <> new_assignment_id)
2180 );

2182 CREATE TABLE rental.contract_status_history (
2183     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2184     contract_id                       uuid NOT NULL,
2185     from_status                       varchar(40),
2186     to_status                         varchar(40) NOT NULL,
2187     reason_code                       varchar(60),
2188     reason_text                       text,
2189     changed_by                        uuid,
2190     changed_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2191     CONSTRAINT pk_rental_contract_status_history PRIMARY KEY (id),
2192     CONSTRAINT ck_rental_contract_status_history_1 CHECK (to_status IN ('OPENING', 'ACTIVE', 'OVERDUE', 'RETURN_PENDING', 'CLOSED', 'CANCELLED'))
2193 );

2195 CREATE TABLE rental.contract_terms_acceptance (
2196     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2197     contract_id                       uuid NOT NULL,
2198     contract_revision_id              uuid NOT NULL,
2199     party_id                          uuid NOT NULL,
2200     terms_type                        varchar(40) NOT NULL,
2201     terms_version                     varchar(60) NOT NULL,
2202     accepted_at                       timestamptz NOT NULL,
2203     channel_id                        uuid,
2204     evidence_hash                     varchar(64) NOT NULL,
2205     ip_address_token                  varchar(100),
2206     device_reference                  varchar(160),
2207     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2208     CONSTRAINT pk_rental_contract_terms_acceptance PRIMARY KEY (id),
2209     CONSTRAINT uq_rental_contract_terms_acceptance_contract_revi_e69987ad UNIQUE (contract_revision_id, party_id, terms_type, terms_version)
2210 );

```

```

2212 CREATE TABLE rental.contract_document (
2213     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2214     contract_id                       uuid NOT NULL,
2215     contract_revision_id              uuid,
2216     document_type                     varchar(40) NOT NULL,
2217     object_key                        varchar(500) NOT NULL,
2218     content_type                      varchar(100),
2219     sha256                            bytea,
2220     generated_at                      timestampz NOT NULL,
2221     signed_at                         timestampz,
2222     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
2223     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2224     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2225     CONSTRAINT pk_rental_contract_document PRIMARY KEY (id),
2226     CONSTRAINT ck_rental_contract_document_1 CHECK (status IN ('ACTIVE', 'SUPERSEDED', 'VOID'))
2227 );

```

```

2229 CREATE TABLE rental.digital_pickup_session (
2230     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2231     contract_id                       uuid NOT NULL,
2232     reservation_id                    uuid,
2233     party_id                          uuid NOT NULL,
2234     session_token_hash                bytea NOT NULL,
2235     started_at                        timestampz NOT NULL,
2236     expires_at                        timestampz NOT NULL,
2237     completed_at                      timestampz,
2238     status                            varchar(20) NOT NULL DEFAULT 'STARTED',
2239     failure_reason                     varchar(120),
2240     device_reference                   varchar(160),
2241     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2242     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2243     row_version                        bigint NOT NULL DEFAULT 0,
2244     CONSTRAINT pk_rental_digital_pickup_session PRIMARY KEY (id),
2245     CONSTRAINT uq_rental_digital_pickup_session_session_token_hash_1 UNIQUE (session_token_hash),
2246     CONSTRAINT ck_rental_digital_pickup_session_1 CHECK (expires_at > started_at),
2247     CONSTRAINT ck_rental_digital_pickup_session_2 CHECK (completed_at IS NULL OR completed_at >= started_at),
2248     CONSTRAINT ck_rental_digital_pickup_session_3 CHECK (status IN ('STARTED', 'IDENTITY_VERIFIED', 'PAYMENT_VERIFIED', 'READY', 'COMPLETED', 'FAILED', 'EXPIRED', 'CANCELLED'))
2249 );

```



```

2251 CREATE TABLE rental.vehicle_access_credential (
2252     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2253     digital_pickup_session_id         uuid NOT NULL,
2254     vehicle_id                       uuid NOT NULL,
2255     credential_type                   varchar(30) NOT NULL,
2256     credential_token_ciphertext       text NOT NULL,
2257     issued_at                        timestampz NOT NULL,
2258     expires_at                       timestampz NOT NULL,
2259     revoked_at                       timestampz,
2260     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
2261     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2262     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2263     row_version                       bigint NOT NULL DEFAULT 0,
2264     CONSTRAINT pk_rental_vehicle_access_credential PRIMARY KEY (id),
2265     CONSTRAINT ck_rental_vehicle_access_credential_1 CHECK (expires_at > issued_at),
2266     CONSTRAINT ck_rental_vehicle_access_credential_2 CHECK (revoked_at IS NULL OR revoked_at >= issued_at),
2267     CONSTRAINT ck_rental_vehicle_access_credential_3 CHECK (credential_type IN ('DIGITAL_KEY', 'PIN', 'BLUETOOTH_TOKEN', 'NFC_TOKEN')),
2268     CONSTRAINT ck_rental_vehicle_access_credential_4 CHECK (status IN ('ACTIVE', 'USED', 'EXPIRED', 'REVOKED'))
2269 );

2271 CREATE TABLE rental.vehicle_access_command (
2272     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2273     contract_id                      uuid,
2274     vehicle_id                       uuid NOT NULL,
2275     command_type                     varchar(30) NOT NULL,
2276     requested_by                     uuid,
2277     reason_code                      varchar(60),
2278     requested_at                     timestampz NOT NULL,
2279     expires_at                       timestampz,
2280     status                           varchar(20) NOT NULL DEFAULT 'REQUESTED',
2281     provider_reference                varchar(160),
2282     result_code                      varchar(60),
2283     completed_at                     timestampz,
2284     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2285     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2286     row_version                       bigint NOT NULL DEFAULT 0,
2287     CONSTRAINT pk_rental_vehicle_access_command PRIMARY KEY (id),
2288     CONSTRAINT ck_rental_vehicle_access_command_1 CHECK (command_type IN ('UNLOCK', 'LOCK', 'START_ENABLE', 'START_DISABLE', 'HORN', 'LIGHTS')),
2289     CONSTRAINT ck_rental_vehicle_access_command_2 CHECK (status IN ('REQUESTED', 'SENT', 'ACKNOWLEDGED', 'SUCCEEDED', 'FAILED', 'EXPIRED', 'CANCELLED')),
2290     CONSTRAINT ck_rental_vehicle_access_command_3 CHECK (expires_at IS NULL OR expires_at > requested_at)
2291 );

```

```
2293 CREATE TABLE rental.overdue_case (
2294     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2295     contract_id                       uuid NOT NULL,
2296     opened_at                         timestampz NOT NULL,
2297     severity                          varchar(20) NOT NULL,
2298     status                            varchar(20) NOT NULL DEFAULT 'OPEN',
2299     last_contact_at                   timestampz,
2300     next_action_at                    timestampz,
2301     assigned_to                       uuid,
2302     resolution_code                   varchar(60),
2303     closed_at                         timestampz,
2304     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2305     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2306     row_version                       bigint NOT NULL DEFAULT 0,
2307     CONSTRAINT pk_rental_overdue_case PRIMARY KEY (id),
2308     CONSTRAINT uq_rental_overdue_case_contract_id_1 UNIQUE (contract_id),
2309     CONSTRAINT ck_rental_overdue_case_1 CHECK (severity IN ('LOW','MEDIUM','HIGH','CRITICAL')),
2310     CONSTRAINT ck_rental_overdue_case_2 CHECK (status IN ('OPEN','CONTACTING','ESCALATED','RECOVERY','CLOSED')),
2311     CONSTRAINT ck_rental_overdue_case_3 CHECK (closed_at IS NULL OR closed_at >= opened_at)
2312 );

2314 CREATE TABLE rental.contract_reprocessing (
2315     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2316     contract_id                       uuid NOT NULL,
2317     requested_at                       timestampz NOT NULL,
2318     requested_by                       uuid,
2319     reason_code                       varchar(60) NOT NULL,
2320     previous_revision_number           integer NOT NULL,
2321     new_revision_number                integer,
2322     status                            varchar(20) NOT NULL DEFAULT 'REQUESTED',
2323     financial_delta_amount             decimal(19,4),
2324     currency_code                     char(3),
2325     result_json                       jsonb,
2326     completed_at                       timestampz,
2327     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2328     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2329     row_version                       bigint NOT NULL DEFAULT 0,
2330     CONSTRAINT pk_rental_contract_reprocessing PRIMARY KEY (id),
2331     CONSTRAINT ck_rental_contract_reprocessing_1 CHECK (status IN ('REQUESTED','PROCESSING','COMPLETED','FAILED','CANCELLED'))
2332 );
```

```

2334 CREATE TABLE inspection.inspection_template (
2335     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2336     template_code                     varchar(50) NOT NULL,
2337     name                             varchar(140) NOT NULL,
2338     inspection_type                   varchar(30) NOT NULL,
2339     version_number                    integer NOT NULL,
2340     valid_from                        timestampz NOT NULL,
2341     valid_to                          timestampz,
2342     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',
2343     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2344     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2345     row_version                       bigint NOT NULL DEFAULT 0,
2346     CONSTRAINT pk_inspection_inspection_template PRIMARY KEY (id),
2347     CONSTRAINT uq_inspection_inspection_template_template_code_v_2484f4a5 UNIQUE (template_code, version_number),
2348     CONSTRAINT ck_inspection_inspection_template_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
2349     CONSTRAINT ck_inspection_inspection_template_2 CHECK (inspection_type IN ('PICKUP', 'RETURN', 'MAINTENANCE', 'TRANSFER', 'SALE', 'AD_HOC')),
2350     CONSTRAINT ck_inspection_inspection_template_3 CHECK (status IN ('DRAFT', 'PUBLISHED', 'RETIRED'))
2351 );

2353 CREATE TABLE inspection.inspection_template_item (
2354     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2355     inspection_template_id            uuid NOT NULL,
2356     item_code                         varchar(50) NOT NULL,
2357     label                             varchar(160) NOT NULL,
2358     item_type                         varchar(30) NOT NULL,
2359     required                          boolean NOT NULL DEFAULT TRUE,
2360     sort_order                        integer NOT NULL DEFAULT 0,
2361     configuration_json                jsonb,
2362     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2363     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2364     CONSTRAINT pk_inspection_inspection_template_item PRIMARY KEY (id),
2365     CONSTRAINT uq_inspection_inspection_template_item_inspection_a33ef367 UNIQUE (inspection_template_id, item_code),
2366     CONSTRAINT ck_inspection_inspection_template_item_1 CHECK (item_type IN ('BOOLEAN', 'TEXT', 'NUMBER', 'CHOICE', 'PHOTO', 'ODOMETER', 'FUEL', 'DAMAGE_MAP', 'SIGNATURE'))
2367 );

```

```

2369 CREATE TABLE inspection.inspection (
2370     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2371     inspection_template_id            uuid NOT NULL,
2372     inspection_type                   varchar(30) NOT NULL,
2373     vehicle_id                       uuid NOT NULL,
2374     contract_id                      uuid,
2375     vehicle_assignment_id            uuid,
2376     branch_id                        uuid,
2377     started_at                       timestampz NOT NULL,
2378     completed_at                     timestampz,
2379     performed_by                     uuid,
2380     status                           varchar(20) NOT NULL DEFAULT 'IN_PROGRESS',
2381     device_reference                 varchar(160),
2382     latitude                         decimal(10,7),
2383     longitude                        decimal(10,7),
2384     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2385     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2386     row_version                      bigint NOT NULL DEFAULT 0,
2387     CONSTRAINT pk_inspection_inspection PRIMARY KEY (id),
2388     CONSTRAINT ck_inspection_inspection_1 CHECK (completed_at IS NULL OR completed_at >= started_at),
2389     CONSTRAINT ck_inspection_inspection_2 CHECK (inspection_type IN ('PICKUP','RETURN','MAINTENANCE','TRANSFER','SALE','AD_HOC')),
2390     CONSTRAINT ck_inspection_inspection_3 CHECK (status IN ('IN_PROGRESS','COMPLETED','CANCELLED','SUPERSEDED'))
2391 );

```

```

2393 CREATE TABLE inspection.inspection_item_result (
2394     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2395     inspection_id                    uuid NOT NULL,
2396     template_item_id                uuid NOT NULL,
2397     result_text                     text,
2398     result_number                   decimal(19,6),
2399     result_boolean                  boolean,
2400     result_json                     jsonb,
2401     passed                          boolean,
2402     observed_at                     timestampz NOT NULL,
2403     created_at                      timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2404     CONSTRAINT pk_inspection_inspection_item_result PRIMARY KEY (id),
2405     CONSTRAINT uq_inspection_inspection_item_result_inspection_i_72157564 UNIQUE (inspection_id, template_item_id)
2406 );

```

```

2408 CREATE TABLE inspection.inspection_media (
2409     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2410     inspection_id                     uuid NOT NULL,
2411     template_item_id                 uuid,
2412     media_type                        varchar(20) NOT NULL,
2413     object_key                       varchar(500) NOT NULL,
2414     content_type                      varchar(100),
2415     sha256                           bytea,
2416     captured_at                      timestamptz NOT NULL,
2417     captured_by                      uuid,
2418     device_reference                  varchar(160),
2419     latitude                          decimal(10,7),
2420     longitude                         decimal(10,7),
2421     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2422     CONSTRAINT pk_inspection_inspection_media PRIMARY KEY (id),
2423     CONSTRAINT ck_inspection_inspection_media_1 CHECK (media_type IN ('PHOTO','VIDEO','AUDIO','SIGNATURE','DOCUMENT'))
2424 );

```

```

2426 CREATE TABLE inspection.damage_record (
2427     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2428     vehicle_id                       uuid NOT NULL,
2429     body_part                         varchar(60) NOT NULL,
2430     damage_type                      varchar(40) NOT NULL,
2431     position_x                       decimal(8,5),
2432     position_y                       decimal(8,5),
2433     severity                         varchar(20) NOT NULL,
2434     first_observed_at                timestamptz NOT NULL,
2435     resolved_at                      timestamptz,
2436     status                           varchar(20) NOT NULL DEFAULT 'OPEN',
2437     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2438     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2439     row_version                      bigint NOT NULL DEFAULT 0,
2440     CONSTRAINT pk_inspection_damage_record PRIMARY KEY (id),
2441     CONSTRAINT ck_inspection_damage_record_1 CHECK (position_x IS NULL OR (position_x >= 0 AND position_x <= 1)),
2442     CONSTRAINT ck_inspection_damage_record_2 CHECK (position_y IS NULL OR (position_y >= 0 AND position_y <= 1)),
2443     CONSTRAINT ck_inspection_damage_record_3 CHECK (severity IN ('COSMETIC','MINOR','MODERATE','MAJOR','SAFETY')),
2444     CONSTRAINT ck_inspection_damage_record_4 CHECK (status IN ('OPEN','MONITORED','REPAIRED','WRITTEN_OFF')),
2445     CONSTRAINT ck_inspection_damage_record_5 CHECK (resolved_at IS NULL OR resolved_at >= first_observed_at)
2446 );

```

```
2448 CREATE TABLE inspection.damage_observation (
2449     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2450     damage_record_id                  uuid NOT NULL,
2451     inspection_id                      uuid NOT NULL,
2452     observed_status                    varchar(20) NOT NULL,
2453     severity                           varchar(20) NOT NULL,
2454     media_id                          uuid,
2455     notes                             text,
2456     observed_at                       timestampz NOT NULL,
2457     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2458     CONSTRAINT pk_inspection_damage_observation PRIMARY KEY (id),
2459     CONSTRAINT uq_inspection_damage_observation_damage_record_id_7eccb3ff UNIQUE (damage_record_id, inspection_id),
2460     CONSTRAINT ck_inspection_damage_observation_1 CHECK (observed_status IN ('EXISTING','NEW','WORSENER','UNCHANGED','RESOLVED')),
2461     CONSTRAINT ck_inspection_damage_observation_2 CHECK (severity IN ('COSMETIC','MINOR','MODERATE','MAJOR','SAFETY'))
2462 );

2464 CREATE TABLE inspection.damage_attribution (
2465     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2466     damage_record_id                  uuid NOT NULL,
2467     contract_id                       uuid,
2468     incident_id                       uuid,
2469     attribution_status                 varchar(20) NOT NULL,
2470     decision_reason                    text,
2471     decided_at                        timestampz,
2472     decided_by                        uuid,
2473     responsible_party_id              uuid,
2474     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2475     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2476     row_version                       bigint NOT NULL DEFAULT 0,
2477     CONSTRAINT pk_inspection_damage_attribution PRIMARY KEY (id),
2478     CONSTRAINT ck_inspection_damage_attribution_1 CHECK (attribution_status IN ('PENDING','CUSTOMER','COMPANY','THIRD_PARTY','PRE_EXISTING','UNDETERMINED','WAIVED'))
2479 );
```

```

2481 CREATE TABLE inspection.damage_assessment (
2482     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2483     damage_record_id                  uuid NOT NULL,
2484     contract_id                       uuid,
2485     assessment_version                 integer NOT NULL,
2486     assessed_at                       timestampz NOT NULL,
2487     repair_estimate_amount             decimal(19,4),
2488     downtime_amount                   decimal(19,4),
2489     administrative_amount              decimal(19,4),
2490     customer_charge_amount             decimal(19,4),
2491     currency_code                     char(3),
2492     method                           varchar(30) NOT NULL,
2493     assessor_party_id                 uuid,
2494     price_table_version                varchar(60),
2495     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',
2496     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2497     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2498     row_version                       bigint NOT NULL DEFAULT 0,
2499     CONSTRAINT pk_inspection_damage_assessment PRIMARY KEY (id),
2500     CONSTRAINT uq_inspection_damage_assessment_damage_record_id_elfad7c0 UNIQUE (damage_record_id, assessment_version),
2501     CONSTRAINT ck_inspection_damage_assessment_1 CHECK (repair_estimate_amount IS NULL OR repair_estimate_amount >= 0),
2502     CONSTRAINT ck_inspection_damage_assessment_2 CHECK (downtime_amount IS NULL OR downtime_amount >= 0),
2503     CONSTRAINT ck_inspection_damage_assessment_3 CHECK (administrative_amount IS NULL OR administrative_amount >= 0),
2504     CONSTRAINT ck_inspection_damage_assessment_4 CHECK (customer_charge_amount IS NULL OR customer_charge_amount >= 0),
2505     CONSTRAINT ck_inspection_damage_assessment_5 CHECK (method IN ('PRICE_TABLE','MANUAL_ESTIMATE','WORKSHOP_QUOTE','INSURER')),
2506     CONSTRAINT ck_inspection_damage_assessment_6 CHECK (status IN ('DRAFT','APPROVED','REJECTED','SUPERSEDED'))
2507 );

```

```

2509 CREATE TABLE inspection.damage_price_table_version (
2510     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2511     table_code                        varchar(50) NOT NULL,
2512     version_number                    integer NOT NULL,
2513     country_code                      char(2) NOT NULL,
2514     valid_from                        timestampz NOT NULL,
2515     valid_to                          timestampz,
2516     currency_code                     char(3) NOT NULL,
2517     price_data                        jsonb NOT NULL,
2518     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',
2519     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2520     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2521     row_version                       bigint NOT NULL DEFAULT 0,
2522     CONSTRAINT pk_inspection_damage_price_table_version PRIMARY KEY (id),
2523     CONSTRAINT uq_inspection_damage_price_table_version_table_co_a76ef88e UNIQUE (table_code, version_number),
2524     CONSTRAINT ck_inspection_damage_price_table_version_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
2525     CONSTRAINT ck_inspection_damage_price_table_version_2 CHECK (status IN ('DRAFT','PUBLISHED','RETIRED'))
2526 );

```

```
2528 CREATE TABLE inspection.fuel_assessment (
2529     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2530     inspection_id                     uuid NOT NULL,
2531     contract_id                       uuid NOT NULL,
2532     pickup_level_percent              decimal(5,2) NOT NULL,
2533     return_level_percent              decimal(5,2) NOT NULL,
2534     missing_liters                    decimal(10,3) NOT NULL DEFAULT 0,
2535     unit_price                        decimal(19,6) NOT NULL DEFAULT 0,
2536     service_fee_amount                decimal(19,4) NOT NULL DEFAULT 0,
2537     total_amount                      decimal(19,4) NOT NULL DEFAULT 0,
2538     currency_code                     char(3) NOT NULL,
2539     fuel_price_id                     uuid,
2540     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2541     CONSTRAINT pk_inspection_fuel_assessment PRIMARY KEY (id),
2542     CONSTRAINT uq_inspection_fuel_assessment_inspection_id_1 UNIQUE (inspection_id),
2543     CONSTRAINT ck_inspection_fuel_assessment_1 CHECK (pickup_level_percent BETWEEN 0 AND 100),
2544     CONSTRAINT ck_inspection_fuel_assessment_2 CHECK (return_level_percent BETWEEN 0 AND 100),
2545     CONSTRAINT ck_inspection_fuel_assessment_3 CHECK (missing_liters >= 0),
2546     CONSTRAINT ck_inspection_fuel_assessment_4 CHECK (unit_price >= 0),
2547     CONSTRAINT ck_inspection_fuel_assessment_5 CHECK (service_fee_amount >= 0),
2548     CONSTRAINT ck_inspection_fuel_assessment_6 CHECK (total_amount >= 0)
2549 );

2551 CREATE TABLE inspection.cleaning_assessment (
2552     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2553     inspection_id                     uuid NOT NULL,
2554     contract_id                       uuid NOT NULL,
2555     cleaning_level                     varchar(20) NOT NULL,
2556     chargeable                        boolean NOT NULL,
2557     amount                            decimal(19,4) NOT NULL DEFAULT 0,
2558     currency_code                     char(3),
2559     reason_codes                      jsonb,
2560     approved_by                       uuid,
2561     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2562     CONSTRAINT pk_inspection_cleaning_assessment PRIMARY KEY (id),
2563     CONSTRAINT uq_inspection_cleaning_assessment_inspection_id_1 UNIQUE (inspection_id),
2564     CONSTRAINT ck_inspection_cleaning_assessment_1 CHECK (cleaning_level IN ('NORMAL', 'SPECIAL', 'BIOHAZARD', 'SMOKE', 'PET', 'EXTREME')),
2565     CONSTRAINT ck_inspection_cleaning_assessment_2 CHECK (amount >= 0)
2566 );
```



```
2568 CREATE TABLE inspection.lost_found_item (  
2569     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
2570     inspection_id                     uuid NOT NULL,  
2571     contract_id                       uuid,  
2572     item_description                   varchar(240) NOT NULL,  
2573     found_at                           timestampz NOT NULL,  
2574     storage_location                  varchar(120),  
2575     status                            varchar(20) NOT NULL DEFAULT 'STORED',  
2576     released_to_party_id              uuid,  
2577     released_at                       timestampz,  
2578     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
2579     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
2580     row_version                       bigint NOT NULL DEFAULT 0,  
2581     CONSTRAINT pk_inspection_lost_found_item PRIMARY KEY (id),  
2582     CONSTRAINT ck_inspection_lost_found_item_1 CHECK (status IN ('STORED','CUSTOMER_NOTIFIED','RELEASED','DISPOSED','TRANSFERRED_TO_AUTHORITY'))  
2583 );
```

```
2585 CREATE TABLE billing.payment_method_token (  
2586     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
2587     party_id                           uuid NOT NULL,  
2588     provider                           varchar(60) NOT NULL,  
2589     provider_customer_reference         varchar(160),  
2590     payment_token_ciphertext           text NOT NULL,  
2591     fingerprint                         varchar(160),  
2592     brand                               varchar(40),  
2593     last4                               char(4),  
2594     expiry_month                        smallint,  
2595     expiry_year                         smallint,  
2596     billing_address_id                 uuid,  
2597     status                             varchar(20) NOT NULL DEFAULT 'ACTIVE',  
2598     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
2599     updated_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
2600     row_version                        bigint NOT NULL DEFAULT 0,  
2601     CONSTRAINT pk_billing_payment_method_token PRIMARY KEY (id),  
2602     CONSTRAINT ck_billing_payment_method_token_1 CHECK (expiry_month IS NULL OR expiry_month BETWEEN 1 AND 12),  
2603     CONSTRAINT ck_billing_payment_method_token_2 CHECK (expiry_year IS NULL OR expiry_year >= 2000),  
2604     CONSTRAINT ck_billing_payment_method_token_3 CHECK (status IN ('ACTIVE','EXPIRED','REVOKED','FAILED'))  
2605 );
```

```
2607 CREATE TABLE billing.charge (
2608     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2609     legal_entity_id                   uuid NOT NULL,
2610     contract_id                       uuid,
2611     reservation_id                    uuid,
2612     charge_type_id                    uuid NOT NULL,
2613     source_context                     varchar(40) NOT NULL,
2614     source_id                         uuid NOT NULL,
2615     source_event_id                   varchar(160),
2616     service_start_at                  timestampz,
2617     service_end_at                    timestampz,
2618     quantity                          decimal(19,6) NOT NULL DEFAULT 1,
2619     unit_code                         varchar(20) NOT NULL,
2620     unit_amount                       decimal(19,4) NOT NULL,
2621     base_amount                       decimal(19,4) NOT NULL,
2622     discount_amount                   decimal(19,4) NOT NULL DEFAULT 0,
2623     tax_amount                        decimal(19,4) NOT NULL DEFAULT 0,
2624     gross_amount                      decimal(19,4) NOT NULL,
2625     currency_code                     char(3) NOT NULL,
2626     rate_plan_version_id              uuid,
2627     rule_reference                     varchar(160),
2628     posting_status                     varchar(20) NOT NULL DEFAULT 'DRAFT',
2629     reversal_of_charge_id              uuid,
2630     idempotency_key                   varchar(160) NOT NULL,
2631     occurred_at                       timestampz NOT NULL,
2632     posted_at                         timestampz,
2633     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2634     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2635     row_version                       bigint NOT NULL DEFAULT 0,
2636     CONSTRAINT pk_billing_charge PRIMARY KEY (id),
2637     CONSTRAINT uq_billing_charge_legal_entity_id_idempotency_key_1 UNIQUE (legal_entity_id, idempotency_key),
2638     CONSTRAINT ck_billing_charge_1 CHECK (service_end_at IS NULL OR service_start_at IS NULL OR service_end_at > service_start_at),
2639     CONSTRAINT ck_billing_charge_2 CHECK (quantity > 0),
2640     CONSTRAINT ck_billing_charge_3 CHECK (discount_amount >= 0),
2641     CONSTRAINT ck_billing_charge_4 CHECK (tax_amount >= 0),
2642     CONSTRAINT ck_billing_charge_5 CHECK (gross_amount = base_amount - discount_amount + tax_amount),
2643     CONSTRAINT ck_billing_charge_6 CHECK (posting_status IN ('DRAFT','POSTED','VOID')),
2644     CONSTRAINT ck_billing_charge_7 CHECK (reversal_of_charge_id IS NULL OR reversal_of_charge_id <> id)
2645 );
```

```
2647 CREATE TABLE billing.invoice (
2648     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2649     legal_entity_id                   uuid NOT NULL,
2650     invoice_number                     varchar(60) NOT NULL,
2651     customer_account_id                uuid NOT NULL,
2652     billing_party_id                   uuid NOT NULL,
2653     contract_id                        uuid,
2654     corporate_agreement_id             uuid,
2655     issue_date                         date NOT NULL,
2656     due_date                           date NOT NULL,
2657     currency_code                      char(3) NOT NULL,
2658     subtotal_amount                    decimal(19,4) NOT NULL,
2659     discount_amount                    decimal(19,4) NOT NULL DEFAULT 0,
2660     tax_amount                         decimal(19,4) NOT NULL DEFAULT 0,
2661     total_amount                       decimal(19,4) NOT NULL,
2662     status                             varchar(20) NOT NULL DEFAULT 'DRAFT',
2663     supersedes_invoice_id              uuid,
2664     created_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2665     updated_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2666     row_version                        bigint NOT NULL DEFAULT 0,
2667     CONSTRAINT pk_billing_invoice PRIMARY KEY (id),
2668     CONSTRAINT uq_billing_invoice_legal_entity_id_invoice_number_1 UNIQUE (legal_entity_id, invoice_number),
2669     CONSTRAINT ck_billing_invoice_1 CHECK (due_date >= issue_date),
2670     CONSTRAINT ck_billing_invoice_2 CHECK (subtotal_amount >= 0),
2671     CONSTRAINT ck_billing_invoice_3 CHECK (discount_amount >= 0),
2672     CONSTRAINT ck_billing_invoice_4 CHECK (tax_amount >= 0),
2673     CONSTRAINT ck_billing_invoice_5 CHECK (total_amount >= 0),
2674     CONSTRAINT ck_billing_invoice_6 CHECK (status IN ('DRAFT', 'ISSUED', 'PARTIALLY_PAID', 'PAID', 'OVERDUE', 'CANCELLED', 'WRITTEN_OFF'))
2675 );
```

```

2677 CREATE TABLE billing.invoice_line (
2678     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2679     invoice_id                        uuid NOT NULL,
2680     line_number                       integer NOT NULL,
2681     charge_id                         uuid NOT NULL,
2682     description                       varchar(240) NOT NULL,
2683     quantity                          decimal(19,6) NOT NULL,
2684     unit_amount                       decimal(19,4) NOT NULL,
2685     net_amount                        decimal(19,4) NOT NULL,
2686     tax_amount                        decimal(19,4) NOT NULL DEFAULT 0,
2687     gross_amount                      decimal(19,4) NOT NULL,
2688     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2689     CONSTRAINT pk_billing_invoice_line PRIMARY KEY (id),
2690     CONSTRAINT uq_billing_invoice_line_invoice_id_line_number_1 UNIQUE (invoice_id, line_number),
2691     CONSTRAINT uq_billing_invoice_line_invoice_id_charge_id_2 UNIQUE (invoice_id, charge_id),
2692     CONSTRAINT ck_billing_invoice_line_1 CHECK (quantity > 0),
2693     CONSTRAINT ck_billing_invoice_line_2 CHECK (tax_amount >= 0),
2694     CONSTRAINT ck_billing_invoice_line_3 CHECK (gross_amount = net_amount + tax_amount)
2695 );

2697 CREATE TABLE billing.receivable (
2698     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2699     invoice_id                        uuid NOT NULL,
2700     receivable_number                 varchar(60) NOT NULL,
2701     original_amount                   decimal(19,4) NOT NULL,
2702     open_amount                       decimal(19,4) NOT NULL,
2703     currency_code                     char(3) NOT NULL,
2704     due_date                           date NOT NULL,
2705     status                            varchar(20) NOT NULL DEFAULT 'OPEN',
2706     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2707     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2708     row_version                       bigint NOT NULL DEFAULT 0,
2709     CONSTRAINT pk_billing_receivable PRIMARY KEY (id),
2710     CONSTRAINT uq_billing_receivable_receivable_number_1 UNIQUE (receivable_number),
2711     CONSTRAINT uq_billing_receivable_invoice_id_2 UNIQUE (invoice_id),
2712     CONSTRAINT ck_billing_receivable_1 CHECK (original_amount >= 0),
2713     CONSTRAINT ck_billing_receivable_2 CHECK (open_amount >= 0),
2714     CONSTRAINT ck_billing_receivable_3 CHECK (open_amount <= original_amount),
2715     CONSTRAINT ck_billing_receivable_4 CHECK (status IN ('OPEN', 'PARTIALLY_PAID', 'PAID', 'OVERDUE', 'DISPUTED', 'WRITTEN_OFF', 'CANCELLED'))
2716 );

```

```
2718 CREATE TABLE billing.payment_intent (
2719     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2720     legal_entity_id                   uuid NOT NULL,
2721     party_id                          uuid NOT NULL,
2722     contract_id                       uuid,
2723     reservation_id                    uuid,
2724     receivable_id                     uuid,
2725     payment_method_token_id           uuid,
2726     amount                           decimal(19,4) NOT NULL,
2727     currency_code                     char(3) NOT NULL,
2728     capture_method                    varchar(20) NOT NULL,
2729     status                            varchar(30) NOT NULL DEFAULT 'CREATED',
2730     provider                          varchar(60) NOT NULL,
2731     provider_reference                 varchar(160),
2732     idempotency_key                   varchar(160) NOT NULL,
2733     expires_at                        timestamptz,
2734     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2735     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2736     row_version                       bigint NOT NULL DEFAULT 0,
2737     CONSTRAINT pk_billing_payment_intent PRIMARY KEY (id),
2738     CONSTRAINT uq_billing_payment_intent_legal_entity_id_idempot_5465443a UNIQUE (legal_entity_id, idempotency_key),
2739     CONSTRAINT ck_billing_payment_intent_1 CHECK (amount > 0),
2740     CONSTRAINT ck_billing_payment_intent_2 CHECK (capture_method IN ('AUTOMATIC','MANUAL')),
2741     CONSTRAINT ck_billing_payment_intent_3 CHECK (status IN ('CREATED','REQUIRES_ACTION','PROCESSING','AUTHORIZED','CAPTURED','FAILED','CANCELLED','EXPIRED'))
2742 );
```

```
2744 CREATE TABLE billing.payment_transaction (
2745     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2746     payment_intent_id                 uuid,
2747     transaction_type                   varchar(30) NOT NULL,
2748     provider                           varchar(60) NOT NULL,
2749     provider_transaction_id             varchar(180) NOT NULL,
2750     amount                             decimal(19,4) NOT NULL,
2751     currency_code                       char(3) NOT NULL,
2752     status                             varchar(20) NOT NULL,
2753     occurred_at                         timestamptz NOT NULL,
2754     settled_at                         timestamptz,
2755     failure_code                       varchar(80),
2756     raw_response                       jsonb,
2757     idempotency_key                     varchar(160) NOT NULL,
2758     created_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2759     CONSTRAINT pk_billing_payment_transaction PRIMARY KEY (id),
2760     CONSTRAINT uq_billing_payment_transaction_provider_provider__5cf6ecc2 UNIQUE (provider, provider_transaction_id),
2761     CONSTRAINT uq_billing_payment_transaction_idempotency_key_2 UNIQUE (idempotency_key),
2762     CONSTRAINT ck_billing_payment_transaction_1 CHECK (amount >= 0),
2763     CONSTRAINT ck_billing_payment_transaction_2 CHECK (transaction_type IN ('AUTHORIZE','CAPTURE','SALE','VOID','REFUND','CHARGEBACK','REVERSAL')),
2764     CONSTRAINT ck_billing_payment_transaction_3 CHECK (status IN ('PENDING','SUCCEEDED','FAILED','REVERSED'))
2765 );

2767 CREATE TABLE billing.payment_allocation (
2768     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2769     payment_transaction_id              uuid NOT NULL,
2770     receivable_id                       uuid NOT NULL,
2771     allocated_amount                     decimal(19,4) NOT NULL,
2772     currency_code                       char(3) NOT NULL,
2773     allocated_at                         timestamptz NOT NULL,
2774     reversal_of_allocation_id            uuid,
2775     created_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2776     CONSTRAINT pk_billing_payment_allocation PRIMARY KEY (id),
2777     CONSTRAINT ck_billing_payment_allocation_1 CHECK (allocated_amount > 0),
2778     CONSTRAINT ck_billing_payment_allocation_2 CHECK (reversal_of_allocation_id IS NULL OR reversal_of_allocation_id <> id)
2779 );
```

```

2781 CREATE TABLE billing.preauthorization (
2782     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2783     payment_method_token_id           uuid NOT NULL,
2784     reservation_id                    uuid,
2785     contract_id                       uuid,
2786     provider                          varchar(60) NOT NULL,
2787     provider_reference                 varchar(160) NOT NULL,
2788     authorized_amount                  decimal(19,4) NOT NULL,
2789     captured_amount                    decimal(19,4) NOT NULL DEFAULT 0,
2790     released_amount                    decimal(19,4) NOT NULL DEFAULT 0,
2791     currency_code                      char(3) NOT NULL,
2792     authorized_at                      timestampz NOT NULL,
2793     expires_at                        timestampz,
2794     status                            varchar(20) NOT NULL DEFAULT 'AUTHORIZED',
2795     idempotency_key                    varchar(160) NOT NULL,
2796     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2797     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2798     row_version                        bigint NOT NULL DEFAULT 0,
2799     CONSTRAINT pk_billing_preauthorization PRIMARY KEY (id),
2800     CONSTRAINT uq_billing_preauthorization_provider_provider_reference_1 UNIQUE (provider, provider_reference),
2801     CONSTRAINT uq_billing_preauthorization_idempotency_key_2 UNIQUE (idempotency_key),
2802     CONSTRAINT ck_billing_preauthorization_1 CHECK (authorized_amount >= 0),
2803     CONSTRAINT ck_billing_preauthorization_2 CHECK (captured_amount >= 0),
2804     CONSTRAINT ck_billing_preauthorization_3 CHECK (released_amount >= 0),
2805     CONSTRAINT ck_billing_preauthorization_4 CHECK (captured_amount + released_amount <= authorized_amount),
2806     CONSTRAINT ck_billing_preauthorization_5 CHECK (status IN ('PENDING', 'AUTHORIZED', 'PARTIALLY_CAPTURED', 'CAPTURED', 'RELEASED', 'EXPIRED', 'FAILED'))
2807 );

2809 CREATE TABLE billing.refund (
2810     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2811     payment_transaction_id             uuid NOT NULL,
2812     refund_transaction_id              uuid,
2813     amount                             decimal(19,4) NOT NULL,
2814     currency_code                      char(3) NOT NULL,
2815     reason_code                        varchar(60) NOT NULL,
2816     status                            varchar(20) NOT NULL DEFAULT 'REQUESTED',
2817     requested_at                       timestampz NOT NULL,
2818     completed_at                       timestampz,
2819     idempotency_key                    varchar(160) NOT NULL,
2820     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2821     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2822     row_version                        bigint NOT NULL DEFAULT 0,
2823     CONSTRAINT pk_billing_refund PRIMARY KEY (id),
2824     CONSTRAINT uq_billing_refund_idempotency_key_1 UNIQUE (idempotency_key),
2825     CONSTRAINT ck_billing_refund_1 CHECK (amount > 0),
2826     CONSTRAINT ck_billing_refund_2 CHECK (status IN ('REQUESTED', 'PROCESSING', 'SUCCEEDED', 'FAILED', 'CANCELLED'))
2827 );

```

```
2829 CREATE TABLE billing.credit_note (
2830     id                uuid NOT NULL DEFAULT gen_random_uuid(),
2831     invoice_id         uuid NOT NULL,
2832     credit_note_number varchar(60) NOT NULL,
2833     issue_date         date NOT NULL,
2834     amount             decimal(19,4) NOT NULL,
2835     currency_code      char(3) NOT NULL,
2836     reason_code        varchar(60) NOT NULL,
2837     status             varchar(20) NOT NULL DEFAULT 'ISSUED',
2838     tax_document_id    uuid,
2839     created_at         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2840     updated_at         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2841     row_version        bigint NOT NULL DEFAULT 0,
2842     CONSTRAINT pk_billing_credit_note PRIMARY KEY (id),
2843     CONSTRAINT uq_billing_credit_note_credit_note_number_1 UNIQUE (credit_note_number),
2844     CONSTRAINT ck_billing_credit_note_1 CHECK (amount > 0),
2845     CONSTRAINT ck_billing_credit_note_2 CHECK (status IN ('DRAFT', 'ISSUED', 'APPLIED', 'CANCELLED'))
2846 );
```

```
2848 CREATE TABLE billing.chargeback (
2849     id                uuid NOT NULL DEFAULT gen_random_uuid(),
2850     payment_transaction_id uuid NOT NULL,
2851     provider_case_reference varchar(160) NOT NULL,
2852     amount            decimal(19,4) NOT NULL,
2853     currency_code      char(3) NOT NULL,
2854     reason_code        varchar(80),
2855     opened_at         timestamptz NOT NULL,
2856     response_due_at   timestamptz,
2857     status            varchar(20) NOT NULL DEFAULT 'OPEN',
2858     outcome           varchar(20),
2859     closed_at         timestamptz,
2860     created_at        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2861     updated_at        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2862     row_version       bigint NOT NULL DEFAULT 0,
2863     CONSTRAINT pk_billing_chargeback PRIMARY KEY (id),
2864     CONSTRAINT uq_billing_chargeback_provider_case_reference_1 UNIQUE (provider_case_reference),
2865     CONSTRAINT ck_billing_chargeback_1 CHECK (amount > 0),
2866     CONSTRAINT ck_billing_chargeback_2 CHECK (status IN ('OPEN', 'EVIDENCE_SUBMITTED', 'WON', 'LOST', 'CLOSED')),
2867     CONSTRAINT ck_billing_chargeback_3 CHECK (closed_at IS NULL OR closed_at >= opened_at)
2868 );
```



```

2870 CREATE TABLE billing.tax_document (
2871     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2872     legal_entity_id                  uuid NOT NULL,
2873     invoice_id                       uuid,
2874     document_type                    varchar(30) NOT NULL,
2875     document_number                  varchar(80) NOT NULL,
2876     series                           varchar(30),
2877     access_key                       varchar(100),
2878     issued_at                        timestampz NOT NULL,
2879     status                           varchar(20) NOT NULL,
2880     object_key                       varchar(500),
2881     provider_response                jsonb,
2882     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2883     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2884     row_version                       bigint NOT NULL DEFAULT 0,
2885     CONSTRAINT pk_billing_tax_document PRIMARY KEY (id),
2886     CONSTRAINT uq_billing_tax_document_legal_entity_id_document__76b2374c UNIQUE (legal_entity_id, document_type, document_number, series),
2887     CONSTRAINT ck_billing_tax_document_1 CHECK (status IN ('REQUESTED','AUTHORIZED','REJECTED','CANCELLED','VOID'))
2888 );

```

```

2890 CREATE TABLE billing.dunning_case (
2891     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2892     customer_account_id              uuid NOT NULL,
2893     receivable_id                    uuid NOT NULL,
2894     opened_at                        timestampz NOT NULL,
2895     stage                             varchar(30) NOT NULL,
2896     status                           varchar(20) NOT NULL DEFAULT 'OPEN',
2897     assigned_to                       uuid,
2898     next_action_at                   timestampz,
2899     closed_at                        timestampz,
2900     resolution_code                   varchar(60),
2901     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2902     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2903     row_version                       bigint NOT NULL DEFAULT 0,
2904     CONSTRAINT pk_billing_dunning_case PRIMARY KEY (id),
2905     CONSTRAINT uq_billing_dunning_case_receivable_id_1 UNIQUE (receivable_id),
2906     CONSTRAINT ck_billing_dunning_case_1 CHECK (stage IN ('REMINDER','NOTICE','COLLECTION','LEGAL')),
2907     CONSTRAINT ck_billing_dunning_case_2 CHECK (status IN ('OPEN','PAUSED','PROMISE_TO_PAY','CLOSED')),
2908     CONSTRAINT ck_billing_dunning_case_3 CHECK (closed_at IS NULL OR closed_at >= opened_at)
2909 );

```

```
2911 CREATE TABLE billing.collection_action (
2912     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2913     dunning_case_id                   uuid NOT NULL,
2914     action_type                       varchar(40) NOT NULL,
2915     scheduled_at                      timestamptz,
2916     executed_at                      timestamptz,
2917     channel                          varchar(20),
2918     result_code                       varchar(60),
2919     notes                             text,
2920     performed_by                      uuid,
2921     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2922     CONSTRAINT pk_billing_collection_action PRIMARY KEY (id)
2923 );

2925 CREATE TABLE billing.settlement_batch (
2926     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2927     provider                          varchar(60) NOT NULL,
2928     batch_reference                   varchar(160) NOT NULL,
2929     settlement_date                   date NOT NULL,
2930     gross_amount                     decimal(19,4) NOT NULL,
2931     fee_amount                       decimal(19,4) NOT NULL DEFAULT 0,
2932     net_amount                       decimal(19,4) NOT NULL,
2933     currency_code                     char(3) NOT NULL,
2934     status                            varchar(20) NOT NULL DEFAULT 'RECEIVED',
2935     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2936     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2937     row_version                       bigint NOT NULL DEFAULT 0,
2938     CONSTRAINT pk_billing_settlement_batch PRIMARY KEY (id),
2939     CONSTRAINT uq_billing_settlement_batch_provider_batch_reference_1 UNIQUE (provider, batch_reference),
2940     CONSTRAINT ck_billing_settlement_batch_1 CHECK (gross_amount >= 0),
2941     CONSTRAINT ck_billing_settlement_batch_2 CHECK (fee_amount >= 0),
2942     CONSTRAINT ck_billing_settlement_batch_3 CHECK (status IN ('RECEIVED', 'RECONCILED', 'PARTIALLY_RECONCILED', 'REJECTED'))
2943 );
```

```

2945 CREATE TABLE billing.settlement_item (
2946     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2947     settlement_batch_id                uuid NOT NULL,
2948     payment_transaction_id             uuid,
2949     provider_transaction_id            varchar(180) NOT NULL,
2950     gross_amount                       decimal(19,4) NOT NULL,
2951     fee_amount                         decimal(19,4) NOT NULL DEFAULT 0,
2952     net_amount                         decimal(19,4) NOT NULL,
2953     currency_code                      char(3) NOT NULL,
2954     status                             varchar(20) NOT NULL DEFAULT 'MATCHED',
2955     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2956     updated_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2957     CONSTRAINT pk_billing_settlement_item PRIMARY KEY (id),
2958     CONSTRAINT uq_billing_settlement_item_settlement_batch_id_pr_c0f4489e UNIQUE (settlement_batch_id, provider_transaction_id),
2959     CONSTRAINT ck_billing_settlement_item_1 CHECK (gross_amount >= 0),
2960     CONSTRAINT ck_billing_settlement_item_2 CHECK (fee_amount >= 0),
2961     CONSTRAINT ck_billing_settlement_item_3 CHECK (status IN ('MATCHED', 'UNMATCHED', 'DUPLICATE', 'MISMATCH'))
2962 );

```

```

2964 CREATE TABLE billing.reconciliation_issue (
2965     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2966     settlement_item_id                 uuid,
2967     issue_type                         varchar(40) NOT NULL,
2968     severity                           varchar(20) NOT NULL,
2969     description                        text,
2970     status                             varchar(20) NOT NULL DEFAULT 'OPEN',
2971     opened_at                          timestampz NOT NULL,
2972     resolved_at                        timestampz,
2973     resolution_note                     text,
2974     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2975     updated_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2976     row_version                         bigint NOT NULL DEFAULT 0,
2977     CONSTRAINT pk_billing_reconciliation_issue PRIMARY KEY (id),
2978     CONSTRAINT ck_billing_reconciliation_issue_1 CHECK (severity IN ('LOW', 'MEDIUM', 'HIGH', 'CRITICAL')),
2979     CONSTRAINT ck_billing_reconciliation_issue_2 CHECK (status IN ('OPEN', 'INVESTIGATING', 'RESOLVED', 'IGNORED')),
2980     CONSTRAINT ck_billing_reconciliation_issue_3 CHECK (resolved_at IS NULL OR resolved_at >= opened_at)
2981 );

```

```

2983 CREATE TABLE billing.accounting_export (
2984     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
2985     legal_entity_id                  uuid NOT NULL,
2986     period_start                     date NOT NULL,
2987     period_end                       date NOT NULL,
2988     export_type                      varchar(30) NOT NULL,
2989     object_key                       varchar(500),
2990     record_count                     integer NOT NULL DEFAULT 0,
2991     total_debit                      decimal(19,4) NOT NULL DEFAULT 0,
2992     total_credit                     decimal(19,4) NOT NULL DEFAULT 0,
2993     currency_code                    char(3),
2994     status                           varchar(20) NOT NULL DEFAULT 'GENERATED',
2995     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2996     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
2997     row_version                      bigint NOT NULL DEFAULT 0,
2998     CONSTRAINT pk_billing_accounting_export PRIMARY KEY (id),
2999     CONSTRAINT ck_billing_accounting_export_1 CHECK (period_end >= period_start),
3000     CONSTRAINT ck_billing_accounting_export_2 CHECK (record_count >= 0),
3001     CONSTRAINT ck_billing_accounting_export_3 CHECK (status IN ('GENERATED','SENT','ACCEPTED','REJECTED'))
3002 );

3004 CREATE TABLE traffic.provider_import_batch (
3005     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3006     provider                         varchar(60) NOT NULL,
3007     batch_reference                   varchar(160) NOT NULL,
3008     received_at                      timestamptz NOT NULL,
3009     record_count                     integer NOT NULL DEFAULT 0,
3010     processed_count                  integer NOT NULL DEFAULT 0,
3011     error_count                      integer NOT NULL DEFAULT 0,
3012     status                           varchar(20) NOT NULL DEFAULT 'RECEIVED',
3013     object_key                       varchar(500),
3014     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3015     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3016     row_version                      bigint NOT NULL DEFAULT 0,
3017     CONSTRAINT pk_traffic_provider_import_batch PRIMARY KEY (id),
3018     CONSTRAINT uq_traffic_provider_import_batch_provider_batch_r_20ebf910 UNIQUE (provider, batch_reference),
3019     CONSTRAINT ck_traffic_provider_import_batch_1 CHECK (record_count >= 0),
3020     CONSTRAINT ck_traffic_provider_import_batch_2 CHECK (processed_count >= 0),
3021     CONSTRAINT ck_traffic_provider_import_batch_3 CHECK (error_count >= 0),
3022     CONSTRAINT ck_traffic_provider_import_batch_4 CHECK (status IN ('RECEIVED','PROCESSING','COMPLETED','PARTIAL','FAILED'))
3023 );

```

```

3025 CREATE TABLE traffic.traffic_notice (
3026     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3027     import_batch_id                   uuid,
3028     vehicle_id                         uuid NOT NULL,
3029     authority_code                     varchar(60) NOT NULL,
3030     external_notice_number             varchar(120) NOT NULL,
3031     infraction_code                    varchar(60),
3032     infraction_at                      timestampz NOT NULL,
3033     location_text                      varchar(240),
3034     base_amount                       decimal(19,4) NOT NULL,
3035     currency_code                     char(3) NOT NULL,
3036     due_date                          date,
3037     status                            varchar(30) NOT NULL DEFAULT 'RECEIVED',
3038     raw_payload                       jsonb,
3039     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3040     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3041     row_version                       bigint NOT NULL DEFAULT 0,
3042     CONSTRAINT pk_traffic_traffic_notice PRIMARY KEY (id),
3043     CONSTRAINT uq_traffic_traffic_notice_authority_code_external_4c8a0b01 UNIQUE (authority_code, external_notice_number),
3044     CONSTRAINT ck_traffic_traffic_notice_1 CHECK (base_amount >= 0),
3045     CONSTRAINT ck_traffic_traffic_notice_2 CHECK (status IN ('RECEIVED', 'ATTRIBUTED', 'NOMINATION_PENDING', 'APPEALED', 'CONFIRMED', 'PAID', 'CANCELLED'))
3046 );

3048 CREATE TABLE traffic.traffic_attribution (
3049     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3050     traffic_notice_id                  uuid NOT NULL,
3051     contract_id                       uuid,
3052     vehicle_assignment_id              uuid,
3053     driver_profile_id                  uuid,
3054     attribution_status                  varchar(30) NOT NULL,
3055     confidence                         decimal(8,6),
3056     attributed_at                      timestampz,
3057     decided_by                         uuid,
3058     reason_text                        text,
3059     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3060     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3061     row_version                       bigint NOT NULL DEFAULT 0,
3062     CONSTRAINT pk_traffic_traffic_attribution PRIMARY KEY (id),
3063     CONSTRAINT uq_traffic_traffic_attribution_traffic_notice_id_1 UNIQUE (traffic_notice_id),
3064     CONSTRAINT ck_traffic_traffic_attribution_1 CHECK (confidence IS NULL OR (confidence >= 0 AND confidence <= 1)),
3065     CONSTRAINT ck_traffic_traffic_attribution_2 CHECK (attribution_status IN ('PENDING', 'MATCHED', 'MANUAL_REVIEW', 'UNATTRIBUTED', 'COMPANY_RESPONSIBLE'))
3066 );

```

```
3068 CREATE TABLE traffic.driver_nomination (  
3069     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3070     traffic_notice_id                 uuid NOT NULL,  
3071     driver_profile_id                 uuid NOT NULL,  
3072     submitted_at                      timestampz,  
3073     submission_deadline                date,  
3074     status                            varchar(20) NOT NULL DEFAULT 'PENDING',  
3075     authority_reference                varchar(160),  
3076     document_object_key               varchar(500),  
3077     rejection_reason                  text,  
3078     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3079     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3080     row_version                       bigint NOT NULL DEFAULT 0,  
3081     CONSTRAINT pk_traffic_driver_nomination PRIMARY KEY (id),  
3082     CONSTRAINT ck_traffic_driver_nomination_1 CHECK (status IN ('PENDING','SUBMITTED','ACCEPTED','REJECTED','EXPIRED','CANCELLED'))  
3083 );
```

```
3085 CREATE TABLE traffic.traffic_appeal (  
3086     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3087     traffic_notice_id                 uuid NOT NULL,  
3088     appeal_level                       smallint NOT NULL DEFAULT 1,  
3089     submitted_at                      timestampz,  
3090     deadline                          date,  
3091     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',  
3092     grounds                           text,  
3093     document_object_key               varchar(500),  
3094     decision_at                       timestampz,  
3095     decision_text                      text,  
3096     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3097     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3098     row_version                       bigint NOT NULL DEFAULT 0,  
3099     CONSTRAINT pk_traffic_traffic_appeal PRIMARY KEY (id),  
3100     CONSTRAINT ck_traffic_traffic_appeal_1 CHECK (appeal_level > 0),  
3101     CONSTRAINT ck_traffic_traffic_appeal_2 CHECK (status IN ('DRAFT','SUBMITTED','UPHELD','DENIED','WITHDRAWN','EXPIRED'))  
3102 );
```

```
3104 CREATE TABLE traffic.toll_tag (  
3105     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3106     provider                          varchar(60) NOT NULL,  
3107     tag_number                        varchar(100) NOT NULL,  
3108     owning_legal_entity_id            uuid NOT NULL,  
3109     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',  
3110     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3111     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3112     row_version                       bigint NOT NULL DEFAULT 0,  
3113     CONSTRAINT pk_traffic_toll_tag PRIMARY KEY (id),  
3114     CONSTRAINT uq_traffic_toll_tag_provider_tag_number_1 UNIQUE (provider, tag_number),  
3115     CONSTRAINT ck_traffic_toll_tag_1 CHECK (status IN ('ACTIVE','SUSPENDED','LOST','RETIRED'))  
3116 );
```

```
3118 CREATE TABLE traffic.toll_tag_assignment (  
3119     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3120     toll_tag_id                        uuid NOT NULL,  
3121     vehicle_id                        uuid NOT NULL,  
3122     start_at                          timestamptz NOT NULL,  
3123     end_at                            timestamptz,  
3124     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3125     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3126     CONSTRAINT pk_traffic_toll_tag_assignment PRIMARY KEY (id),  
3127     CONSTRAINT uq_traffic_toll_tag_assignment_toll_tag_id_start_at_1 UNIQUE (toll_tag_id, start_at),  
3128     CONSTRAINT ck_traffic_toll_tag_assignment_1 CHECK (end_at IS NULL OR end_at > start_at)  
3129 );
```

```

3131 CREATE TABLE traffic.toll_transaction (
3132     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3133     import_batch_id                  uuid,
3134     provider                         varchar(60) NOT NULL,
3135     external_transaction_id          varchar(160) NOT NULL,
3136     toll_tag_id                      uuid,
3137     vehicle_id                      uuid NOT NULL,
3138     occurred_at                     timestampz NOT NULL,
3139     plaza_name                      varchar(160),
3140     amount                          decimal(19,4) NOT NULL,
3141     currency_code                   char(3) NOT NULL,
3142     contract_id                     uuid,
3143     status                          varchar(20) NOT NULL DEFAULT 'RECEIVED',
3144     created_at                      timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3145     updated_at                      timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3146     row_version                     bigint NOT NULL DEFAULT 0,
3147     CONSTRAINT pk_traffic_toll_transaction PRIMARY KEY (id),
3148     CONSTRAINT uq_traffic_toll_transaction_provider_external_tra_55281db6 UNIQUE (provider, external_transaction_id),
3149     CONSTRAINT ck_traffic_toll_transaction_1 CHECK (amount >= 0),
3150     CONSTRAINT ck_traffic_toll_transaction_2 CHECK (status IN ('RECEIVED','ATTRIBUTED','CHARGED','DISPUTED','REVERSED'))
3151 );

```

```

3153 CREATE TABLE traffic.parking_transaction (
3154     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3155     provider                         varchar(60) NOT NULL,
3156     external_transaction_id          varchar(160) NOT NULL,
3157     vehicle_id                      uuid NOT NULL,
3158     entered_at                      timestampz,
3159     exited_at                      timestampz,
3160     location_name                   varchar(160),
3161     amount                          decimal(19,4) NOT NULL,
3162     currency_code                   char(3) NOT NULL,
3163     contract_id                     uuid,
3164     status                          varchar(20) NOT NULL DEFAULT 'RECEIVED',
3165     created_at                      timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3166     updated_at                      timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3167     row_version                     bigint NOT NULL DEFAULT 0,
3168     CONSTRAINT pk_traffic_parking_transaction PRIMARY KEY (id),
3169     CONSTRAINT uq_traffic_parking_transaction_provider_external_c2aaba9a UNIQUE (provider, external_transaction_id),
3170     CONSTRAINT ck_traffic_parking_transaction_1 CHECK (amount >= 0),
3171     CONSTRAINT ck_traffic_parking_transaction_2 CHECK (exited_at IS NULL OR entered_at IS NULL OR exited_at >= entered_at),
3172     CONSTRAINT ck_traffic_parking_transaction_3 CHECK (status IN ('RECEIVED','ATTRIBUTED','CHARGED','DISPUTED','REVERSED'))
3173 );

```



```

3175 CREATE TABLE traffic.traffic_charge_link (
3176     id                uuid NOT NULL DEFAULT gen_random_uuid(),
3177     source_type        varchar(20) NOT NULL,
3178     traffic_notice_id  uuid,
3179     toll_transaction_id uuid,
3180     parking_transaction_id uuid,
3181     charge_id          uuid NOT NULL,
3182     linked_at          timestampz NOT NULL,
3183     created_at         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3184     CONSTRAINT pk_traffic_traffic_charge_link PRIMARY KEY (id),
3185     CONSTRAINT ck_traffic_traffic_charge_link_1 CHECK (source_type IN ('TRAFFIC_NOTICE','TOLL','PARKING')),
3186     CONSTRAINT ck_traffic_traffic_charge_link_2 CHECK ((source_type = 'TRAFFIC_NOTICE' AND traffic_notice_id IS NOT NULL AND toll_transaction_id IS NULL AND parking_transaction_id IS
        NULL) OR (source_type = 'TOLL' AND toll_transaction_id IS NOT NULL AND traffic_notice_id IS NULL AND parking_transaction_id IS NULL) OR (source_type = 'PARKING' AND
        parking_transaction_id IS NOT NULL AND traffic_notice_id IS NULL AND toll_transaction_id IS NULL))
3187 );

```

```

3189 CREATE TABLE claim.insurance_policy (
3190     id                uuid NOT NULL DEFAULT gen_random_uuid(),
3191     legal_entity_id   uuid NOT NULL,
3192     insurer_party_id  uuid NOT NULL,
3193     policy_number     varchar(100) NOT NULL,
3194     valid_from        timestampz NOT NULL,
3195     valid_to          timestampz NOT NULL,
3196     currency_code     char(3) NOT NULL,
3197     status            varchar(20) NOT NULL DEFAULT 'ACTIVE',
3198     policy_document_key varchar(500),
3199     created_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3200     updated_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3201     row_version       bigint NOT NULL DEFAULT 0,
3202     CONSTRAINT pk_claim_insurance_policy PRIMARY KEY (id),
3203     CONSTRAINT uq_claim_insurance_policy_legal_entity_id_policy_number_1 UNIQUE (legal_entity_id, policy_number),
3204     CONSTRAINT ck_claim_insurance_policy_1 CHECK (valid_to > valid_from),
3205     CONSTRAINT ck_claim_insurance_policy_2 CHECK (status IN ('DRAFT','ACTIVE','SUSPENDED','EXPIRED','CANCELLED'))
3206 );

```

```

3208 CREATE TABLE claim.policy_coverage (
3209     insurance_policy_id      uuid NOT NULL,
3210     coverage_id              uuid NOT NULL,
3211     deductible_amount         decimal(19,4),
3212     coverage_limit_amount     decimal(19,4),
3213     currency_code             char(3) NOT NULL,
3214     terms_json                jsonb,
3215     created_at                timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3216     updated_at                timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3217     CONSTRAINT pk_claim_policy_coverage PRIMARY KEY (insurance_policy_id, coverage_id),
3218     CONSTRAINT ck_claim_policy_coverage_1 CHECK (deductible_amount IS NULL OR deductible_amount >= 0),
3219     CONSTRAINT ck_claim_policy_coverage_2 CHECK (coverage_limit_amount IS NULL OR coverage_limit_amount >= 0)
3220 );

3222 CREATE TABLE claim.incident (
3223     id                        uuid NOT NULL DEFAULT gen_random_uuid(),
3224     incident_number           varchar(60) NOT NULL,
3225     legal_entity_id           uuid NOT NULL,
3226     contract_id               uuid,
3227     incident_type              varchar(30) NOT NULL,
3228     occurred_at               timestamptz NOT NULL,
3229     reported_at               timestamptz NOT NULL,
3230     latitude                   decimal(10,7),
3231     longitude                  decimal(10,7),
3232     location_text              varchar(240),
3233     description                text,
3234     police_report_number       varchar(100),
3235     status                     varchar(20) NOT NULL DEFAULT 'OPEN',
3236     created_at                 timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3237     updated_at                 timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3238     row_version                bigint NOT NULL DEFAULT 0,
3239     CONSTRAINT pk_claim_incident PRIMARY KEY (id),
3240     CONSTRAINT uq_claim_incident_legal_entity_id_incident_number_1 UNIQUE (legal_entity_id, incident_number),
3241     CONSTRAINT ck_claim_incident_1 CHECK (reported_at >= occurred_at),
3242     CONSTRAINT ck_claim_incident_2 CHECK (incident_type IN ('ACCIDENT','THEFT','ROBBERY','VANDALISM','FIRE','FLOOD','MECHANICAL_FAILURE','OTHER')),
3243     CONSTRAINT ck_claim_incident_3 CHECK (status IN ('OPEN','UNDER_REVIEW','RESOLVED','CLOSED','CANCELLED'))
3244 );

```

```

3246 CREATE TABLE claim.incident_party (
3247     id                uuid NOT NULL DEFAULT gen_random_uuid(),
3248     incident_id        uuid NOT NULL,
3249     party_id           uuid,
3250     role_type           varchar(30) NOT NULL,
3251     name_snapshot       varchar(180),
3252     contact_snapshot    jsonb,
3253     injury_severity     varchar(20),
3254     notes               text,
3255     created_at          timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3256     updated_at          timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3257     CONSTRAINT pk_claim_incident_party PRIMARY KEY (id),
3258     CONSTRAINT ck_claim_incident_party_1 CHECK (role_type IN ('DRIVER','PASSENGER','THIRD_PARTY_DRIVER','THIRD_PARTY_OWNER','WITNESS','AUTHORITY','OTHER'))
3259 );

```

```

3261 CREATE TABLE claim.incident_vehicle (
3262     id                uuid NOT NULL DEFAULT gen_random_uuid(),
3263     incident_id        uuid NOT NULL,
3264     vehicle_id         uuid,
3265     role_type           varchar(30) NOT NULL,
3266     registration_snapshot varchar(40),
3267     make_model_snapshot varchar(180),
3268     drivable_after      boolean,
3269     tow_required         boolean,
3270     notes               text,
3271     created_at          timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3272     updated_at          timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3273     CONSTRAINT pk_claim_incident_vehicle PRIMARY KEY (id),
3274     CONSTRAINT ck_claim_incident_vehicle_1 CHECK (role_type IN ('RENTAL_VEHICLE','THIRD_PARTY_VEHICLE','OTHER'))
3275 );

```

```

3277 CREATE TABLE claim.incident_document (
3278     id                uuid NOT NULL DEFAULT gen_random_uuid(),
3279     incident_id        uuid NOT NULL,
3280     document_type       varchar(40) NOT NULL,
3281     object_key          varchar(500) NOT NULL,
3282     content_type         varchar(100),
3283     sha256              bytea,
3284     captured_at         timestamptz NOT NULL,
3285     description          varchar(240),
3286     created_at          timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3287     CONSTRAINT pk_claim_incident_document PRIMARY KEY (id)
3288 );

```

```

3290 CREATE TABLE claim.claim (
3291     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3292     claim_number                      varchar(60) NOT NULL,
3293     incident_id                      uuid NOT NULL,
3294     insurance_policy_id              uuid,
3295     contract_id                      uuid,
3296     claim_type                       varchar(30) NOT NULL,
3297     opened_at                        timestampz NOT NULL,
3298     reported_to_insurer_at          timestampz,
3299     status                           varchar(30) NOT NULL DEFAULT 'OPEN',
3300     estimated_amount                 decimal(19,4),
3301     approved_amount                  decimal(19,4),
3302     currency_code                    char(3),
3303     insurer_reference                varchar(160),
3304     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3305     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3306     row_version                      bigint NOT NULL DEFAULT 0,
3307     CONSTRAINT pk_claim_claim PRIMARY KEY (id),
3308     CONSTRAINT uq_claim_claim_claim_number_1 UNIQUE (claim_number),
3309     CONSTRAINT ck_claim_claim_1 CHECK (estimated_amount IS NULL OR estimated_amount >= 0),
3310     CONSTRAINT ck_claim_claim_2 CHECK (approved_amount IS NULL OR approved_amount >= 0),
3311     CONSTRAINT ck_claim_claim_3 CHECK (claim_type IN ('OWN_DAMAGE', 'THIRD_PARTY', 'THEFT', 'TOTAL_LOSS', 'ASSISTANCE', 'OTHER')),
3312     CONSTRAINT ck_claim_claim_4 CHECK (status IN ('OPEN', 'SUBMITTED', 'UNDER_REVIEW', 'APPROVED', 'PARTIALLY_APPROVED', 'DENIED', 'PAID', 'CLOSED', 'CANCELLED'))
3313 );

```

```

3315 CREATE TABLE claim.claim_coverage_decision (
3316     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3317     claim_id                          uuid NOT NULL,
3318     coverage_id                      uuid NOT NULL,
3319     decision                         varchar(30) NOT NULL,
3320     decided_at                       timestampz,
3321     covered_amount                   decimal(19,4),
3322     deductible_amount                decimal(19,4),
3323     currency_code                    char(3),
3324     reason_text                      text,
3325     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3326     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3327     row_version                      bigint NOT NULL DEFAULT 0,
3328     CONSTRAINT pk_claim_claim_coverage_decision PRIMARY KEY (id),
3329     CONSTRAINT uq_claim_claim_coverage_decision_claim_id_coverage_id_1 UNIQUE (claim_id, coverage_id),
3330     CONSTRAINT ck_claim_claim_coverage_decision_1 CHECK (covered_amount IS NULL OR covered_amount >= 0),
3331     CONSTRAINT ck_claim_claim_coverage_decision_2 CHECK (deductible_amount IS NULL OR deductible_amount >= 0),
3332     CONSTRAINT ck_claim_claim_coverage_decision_3 CHECK (decision IN ('PENDING', 'COVERED', 'PARTIALLY_COVERED', 'NOT_COVERED', 'EXCLUDED', 'WAIVED'))
3333 );

```

```
3335 CREATE TABLE claim.claim_cost (
3336     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3337     claim_id                          uuid NOT NULL,
3338     cost_type                         varchar(40) NOT NULL,
3339     supplier_party_id                uuid,
3340     description                       varchar(240),
3341     amount                           decimal(19,4) NOT NULL,
3342     currency_code                     char(3) NOT NULL,
3343     incurred_at                       date NOT NULL,
3344     invoice_reference                 varchar(100),
3345     recoverable                       boolean NOT NULL DEFAULT FALSE,
3346     status                            varchar(20) NOT NULL DEFAULT 'RECORDED',
3347     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3348     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3349     row_version                       bigint NOT NULL DEFAULT 0,
3350     CONSTRAINT pk_claim_claim_cost PRIMARY KEY (id),
3351     CONSTRAINT ck_claim_claim_cost_1 CHECK (amount >= 0),
3352     CONSTRAINT ck_claim_claim_cost_2 CHECK (status IN ('RECORDED','APPROVED','PAID','REVERSED'))
3353 );

3355 CREATE TABLE claim.third_party_claim (
3356     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3357     claim_id                          uuid NOT NULL,
3358     third_party_id                    uuid,
3359     claimant_name_snapshot             varchar(180),
3360     claimed_amount                     decimal(19,4),
3361     approved_amount                    decimal(19,4),
3362     currency_code                     char(3),
3363     status                            varchar(20) NOT NULL DEFAULT 'RECEIVED',
3364     settlement_date                    date,
3365     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3366     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3367     row_version                       bigint NOT NULL DEFAULT 0,
3368     CONSTRAINT pk_claim_third_party_claim PRIMARY KEY (id),
3369     CONSTRAINT ck_claim_third_party_claim_1 CHECK (claimed_amount IS NULL OR claimed_amount >= 0),
3370     CONSTRAINT ck_claim_third_party_claim_2 CHECK (approved_amount IS NULL OR approved_amount >= 0),
3371     CONSTRAINT ck_claim_third_party_claim_3 CHECK (status IN ('RECEIVED','UNDER_REVIEW','NEGOTIATION','SETTLED','DENIED','LITIGATION','CLOSED'))
3372 );
```

```

3374 CREATE TABLE claim.recovery_case (
3375     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3376     claim_id                          uuid NOT NULL,
3377     responsible_party_id              uuid,
3378     opened_at                         timestampz NOT NULL,
3379     target_amount                     decimal(19,4) NOT NULL,
3380     recovered_amount                  decimal(19,4) NOT NULL DEFAULT 0,
3381     currency_code                     char(3) NOT NULL,
3382     status                            varchar(20) NOT NULL DEFAULT 'OPEN',
3383     closed_at                         timestampz,
3384     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3385     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3386     row_version                       bigint NOT NULL DEFAULT 0,
3387     CONSTRAINT pk_claim_recovery_case PRIMARY KEY (id),
3388     CONSTRAINT ck_claim_recovery_case_1 CHECK (target_amount >= 0),
3389     CONSTRAINT ck_claim_recovery_case_2 CHECK (recovered_amount >= 0),
3390     CONSTRAINT ck_claim_recovery_case_3 CHECK (recovered_amount <= target_amount),
3391     CONSTRAINT ck_claim_recovery_case_4 CHECK (status IN ('OPEN', 'NEGOTIATION', 'COLLECTION', 'LITIGATION', 'RECOVERED', 'CLOSED', 'WRITTEN_OFF'))
3392 );

```

```

3394 CREATE TABLE claim.roadside_assistance_case (
3395     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3396     case_number                       varchar(60) NOT NULL,
3397     incident_id                       uuid,
3398     contract_id                       uuid,
3399     vehicle_id                        uuid NOT NULL,
3400     assistance_type                    varchar(40) NOT NULL,
3401     requested_at                      timestampz NOT NULL,
3402     dispatched_at                     timestampz,
3403     completed_at                      timestampz,
3404     provider_party_id                 uuid,
3405     status                            varchar(20) NOT NULL DEFAULT 'REQUESTED',
3406     cost_amount                       decimal(19,4),
3407     currency_code                     char(3),
3408     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3409     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3410     row_version                       bigint NOT NULL DEFAULT 0,
3411     CONSTRAINT pk_claim_roadside_assistance_case PRIMARY KEY (id),
3412     CONSTRAINT uq_claim_roadside_assistance_case_case_number_1 UNIQUE (case_number),
3413     CONSTRAINT ck_claim_roadside_assistance_case_1 CHECK (completed_at IS NULL OR completed_at >= requested_at),
3414     CONSTRAINT ck_claim_roadside_assistance_case_2 CHECK (cost_amount IS NULL OR cost_amount >= 0),
3415     CONSTRAINT ck_claim_roadside_assistance_case_3 CHECK (status IN ('REQUESTED', 'DISPATCHED', 'ARRIVED', 'COMPLETED', 'CANCELLED', 'FAILED'))
3416 );

```

```

3418 CREATE TABLE maintenance.maintenance_plan (
3419     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3420     plan_code                         varchar(50) NOT NULL,
3421     name                             varchar(140) NOT NULL,
3422     vehicle_variant_id               uuid,
3423     manufacturer                     boolean NOT NULL DEFAULT FALSE,
3424     valid_from                       date NOT NULL,
3425     valid_to                         date,
3426     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
3427     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3428     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3429     row_version                      bigint NOT NULL DEFAULT 0,
3430     CONSTRAINT pk_maintenance_maintenance_plan PRIMARY KEY (id),
3431     CONSTRAINT uq_maintenance_maintenance_plan_plan_code_valid_from_1 UNIQUE (plan_code, valid_from),
3432     CONSTRAINT ck_maintenance_maintenance_plan_1 CHECK (valid_to IS NULL OR valid_to >= valid_from),
3433     CONSTRAINT ck_maintenance_maintenance_plan_2 CHECK (status IN ('ACTIVE','INACTIVE','RETIRED'))
3434 );

3436 CREATE TABLE maintenance.maintenance_rule (
3437     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3438     maintenance_plan_id              uuid NOT NULL,
3439     rule_code                         varchar(50) NOT NULL,
3440     service_type                     varchar(40) NOT NULL,
3441     every_km                         decimal(12,1),
3442     every_days                       integer,
3443     whichever_first                  boolean NOT NULL DEFAULT TRUE,
3444     condition_json                   jsonb,
3445     priority                         smallint NOT NULL DEFAULT 100,
3446     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
3447     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3448     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3449     CONSTRAINT pk_maintenance_maintenance_rule PRIMARY KEY (id),
3450     CONSTRAINT uq_maintenance_maintenance_rule_maintenance_plan_6159e176 UNIQUE (maintenance_plan_id, rule_code),
3451     CONSTRAINT ck_maintenance_maintenance_rule_1 CHECK (every_km IS NULL OR every_km > 0),
3452     CONSTRAINT ck_maintenance_maintenance_rule_2 CHECK (every_days IS NULL OR every_days > 0),
3453     CONSTRAINT ck_maintenance_maintenance_rule_3 CHECK (every_km IS NOT NULL OR every_days IS NOT NULL OR condition_json IS NOT NULL),
3454     CONSTRAINT ck_maintenance_maintenance_rule_4 CHECK (status IN ('ACTIVE','INACTIVE'))
3455 );

```

```
3457 CREATE TABLE maintenance.maintenance_due (  
3458     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3459     vehicle_id                        uuid NOT NULL,  
3460     maintenance_rule_id              uuid NOT NULL,  
3461     due_odometer_km                  decimal(12,1),  
3462     due_date                          date,  
3463     calculated_at                    timestamptz NOT NULL,  
3464     status                            varchar(20) NOT NULL DEFAULT 'DUE',  
3465     service_order_id                 uuid,  
3466     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3467     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3468     row_version                       bigint NOT NULL DEFAULT 0,  
3469     CONSTRAINT pk_maintenance_maintenance_due PRIMARY KEY (id),  
3470     CONSTRAINT ck_maintenance_maintenance_due_1 CHECK (due_odometer_km IS NULL OR due_odometer_km >= 0),  
3471     CONSTRAINT ck_maintenance_maintenance_due_2 CHECK (status IN ('UPCOMING', 'DUE', 'OVERDUE', 'SCHEDULED', 'COMPLETED', 'WAIVED'))  
3472 );
```

```
3474 CREATE TABLE maintenance.vendor (  
3475     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3476     party_id                          uuid NOT NULL,  
3477     vendor_code                       varchar(40) NOT NULL,  
3478     vendor_type                       varchar(30) NOT NULL,  
3479     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',  
3480     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3481     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3482     row_version                       bigint NOT NULL DEFAULT 0,  
3483     CONSTRAINT pk_maintenance_vendor PRIMARY KEY (id),  
3484     CONSTRAINT uq_maintenance_vendor_vendor_code_1 UNIQUE (vendor_code),  
3485     CONSTRAINT uq_maintenance_vendor_party_id_2 UNIQUE (party_id),  
3486     CONSTRAINT ck_maintenance_vendor_1 CHECK (vendor_type IN ('WORKSHOP', 'PARTS', 'TOWING', 'CLEANING', 'INSPECTION', 'OTHER')),  
3487     CONSTRAINT ck_maintenance_vendor_2 CHECK (status IN ('ACTIVE', 'SUSPENDED', 'INACTIVE'))  
3488 );
```



```

3490 CREATE TABLE maintenance.workshop (
3491     id                uuid NOT NULL DEFAULT gen_random_uuid(),
3492     vendor_id         uuid NOT NULL,
3493     branch_id         uuid,
3494     name              varchar(160) NOT NULL,
3495     address_id        uuid,
3496     latitude          decimal(10,7),
3497     longitude         decimal(10,7),
3498     status            varchar(20) NOT NULL DEFAULT 'ACTIVE',
3499     created_at        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3500     updated_at        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3501     row_version        bigint NOT NULL DEFAULT 0,
3502     CONSTRAINT pk_maintenance_workshop PRIMARY KEY (id),
3503     CONSTRAINT ck_maintenance_workshop_1 CHECK (status IN ('ACTIVE','INACTIVE'))
3504 );

```

```

3506 CREATE TABLE maintenance.service_order (
3507     id                uuid NOT NULL DEFAULT gen_random_uuid(),
3508     service_order_number varchar(60) NOT NULL,
3509     vehicle_id        uuid NOT NULL,
3510     workshop_id        uuid,
3511     calendar_entry_id  uuid,
3512     order_type         varchar(30) NOT NULL,
3513     opened_at         timestamptz NOT NULL,
3514     scheduled_start_at timestamptz,
3515     started_at         timestamptz,
3516     completed_at       timestamptz,
3517     odometer_open_km   decimal(12,1),
3518     odometer_close_km  decimal(12,1),
3519     status            varchar(20) NOT NULL DEFAULT 'OPEN',
3520     estimated_amount    decimal(19,4),
3521     actual_amount       decimal(19,4),
3522     currency_code      char(3),
3523     notes              text,
3524     created_at         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3525     updated_at         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3526     row_version        bigint NOT NULL DEFAULT 0,
3527     CONSTRAINT pk_maintenance_service_order PRIMARY KEY (id),
3528     CONSTRAINT uq_maintenance_service_order_service_order_number_1 UNIQUE (service_order_number),
3529     CONSTRAINT ck_maintenance_service_order_1 CHECK (completed_at IS NULL OR completed_at >= opened_at),
3530     CONSTRAINT ck_maintenance_service_order_2 CHECK (odometer_open_km IS NULL OR odometer_open_km >= 0),
3531     CONSTRAINT ck_maintenance_service_order_3 CHECK (odometer_close_km IS NULL OR odometer_close_km >= 0),
3532     CONSTRAINT ck_maintenance_service_order_4 CHECK (estimated_amount IS NULL OR estimated_amount >= 0),
3533     CONSTRAINT ck_maintenance_service_order_5 CHECK (actual_amount IS NULL OR actual_amount >= 0),
3534     CONSTRAINT ck_maintenance_service_order_6 CHECK (order_type IN ('PREVENTIVE','CORRECTIVE','RECALL','TIRE','BODYWORK','CLEANING','INSPECTION')),
3535     CONSTRAINT ck_maintenance_service_order_7 CHECK (status IN ('OPEN','SCHEDULED','IN_PROGRESS','AWAITING_PARTS','QUALITY_CHECK','COMPLETED','CANCELLED'))
3536 );

```

```
3538 CREATE TABLE maintenance.service_order_item (  
3539     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3540     service_order_id                 uuid NOT NULL,  
3541     line_number                      integer NOT NULL,  
3542     service_type                     varchar(60) NOT NULL,  
3543     description                      varchar(240),  
3544     quantity                         decimal(19,6) NOT NULL DEFAULT 1,  
3545     unit_amount                     decimal(19,4) NOT NULL DEFAULT 0,  
3546     labor_hours                     decimal(10,2),  
3547     status                          varchar(20) NOT NULL DEFAULT 'PLANNED',  
3548     created_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3549     updated_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3550     row_version                     bigint NOT NULL DEFAULT 0,  
3551     CONSTRAINT pk_maintenance_service_order_item PRIMARY KEY (id),  
3552     CONSTRAINT uq_maintenance_service_order_item_service_order_i_6de424be UNIQUE (service_order_id, line_number),  
3553     CONSTRAINT ck_maintenance_service_order_item_1 CHECK (quantity > 0),  
3554     CONSTRAINT ck_maintenance_service_order_item_2 CHECK (unit_amount >= 0),  
3555     CONSTRAINT ck_maintenance_service_order_item_3 CHECK (labor_hours IS NULL OR labor_hours >= 0),  
3556     CONSTRAINT ck_maintenance_service_order_item_4 CHECK (status IN ('PLANNED','APPROVED','IN_PROGRESS','COMPLETED','CANCELLED'))  
3557 );
```

```
3559 CREATE TABLE maintenance.part (  
3560     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3561     part_code                        varchar(60) NOT NULL,  
3562     manufacturer_code               varchar(80),  
3563     name                            varchar(160) NOT NULL,  
3564     unit_code                       varchar(20) NOT NULL,  
3565     status                          varchar(20) NOT NULL DEFAULT 'ACTIVE',  
3566     created_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3567     updated_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3568     CONSTRAINT pk_maintenance_part PRIMARY KEY (id),  
3569     CONSTRAINT uq_maintenance_part_part_code_1 UNIQUE (part_code),  
3570     CONSTRAINT ck_maintenance_part_1 CHECK (status IN ('ACTIVE','INACTIVE','DISCONTINUED'))  
3571 );
```

```
3573 CREATE TABLE maintenance.service_order_part (  
3574     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3575     service_order_item_id             uuid NOT NULL,  
3576     part_id                           uuid NOT NULL,  
3577     quantity                           decimal(19,6) NOT NULL,  
3578     unit_amount                       decimal(19,4) NOT NULL,  
3579     currency_code                     char(3) NOT NULL,  
3580     serial_number                     varchar(100),  
3581     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3582     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3583     CONSTRAINT pk_maintenance_service_order_part PRIMARY KEY (id),  
3584     CONSTRAINT uq_maintenance_service_order_part_service_order_i_13b18f26 UNIQUE (service_order_item_id, part_id, serial_number),  
3585     CONSTRAINT ck_maintenance_service_order_part_1 CHECK (quantity > 0),  
3586     CONSTRAINT ck_maintenance_service_order_part_2 CHECK (unit_amount >= 0)  
3587 );
```

```
3589 CREATE TABLE maintenance.recall_campaign (  
3590     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3591     manufacturer_code                  varchar(60) NOT NULL,  
3592     campaign_code                       varchar(80) NOT NULL,  
3593     name                               varchar(180) NOT NULL,  
3594     announced_at                       date,  
3595     severity                           varchar(20) NOT NULL,  
3596     instructions                       text,  
3597     status                             varchar(20) NOT NULL DEFAULT 'ACTIVE',  
3598     created_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3599     updated_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3600     row_version                         bigint NOT NULL DEFAULT 0,  
3601     CONSTRAINT pk_maintenance_recall_campaign PRIMARY KEY (id),  
3602     CONSTRAINT uq_maintenance_recall_campaign_manufacturer_code__cb32fd47 UNIQUE (manufacturer_code, campaign_code),  
3603     CONSTRAINT ck_maintenance_recall_campaign_1 CHECK (severity IN ('ADVISORY','IMPORTANT','SAFETY_CRITICAL')),  
3604     CONSTRAINT ck_maintenance_recall_campaign_2 CHECK (status IN ('ACTIVE','CLOSED','CANCELLED'))  
3605 );
```

```
3607 CREATE TABLE maintenance.vehicle_recall (
3608     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3609     recall_campaign_id                uuid NOT NULL,
3610     vehicle_id                       uuid NOT NULL,
3611     identified_at                     timestamptz NOT NULL,
3612     status                           varchar(20) NOT NULL DEFAULT 'OPEN',
3613     service_order_id                 uuid,
3614     completed_at                     timestamptz,
3615     completion_reference              varchar(120),
3616     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3617     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3618     row_version                       bigint NOT NULL DEFAULT 0,
3619     CONSTRAINT pk_maintenance_vehicle_recall PRIMARY KEY (id),
3620     CONSTRAINT uq_maintenance_vehicle_recall_recall_campaign_id_202e0ec3 UNIQUE (recall_campaign_id, vehicle_id),
3621     CONSTRAINT ck_maintenance_vehicle_recall_1 CHECK (status IN ('OPEN','SCHEDULED','COMPLETED','NOT_APPLICABLE','DECLINED'))
3622 );
```

```
3624 CREATE TABLE maintenance.tire (
3625     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3626     serial_number                    varchar(100) NOT NULL,
3627     brand                            varchar(80),
3628     model                            varchar(100),
3629     size_code                        varchar(40),
3630     purchased_at                     date,
3631     purchase_amount                  decimal(19,4),
3632     currency_code                    char(3),
3633     status                           varchar(20) NOT NULL DEFAULT 'IN_STOCK',
3634     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3635     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3636     row_version                       bigint NOT NULL DEFAULT 0,
3637     CONSTRAINT pk_maintenance_tire PRIMARY KEY (id),
3638     CONSTRAINT uq_maintenance_tire_serial_number_1 UNIQUE (serial_number),
3639     CONSTRAINT ck_maintenance_tire_1 CHECK (purchase_amount IS NULL OR purchase_amount >= 0),
3640     CONSTRAINT ck_maintenance_tire_2 CHECK (status IN ('IN_STOCK','INSTALLED','REPAIR','DISCARDED','LOST'))
3641 );
```

```

3643 CREATE TABLE maintenance.tire_assignment (
3644     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3645     tire_id                           uuid NOT NULL,
3646     vehicle_id                        uuid NOT NULL,
3647     position_code                     varchar(30) NOT NULL,
3648     installed_at                      timestampz NOT NULL,
3649     removed_at                       timestampz,
3650     installed_odometer_km             decimal(12,1),
3651     removed_odometer_km              decimal(12,1),
3652     removal_reason                   varchar(60),
3653     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3654     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3655     CONSTRAINT pk_maintenance_tire_assignment PRIMARY KEY (id),
3656     CONSTRAINT uq_maintenance_tire_assignment_tire_id_installed_at_1 UNIQUE (tire_id, installed_at),
3657     CONSTRAINT ck_maintenance_tire_assignment_1 CHECK (removed_at IS NULL OR removed_at > installed_at),
3658     CONSTRAINT ck_maintenance_tire_assignment_2 CHECK (installed_odometer_km IS NULL OR installed_odometer_km >= 0),
3659     CONSTRAINT ck_maintenance_tire_assignment_3 CHECK (removed_odometer_km IS NULL OR removed_odometer_km >= 0)
3660 );

3662 CREATE TABLE maintenance.downtime (
3663     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3664     vehicle_id                        uuid NOT NULL,
3665     service_order_id                 uuid,
3666     start_at                         timestampz NOT NULL,
3667     end_at                           timestampz,
3668     downtime_type                     varchar(30) NOT NULL,
3669     reason_code                      varchar(60),
3670     calendar_entry_id                uuid,
3671     estimated_cost_amount             decimal(19,4),
3672     currency_code                     char(3),
3673     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3674     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3675     row_version                       bigint NOT NULL DEFAULT 0,
3676     CONSTRAINT pk_maintenance_downtime PRIMARY KEY (id),
3677     CONSTRAINT ck_maintenance_downtime_1 CHECK (end_at IS NULL OR end_at > start_at),
3678     CONSTRAINT ck_maintenance_downtime_2 CHECK (estimated_cost_amount IS NULL OR estimated_cost_amount >= 0),
3679     CONSTRAINT ck_maintenance_downtime_3 CHECK (downtime_type IN ('MAINTENANCE', 'RECALL', 'DAMAGE', 'DOCUMENTATION', 'CLEANING', 'OTHER'))
3680 );

```

```
3682 CREATE TABLE telematics.provider (
3683     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3684     provider_code                     varchar(40) NOT NULL,
3685     name                             varchar(140) NOT NULL,
3686     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
3687     configuration_json                jsonb,
3688     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3689     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3690     row_version                       bigint NOT NULL DEFAULT 0,
3691     CONSTRAINT pk_telematics_provider PRIMARY KEY (id),
3692     CONSTRAINT uq_telematics_provider_provider_code_1 UNIQUE (provider_code),
3693     CONSTRAINT ck_telematics_provider_1 CHECK (status IN ('ACTIVE','SUSPENDED','INACTIVE'))
3694 );

3696 CREATE TABLE telematics.device (
3697     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3698     provider_id                       uuid NOT NULL,
3699     device_serial                     varchar(120) NOT NULL,
3700     device_type                       varchar(30) NOT NULL,
3701     firmware_version                  varchar(60),
3702     activated_at                      timestamptz,
3703     last_seen_at                     timestamptz,
3704     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
3705     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3706     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3707     row_version                       bigint NOT NULL DEFAULT 0,
3708     CONSTRAINT pk_telematics_device PRIMARY KEY (id),
3709     CONSTRAINT uq_telematics_device_provider_id_device_serial_1 UNIQUE (provider_id, device_serial),
3710     CONSTRAINT ck_telematics_device_1 CHECK (device_type IN ('OEM','OBD','TRACKER','SMART_KEY','OTHER')),
3711     CONSTRAINT ck_telematics_device_2 CHECK (status IN ('ACTIVE','OFFLINE','SUSPENDED','RETIRED','LOST'))
3712 );
```

```
3714 CREATE TABLE telematics.vehicle_device_assignment (  
3715     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3716     device_id                        uuid NOT NULL,  
3717     vehicle_id                      uuid NOT NULL,  
3718     start_at                        timestampz NOT NULL,  
3719     end_at                          timestampz,  
3720     assignment_type                 varchar(30) NOT NULL,  
3721     installed_by                    uuid,  
3722     created_at                      timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3723     updated_at                      timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3724     CONSTRAINT pk_telematics_vehicle_device_assignment PRIMARY KEY (id),  
3725     CONSTRAINT uq_telematics_vehicle_device_assignment_device_id_f95fcb22 UNIQUE (device_id, start_at),  
3726     CONSTRAINT ck_telematics_vehicle_device_assignment_1 CHECK (end_at IS NULL OR end_at > start_at),  
3727     CONSTRAINT ck_telematics_vehicle_device_assignment_2 CHECK (assignment_type IN ('PRIMARY_TELEMATICS','DIGITAL_KEY','AUXILIARY'))  
3728 );
```

```
3730 CREATE TABLE telematics.device_health_event (  
3731     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3732     device_id                        uuid NOT NULL,  
3733     event_type                      varchar(40) NOT NULL,  
3734     severity                        varchar(20) NOT NULL,  
3735     occurred_at                     timestampz NOT NULL,  
3736     details_json                    jsonb,  
3737     resolved_at                     timestampz,  
3738     created_at                      timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3739     CONSTRAINT pk_telematics_device_health_event PRIMARY KEY (id),  
3740     CONSTRAINT ck_telematics_device_health_event_1 CHECK (severity IN ('INFO','WARNING','ERROR','CRITICAL')),  
3741     CONSTRAINT ck_telematics_device_health_event_2 CHECK (resolved_at IS NULL OR resolved_at >= occurred_at)  
3742 );
```

```
3744 CREATE TABLE telematics.telemetry_event_index (  
3745     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3746     device_id                        uuid NOT NULL,  
3747     vehicle_id                      uuid NOT NULL,  
3748     provider_event_id               varchar(180),  
3749     sequence_number                 bigint,  
3750     event_type                      varchar(40) NOT NULL,  
3751     event_time                     timestamptz NOT NULL,  
3752     received_at                    timestamptz NOT NULL,  
3753     latitude                       decimal(10,7),  
3754     longitude                      decimal(10,7),  
3755     odometer_km                    decimal(12,1),  
3756     fuel_level_percent              decimal(5,2),  
3757     speed_kph                      decimal(8,2),  
3758     object_key                     varchar(500),  
3759     payload_version                 integer NOT NULL DEFAULT 1,  
3760     created_at                     timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3761     CONSTRAINT pk_telematics_telemetry_event_index PRIMARY KEY (id),  
3762     CONSTRAINT uq_telematics_telemetry_event_index_device_id_pro_51faf317 UNIQUE (device_id, provider_event_id),  
3763     CONSTRAINT uq_telematics_telemetry_event_index_device_id_seq_585ee7dd UNIQUE (device_id, sequence_number),  
3764     CONSTRAINT ck_telematics_telemetry_event_index_1 CHECK (sequence_number IS NULL OR sequence_number >= 0),  
3765     CONSTRAINT ck_telematics_telemetry_event_index_2 CHECK (odometer_km IS NULL OR odometer_km >= 0),  
3766     CONSTRAINT ck_telematics_telemetry_event_index_3 CHECK (fuel_level_percent IS NULL OR fuel_level_percent BETWEEN 0 AND 100),  
3767     CONSTRAINT ck_telematics_telemetry_event_index_4 CHECK (speed_kph IS NULL OR speed_kph >= 0)  
3768 );
```



```

3770 CREATE TABLE telematics.trip_summary (
3771     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3772     vehicle_id                        uuid NOT NULL,
3773     device_id                         uuid,
3774     contract_id                       uuid,
3775     trip_start_at                     timestampz NOT NULL,
3776     trip_end_at                       timestampz NOT NULL,
3777     start_latitude                    decimal(10,7),
3778     start_longitude                   decimal(10,7),
3779     end_latitude                      decimal(10,7),
3780     end_longitude                     decimal(10,7),
3781     distance_km                       decimal(12,3) NOT NULL,
3782     duration_seconds                  integer NOT NULL,
3783     maximum_speed_kph                 decimal(8,2),
3784     harsh_event_count                 integer NOT NULL DEFAULT 0,
3785     calculation_version                varchar(60),
3786     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3787     CONSTRAINT pk_telematics_trip_summary PRIMARY KEY (id),
3788     CONSTRAINT ck_telematics_trip_summary_1 CHECK (trip_end_at > trip_start_at),
3789     CONSTRAINT ck_telematics_trip_summary_2 CHECK (distance_km >= 0),
3790     CONSTRAINT ck_telematics_trip_summary_3 CHECK (duration_seconds >= 0),
3791     CONSTRAINT ck_telematics_trip_summary_4 CHECK (maximum_speed_kph IS NULL OR maximum_speed_kph >= 0),
3792     CONSTRAINT ck_telematics_trip_summary_5 CHECK (harsh_event_count >= 0)
3793 );

```

```

3795 CREATE TABLE telematics.driving_event (
3796     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3797     vehicle_id                        uuid NOT NULL,
3798     device_id                         uuid,
3799     contract_id                       uuid,
3800     trip_summary_id                   uuid,
3801     event_type                        varchar(40) NOT NULL,
3802     severity                           varchar(20) NOT NULL,
3803     occurred_at                       timestampz NOT NULL,
3804     latitude                          decimal(10,7),
3805     longitude                         decimal(10,7),
3806     measured_value                    decimal(19,6),
3807     threshold_value                   decimal(19,6),
3808     rule_version                       varchar(60),
3809     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3810     CONSTRAINT pk_telematics_driving_event PRIMARY KEY (id),
3811     CONSTRAINT ck_telematics_driving_event_1 CHECK (event_type IN ('HARSH_BRAKE','HARSH_ACCELERATION','HARSH_CORNER','SPEEDING','IMPACT','TOWING','GEOFENCE','IDLE','OTHER')),
3812     CONSTRAINT ck_telematics_driving_event_2 CHECK (severity IN ('INFO','LOW','MEDIUM','HIGH','CRITICAL'))
3813 );

```

```
3815 CREATE TABLE telematics.geofence (  
3816     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3817     geofence_code                     varchar(50) NOT NULL,  
3818     name                             varchar(140) NOT NULL,  
3819     geofence_type                     varchar(30) NOT NULL,  
3820     geometry_json                     jsonb NOT NULL,  
3821     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',  
3822     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3823     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3824     row_version                       bigint NOT NULL DEFAULT 0,  
3825     CONSTRAINT pk_telematics_geofence PRIMARY KEY (id),  
3826     CONSTRAINT uq_telematics_geofence_geofence_code_1 UNIQUE (geofence_code),  
3827     CONSTRAINT ck_telematics_geofence_1 CHECK (geofence_type IN ('BRANCH','COUNTRY','RESTRICTED_AREA','SERVICE_AREA','CUSTOM')),  
3828     CONSTRAINT ck_telematics_geofence_2 CHECK (status IN ('ACTIVE','INACTIVE'))  
3829 );
```

```
3831 CREATE TABLE telematics.geofence_event (  
3832     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3833     vehicle_id                        uuid NOT NULL,  
3834     device_id                         uuid,  
3835     geofence_id                       uuid NOT NULL,  
3836     contract_id                       uuid,  
3837     event_type                        varchar(20) NOT NULL,  
3838     occurred_at                       timestampz NOT NULL,  
3839     latitude                          decimal(10,7),  
3840     longitude                         decimal(10,7),  
3841     provider_event_id                 varchar(180),  
3842     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3843     CONSTRAINT pk_telematics_geofence_event PRIMARY KEY (id),  
3844     CONSTRAINT uq_telematics_geofence_event_device_id_provider_event_id_1 UNIQUE (device_id, provider_event_id),  
3845     CONSTRAINT ck_telematics_geofence_event_1 CHECK (event_type IN ('ENTER','EXIT','DWELL'))  
3846 );
```

```
3848 CREATE TABLE telematics.vehicle_command (
3849     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3850     vehicle_id                        uuid NOT NULL,
3851     device_id                         uuid,
3852     contract_id                       uuid,
3853     command_type                      varchar(30) NOT NULL,
3854     requested_by                      uuid,
3855     reason_code                       varchar(60),
3856     requested_at                      timestampz NOT NULL,
3857     expires_at                       timestampz,
3858     status                            varchar(20) NOT NULL DEFAULT 'REQUESTED',
3859     idempotency_key                   varchar(160) NOT NULL,
3860     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3861     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3862     row_version                       bigint NOT NULL DEFAULT 0,
3863     CONSTRAINT pk_telematics_vehicle_command PRIMARY KEY (id),
3864     CONSTRAINT uq_telematics_vehicle_command_idempotency_key_1 UNIQUE (idempotency_key),
3865     CONSTRAINT ck_telematics_vehicle_command_1 CHECK (command_type IN ('LOCK','UNLOCK','IMMOBILIZE','MOBILIZE','HORN','LIGHTS','LOCATE')),
3866     CONSTRAINT ck_telematics_vehicle_command_2 CHECK (status IN ('REQUESTED','SENT','ACKNOWLEDGED','SUCCEEDED','FAILED','EXPIRED','CANCELLED')),
3867     CONSTRAINT ck_telematics_vehicle_command_3 CHECK (expires_at IS NULL OR expires_at > requested_at)
3868 );
```

```
3870 CREATE TABLE telematics.command_result (
3871     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3872     vehicle_command_id                uuid NOT NULL,
3873     provider_reference                 varchar(160),
3874     acknowledged_at                   timestampz,
3875     executed_at                       timestampz,
3876     result_code                       varchar(60) NOT NULL,
3877     result_message                     text,
3878     raw_response                       jsonb,
3879     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3880     CONSTRAINT pk_telematics_command_result PRIMARY KEY (id),
3881     CONSTRAINT uq_telematics_command_result_vehicle_command_id_1 UNIQUE (vehicle_command_id)
3882 );
```

```

3884 CREATE TABLE telematics.telemetry_rule_version (
3885     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3886     rule_code                         varchar(60) NOT NULL,
3887     version_number                    integer NOT NULL,
3888     valid_from                        timestamptz NOT NULL,
3889     valid_to                          timestamptz,
3890     rule_type                         varchar(40) NOT NULL,
3891     rule_json                         jsonb NOT NULL,
3892     status                           varchar(20) NOT NULL DEFAULT 'DRAFT',
3893     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3894     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3895     row_version                       bigint NOT NULL DEFAULT 0,
3896     CONSTRAINT pk_telematics_telemetry_rule_version PRIMARY KEY (id),
3897     CONSTRAINT uq_telematics_telemetry_rule_version_rule_code_ve_dfb988d UNIQUE (rule_code, version_number),
3898     CONSTRAINT ck_telematics_telemetry_rule_version_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
3899     CONSTRAINT ck_telematics_telemetry_rule_version_2 CHECK (status IN ('DRAFT','PUBLISHED','RETIRED'))
3900 );

```

```

3902 CREATE TABLE loyalty.loyalty_account (
3903     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3904     party_id                         uuid NOT NULL,
3905     account_number                   varchar(60) NOT NULL,
3906     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
3907     enrolled_at                     timestamptz NOT NULL,
3908     current_tier_id                  uuid,
3909     balance_projection               decimal(19,4) NOT NULL DEFAULT 0,
3910     balance_updated_at              timestamptz,
3911     created_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3912     updated_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3913     row_version                     bigint NOT NULL DEFAULT 0,
3914     CONSTRAINT pk_loyalty_loyalty_account PRIMARY KEY (id),
3915     CONSTRAINT uq_loyalty_loyalty_account_party_id_1 UNIQUE (party_id),
3916     CONSTRAINT uq_loyalty_loyalty_account_account_number_2 UNIQUE (account_number),
3917     CONSTRAINT ck_loyalty_loyalty_account_1 CHECK (status IN ('ACTIVE','SUSPENDED','CLOSED'))
3918 );

```

```
3920 CREATE TABLE loyalty.loyalty_tier (  
3921     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3922     tier_code                          varchar(30) NOT NULL,  
3923     name                              varchar(100) NOT NULL,  
3924     rank_order                        smallint NOT NULL,  
3925     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',  
3926     benefit_summary                   jsonb,  
3927     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3928     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3929     CONSTRAINT pk_loyalty_loyalty_tier PRIMARY KEY (id),  
3930     CONSTRAINT uq_loyalty_loyalty_tier_tier_code_1 UNIQUE (tier_code),  
3931     CONSTRAINT uq_loyalty_loyalty_tier_rank_order_2 UNIQUE (rank_order),  
3932     CONSTRAINT ck_loyalty_loyalty_tier_1 CHECK (rank_order > 0),  
3933     CONSTRAINT ck_loyalty_loyalty_tier_2 CHECK (status IN ('ACTIVE','INACTIVE'))  
3934 );  
  
3936 CREATE TABLE loyalty.tier_rule_version (  
3937     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
3938     loyalty_tier_id                    uuid NOT NULL,  
3939     version_number                     integer NOT NULL,  
3940     valid_from                         timestampz NOT NULL,  
3941     valid_to                           timestampz,  
3942     qualification_rule_json            jsonb NOT NULL,  
3943     retention_rule_json                jsonb,  
3944     status                             varchar(20) NOT NULL DEFAULT 'DRAFT',  
3945     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3946     updated_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
3947     row_version                        bigint NOT NULL DEFAULT 0,  
3948     CONSTRAINT pk_loyalty_tier_rule_version PRIMARY KEY (id),  
3949     CONSTRAINT uq_loyalty_tier_rule_version_loyalty_tier_id_vers_e0d1732a UNIQUE (loyalty_tier_id, version_number),  
3950     CONSTRAINT ck_loyalty_tier_rule_version_1 CHECK (valid_to IS NULL OR valid_to > valid_from),  
3951     CONSTRAINT ck_loyalty_tier_rule_version_2 CHECK (status IN ('DRAFT','PUBLISHED','RETIRED'))  
3952 );
```

```
3954 CREATE TABLE loyalty.tier_history (
3955     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3956     loyalty_account_id                uuid NOT NULL,
3957     loyalty_tier_id                   uuid NOT NULL,
3958     valid_from                        timestampz NOT NULL,
3959     valid_to                          timestampz,
3960     reason_code                       varchar(60),
3961     rule_version_id                   uuid,
3962     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3963     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3964     CONSTRAINT pk_loyalty_tier_history PRIMARY KEY (id),
3965     CONSTRAINT ck_loyalty_tier_history_1 CHECK (valid_to IS NULL OR valid_to > valid_from)
3966 );

3968 CREATE TABLE loyalty.earning_rule (
3969     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3970     rule_code                         varchar(60) NOT NULL,
3971     version_number                    integer NOT NULL,
3972     valid_from                        timestampz NOT NULL,
3973     valid_to                          timestampz,
3974     condition_json                    jsonb NOT NULL,
3975     calculation_json                  jsonb NOT NULL,
3976     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',
3977     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3978     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3979     row_version                       bigint NOT NULL DEFAULT 0,
3980     CONSTRAINT pk_loyalty_earning_rule PRIMARY KEY (id),
3981     CONSTRAINT uq_loyalty_earning_rule_rule_code_version_number_1 UNIQUE (rule_code, version_number),
3982     CONSTRAINT ck_loyalty_earning_rule_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
3983     CONSTRAINT ck_loyalty_earning_rule_2 CHECK (status IN ('DRAFT','PUBLISHED','RETIRED'))
3984 );
```

```
3986 CREATE TABLE loyalty.redemption_rule (
3987     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
3988     rule_code                         varchar(60) NOT NULL,
3989     version_number                    integer NOT NULL,
3990     valid_from                        timestamptz NOT NULL,
3991     valid_to                          timestamptz,
3992     condition_json                    jsonb NOT NULL,
3993     conversion_json                   jsonb NOT NULL,
3994     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',
3995     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3996     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
3997     row_version                       bigint NOT NULL DEFAULT 0,
3998     CONSTRAINT pk_loyalty_redemption_rule PRIMARY KEY (id),
3999     CONSTRAINT uq_loyalty_redemption_rule_rule_code_version_number_1 UNIQUE (rule_code, version_number),
4000     CONSTRAINT ck_loyalty_redemption_rule_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
4001     CONSTRAINT ck_loyalty_redemption_rule_2 CHECK (status IN ('DRAFT','PUBLISHED','RETIRED'))
4002 );

4004 CREATE TABLE loyalty.points_ledger (
4005     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4006     loyalty_account_id                uuid NOT NULL,
4007     entry_type                        varchar(30) NOT NULL,
4008     points                            decimal(19,4) NOT NULL,
4009     source_type                       varchar(40) NOT NULL,
4010     source_id                         uuid NOT NULL,
4011     source_correlation_id             varchar(160) NOT NULL,
4012     earning_rule_id                   uuid,
4013     redemption_rule_id               uuid,
4014     available_at                     timestamptz NOT NULL,
4015     expires_at                       timestamptz,
4016     reversal_of_entry_id              uuid,
4017     occurred_at                      timestamptz NOT NULL,
4018     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4019     CONSTRAINT pk_loyalty_points_ledger PRIMARY KEY (id),
4020     CONSTRAINT uq_loyalty_points_ledger_loyalty_account_id_sourc_1c8160a0 UNIQUE (loyalty_account_id, source_correlation_id),
4021     CONSTRAINT ck_loyalty_points_ledger_1 CHECK (points <= 0),
4022     CONSTRAINT ck_loyalty_points_ledger_2 CHECK (expires_at IS NULL OR expires_at > available_at),
4023     CONSTRAINT ck_loyalty_points_ledger_3 CHECK (reversal_of_entry_id IS NULL OR reversal_of_entry_id <= id),
4024     CONSTRAINT ck_loyalty_points_ledger_4 CHECK (entry_type IN ('EARN','REDEEM','EXPIRE','ADJUSTMENT','REVERSAL','TRANSFER_IN','TRANSFER_OUT'))
4025 );
```

```
4027 CREATE TABLE loyalty.points_lot (  
4028     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4029     loyalty_account_id                uuid NOT NULL,  
4030     origin_ledger_entry_id            uuid NOT NULL,  
4031     original_points                    decimal(19,4) NOT NULL,  
4032     remaining_points                  decimal(19,4) NOT NULL,  
4033     available_at                      timestampz NOT NULL,  
4034     expires_at                        timestampz,  
4035     status                            varchar(20) NOT NULL DEFAULT 'AVAILABLE',  
4036     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4037     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4038     row_version                       bigint NOT NULL DEFAULT 0,  
4039     CONSTRAINT pk_loyalty_points_lot PRIMARY KEY (id),  
4040     CONSTRAINT uq_loyalty_points_lot_origin_ledger_entry_id_1 UNIQUE (origin_ledger_entry_id),  
4041     CONSTRAINT ck_loyalty_points_lot_1 CHECK (original_points > 0),  
4042     CONSTRAINT ck_loyalty_points_lot_2 CHECK (remaining_points >= 0),  
4043     CONSTRAINT ck_loyalty_points_lot_3 CHECK (remaining_points <= original_points),  
4044     CONSTRAINT ck_loyalty_points_lot_4 CHECK (expires_at IS NULL OR expires_at > available_at),  
4045     CONSTRAINT ck_loyalty_points_lot_5 CHECK (status IN ('PENDING', 'AVAILABLE', 'CONSUMED', 'EXPIRED', 'REVERSED'))  
4046 );
```

```
4048 CREATE TABLE loyalty.redemption (  
4049     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4050     loyalty_account_id                uuid NOT NULL,  
4051     reservation_id                    uuid,  
4052     contract_id                       uuid,  
4053     points_requested                   decimal(19,4) NOT NULL,  
4054     monetary_value                     decimal(19,4),  
4055     currency_code                     char(3),  
4056     status                            varchar(20) NOT NULL DEFAULT 'REQUESTED',  
4057     requested_at                       timestampz NOT NULL,  
4058     completed_at                       timestampz,  
4059     idempotency_key                    varchar(160) NOT NULL,  
4060     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4061     updated_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4062     row_version                        bigint NOT NULL DEFAULT 0,  
4063     CONSTRAINT pk_loyalty_redemption PRIMARY KEY (id),  
4064     CONSTRAINT uq_loyalty_redemption_idempotency_key_1 UNIQUE (idempotency_key),  
4065     CONSTRAINT ck_loyalty_redemption_1 CHECK (points_requested > 0),  
4066     CONSTRAINT ck_loyalty_redemption_2 CHECK (monetary_value IS NULL OR monetary_value >= 0),  
4067     CONSTRAINT ck_loyalty_redemption_3 CHECK (status IN ('REQUESTED', 'RESERVED', 'COMPLETED', 'FAILED', 'CANCELLED', 'REVERSED'))  
4068 );
```



```
4070 CREATE TABLE loyalty.redemption_allocation (
4071     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4072     redemption_id                    uuid NOT NULL,
4073     points_lot_id                    uuid NOT NULL,
4074     points_consumed                   decimal(19,4) NOT NULL,
4075     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4076     CONSTRAINT pk_loyalty_redemption_allocation PRIMARY KEY (id),
4077     CONSTRAINT uq_loyalty_redemption_allocation_redemption_id_po_22aa0170 UNIQUE (redemption_id, points_lot_id),
4078     CONSTRAINT ck_loyalty_redemption_allocation_1 CHECK (points_consumed > 0)
4079 );

4081 CREATE TABLE loyalty.benefit (
4082     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4083     benefit_code                     varchar(50) NOT NULL,
4084     name                             varchar(140) NOT NULL,
4085     benefit_type                     varchar(30) NOT NULL,
4086     configuration_json               jsonb,
4087     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
4088     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4089     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4090     CONSTRAINT pk_loyalty_benefit PRIMARY KEY (id),
4091     CONSTRAINT uq_loyalty_benefit_benefit_code_1 UNIQUE (benefit_code),
4092     CONSTRAINT ck_loyalty_benefit_1 CHECK (benefit_type IN ('DISCOUNT','UPGRADE','FREE_DAY','ADDITIONAL_DRIVER','PRIORITY','OTHER')),
4093     CONSTRAINT ck_loyalty_benefit_2 CHECK (status IN ('ACTIVE','INACTIVE'))
4094 );

4096 CREATE TABLE loyalty.benefit_entitlement (
4097     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4098     loyalty_account_id               uuid NOT NULL,
4099     benefit_id                       uuid NOT NULL,
4100     granted_at                       timestampz NOT NULL,
4101     expires_at                       timestampz,
4102     quantity_granted                  decimal(19,4) NOT NULL DEFAULT 1,
4103     quantity_remaining                decimal(19,4) NOT NULL DEFAULT 1,
4104     source_type                       varchar(40),
4105     source_id                        uuid,
4106     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
4107     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4108     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4109     row_version                       bigint NOT NULL DEFAULT 0,
4110     CONSTRAINT pk_loyalty_benefit_entitlement PRIMARY KEY (id),
4111     CONSTRAINT ck_loyalty_benefit_entitlement_1 CHECK (quantity_granted > 0),
4112     CONSTRAINT ck_loyalty_benefit_entitlement_2 CHECK (quantity_remaining >= 0),
4113     CONSTRAINT ck_loyalty_benefit_entitlement_3 CHECK (quantity_remaining <= quantity_granted),
4114     CONSTRAINT ck_loyalty_benefit_entitlement_4 CHECK (expires_at IS NULL OR expires_at > granted_at),
4115     CONSTRAINT ck_loyalty_benefit_entitlement_5 CHECK (status IN ('ACTIVE','CONSUMED','EXPIRED','REVOKED'))
4116 );
```

```

4118 CREATE TABLE loyalty.benefit_usage (
4119     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4120     benefit_entitlement_id            uuid NOT NULL,
4121     reservation_id                   uuid,
4122     contract_id                      uuid,
4123     quantity_used                    decimal(19,4) NOT NULL,
4124     used_at                          timestampz NOT NULL,
4125     status                           varchar(20) NOT NULL DEFAULT 'APPLIED',
4126     reversal_of_usage_id             uuid,
4127     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4128     CONSTRAINT pk_loyalty_benefit_usage PRIMARY KEY (id),
4129     CONSTRAINT ck_loyalty_benefit_usage_1 CHECK (quantity_used > 0),
4130     CONSTRAINT ck_loyalty_benefit_usage_2 CHECK (reversal_of_usage_id IS NULL OR reversal_of_usage_id <> id),
4131     CONSTRAINT ck_loyalty_benefit_usage_3 CHECK (status IN ('APPLIED','REVERSED'))
4132 );

4134 CREATE TABLE loyalty.points_transfer (
4135     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4136     from_account_id                  uuid NOT NULL,
4137     to_account_id                    uuid NOT NULL,
4138     points                           decimal(19,4) NOT NULL,
4139     requested_at                     timestampz NOT NULL,
4140     completed_at                     timestampz,
4141     status                           varchar(20) NOT NULL DEFAULT 'REQUESTED',
4142     out_ledger_entry_id              uuid,
4143     in_ledger_entry_id               uuid,
4144     idempotency_key                  varchar(160) NOT NULL,
4145     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4146     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4147     row_version                      bigint NOT NULL DEFAULT 0,
4148     CONSTRAINT pk_loyalty_points_transfer PRIMARY KEY (id),
4149     CONSTRAINT uq_loyalty_points_transfer_idempotency_key_1 UNIQUE (idempotency_key),
4150     CONSTRAINT ck_loyalty_points_transfer_1 CHECK (from_account_id <> to_account_id),
4151     CONSTRAINT ck_loyalty_points_transfer_2 CHECK (points > 0),
4152     CONSTRAINT ck_loyalty_points_transfer_3 CHECK (status IN ('REQUESTED','COMPLETED','FAILED','CANCELLED','REVERSED'))
4153 );

```

```
4155 CREATE TABLE fleet_mgmt.fleet_service_contract (  
4156     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4157     contract_number                   varchar(60) NOT NULL,  
4158     legal_entity_id                   uuid NOT NULL,  
4159     customer_account_id               uuid NOT NULL,  
4160     corporate_agreement_id            uuid,  
4161     valid_from                        timestampz NOT NULL,  
4162     valid_to                          timestampz,  
4163     billing_mode                       varchar(30) NOT NULL,  
4164     currency_code                     char(3) NOT NULL,  
4165     service_scope_json                jsonb,  
4166     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',  
4167     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4168     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4169     row_version                       bigint NOT NULL DEFAULT 0,  
4170     CONSTRAINT pk_fleet_mgmt_fleet_service_contract PRIMARY KEY (id),  
4171     CONSTRAINT uq_fleet_mgmt_fleet_service_contract_legal_entity_94056b31 UNIQUE (legal_entity_id, contract_number),  
4172     CONSTRAINT ck_fleet_mgmt_fleet_service_contract_1 CHECK (valid_to IS NULL OR valid_to > valid_from),  
4173     CONSTRAINT ck_fleet_mgmt_fleet_service_contract_2 CHECK (billing_mode IN ('FIXED_MONTHLY','PER_VEHICLE','PER_KM','HYBRID')),  
4174     CONSTRAINT ck_fleet_mgmt_fleet_service_contract_3 CHECK (status IN ('DRAFT','ACTIVE','SUSPENDED','EXPIRED','TERMINATED'))  
4175 );
```

```
4177 CREATE TABLE fleet_mgmt.fleet_service_level (  
4178     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4179     fleet_service_contract_id          uuid NOT NULL,  
4180     service_code                       varchar(50) NOT NULL,  
4181     target_value                       decimal(19,6),  
4182     unit_code                          varchar(20),  
4183     measurement_window                 varchar(30),  
4184     penalty_rule_json                  jsonb,  
4185     status                             varchar(20) NOT NULL DEFAULT 'ACTIVE',  
4186     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4187     updated_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4188     CONSTRAINT pk_fleet_mgmt_fleet_service_level PRIMARY KEY (id),  
4189     CONSTRAINT uq_fleet_mgmt_fleet_service_level_fleet_service_c_c0079b34 UNIQUE (fleet_service_contract_id, service_code),  
4190     CONSTRAINT ck_fleet_mgmt_fleet_service_level_1 CHECK (status IN ('ACTIVE','INACTIVE'))  
4191 );
```

```

4193 CREATE TABLE fleet_mgmt.managed_vehicle_assignment (
4194     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4195     fleet_service_contract_id         uuid NOT NULL,
4196     vehicle_id                       uuid NOT NULL,
4197     assigned_driver_profile_id        uuid,
4198     cost_center_id                   uuid,
4199     start_at                         timestamptz NOT NULL,
4200     end_at                           timestamptz,
4201     assignment_status                 varchar(20) NOT NULL DEFAULT 'ACTIVE',
4202     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4203     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4204     row_version                       bigint NOT NULL DEFAULT 0,
4205     CONSTRAINT pk_fleet_mgmt_managed_vehicle_assignment PRIMARY KEY (id),
4206     CONSTRAINT uq_fleet_mgmt_managed_vehicle_assignment_fleet_se_39f0436d UNIQUE (fleet_service_contract_id, vehicle_id, start_at),
4207     CONSTRAINT ck_fleet_mgmt_managed_vehicle_assignment_1 CHECK (end_at IS NULL OR end_at > start_at),
4208     CONSTRAINT ck_fleet_mgmt_managed_vehicle_assignment_2 CHECK (assignment_status IN ('PLANNED', 'ACTIVE', 'SUSPENDED', 'COMPLETED', 'CANCELLED'))
4209 );

```

```

4211 CREATE TABLE fleet_mgmt.mileage_commitment (
4212     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4213     fleet_service_contract_id         uuid NOT NULL,
4214     vehicle_id                       uuid,
4215     period_start                     date NOT NULL,
4216     period_end                       date NOT NULL,
4217     included_km                      decimal(12,2) NOT NULL,
4218     excess_km_amount                 decimal(19,4) NOT NULL,
4219     currency_code                    char(3) NOT NULL,
4220     actual_km                        decimal(12,2),
4221     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4222     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4223     row_version                       bigint NOT NULL DEFAULT 0,
4224     CONSTRAINT pk_fleet_mgmt_mileage_commitment PRIMARY KEY (id),
4225     CONSTRAINT ck_fleet_mgmt_mileage_commitment_1 CHECK (period_end >= period_start),
4226     CONSTRAINT ck_fleet_mgmt_mileage_commitment_2 CHECK (included_km >= 0),
4227     CONSTRAINT ck_fleet_mgmt_mileage_commitment_3 CHECK (excess_km_amount >= 0),
4228     CONSTRAINT ck_fleet_mgmt_mileage_commitment_4 CHECK (actual_km IS NULL OR actual_km >= 0)
4229 );

```

```

4231 CREATE TABLE fleet_mgmt.telemetry_package (
4232     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4233     fleet_service_contract_id         uuid NOT NULL,
4234     package_code                      varchar(50) NOT NULL,
4235     features_json                     jsonb NOT NULL,
4236     monthly_amount                   decimal(19,4) NOT NULL DEFAULT 0,
4237     currency_code                     char(3) NOT NULL,
4238     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
4239     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4240     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4241     CONSTRAINT pk_fleet_mgmt_telemetry_package PRIMARY KEY (id),
4242     CONSTRAINT uq_fleet_mgmt_telemetry_package_fleet_service_con_51e8a4d2 UNIQUE (fleet_service_contract_id, package_code),
4243     CONSTRAINT ck_fleet_mgmt_telemetry_package_1 CHECK (monthly_amount >= 0),
4244     CONSTRAINT ck_fleet_mgmt_telemetry_package_2 CHECK (status IN ('ACTIVE', 'INACTIVE'))
4245 );

4247 CREATE TABLE fleet_mgmt.replacement_entitlement (
4248     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4249     fleet_service_contract_id         uuid NOT NULL,
4250     vehicle_group_id                 uuid,
4251     trigger_type                     varchar(40) NOT NULL,
4252     trigger_threshold                 decimal(19,6),
4253     maximum_days                     integer,
4254     terms_json                       jsonb,
4255     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
4256     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4257     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4258     CONSTRAINT pk_fleet_mgmt_replacement_entitlement PRIMARY KEY (id),
4259     CONSTRAINT ck_fleet_mgmt_replacement_entitlement_1 CHECK (maximum_days IS NULL OR maximum_days > 0),
4260     CONSTRAINT ck_fleet_mgmt_replacement_entitlement_2 CHECK (trigger_type IN ('MAINTENANCE', 'ACCIDENT', 'DOWNTIME', 'MILEAGE', 'MANUAL')),
4261     CONSTRAINT ck_fleet_mgmt_replacement_entitlement_3 CHECK (status IN ('ACTIVE', 'INACTIVE'))
4262 );

4264 CREATE TABLE fleet_mgmt.fleet_service_event (
4265     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4266     fleet_service_contract_id         uuid NOT NULL,
4267     vehicle_id                       uuid,
4268     event_type                       varchar(40) NOT NULL,
4269     source_type                      varchar(40),
4270     source_id                        uuid,
4271     occurred_at                      timestampz NOT NULL,
4272     details_json                     jsonb,
4273     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4274     CONSTRAINT pk_fleet_mgmt_fleet_service_event PRIMARY KEY (id)
4275 );

```

```

4277 CREATE TABLE fleet_mgmt.subscription_plan (
4278     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4279     plan_code                         varchar(50) NOT NULL,
4280     name                             varchar(140) NOT NULL,
4281     vehicle_group_id                 uuid NOT NULL,
4282     minimum_months                   integer NOT NULL,
4283     included_km_per_month             decimal(12,2) NOT NULL,
4284     monthly_amount                   decimal(19,4) NOT NULL,
4285     currency_code                    char(3) NOT NULL,
4286     terms_json                       jsonb,
4287     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
4288     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4289     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4290     row_version                      bigint NOT NULL DEFAULT 0,
4291     CONSTRAINT pk_fleet_mgmt_subscription_plan PRIMARY KEY (id),
4292     CONSTRAINT uq_fleet_mgmt_subscription_plan_plan_code_1 UNIQUE (plan_code),
4293     CONSTRAINT ck_fleet_mgmt_subscription_plan_1 CHECK (minimum_months > 0),
4294     CONSTRAINT ck_fleet_mgmt_subscription_plan_2 CHECK (included_km_per_month >= 0),
4295     CONSTRAINT ck_fleet_mgmt_subscription_plan_3 CHECK (monthly_amount >= 0),
4296     CONSTRAINT ck_fleet_mgmt_subscription_plan_4 CHECK (status IN ('ACTIVE','INACTIVE'))
4297 );

```

```

4299 CREATE TABLE fleet_mgmt.subscription_contract (
4300     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4301     contract_number                  varchar(60) NOT NULL,
4302     subscription_plan_id             uuid NOT NULL,
4303     customer_account_id              uuid NOT NULL,
4304     legal_entity_id                  uuid NOT NULL,
4305     start_at                         timestamptz NOT NULL,
4306     minimum_end_at                  timestamptz NOT NULL,
4307     end_at                           timestamptz,
4308     billing_day                      smallint NOT NULL,
4309     status                           varchar(20) NOT NULL DEFAULT 'PENDING',
4310     currency_code                    char(3) NOT NULL,
4311     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4312     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4313     row_version                      bigint NOT NULL DEFAULT 0,
4314     CONSTRAINT pk_fleet_mgmt_subscription_contract PRIMARY KEY (id),
4315     CONSTRAINT uq_fleet_mgmt_subscription_contract_legal_entity__79a78c69 UNIQUE (legal_entity_id, contract_number),
4316     CONSTRAINT ck_fleet_mgmt_subscription_contract_1 CHECK (minimum_end_at > start_at),
4317     CONSTRAINT ck_fleet_mgmt_subscription_contract_2 CHECK (end_at IS NULL OR end_at >= minimum_end_at),
4318     CONSTRAINT ck_fleet_mgmt_subscription_contract_3 CHECK (billing_day BETWEEN 1 AND 28),
4319     CONSTRAINT ck_fleet_mgmt_subscription_contract_4 CHECK (status IN ('PENDING','ACTIVE','SUSPENDED','CANCELLED','COMPLETED','DEFAULTED'))
4320 );

```

```

4322 CREATE TABLE fleet_mgmt.subscription_vehicle_assignment (
4323     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4324     subscription_contract_id          uuid NOT NULL,
4325     vehicle_id                        uuid NOT NULL,
4326     calendar_entry_id                uuid,
4327     start_at                          timestampz NOT NULL,
4328     end_at                            timestampz,
4329     assignment_reason                 varchar(30) NOT NULL,
4330     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
4331     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4332     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4333     row_version                       bigint NOT NULL DEFAULT 0,
4334     CONSTRAINT pk_fleet_mgmt_subscription_vehicle_assignment PRIMARY KEY (id),
4335     CONSTRAINT uq_fleet_mgmt_subscription_vehicle_assignment_sub_5dde8dad UNIQUE (subscription_contract_id, vehicle_id, start_at),
4336     CONSTRAINT ck_fleet_mgmt_subscription_vehicle_assignment_1 CHECK (end_at IS NULL OR end_at > start_at),
4337     CONSTRAINT ck_fleet_mgmt_subscription_vehicle_assignment_2 CHECK (assignment_reason IN ('INITIAL', 'REPLACEMENT', 'UPGRADE', 'DOWNGRADE')),
4338     CONSTRAINT ck_fleet_mgmt_subscription_vehicle_assignment_3 CHECK (status IN ('PLANNED', 'ACTIVE', 'COMPLETED', 'CANCELLED'))
4339 );

```

```

4341 CREATE TABLE used_car.disposal_candidate (
4342     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4343     vehicle_id                        uuid NOT NULL,
4344     identified_at                      timestampz NOT NULL,
4345     reason_code                       varchar(40) NOT NULL,
4346     priority                           smallint NOT NULL DEFAULT 100,
4347     target_sale_date                  date,
4348     status                            varchar(30) NOT NULL DEFAULT 'IDENTIFIED',
4349     approved_at                       timestampz,
4350     approved_by                       uuid,
4351     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4352     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4353     row_version                       bigint NOT NULL DEFAULT 0,
4354     CONSTRAINT pk_used_car_disposal_candidate PRIMARY KEY (id),
4355     CONSTRAINT uq_used_car_disposal_candidate_vehicle_id_1 UNIQUE (vehicle_id),
4356     CONSTRAINT ck_used_car_disposal_candidate_1 CHECK (reason_code IN ('AGE', 'MILEAGE', 'MAINTENANCE_COST', 'RESIDUAL_VALUE', 'FLEET_REBALANCING', 'ACCIDENT_HISTORY', 'MODEL_STRATEGY', 'OTHER')),
4357     CONSTRAINT ck_used_car_disposal_candidate_2 CHECK (status IN ('IDENTIFIED', 'UNDER_REVIEW', 'APPROVED', 'REJECTED', 'PREPARING', 'LISTED', 'SOLD', 'CANCELLED'))
4358 );

```

```
4360 CREATE TABLE used_car.vehicle_valuation (  
4361     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4362     disposal_candidate_id             uuid NOT NULL,  
4363     valuation_type                    varchar(30) NOT NULL,  
4364     valued_at                        timestamptz NOT NULL,  
4365     market_value                     decimal(19,4) NOT NULL,  
4366     minimum_sale_value               decimal(19,4),  
4367     expected_refurbishment_cost      decimal(19,4),  
4368     currency_code                    char(3) NOT NULL,  
4369     valuation_source                 varchar(60),  
4370     model_version                    varchar(60),  
4371     details_json                     jsonb,  
4372     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4373     CONSTRAINT pk_used_car_vehicle_valuation PRIMARY KEY (id),  
4374     CONSTRAINT ck_used_car_vehicle_valuation_1 CHECK (market_value >= 0),  
4375     CONSTRAINT ck_used_car_vehicle_valuation_2 CHECK (minimum_sale_value IS NULL OR minimum_sale_value >= 0),  
4376     CONSTRAINT ck_used_car_vehicle_valuation_3 CHECK (expected_refurbishment_cost IS NULL OR expected_refurbishment_cost >= 0),  
4377     CONSTRAINT ck_used_car_vehicle_valuation_4 CHECK (valuation_type IN ('MARKET','TRADE','AUCTION','INTERNAL','APPRAISAL'))  
4378 );
```

```
4380 CREATE TABLE used_car.refurbishment_order (  
4381     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4382     disposal_candidate_id             uuid NOT NULL,  
4383     service_order_id                  uuid,  
4384     opened_at                        timestamptz NOT NULL,  
4385     target_completion_at              timestamptz,  
4386     completed_at                     timestamptz,  
4387     estimated_amount                 decimal(19,4),  
4388     actual_amount                    decimal(19,4),  
4389     currency_code                    char(3),  
4390     status                           varchar(20) NOT NULL DEFAULT 'OPEN',  
4391     created_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4392     updated_at                       timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4393     row_version                       bigint NOT NULL DEFAULT 0,  
4394     CONSTRAINT pk_used_car_refurbishment_order PRIMARY KEY (id),  
4395     CONSTRAINT ck_used_car_refurbishment_order_1 CHECK (completed_at IS NULL OR completed_at >= opened_at),  
4396     CONSTRAINT ck_used_car_refurbishment_order_2 CHECK (estimated_amount IS NULL OR estimated_amount >= 0),  
4397     CONSTRAINT ck_used_car_refurbishment_order_3 CHECK (actual_amount IS NULL OR actual_amount >= 0),  
4398     CONSTRAINT ck_used_car_refurbishment_order_4 CHECK (status IN ('OPEN','APPROVED','IN_PROGRESS','COMPLETED','CANCELLED'))  
4399 );
```



```
4401 CREATE TABLE used_car.refurbishment_item (  
4402     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4403     refurbishment_order_id            uuid NOT NULL,  
4404     line_number                       integer NOT NULL,  
4405     item_type                         varchar(40) NOT NULL,  
4406     description                      varchar(240),  
4407     estimated_amount                 decimal(19,4),  
4408     actual_amount                   decimal(19,4),  
4409     currency_code                   char(3),  
4410     status                          varchar(20) NOT NULL DEFAULT 'PLANNED',  
4411     created_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4412     updated_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4413     row_version                     bigint NOT NULL DEFAULT 0,  
4414     CONSTRAINT pk_used_car_refurbishment_item PRIMARY KEY (id),  
4415     CONSTRAINT uq_used_car_refurbishment_item_refurbishment_orde_45478fc0 UNIQUE (refurbishment_order_id, line_number),  
4416     CONSTRAINT ck_used_car_refurbishment_item_1 CHECK (estimated_amount IS NULL OR estimated_amount >= 0),  
4417     CONSTRAINT ck_used_car_refurbishment_item_2 CHECK (actual_amount IS NULL OR actual_amount >= 0),  
4418     CONSTRAINT ck_used_car_refurbishment_item_3 CHECK (status IN ('PLANNED','APPROVED','COMPLETED','CANCELLED'))  
4419 );  
  
4421 CREATE TABLE used_car.sale_channel (  
4422     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4423     channel_code                     varchar(40) NOT NULL,  
4424     name                             varchar(140) NOT NULL,  
4425     channel_type                     varchar(30) NOT NULL,  
4426     status                          varchar(20) NOT NULL DEFAULT 'ACTIVE',  
4427     configuration_json               jsonb,  
4428     created_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4429     updated_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4430     CONSTRAINT pk_used_car_sale_channel PRIMARY KEY (id),  
4431     CONSTRAINT uq_used_car_sale_channel_channel_code_1 UNIQUE (channel_code),  
4432     CONSTRAINT ck_used_car_sale_channel_1 CHECK (channel_type IN ('OWN_STORE','ONLINE','AUCTION','WHOLESALE','PARTNER')),  
4433     CONSTRAINT ck_used_car_sale_channel_2 CHECK (status IN ('ACTIVE','INACTIVE'))  
4434 );
```

```
4436 CREATE TABLE used_car.listing (
4437     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4438     disposal_candidate_id             uuid NOT NULL,
4439     sale_channel_id                   uuid NOT NULL,
4440     listing_reference                  varchar(100) NOT NULL,
4441     listed_at                         timestampz NOT NULL,
4442     expires_at                        timestampz,
4443     asking_price                       decimal(19,4) NOT NULL,
4444     currency_code                     char(3) NOT NULL,
4445     odometer_km                       decimal(12,1) NOT NULL,
4446     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
4447     description                       text,
4448     media_manifest                     jsonb,
4449     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4450     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4451     row_version                       bigint NOT NULL DEFAULT 0,
4452     CONSTRAINT pk_used_car_listing PRIMARY KEY (id),
4453     CONSTRAINT uq_used_car_listing_sale_channel_id_listing_reference_1 UNIQUE (sale_channel_id, listing_reference),
4454     CONSTRAINT ck_used_car_listing_1 CHECK (asking_price >= 0),
4455     CONSTRAINT ck_used_car_listing_2 CHECK (odometer_km >= 0),
4456     CONSTRAINT ck_used_car_listing_3 CHECK (expires_at IS NULL OR expires_at > listed_at),
4457     CONSTRAINT ck_used_car_listing_4 CHECK (status IN ('DRAFT','ACTIVE','RESERVED','SOLD','EXPIRED','WITHDRAWN'))
4458 );

4460 CREATE TABLE used_car.lead (
4461     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4462     listing_id                         uuid,
4463     party_id                           uuid,
4464     source_channel                     varchar(40),
4465     created_at_source                  timestampz,
4466     contact_snapshot                   jsonb,
4467     status                             varchar(20) NOT NULL DEFAULT 'NEW',
4468     assigned_to                        uuid,
4469     next_action_at                     timestampz,
4470     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4471     updated_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4472     row_version                       bigint NOT NULL DEFAULT 0,
4473     CONSTRAINT pk_used_car_lead PRIMARY KEY (id),
4474     CONSTRAINT ck_used_car_lead_1 CHECK (status IN ('NEW','CONTACTED','QUALIFIED','TEST_DRIVE','NEGOTIATION','WON','LOST','DUPLICATE'))
4475 );
```

```

4477 CREATE TABLE used_car.test_drive (
4478     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4479     lead_id                           uuid,
4480     listing_id                         uuid NOT NULL,
4481     driver_profile_id                 uuid NOT NULL,
4482     scheduled_start_at                timestampz NOT NULL,
4483     scheduled_end_at                  timestampz NOT NULL,
4484     actual_start_at                    timestampz,
4485     actual_end_at                      timestampz,
4486     status                            varchar(20) NOT NULL DEFAULT 'SCHEDULED',
4487     notes                             text,
4488     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4489     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4490     row_version                        bigint NOT NULL DEFAULT 0,
4491     CONSTRAINT pk_used_car_test_drive PRIMARY KEY (id),
4492     CONSTRAINT ck_used_car_test_drive_1 CHECK (scheduled_end_at > scheduled_start_at),
4493     CONSTRAINT ck_used_car_test_drive_2 CHECK (actual_end_at IS NULL OR actual_start_at IS NULL OR actual_end_at >= actual_start_at),
4494     CONSTRAINT ck_used_car_test_drive_3 CHECK (status IN ('SCHEDULED','CHECKED_IN','COMPLETED','NO_SHOW','CANCELLED'))
4495 );

```

```

4497 CREATE TABLE used_car.sale_order (
4498     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4499     sale_order_number                 varchar(60) NOT NULL,
4500     legal_entity_id                   uuid NOT NULL,
4501     buyer_party_id                   uuid NOT NULL,
4502     sale_channel_id                   uuid NOT NULL,
4503     order_date                         date NOT NULL,
4504     currency_code                     char(3) NOT NULL,
4505     subtotal_amount                    decimal(19,4) NOT NULL,
4506     discount_amount                    decimal(19,4) NOT NULL DEFAULT 0,
4507     tax_amount                         decimal(19,4) NOT NULL DEFAULT 0,
4508     total_amount                       decimal(19,4) NOT NULL,
4509     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',
4510     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4511     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4512     row_version                        bigint NOT NULL DEFAULT 0,
4513     CONSTRAINT pk_used_car_sale_order PRIMARY KEY (id),
4514     CONSTRAINT uq_used_car_sale_order_legal_entity_id_sale_order_number_1 UNIQUE (legal_entity_id, sale_order_number),
4515     CONSTRAINT ck_used_car_sale_order_1 CHECK (subtotal_amount >= 0),
4516     CONSTRAINT ck_used_car_sale_order_2 CHECK (discount_amount >= 0),
4517     CONSTRAINT ck_used_car_sale_order_3 CHECK (tax_amount >= 0),
4518     CONSTRAINT ck_used_car_sale_order_4 CHECK (total_amount >= 0),
4519     CONSTRAINT ck_used_car_sale_order_5 CHECK (status IN ('DRAFT','RESERVED','SIGNED','PAID','DELIVERED','CANCELLED'))
4520 );

```

```
4522 CREATE TABLE used_car.sale_order_vehicle (
4523     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4524     sale_order_id                     uuid NOT NULL,
4525     disposal_candidate_id             uuid NOT NULL,
4526     vehicle_id                        uuid NOT NULL,
4527     listing_id                        uuid,
4528     sale_price                         decimal(19,4) NOT NULL,
4529     discount_amount                   decimal(19,4) NOT NULL DEFAULT 0,
4530     tax_amount                        decimal(19,4) NOT NULL DEFAULT 0,
4531     currency_code                     char(3) NOT NULL,
4532     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4533     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4534     CONSTRAINT pk_used_car_sale_order_vehicle PRIMARY KEY (id),
4535     CONSTRAINT uq_used_car_sale_order_vehicle_sale_order_id_vehicle_id_1 UNIQUE (sale_order_id, vehicle_id),
4536     CONSTRAINT uq_used_car_sale_order_vehicle_vehicle_id_2 UNIQUE (vehicle_id),
4537     CONSTRAINT ck_used_car_sale_order_vehicle_1 CHECK (sale_price >= 0),
4538     CONSTRAINT ck_used_car_sale_order_vehicle_2 CHECK (discount_amount >= 0),
4539     CONSTRAINT ck_used_car_sale_order_vehicle_3 CHECK (tax_amount >= 0)
4540 );

4542 CREATE TABLE used_car.vehicle_transfer (
4543     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4544     sale_order_vehicle_id             uuid NOT NULL,
4545     seller_party_id                   uuid NOT NULL,
4546     buyer_party_id                   uuid NOT NULL,
4547     requested_at                      timestampz NOT NULL,
4548     completed_at                      timestampz,
4549     authority_reference                varchar(160),
4550     document_object_key               varchar(500),
4551     status                            varchar(20) NOT NULL DEFAULT 'REQUESTED',
4552     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4553     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4554     row_version                       bigint NOT NULL DEFAULT 0,
4555     CONSTRAINT pk_used_car_vehicle_transfer PRIMARY KEY (id),
4556     CONSTRAINT uq_used_car_vehicle_transfer_sale_order_vehicle_id_1 UNIQUE (sale_order_vehicle_id),
4557     CONSTRAINT ck_used_car_vehicle_transfer_1 CHECK (status IN ('REQUESTED', 'DOCUMENTATION_PENDING', 'SUBMITTED', 'COMPLETED', 'REJECTED', 'CANCELLED'))
4558 );
```

```
4560 CREATE TABLE used_car.used_vehicle_warranty (  
4561     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4562     sale_order_vehicle_id            uuid NOT NULL,  
4563     warranty_code                    varchar(50) NOT NULL,  
4564     starts_at                        date NOT NULL,  
4565     ends_at                          date NOT NULL,  
4566     coverage_json                   jsonb NOT NULL,  
4567     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',  
4568     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4569     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4570     row_version                      bigint NOT NULL DEFAULT 0,  
4571     CONSTRAINT pk_used_car_used_vehicle_warranty PRIMARY KEY (id),  
4572     CONSTRAINT uq_used_car_used_vehicle_warranty_sale_order_vehi_f93774c5 UNIQUE (sale_order_vehicle_id, warranty_code),  
4573     CONSTRAINT ck_used_car_used_vehicle_warranty_1 CHECK (ends_at >= starts_at),  
4574     CONSTRAINT ck_used_car_used_vehicle_warranty_2 CHECK (status IN ('ACTIVE','EXPIRED','CANCELLED','CLAIMED'))  
4575 );
```

```
4577 CREATE TABLE used_car.sale_document (  
4578     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4579     sale_order_id                    uuid NOT NULL,  
4580     document_type                    varchar(40) NOT NULL,  
4581     object_key                       varchar(500) NOT NULL,  
4582     content_type                     varchar(100),  
4583     sha256                           bytea,  
4584     generated_at                     timestampz NOT NULL,  
4585     signed_at                        timestampz,  
4586     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',  
4587     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4588     CONSTRAINT pk_used_car_sale_document PRIMARY KEY (id),  
4589     CONSTRAINT ck_used_car_sale_document_1 CHECK (status IN ('ACTIVE','SUPERSEDED','VOID'))  
4590 );
```

```
4592 CREATE TABLE privacy.privacy_notice (  
4593     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4594     notice_code                      varchar(50) NOT NULL,  
4595     name                             varchar(160) NOT NULL,  
4596     country_code                     char(2) NOT NULL,  
4597     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',  
4598     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4599     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4600     CONSTRAINT pk_privacy_privacy_notice PRIMARY KEY (id),  
4601     CONSTRAINT uq_privacy_privacy_notice_country_code_notice_code_1 UNIQUE (country_code, notice_code),  
4602     CONSTRAINT ck_privacy_privacy_notice_1 CHECK (status IN ('ACTIVE','INACTIVE'))  
4603 );
```

```

4605 CREATE TABLE privacy.privacy_notice_version (
4606     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4607     privacy_notice_id                 uuid NOT NULL,
4608     version_number                     integer NOT NULL,
4609     valid_from                         timestampz NOT NULL,
4610     valid_to                           timestampz,
4611     language_code                     varchar(10) NOT NULL,
4612     content_object_key                 varchar(500) NOT NULL,
4613     content_hash                       varchar(64) NOT NULL,
4614     status                             varchar(20) NOT NULL DEFAULT 'DRAFT',
4615     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4616     updated_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4617     row_version                         bigint NOT NULL DEFAULT 0,
4618     CONSTRAINT pk_privacy_privacy_notice_version PRIMARY KEY (id),
4619     CONSTRAINT uq_privacy_privacy_notice_version_privacy_notice__a2c98a00 UNIQUE (privacy_notice_id, version_number, language_code),
4620     CONSTRAINT ck_privacy_privacy_notice_version_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
4621     CONSTRAINT ck_privacy_privacy_notice_version_2 CHECK (status IN ('DRAFT','PUBLISHED','RETIRED'))
4622 );

```

```

4624 CREATE TABLE privacy.processing_purpose (
4625     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4626     purpose_code                       varchar(50) NOT NULL,
4627     name                               varchar(160) NOT NULL,
4628     description                         text,
4629     data_categories_json               jsonb,
4630     status                             varchar(20) NOT NULL DEFAULT 'ACTIVE',
4631     created_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4632     updated_at                         timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4633     CONSTRAINT pk_privacy_processing_purpose PRIMARY KEY (id),
4634     CONSTRAINT uq_privacy_processing_purpose_purpose_code_1 UNIQUE (purpose_code),
4635     CONSTRAINT ck_privacy_processing_purpose_1 CHECK (status IN ('ACTIVE','INACTIVE'))
4636 );

```

```

4638 CREATE TABLE privacy.legal_basis (
4639     id                uuid NOT NULL DEFAULT gen_random_uuid(),
4640     purpose_id        uuid NOT NULL,
4641     country_code      char(2) NOT NULL,
4642     basis_type        varchar(40) NOT NULL,
4643     legal_reference   varchar(240),
4644     valid_from        timestampz NOT NULL,
4645     valid_to          timestampz,
4646     status            varchar(20) NOT NULL DEFAULT 'ACTIVE',
4647     created_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4648     updated_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4649     CONSTRAINT pk_privacy_legal_basis PRIMARY KEY (id),
4650     CONSTRAINT ck_privacy_legal_basis_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
4651     CONSTRAINT ck_privacy_legal_basis_2 CHECK (basis_type IN ('CONSENT', 'CONTRACT', 'LEGAL_OBLIGATION', 'LEGITIMATE_INTEREST', 'VITAL_INTEREST', 'PUBLIC_TASK', 'FRAUD_PREVENTION', 'CREDIT_PROTECTION', 'OTHER')),
4652     CONSTRAINT ck_privacy_legal_basis_3 CHECK (status IN ('ACTIVE', 'INACTIVE'))
4653 );

```

```

4655 CREATE TABLE privacy.consent_receipt (
4656     id                uuid NOT NULL DEFAULT gen_random_uuid(),
4657     party_id          uuid NOT NULL,
4658     privacy_notice_version_id uuid NOT NULL,
4659     purpose_id        uuid NOT NULL,
4660     decision          varchar(20) NOT NULL,
4661     captured_at       timestampz NOT NULL,
4662     channel_id        uuid,
4663     evidence_hash     varchar(64) NOT NULL,
4664     ip_address_token  varchar(100),
4665     device_reference  varchar(160),
4666     withdrawn_at      timestampz,
4667     created_at        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4668     CONSTRAINT pk_privacy_consent_receipt PRIMARY KEY (id),
4669     CONSTRAINT ck_privacy_consent_receipt_1 CHECK (decision IN ('GRANTED', 'DENIED', 'WITHDRAWN')),
4670     CONSTRAINT ck_privacy_consent_receipt_2 CHECK (withdrawn_at IS NULL OR withdrawn_at >= captured_at)
4671 );

```

```
4673 CREATE TABLE privacy.data_subject_request (
4674     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4675     party_id                          uuid,
4676     request_type                      varchar(30) NOT NULL,
4677     received_at                       timestampz NOT NULL,
4678     due_at                            timestampz,
4679     channel_id                        uuid,
4680     identity_verification_id          uuid,
4681     status                            varchar(30) NOT NULL DEFAULT 'RECEIVED',
4682     assigned_to                       uuid,
4683     completed_at                      timestampz,
4684     resolution_summary                text,
4685     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4686     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4687     row_version                       bigint NOT NULL DEFAULT 0,
4688     CONSTRAINT pk_privacy_data_subject_request PRIMARY KEY (id),
4689     CONSTRAINT ck_privacy_data_subject_request_1 CHECK (request_type IN ('ACCESS', 'CORRECTION', 'PORTABILITY', 'DELETION', 'ANONYMIZATION', 'INFORMATION', 'OBJECTION', 'RESTRICTION')),
4690     CONSTRAINT ck_privacy_data_subject_request_2 CHECK (status IN ('RECEIVED', 'IDENTITY_PENDING', 'IN_PROGRESS', 'PARTIALLY_COMPLETED', 'COMPLETED', 'DENIED', 'CANCELLED')),
4691     CONSTRAINT ck_privacy_data_subject_request_3 CHECK (due_at IS NULL OR due_at >= received_at),
4692     CONSTRAINT ck_privacy_data_subject_request_4 CHECK (completed_at IS NULL OR completed_at >= received_at)
4693 );
```

```
4695 CREATE TABLE privacy.retention_policy (
4696     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4697     policy_code                       varchar(60) NOT NULL,
4698     resource_type                     varchar(80) NOT NULL,
4699     country_code                      char(2),
4700     retention_days                    integer NOT NULL,
4701     trigger_event                     varchar(60) NOT NULL,
4702     disposition_action                 varchar(30) NOT NULL,
4703     legal_reference                   varchar(240),
4704     valid_from                        timestampz NOT NULL,
4705     valid_to                          timestampz,
4706     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
4707     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4708     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4709     row_version                       bigint NOT NULL DEFAULT 0,
4710     CONSTRAINT pk_privacy_retention_policy PRIMARY KEY (id),
4711     CONSTRAINT uq_privacy_retention_policy_policy_code_valid_from_1 UNIQUE (policy_code, valid_from),
4712     CONSTRAINT ck_privacy_retention_policy_1 CHECK (retention_days >= 0),
4713     CONSTRAINT ck_privacy_retention_policy_2 CHECK (valid_to IS NULL OR valid_to > valid_from),
4714     CONSTRAINT ck_privacy_retention_policy_3 CHECK (disposition_action IN ('DELETE', 'ANONYMIZE', 'ARCHIVE', 'REVIEW')),
4715     CONSTRAINT ck_privacy_retention_policy_4 CHECK (status IN ('ACTIVE', 'INACTIVE'))
4716 );
```



```
4718 CREATE TABLE privacy.legal_hold (
4719     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4720     hold_reference                    varchar(100) NOT NULL,
4721     party_id                          uuid,
4722     resource_type                     varchar(80),
4723     resource_id                       uuid,
4724     reason_code                       varchar(60) NOT NULL,
4725     starts_at                         timestampz NOT NULL,
4726     ends_at                           timestampz,
4727     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
4728     authorized_by                     uuid,
4729     notes                             text,
4730     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4731     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4732     row_version                       bigint NOT NULL DEFAULT 0,
4733     CONSTRAINT pk_privacy_legal_hold PRIMARY KEY (id),
4734     CONSTRAINT uq_privacy_legal_hold_hold_reference_1 UNIQUE (hold_reference),
4735     CONSTRAINT ck_privacy_legal_hold_1 CHECK (ends_at IS NULL OR ends_at > starts_at),
4736     CONSTRAINT ck_privacy_legal_hold_2 CHECK (status IN ('ACTIVE','RELEASED','EXPIRED'))
4737 );

4739 CREATE TABLE privacy.erasure_job (
4740     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4741     data_subject_request_id           uuid,
4742     party_id                          uuid,
4743     resource_type                     varchar(80) NOT NULL,
4744     resource_id                       uuid,
4745     action_type                       varchar(30) NOT NULL,
4746     scheduled_at                      timestampz NOT NULL,
4747     executed_at                       timestampz,
4748     status                            varchar(20) NOT NULL DEFAULT 'SCHEDULED',
4749     blocked_by_legal_hold_id           uuid,
4750     result_json                       jsonb,
4751     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4752     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4753     row_version                       bigint NOT NULL DEFAULT 0,
4754     CONSTRAINT pk_privacy_erasure_job PRIMARY KEY (id),
4755     CONSTRAINT ck_privacy_erasure_job_1 CHECK (action_type IN ('DELETE','ANONYMIZE','TOKENIZE','ARCHIVE')),
4756     CONSTRAINT ck_privacy_erasure_job_2 CHECK (status IN ('SCHEDULED','RUNNING','COMPLETED','FAILED','BLOCKED','CANCELLED'))
4757 );
```

```
4759 CREATE TABLE privacy.data_access_audit (  
4760     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4761     actor_id                          uuid,  
4762     actor_type                        varchar(30) NOT NULL,  
4763     party_id                          uuid,  
4764     resource_type                     varchar(80) NOT NULL,  
4765     resource_id                       uuid,  
4766     action                            varchar(30) NOT NULL,  
4767     purpose_code                      varchar(50),  
4768     occurred_at                       timestampz NOT NULL,  
4769     request_id                        varchar(100),  
4770     source_ip_token                   varchar(100),  
4771     metadata_json                     jsonb,  
4772     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4773     CONSTRAINT pk_privacy_data_access_audit PRIMARY KEY (id)  
4774 );
```

```
4776 CREATE TABLE privacy.data_sharing_record (  
4777     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4778     party_id                          uuid,  
4779     recipient_party_id                uuid,  
4780     recipient_name                     varchar(180),  
4781     purpose_id                        uuid NOT NULL,  
4782     legal_basis_id                     uuid,  
4783     data_categories_json               jsonb NOT NULL,  
4784     shared_at                          timestampz NOT NULL,  
4785     transfer_country_code              char(2),  
4786     agreement_reference                varchar(120),  
4787     request_reference                  varchar(120),  
4788     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4789     CONSTRAINT pk_privacy_data_sharing_record PRIMARY KEY (id)  
4790 );
```

```

4792 CREATE TABLE privacy.token_map (
4793     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4794     token_type                        varchar(40) NOT NULL,
4795     token_value                      varchar(180) NOT NULL,
4796     resource_type                    varchar(80) NOT NULL,
4797     resource_id_ciphertext           text NOT NULL,
4798     created_at_source                timestampz NOT NULL,
4799     expires_at                      timestampz,
4800     status                          varchar(20) NOT NULL DEFAULT 'ACTIVE',
4801     created_at                      timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4802     updated_at                      timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4803     row_version                     bigint NOT NULL DEFAULT 0,
4804     CONSTRAINT pk_privacy_token_map PRIMARY KEY (id),
4805     CONSTRAINT uq_privacy_token_map_token_type_token_value_1 UNIQUE (token_type, token_value),
4806     CONSTRAINT ck_privacy_token_map_1 CHECK (status IN ('ACTIVE', 'REVOKED', 'EXPIRED'))
4807 );

4809 CREATE TABLE integration.outbox_event (
4810     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4811     aggregate_type                  varchar(80) NOT NULL,
4812     aggregate_id                   uuid NOT NULL,
4813     aggregate_version              bigint NOT NULL,
4814     event_index                    smallint NOT NULL DEFAULT 0,
4815     event_type                     varchar(120) NOT NULL,
4816     payload_version                integer NOT NULL DEFAULT 1,
4817     payload                        jsonb NOT NULL,
4818     occurred_at                   timestampz NOT NULL,
4819     published_at                   timestampz,
4820     publish_attempts              integer NOT NULL DEFAULT 0,
4821     last_error                     text,
4822     created_at                    timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4823     updated_at                    timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4824     row_version                   bigint NOT NULL DEFAULT 0,
4825     CONSTRAINT pk_integration_outbox_event PRIMARY KEY (id),
4826     CONSTRAINT uq_integration_outbox_event_aggregate_type_aggreg_7e983bc6 UNIQUE (aggregate_type, aggregate_id, aggregate_version, event_index),
4827     CONSTRAINT ck_integration_outbox_event_1 CHECK (aggregate_version >= 0),
4828     CONSTRAINT ck_integration_outbox_event_2 CHECK (event_index >= 0),
4829     CONSTRAINT ck_integration_outbox_event_3 CHECK (payload_version > 0),
4830     CONSTRAINT ck_integration_outbox_event_4 CHECK (publish_attempts >= 0)
4831 );

```

```
4833 CREATE TABLE integration.inbox_message (  
4834     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4835     consumer_name                     varchar(100) NOT NULL,  
4836     message_id                       varchar(180) NOT NULL,  
4837     event_type                       varchar(120),  
4838     received_at                      timestampz NOT NULL,  
4839     processed_at                     timestampz,  
4840     status                           varchar(20) NOT NULL DEFAULT 'RECEIVED',  
4841     result_json                      jsonb,  
4842     last_error                       text,  
4843     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4844     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4845     row_version                      bigint NOT NULL DEFAULT 0,  
4846     CONSTRAINT pk_integration_inbox_message PRIMARY KEY (id),  
4847     CONSTRAINT uq_integration_inbox_message_consumer_name_message_id_1 UNIQUE (consumer_name, message_id),  
4848     CONSTRAINT ck_integration_inbox_message_1 CHECK (status IN ('RECEIVED','PROCESSING','PROCESSED','FAILED','IGNORED'))  
4849 );
```

```
4851 CREATE TABLE integration.idempotency_key (  
4852     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4853     scope                             varchar(100) NOT NULL,  
4854     idempotency_key                   varchar(180) NOT NULL,  
4855     request_hash                     varchar(64) NOT NULL,  
4856     resource_type                     varchar(80),  
4857     resource_id                      uuid,  
4858     response_code                     integer,  
4859     response_snapshot                jsonb,  
4860     expires_at                       timestampz,  
4861     status                           varchar(20) NOT NULL DEFAULT 'PROCESSING',  
4862     created_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4863     updated_at                       timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4864     row_version                      bigint NOT NULL DEFAULT 0,  
4865     CONSTRAINT pk_integration_idempotency_key PRIMARY KEY (id),  
4866     CONSTRAINT uq_integration_idempotency_key_scope_idempotency_key_1 UNIQUE (scope, idempotency_key),  
4867     CONSTRAINT ck_integration_idempotency_key_1 CHECK (status IN ('PROCESSING','COMPLETED','FAILED','EXPIRED'))  
4868 );
```

```
4870 CREATE TABLE integration.external_reference (
4871     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4872     system_code                       varchar(60) NOT NULL,
4873     resource_type                     varchar(80) NOT NULL,
4874     resource_id                       uuid NOT NULL,
4875     external_resource_type            varchar(80),
4876     external_id                       varchar(180) NOT NULL,
4877     valid_from                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4878     valid_to                          timestampz,
4879     metadata_json                     jsonb,
4880     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4881     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4882     CONSTRAINT pk_integration_external_reference PRIMARY KEY (id),
4883     CONSTRAINT uq_integration_external_reference_system_code_ext_9c5d3d28 UNIQUE (system_code, external_id, valid_from),
4884     CONSTRAINT ck_integration_external_reference_1 CHECK (valid_to IS NULL OR valid_to > valid_from)
4885 );

4887 CREATE TABLE integration.saga_instance (
4888     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4889     saga_type                         varchar(100) NOT NULL,
4890     business_key                      varchar(180) NOT NULL,
4891     current_step                      varchar(100),
4892     status                            varchar(20) NOT NULL DEFAULT 'STARTED',
4893     state_json                        jsonb,
4894     started_at                        timestampz NOT NULL,
4895     completed_at                      timestampz,
4896     last_error                        text,
4897     created_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4898     updated_at                        timestampz NOT NULL DEFAULT CURRENT_TIMESTAMP,
4899     row_version                       bigint NOT NULL DEFAULT 0,
4900     CONSTRAINT pk_integration_saga_instance PRIMARY KEY (id),
4901     CONSTRAINT uq_integration_saga_instance_saga_type_business_key_1 UNIQUE (saga_type, business_key),
4902     CONSTRAINT ck_integration_saga_instance_1 CHECK (status IN ('STARTED','RUNNING','COMPENSATING','COMPLETED','FAILED','CANCELLED'))
4903 );
```

```
4905 CREATE TABLE integration.saga_step (  
4906     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4907     saga_instance_id                 uuid NOT NULL,  
4908     step_number                      integer NOT NULL,  
4909     step_name                        varchar(100) NOT NULL,  
4910     status                          varchar(20) NOT NULL DEFAULT 'PENDING',  
4911     attempts                        integer NOT NULL DEFAULT 0,  
4912     started_at                      timestamptz,  
4913     completed_at                    timestamptz,  
4914     request_json                     jsonb,  
4915     result_json                     jsonb,  
4916     last_error                      text,  
4917     created_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4918     updated_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4919     row_version                     bigint NOT NULL DEFAULT 0,  
4920     CONSTRAINT pk_integration_saga_step PRIMARY KEY (id),  
4921     CONSTRAINT uq_integration_saga_step_saga_instance_id_step_number_1 UNIQUE (saga_instance_id, step_number),  
4922     CONSTRAINT ck_integration_saga_step_1 CHECK (step_number >= 0),  
4923     CONSTRAINT ck_integration_saga_step_2 CHECK (attempts >= 0),  
4924     CONSTRAINT ck_integration_saga_step_3 CHECK (status IN ('PENDING','RUNNING','COMPLETED','FAILED','COMPENSATED','SKIPPED'))  
4925 );
```

```
4927 CREATE TABLE integration.dead_letter (  
4928     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4929     source_system                    varchar(80) NOT NULL,  
4930     message_id                      varchar(180) NOT NULL,  
4931     event_type                      varchar(120),  
4932     payload                         jsonb,  
4933     error_class                     varchar(160),  
4934     error_message                   text,  
4935     failed_at                      timestamptz NOT NULL,  
4936     retry_count                     integer NOT NULL DEFAULT 0,  
4937     status                          varchar(20) NOT NULL DEFAULT 'OPEN',  
4938     reprocessed_at                  timestamptz,  
4939     created_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4940     updated_at                      timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4941     row_version                     bigint NOT NULL DEFAULT 0,  
4942     CONSTRAINT pk_integration_dead_letter PRIMARY KEY (id),  
4943     CONSTRAINT uq_integration_dead_letter_source_system_message_id_1 UNIQUE (source_system, message_id),  
4944     CONSTRAINT ck_integration_dead_letter_1 CHECK (retry_count >= 0),  
4945     CONSTRAINT ck_integration_dead_letter_2 CHECK (status IN ('OPEN','RETRYING','REPROCESSED','IGNORED','RESOLVED'))  
4946 );
```

```
4948 CREATE TABLE integration.audit_event (  
4949     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4950     actor_type                        varchar(30) NOT NULL,  
4951     actor_id                          uuid,  
4952     action                            varchar(80) NOT NULL,  
4953     resource_type                     varchar(80) NOT NULL,  
4954     resource_id                       uuid,  
4955     legal_entity_id                  uuid,  
4956     branch_id                        uuid,  
4957     occurred_at                       timestamptz NOT NULL,  
4958     request_id                        varchar(100),  
4959     correlation_id                    varchar(100),  
4960     source_ip_token                   varchar(100),  
4961     before_hash                       varchar(64),  
4962     after_hash                        varchar(64),  
4963     metadata_json                     jsonb,  
4964     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4965     CONSTRAINT pk_integration_audit_event PRIMARY KEY (id)  
4966 );
```

```
4968 CREATE TABLE integration.job_run (  
4969     id                                uuid NOT NULL DEFAULT gen_random_uuid(),  
4970     job_name                           varchar(120) NOT NULL,  
4971     run_key                             varchar(180) NOT NULL,  
4972     started_at                         timestamptz NOT NULL,  
4973     completed_at                       timestamptz,  
4974     status                             varchar(20) NOT NULL DEFAULT 'RUNNING',  
4975     records_read                       bigint NOT NULL DEFAULT 0,  
4976     records_written                     bigint NOT NULL DEFAULT 0,  
4977     records_failed                     bigint NOT NULL DEFAULT 0,  
4978     checkpoint_json                     jsonb,  
4979     last_error                          text,  
4980     created_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4981     updated_at                         timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,  
4982     row_version                         bigint NOT NULL DEFAULT 0,  
4983     CONSTRAINT pk_integration_job_run PRIMARY KEY (id),  
4984     CONSTRAINT uq_integration_job_run_job_name_run_key_1 UNIQUE (job_name, run_key),  
4985     CONSTRAINT ck_integration_job_run_1 CHECK (records_read >= 0),  
4986     CONSTRAINT ck_integration_job_run_2 CHECK (records_written >= 0),  
4987     CONSTRAINT ck_integration_job_run_3 CHECK (records_failed >= 0),  
4988     CONSTRAINT ck_integration_job_run_4 CHECK (status IN ('RUNNING', 'COMPLETED', 'PARTIAL', 'FAILED', 'CANCELLED'))  
4989 );
```

```

4991 CREATE TABLE integration.import_batch (
4992     id                                uuid NOT NULL DEFAULT gen_random_uuid(),
4993     import_type                       varchar(80) NOT NULL,
4994     source_system                     varchar(80) NOT NULL,
4995     external_batch_id                 varchar(180),
4996     object_key                        varchar(500),
4997     received_at                       timestamptz NOT NULL,
4998     processed_at                      timestamptz,
4999     record_count                      integer NOT NULL DEFAULT 0,
5000     success_count                     integer NOT NULL DEFAULT 0,
5001     failure_count                     integer NOT NULL DEFAULT 0,
5002     status                            varchar(20) NOT NULL DEFAULT 'RECEIVED',
5003     result_json                       jsonb,
5004     created_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
5005     updated_at                        timestamptz NOT NULL DEFAULT CURRENT_TIMESTAMP,
5006     row_version                       bigint NOT NULL DEFAULT 0,
5007     CONSTRAINT pk_integration_import_batch PRIMARY KEY (id),
5008     CONSTRAINT uq_integration_import_batch_source_system_externa_958d6d40 UNIQUE (source_system, external_batch_id),
5009     CONSTRAINT ck_integration_import_batch_1 CHECK (record_count >= 0),
5010     CONSTRAINT ck_integration_import_batch_2 CHECK (success_count >= 0),
5011     CONSTRAINT ck_integration_import_batch_3 CHECK (failure_count >= 0),
5012     CONSTRAINT ck_integration_import_batch_4 CHECK (status IN ('RECEIVED', 'VALIDATING', 'PROCESSING', 'COMPLETED', 'PARTIAL', 'FAILED', 'REJECTED'))
5013 );

```

B.3 Chaves estrangeiras - linhas 5015 a 5538

```

5015 -- -----
5016 -- Foreign keys
5017 -- -----
5018 ALTER TABLE org.business_unit ADD CONSTRAINT fk_org_business_unit_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5019 ALTER TABLE org.business_unit ADD CONSTRAINT fk_org_business_unit_parent_business_unit_id_org__913017ce FOREIGN KEY (parent_business_unit_id) REFERENCES org.business_unit (id);

5020 ALTER TABLE org.branch ADD CONSTRAINT fk_org_branch_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5021 ALTER TABLE org.branch ADD CONSTRAINT fk_org_branch_business_unit_id_org_business_unit_2 FOREIGN KEY (business_unit_id) REFERENCES org.business_unit (id);

5022 ALTER TABLE org.branch_operator ADD CONSTRAINT fk_org_branch_operator_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org.branch (id) ON DELETE CASCADE;

5023 ALTER TABLE org.branch_operator ADD CONSTRAINT fk_org_branch_operator_operator_party_id_party_party_2 FOREIGN KEY (operator_party_id) REFERENCES party.party (id);

```



```
5024 ALTER TABLE org.branch_hours ADD CONSTRAINT fk_org_branch_hours_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org.branch (id) ON DELETE CASCADE;

5025 ALTER TABLE org.branch_calendar_exception ADD CONSTRAINT fk_org_branch_calendar_exception_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org.branch (id) ON DELETE CASCADE;

5026 ALTER TABLE party.party ADD CONSTRAINT fk_party_party_merged_into_party_id_party_party_1 FOREIGN KEY (merged_into_party_id) REFERENCES party.party (id);

5027 ALTER TABLE party.person ADD CONSTRAINT fk_party_person_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id) ON DELETE CASCADE;

5028 ALTER TABLE party.organization ADD CONSTRAINT fk_party_organization_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id) ON DELETE CASCADE;

5029 ALTER TABLE party.party_identifier ADD CONSTRAINT fk_party_party_identifier_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id) ON DELETE CASCADE;

5030 ALTER TABLE party.contact_point ADD CONSTRAINT fk_party_contact_point_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id) ON DELETE CASCADE;

5031 ALTER TABLE party.party_address ADD CONSTRAINT fk_party_party_address_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id) ON DELETE CASCADE;

5032 ALTER TABLE party.party_address ADD CONSTRAINT fk_party_party_address_address_id_party_postal_address_2 FOREIGN KEY (address_id) REFERENCES party.postal_address (id);

5033 ALTER TABLE party.customer_account ADD CONSTRAINT fk_party_customer_account_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id);

5034 ALTER TABLE party.customer_account ADD CONSTRAINT fk_party_customer_account_legal_entity_id_org_leg_69f18cc9 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5035 ALTER TABLE party.organization_representative ADD CONSTRAINT fk_party_organization_representative_organization_991f314f FOREIGN KEY (organization_party_id) REFERENCES party.
    organization (party_id);

5036 ALTER TABLE party.organization_representative ADD CONSTRAINT fk_party_organization_representative_person_party_06bc49af FOREIGN KEY (person_party_id) REFERENCES party.person (party_id);

5037 ALTER TABLE party.driver_profile ADD CONSTRAINT fk_party_driver_profile_person_party_id_party_person_1 FOREIGN KEY (person_party_id) REFERENCES party.person (party_id);

5038 ALTER TABLE party.driver_license ADD CONSTRAINT fk_party_driver_license_driver_profile_id_party_d_1256538a FOREIGN KEY (driver_profile_id) REFERENCES party.driver_profile (id) ON
    DELETE CASCADE;

5039 ALTER TABLE party.identity_verification ADD CONSTRAINT fk_party_identity_verification_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id);

5040 ALTER TABLE party.risk_assessment ADD CONSTRAINT fk_party_risk_assessment_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id);
```

```
5041 ALTER TABLE party.customer_restriction ADD CONSTRAINT fk_party_customer_restriction_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id);

5042 ALTER TABLE catalog.vehicle_model ADD CONSTRAINT fk_catalog_vehicle_model_make_id_catalog_vehicle_make_1 FOREIGN KEY (make_id) REFERENCES catalog.vehicle_make (id);

5043 ALTER TABLE catalog.vehicle_variant ADD CONSTRAINT fk_catalog_vehicle_variant_model_id_catalog_vehicle_cc9f481e FOREIGN KEY (model_id) REFERENCES catalog.vehicle_model (id);

5044 ALTER TABLE catalog.variant_feature ADD CONSTRAINT fk_catalog_variant_feature_vehicle_variant_id_cat_b18cefb4 FOREIGN KEY (vehicle_variant_id) REFERENCES catalog.vehicle_variant (id) ON
DELETE CASCADE;

5045 ALTER TABLE catalog.variant_feature ADD CONSTRAINT fk_catalog_variant_feature_feature_id_catalog_feature_2 FOREIGN KEY (feature_id) REFERENCES catalog.feature (id) ON DELETE CASCADE;

5046 ALTER TABLE catalog.vehicle_group_variant ADD CONSTRAINT fk_catalog_vehicle_group_variant_vehicle_group_id_3433c773 FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id)
ON DELETE CASCADE;

5047 ALTER TABLE catalog.vehicle_group_variant ADD CONSTRAINT fk_catalog_vehicle_group_variant_vehicle_variant__9cb5d80b FOREIGN KEY (vehicle_variant_id) REFERENCES catalog.vehicle_variant
(id);

5048 ALTER TABLE catalog.vehicle_group_upgrade ADD CONSTRAINT fk_catalog_vehicle_group_upgrade_from_group_id_ca_3d9eb99b FOREIGN KEY (from_group_id) REFERENCES catalog.vehicle_group (id);

5049 ALTER TABLE catalog.vehicle_group_upgrade ADD CONSTRAINT fk_catalog_vehicle_group_upgrade_to_group_id_cata_b75e5b64 FOREIGN KEY (to_group_id) REFERENCES catalog.vehicle_group (id);

5050 ALTER TABLE catalog.commercial_product ADD CONSTRAINT fk_catalog_commercial_product_unit_code_catalog_u_bb2e364a FOREIGN KEY (unit_code) REFERENCES catalog.unit_of_measure (unit_code);

5051 ALTER TABLE catalog.commercial_product ADD CONSTRAINT fk_catalog_commercial_product_tax_category_id_cat_a17528a4 FOREIGN KEY (tax_category_id) REFERENCES catalog.tax_category (id);

5052 ALTER TABLE catalog.protection_coverage ADD CONSTRAINT fk_catalog_protection_coverage_protection_product_ee8a7131 FOREIGN KEY (protection_product_id) REFERENCES catalog.
commercial_product (id) ON DELETE CASCADE;

5053 ALTER TABLE catalog.protection_coverage ADD CONSTRAINT fk_catalog_protection_coverage_coverage_id_catalo_fa7da6c0 FOREIGN KEY (coverage_id) REFERENCES catalog.coverage (id);

5054 ALTER TABLE catalog.charge_type ADD CONSTRAINT fk_catalog_charge_type_default_product_id_catalog_0ab13201 FOREIGN KEY (default_product_id) REFERENCES catalog.commercial_product (id);

5055 ALTER TABLE corporate.partner ADD CONSTRAINT fk_corporate_partner_party_id_party_organization_1 FOREIGN KEY (party_id) REFERENCES party.organization (party_id);

5056 ALTER TABLE corporate.partner_agreement ADD CONSTRAINT fk_corporate_partner_agreement_partner_id_corpora_bdc6085c FOREIGN KEY (partner_id) REFERENCES corporate.partner (id);

5057 ALTER TABLE corporate.partner_agreement ADD CONSTRAINT fk_corporate_partner_agreement_legal_entity_id_or_9769ba82 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);
```

```
5058 ALTER TABLE corporate.corporate_agreement ADD CONSTRAINT fk_corporate_corporate_agreement_customer_account_fabc5706 FOREIGN KEY (customer_account_id) REFERENCES party.customer_account
      (id);

5059 ALTER TABLE corporate.corporate_agreement ADD CONSTRAINT fk_corporate_corporate_agreement_legal_entity_id_b542cbcb FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5060 ALTER TABLE corporate.corporate_cost_center ADD CONSTRAINT fk_corporate_corporate_cost_center_corporate_agre_0e663e39 FOREIGN KEY (corporate_agreement_id) REFERENCES corporate.
      corporate_agreement (id) ON DELETE CASCADE;

5061 ALTER TABLE corporate.corporate_cost_center ADD CONSTRAINT fk_corporate_corporate_cost_center_parent_cost_ce_dic0422c FOREIGN KEY (parent_cost_center_id) REFERENCES corporate.
      corporate_cost_center (id);

5062 ALTER TABLE corporate.authorized_driver ADD CONSTRAINT fk_corporate_authorized_driver_corporate_agreemen_dfd5ceff FOREIGN KEY (corporate_agreement_id) REFERENCES corporate.
      corporate_agreement (id) ON DELETE CASCADE;

5063 ALTER TABLE corporate.authorized_driver ADD CONSTRAINT fk_corporate_authorized_driver_driver_profile_id_c24f2666 FOREIGN KEY (driver_profile_id) REFERENCES party.driver_profile (id);

5064 ALTER TABLE corporate.authorized_driver ADD CONSTRAINT fk_corporate_authorized_driver_cost_center_id_cor_0ddc326b FOREIGN KEY (cost_center_id) REFERENCES corporate.
      corporate_cost_center (id);

5065 ALTER TABLE corporate.corporate_billing_profile ADD CONSTRAINT fk_corporate_corporate_billing_profile_corporate_547efdde FOREIGN KEY (corporate_agreement_id) REFERENCES corporate.
      corporate_agreement (id) ON DELETE CASCADE;

5066 ALTER TABLE corporate.corporate_billing_profile ADD CONSTRAINT fk_corporate_corporate_billing_profile_billing_pa_78869652 FOREIGN KEY (billing_party_id) REFERENCES party.party (id);

5067 ALTER TABLE corporate.corporate_billing_profile ADD CONSTRAINT fk_corporate_corporate_billing_profile_billing_ad_1942df6c FOREIGN KEY (billing_address_id) REFERENCES party.
      postal_address (id);

5068 ALTER TABLE fleet.acquisition_order ADD CONSTRAINT fk_fleet_acquisition_order_legal_entity_id_org_le_b74bdace FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5069 ALTER TABLE fleet.acquisition_order ADD CONSTRAINT fk_fleet_acquisition_order_supplier_party_id_part_b47c48d6 FOREIGN KEY (supplier_party_id) REFERENCES party.organization (party_id);

5070 ALTER TABLE fleet.acquisition_order_line ADD CONSTRAINT fk_fleet_acquisition_order_line_acquisition_order_5b6faa62 FOREIGN KEY (acquisition_order_id) REFERENCES fleet.acquisition_order
      (id) ON DELETE CASCADE;

5071 ALTER TABLE fleet.acquisition_order_line ADD CONSTRAINT fk_fleet_acquisition_order_line_vehicle_variant_i_8ee7863e FOREIGN KEY (vehicle_variant_id) REFERENCES catalog.vehicle_variant (
      id);

5072 ALTER TABLE fleet.vehicle ADD CONSTRAINT fk_fleet_vehicle_vehicle_variant_id_catalog_vehic_566b420b FOREIGN KEY (vehicle_variant_id) REFERENCES catalog.vehicle_variant (id);
```

```
5073 ALTER TABLE fleet.vehicle ADD CONSTRAINT fk_fleet_vehicle_owning_legal_entity_id_org_legal_entity_2 FOREIGN KEY (owning_legal_entity_id) REFERENCES org.legal_entity (id);

5074 ALTER TABLE fleet.vehicle ADD CONSTRAINT fk_fleet_vehicle_acquisition_order_line_id_fleet__674c3c12 FOREIGN KEY (acquisition_order_line_id) REFERENCES fleet.acquisition_order_line (id);

5075 ALTER TABLE fleet.vehicle ADD CONSTRAINT fk_fleet_vehicle_current_branch_id_org_branch_4 FOREIGN KEY (current_branch_id) REFERENCES org.branch (id);

5076 ALTER TABLE fleet.vehicle ADD CONSTRAINT fk_fleet_vehicle_current_vehicle_group_id_catalog_535204f6 FOREIGN KEY (current_vehicle_group_id) REFERENCES catalog.vehicle_group (id);

5077 ALTER TABLE fleet.vehicle_registration ADD CONSTRAINT fk_fleet_vehicle_registration_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id) ON DELETE CASCADE;

5078 ALTER TABLE fleet.vehicle_group_assignment ADD CONSTRAINT fk_fleet_vehicle_group_assignment_vehicle_id_flee_842255ce FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id) ON DELETE CASCADE;

5079 ALTER TABLE fleet.vehicle_group_assignment ADD CONSTRAINT fk_fleet_vehicle_group_assignment_vehicle_group_i_14bedidd FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id) ;

5080 ALTER TABLE fleet.vehicle_operational_state_history ADD CONSTRAINT fk_fleet_vehicle_operational_state_history_vehicl_98f31720 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id) ON DELETE CASCADE;

5081 ALTER TABLE fleet.vehicle_lifecycle_history ADD CONSTRAINT fk_fleet_vehicle_lifecycle_history_vehicle_id_fle_94edbc4a FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id) ON DELETE CASCADE;

5082 ALTER TABLE fleet.vehicle_restriction ADD CONSTRAINT fk_fleet_vehicle_restriction_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5083 ALTER TABLE fleet.vehicle_location_history ADD CONSTRAINT fk_fleet_vehicle_location_history_vehicle_id_flee_7dfbd856 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5084 ALTER TABLE fleet.vehicle_location_history ADD CONSTRAINT fk_fleet_vehicle_location_history_branch_id_org_branch_2 FOREIGN KEY (branch_id) REFERENCES org.branch (id);

5085 ALTER TABLE fleet.vehicle_calendar_entry ADD CONSTRAINT fk_fleet_vehicle_calendar_entry_legal_entity_id_o_6e894812 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5086 ALTER TABLE fleet.vehicle_calendar_entry ADD CONSTRAINT fk_fleet_vehicle_calendar_entry_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5087 ALTER TABLE fleet.odometer_reading ADD CONSTRAINT fk_fleet_odometer_reading_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5088 ALTER TABLE fleet.odometer_reading ADD CONSTRAINT fk_fleet_odometer_reading_corrects_reading_id_fle_7abc031f FOREIGN KEY (corrects_reading_id) REFERENCES fleet.odometer_reading (id);

5089 ALTER TABLE fleet.fuel_reading ADD CONSTRAINT fk_fleet_fuel_reading_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);
```

```
5090 ALTER TABLE fleet.asset_document ADD CONSTRAINT fk_fleet_asset_document_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5091 ALTER TABLE fleet.accessory_asset ADD CONSTRAINT fk_fleet_accessory_asset_product_id_catalog_comme_2de1c88f FOREIGN KEY (product_id) REFERENCES catalog.commercial_product (id);

5092 ALTER TABLE fleet.accessory_asset ADD CONSTRAINT fk_fleet_accessory_asset_owning_legal_entity_id_o_3c33def1 FOREIGN KEY (owning_legal_entity_id) REFERENCES org.legal_entity (id);

5093 ALTER TABLE fleet.vehicle_accessory_assignment ADD CONSTRAINT fk_fleet_vehicle_accessory_assignment_vehicle_id_9d76ef64 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5094 ALTER TABLE fleet.vehicle_accessory_assignment ADD CONSTRAINT fk_fleet_vehicle_accessory_assignment_accessory_a_d6bac007 FOREIGN KEY (accessory_asset_id) REFERENCES fleet.accessory_asset (id);

5095 ALTER TABLE fleet.vehicle_cost_basis ADD CONSTRAINT fk_fleet_vehicle_cost_basis_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5096 ALTER TABLE fleet.depreciation_entry ADD CONSTRAINT fk_fleet_depreciation_entry_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5097 ALTER TABLE fleet.disposal_eligibility ADD CONSTRAINT fk_fleet_disposal_eligibility_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5098 ALTER TABLE pricing.rate_plan ADD CONSTRAINT fk_pricing_rate_plan_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5099 ALTER TABLE pricing.rate_plan_version ADD CONSTRAINT fk_pricing_rate_plan_version_rate_plan_id_pricing_733eaaf5 FOREIGN KEY (rate_plan_id) REFERENCES pricing.rate_plan (id) ON DELETE CASCADE;

5100 ALTER TABLE pricing.rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_rate_plan_vers_3a8fc222 FOREIGN KEY (rate_plan_version_id) REFERENCES pricing.rate_plan_version (id) ON DELETE CASCADE;

5101 ALTER TABLE pricing.rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_origin_branch_66ca57bc FOREIGN KEY (origin_branch_id) REFERENCES org.branch (id);

5102 ALTER TABLE pricing.rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_destination_br_38984212 FOREIGN KEY (destination_branch_id) REFERENCES org.branch (id);

5103 ALTER TABLE pricing.rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_vehicle_group__7ae718b9 FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id);

5104 ALTER TABLE pricing.rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_channel_id_org_1ba087d8 FOREIGN KEY (channel_id) REFERENCES org.channel (id);

5105 ALTER TABLE pricing.rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_corporate_agre_6e701357 FOREIGN KEY (corporate_agreement_id) REFERENCES corporate.corporate_agreement (id);
```

```
5106 ALTER TABLE pricing.rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_partner_id_cor_e060e1ed FOREIGN KEY (partner_id) REFERENCES corporate.partner (id);

5107 ALTER TABLE pricing.rental_length_band ADD CONSTRAINT fk_pricing_rental_length_band_rate_plan_version_i_9c376409 FOREIGN KEY (rate_plan_version_id) REFERENCES pricing.rate_plan_version (id) ON DELETE CASCADE;

5108 ALTER TABLE pricing.season ADD CONSTRAINT fk_pricing_season_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5109 ALTER TABLE pricing.base_rate ADD CONSTRAINT fk_pricing_base_rate_rate_plan_version_id_pricing_2316b89f FOREIGN KEY (rate_plan_version_id) REFERENCES pricing.rate_plan_version (id) ON DELETE CASCADE;

5110 ALTER TABLE pricing.base_rate ADD CONSTRAINT fk_pricing_base_rate_vehicle_group_id_catalog_veh_78dc57b3 FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id);

5111 ALTER TABLE pricing.base_rate ADD CONSTRAINT fk_pricing_base_rate_origin_branch_id_org_branch_3 FOREIGN KEY (origin_branch_id) REFERENCES org.branch (id);

5112 ALTER TABLE pricing.base_rate ADD CONSTRAINT fk_pricing_base_rate_rental_length_band_id_pricing_6d056e4d FOREIGN KEY (rental_length_band_id) REFERENCES pricing.rental_length_band (id);

5113 ALTER TABLE pricing.base_rate ADD CONSTRAINT fk_pricing_base_rate_season_id_pricing_season_5 FOREIGN KEY (season_id) REFERENCES pricing.season (id);

5114 ALTER TABLE pricing.mileage_package ADD CONSTRAINT fk_pricing_mileage_package_rate_plan_version_id_p_270ffd4f FOREIGN KEY (rate_plan_version_id) REFERENCES pricing.rate_plan_version (id) ON DELETE CASCADE;

5115 ALTER TABLE pricing.mileage_rate ADD CONSTRAINT fk_pricing_mileage_rate_mileage_package_id_pricing_090b9e6d FOREIGN KEY (mileage_package_id) REFERENCES pricing.mileage_package (id) ON DELETE CASCADE;

5116 ALTER TABLE pricing.mileage_rate ADD CONSTRAINT fk_pricing_mileage_rate_vehicle_group_id_catalog__91640bf7 FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id);

5117 ALTER TABLE pricing.one_way_rule ADD CONSTRAINT fk_pricing_one_way_rule_rate_plan_version_id_pricing_bf479ef8 FOREIGN KEY (rate_plan_version_id) REFERENCES pricing.rate_plan_version (id) ON DELETE CASCADE;

5118 ALTER TABLE pricing.one_way_rule ADD CONSTRAINT fk_pricing_one_way_rule_origin_branch_id_org_branch_2 FOREIGN KEY (origin_branch_id) REFERENCES org.branch (id);

5119 ALTER TABLE pricing.one_way_rule ADD CONSTRAINT fk_pricing_one_way_rule_destination_branch_id_org_branch_3 FOREIGN KEY (destination_branch_id) REFERENCES org.branch (id);

5120 ALTER TABLE pricing.one_way_rule ADD CONSTRAINT fk_pricing_one_way_rule_vehicle_group_id_catalog__cf12e5c7 FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id);

5121 ALTER TABLE pricing.one_way_price ADD CONSTRAINT fk_pricing_one_way_price_one_way_rule_id_pricing__e419f17b FOREIGN KEY (one_way_rule_id) REFERENCES pricing.one_way_rule (id) ON DELETE CASCADE;
```

```
5122 ALTER TABLE pricing.fuel_price ADD CONSTRAINT fk_pricing_fuel_price_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5123 ALTER TABLE pricing.fuel_price ADD CONSTRAINT fk_pricing_fuel_price_branch_id_org_branch_2 FOREIGN KEY (branch_id) REFERENCES org.branch (id);

5124 ALTER TABLE pricing.preauthorization_rule ADD CONSTRAINT fk_pricing_preauthorization_rule_rate_plan_versio_f22e10b2 FOREIGN KEY (rate_plan_version_id) REFERENCES pricing.
      rate_plan_version (id) ON DELETE CASCADE;

5125 ALTER TABLE pricing.preauthorization_rule ADD CONSTRAINT fk_pricing_preauthorization_rule_vehicle_group_id_d327ec19 FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id);

5126 ALTER TABLE pricing.pricing_rule ADD CONSTRAINT fk_pricing_pricing_rule_rate_plan_version_id_pric_5df31375 FOREIGN KEY (rate_plan_version_id) REFERENCES pricing.rate_plan_version (id)
      ON DELETE CASCADE;

5127 ALTER TABLE pricing.coupon ADD CONSTRAINT fk_pricing_coupon_promotion_id_pricing_promotion_1 FOREIGN KEY (promotion_id) REFERENCES pricing.promotion (id) ON DELETE CASCADE;

5128 ALTER TABLE pricing.coupon_redemption ADD CONSTRAINT fk_pricing_coupon_redemption_coupon_id_pricing_coupon_1 FOREIGN KEY (coupon_id) REFERENCES pricing.coupon (id);

5129 ALTER TABLE pricing.coupon_redemption ADD CONSTRAINT fk_pricing_coupon_redemption_party_id_party_party_2 FOREIGN KEY (party_id) REFERENCES party.party (id);

5130 ALTER TABLE pricing.coupon_redemption ADD CONSTRAINT fk_pricing_coupon_redemption_reservation_id_reser_20f2c00e FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id);

5131 ALTER TABLE pricing.coupon_redemption ADD CONSTRAINT fk_pricing_coupon_redemption_quote_id_pricing_quote_4 FOREIGN KEY (quote_id) REFERENCES pricing.quote (id);

5132 ALTER TABLE pricing.quote ADD CONSTRAINT fk_pricing_quote_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5133 ALTER TABLE pricing.quote ADD CONSTRAINT fk_pricing_quote_customer_account_id_party_custom_f3509bd8 FOREIGN KEY (customer_account_id) REFERENCES party.customer_account (id);

5134 ALTER TABLE pricing.quote ADD CONSTRAINT fk_pricing_quote_rate_plan_version_id_pricing_rat_1e59fe59 FOREIGN KEY (rate_plan_version_id) REFERENCES pricing.rate_plan_version (id);

5135 ALTER TABLE pricing.quote ADD CONSTRAINT fk_pricing_quote_origin_branch_id_org_branch_4 FOREIGN KEY (origin_branch_id) REFERENCES org.branch (id);

5136 ALTER TABLE pricing.quote ADD CONSTRAINT fk_pricing_quote_destination_branch_id_org_branch_5 FOREIGN KEY (destination_branch_id) REFERENCES org.branch (id);

5137 ALTER TABLE pricing.quote ADD CONSTRAINT fk_pricing_quote_vehicle_group_id_catalog_vehicle_group_6 FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id);

5138 ALTER TABLE pricing.quote ADD CONSTRAINT fk_pricing_quote_channel_id_org_channel_7 FOREIGN KEY (channel_id) REFERENCES org.channel (id);
```

```
5139 ALTER TABLE pricing.quote_line ADD CONSTRAINT fk_pricing_quote_line_quote_id_pricing_quote_1 FOREIGN KEY (quote_id) REFERENCES pricing.quote (id) ON DELETE CASCADE;

5140 ALTER TABLE pricing.quote_line ADD CONSTRAINT fk_pricing_quote_line_product_id_catalog_commerci_ee18710e FOREIGN KEY (product_id) REFERENCES catalog.commercial_product (id);

5141 ALTER TABLE pricing.quote_line ADD CONSTRAINT fk_pricing_quote_line_charge_type_id_catalog_charge_type_3 FOREIGN KEY (charge_type_id) REFERENCES catalog.charge_type (id);

5142 ALTER TABLE pricing.quote_line ADD CONSTRAINT fk_pricing_quote_line_unit_code_catalog_unit_of_measure_4 FOREIGN KEY (unit_code) REFERENCES catalog.unit_of_measure (unit_code);

5143 ALTER TABLE pricing.pricing_calculation ADD CONSTRAINT fk_pricing_pricing_calculation_quote_id_pricing_quote_1 FOREIGN KEY (quote_id) REFERENCES pricing.quote (id) ON DELETE CASCADE;

5144 ALTER TABLE pricing.quote_rule_trace ADD CONSTRAINT fk_pricing_quote_rule_trace_pricing_calculation_i_664709e5 FOREIGN KEY (pricing_calculation_id) REFERENCES pricing.pricing_calculation (id) ON DELETE CASCADE;

5145 ALTER TABLE corporate.rate_entitlement ADD CONSTRAINT fk_corporate_rate_entitlement_corporate_agreement_1b6fe465 FOREIGN KEY (corporate_agreement_id) REFERENCES corporate.corporate_agreement (id) ON DELETE CASCADE;

5146 ALTER TABLE corporate.rate_entitlement ADD CONSTRAINT fk_corporate_rate_entitlement_rate_plan_id_pricing_443b648f FOREIGN KEY (rate_plan_id) REFERENCES pricing.rate_plan (id);

5147 ALTER TABLE corporate.rate_entitlement ADD CONSTRAINT fk_corporate_rate_entitlement_vehicle_group_id_ca_9961c6e2 FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id);

5148 ALTER TABLE corporate.purchase_order ADD CONSTRAINT fk_corporate_purchase_order_corporate_agreement_i_49590724 FOREIGN KEY (corporate_agreement_id) REFERENCES corporate.corporate_agreement (id) ON DELETE CASCADE;

5149 ALTER TABLE corporate.purchase_order ADD CONSTRAINT fk_corporate_purchase_order_cost_center_id_corpor_8869e641 FOREIGN KEY (cost_center_id) REFERENCES corporate.corporate_cost_center (id);

5150 ALTER TABLE corporate.voucher ADD CONSTRAINT fk_corporate_voucher_corporate_agreement_id_corpo_ee99af88 FOREIGN KEY (corporate_agreement_id) REFERENCES corporate.corporate_agreement (id);

5151 ALTER TABLE corporate.voucher ADD CONSTRAINT fk_corporate_voucher_partner_agreement_id_corpora_d0bdacf7 FOREIGN KEY (partner_agreement_id) REFERENCES corporate.partner_agreement (id);

5152 ALTER TABLE corporate.voucher ADD CONSTRAINT fk_corporate_voucher_authorized_party_id_party_party_3 FOREIGN KEY (authorized_party_id) REFERENCES party.party (id);

5153 ALTER TABLE corporate consolidated_billing_instruction ADD CONSTRAINT fk_corporate consolidated_billing_instruction_cor_d19eee78 FOREIGN KEY (corporate_billing_profile_id) REFERENCES corporate.corporate_billing_profile (id) ON DELETE CASCADE;

5154 ALTER TABLE corporate consolidated_billing_instruction ADD CONSTRAINT fk_corporate consolidated_billing_instruction_rec_fb4bcb7d FOREIGN KEY (recipient_contact_id) REFERENCES party.contact_point (id);
```



```
5155 ALTER TABLE availability.inventory_bucket ADD CONSTRAINT fk_availability_inventory_bucket_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org.branch (id);

5156 ALTER TABLE availability.inventory_bucket ADD CONSTRAINT fk_availability_inventory_bucket_vehicle_group_id_7ef5caad FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id);

5157 ALTER TABLE availability.availability_hold ADD CONSTRAINT fk_availability_availability_hold_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org.branch (id);

5158 ALTER TABLE availability.availability_hold ADD CONSTRAINT fk_availability_availability_hold_vehicle_group_i_246a9284 FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id)
;

5159 ALTER TABLE availability.capacity_commitment ADD CONSTRAINT fk_availability_capacity_commitment_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org.branch (id);

5160 ALTER TABLE availability.capacity_commitment ADD CONSTRAINT fk_availability_capacity_commitment_vehicle_group_ee08c37d FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (
id);

5161 ALTER TABLE availability.upgrade_path ADD CONSTRAINT fk_availability_upgrade_path_origin_branch_id_org_branch_1 FOREIGN KEY (origin_branch_id) REFERENCES org.branch (id);

5162 ALTER TABLE availability.upgrade_path ADD CONSTRAINT fk_availability_upgrade_path_from_group_id_catalo_7470f48f FOREIGN KEY (from_group_id) REFERENCES catalog.vehicle_group (id);

5163 ALTER TABLE availability.upgrade_path ADD CONSTRAINT fk_availability_upgrade_path_to_group_id_catalog__0b7eff92 FOREIGN KEY (to_group_id) REFERENCES catalog.vehicle_group (id);

5164 ALTER TABLE availability.fleet_allotment ADD CONSTRAINT fk_availability_fleet_allotment_partner_agreement_bfa6ad8b FOREIGN KEY (partner_agreement_id) REFERENCES corporate.
partner_agreement (id);

5165 ALTER TABLE availability.fleet_allotment ADD CONSTRAINT fk_availability_fleet_allotment_corporate_agreeme_6ceac69d FOREIGN KEY (corporate_agreement_id) REFERENCES corporate.
corporate_agreement (id);

5166 ALTER TABLE availability.fleet_allotment ADD CONSTRAINT fk_availability_fleet_allotment_branch_id_org_branch_3 FOREIGN KEY (branch_id) REFERENCES org.branch (id);

5167 ALTER TABLE availability.fleet_allotment ADD CONSTRAINT fk_availability_fleet_allotment_vehicle_group_id_cc05a8e4 FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id);

5168 ALTER TABLE availability.relocation_order ADD CONSTRAINT fk_availability_relocation_order_legal_entity_id_f05e7324 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5169 ALTER TABLE availability.relocation_order ADD CONSTRAINT fk_availability_relocation_order_origin_branch_id_e8b29d25 FOREIGN KEY (origin_branch_id) REFERENCES org.branch (id);

5170 ALTER TABLE availability.relocation_order ADD CONSTRAINT fk_availability_relocation_order_destination_bran_0b2fa5fe FOREIGN KEY (destination_branch_id) REFERENCES org.branch (id);
```

```
5171 ALTER TABLE availability.relocation_leg ADD CONSTRAINT fk_availability_relocation_leg_relocation_order_i_001aa7c2 FOREIGN KEY (relocation_order_id) REFERENCES availability.
    relocation_order (id) ON DELETE CASCADE;

5172 ALTER TABLE availability.relocation_leg ADD CONSTRAINT fk_availability_relocation_leg_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5173 ALTER TABLE availability.relocation_leg ADD CONSTRAINT fk_availability_relocation_leg_calendar_entry_id__c7a15dd3 FOREIGN KEY (calendar_entry_id) REFERENCES fleet.
    vehicle_calendar_entry (id);

5174 ALTER TABLE availability.oversell_alert ADD CONSTRAINT fk_availability_oversell_alert_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org.branch (id);

5175 ALTER TABLE availability.oversell_alert ADD CONSTRAINT fk_availability_oversell_alert_vehicle_group_id_c_8aa75740 FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id);

5176 ALTER TABLE availability.forecast_snapshot ADD CONSTRAINT fk_availability_forecast_snapshot_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org.branch (id);

5177 ALTER TABLE availability.forecast_snapshot ADD CONSTRAINT fk_availability_forecast_snapshot_vehicle_group_i_d8873a07 FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id)
    ;

5178 ALTER TABLE reservation.reservation ADD CONSTRAINT fk_reservation_reservation_legal_entity_id_org_le_80967ca0 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5179 ALTER TABLE reservation.reservation ADD CONSTRAINT fk_reservation_reservation_customer_account_id_pa_85377a7b FOREIGN KEY (customer_account_id) REFERENCES party.customer_account (id);

5180 ALTER TABLE reservation.reservation ADD CONSTRAINT fk_reservation_reservation_booker_party_id_party_party_3 FOREIGN KEY (booker_party_id) REFERENCES party.party (id);

5181 ALTER TABLE reservation.reservation ADD CONSTRAINT fk_reservation_reservation_requested_vehicle_grou_7f83f461 FOREIGN KEY (requested_vehicle_group_id) REFERENCES catalog.vehicle_group
    (id);

5182 ALTER TABLE reservation.reservation ADD CONSTRAINT fk_reservation_reservation_pickup_branch_id_org_branch_5 FOREIGN KEY (pickup_branch_id) REFERENCES org.branch (id);

5183 ALTER TABLE reservation.reservation ADD CONSTRAINT fk_reservation_reservation_planned_return_branch__7465987c FOREIGN KEY (planned_return_branch_id) REFERENCES org.branch (id);

5184 ALTER TABLE reservation.reservation ADD CONSTRAINT fk_reservation_reservation_channel_id_org_channel_7 FOREIGN KEY (channel_id) REFERENCES org.channel (id);

5185 ALTER TABLE reservation.reservation ADD CONSTRAINT fk_reservation_reservation_rate_plan_version_id_p_83281045 FOREIGN KEY (rate_plan_version_id) REFERENCES pricing.rate_plan_version (
    id);

5186 ALTER TABLE reservation.reservation ADD CONSTRAINT fk_reservation_reservation_quote_id_pricing_quote_9 FOREIGN KEY (quote_id) REFERENCES pricing.quote (id);
```

```
5187 ALTER TABLE reservation.reservation ADD CONSTRAINT fk_reservation_reservation_corporate_agreement_id_f244d17d FOREIGN KEY (corporate_agreement_id) REFERENCES corporate.corporate_agreement (id);

5188 ALTER TABLE reservation.reservation ADD CONSTRAINT fk_reservation_reservation_cost_center_id_corpora_b229e667 FOREIGN KEY (cost_center_id) REFERENCES corporate.corporate_cost_center (id);

5189 ALTER TABLE reservation.reservation ADD CONSTRAINT fk_reservation_reservation_purchase_order_id_corp_bafb6cf8 FOREIGN KEY (purchase_order_id) REFERENCES corporate.purchase_order (id);

5190 ALTER TABLE reservation.reservation ADD CONSTRAINT fk_reservation_reservation_voucher_id_corporate_voucher_13 FOREIGN KEY (voucher_id) REFERENCES corporate.voucher (id);

5191 ALTER TABLE reservation.reservation_driver ADD CONSTRAINT fk_reservation_reservation_driver_reservation_id_9d862a68 FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id) ON DELETE CASCADE;

5192 ALTER TABLE reservation.reservation_driver ADD CONSTRAINT fk_reservation_reservation_driver_driver_profile_aa9ab200 FOREIGN KEY (driver_profile_id) REFERENCES party.driver_profile (id);

5193 ALTER TABLE reservation.reservation_product ADD CONSTRAINT fk_reservation_reservation_product_reservation_id_ff90d098 FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id) ON DELETE CASCADE;

5194 ALTER TABLE reservation.reservation_product ADD CONSTRAINT fk_reservation_reservation_product_product_id_cat_ed1f54e4 FOREIGN KEY (product_id) REFERENCES catalog.commercial_product (id);

5195 ALTER TABLE reservation.reservation_price_line ADD CONSTRAINT fk_reservation_reservation_price_line_reservation_479bc52e FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id) ON DELETE CASCADE;

5196 ALTER TABLE reservation.reservation_price_line ADD CONSTRAINT fk_reservation_reservation_price_line_quote_line_9bf598d0 FOREIGN KEY (quote_line_id) REFERENCES pricing.quote_line (id);

5197 ALTER TABLE reservation.reservation_price_line ADD CONSTRAINT fk_reservation_reservation_price_line_product_id_b3c5f731 FOREIGN KEY (product_id) REFERENCES catalog.commercial_product (id);

5198 ALTER TABLE reservation.reservation_price_line ADD CONSTRAINT fk_reservation_reservation_price_line_charge_type_a99c8203 FOREIGN KEY (charge_type_id) REFERENCES catalog.charge_type (id);

5199 ALTER TABLE reservation.reservation_price_line ADD CONSTRAINT fk_reservation_reservation_price_line_unit_code_c_80863c1a FOREIGN KEY (unit_code) REFERENCES catalog.unit_of_measure (unit_code);

5200 ALTER TABLE reservation.reservation_price_line ADD CONSTRAINT fk_reservation_reservation_price_line_rate_plan_v_51b707de FOREIGN KEY (rate_plan_version_id) REFERENCES pricing.rate_plan_version (id);
```

```
5201 ALTER TABLE reservation.reservation_status_history ADD CONSTRAINT fk_reservation_reservation_status_history_reserva_c9f5f2e5 FOREIGN KEY (reservation_id) REFERENCES reservation.
      reservation (id) ON DELETE CASCADE;

5202 ALTER TABLE reservation.reservation_change ADD CONSTRAINT fk_reservation_reservation_change_reservation_id_fa8da71c FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id)
      ;

5203 ALTER TABLE reservation.reservation_change ADD CONSTRAINT fk_reservation_reservation_change_requested_by_pa_f41ad951 FOREIGN KEY (requested_by_party_id) REFERENCES party.party (id);

5204 ALTER TABLE reservation.reservation_cancellation ADD CONSTRAINT fk_reservation_reservation_cancellation_reservati_7bd79379 FOREIGN KEY (reservation_id) REFERENCES reservation.
      reservation (id);

5205 ALTER TABLE reservation.reservation_cancellation ADD CONSTRAINT fk_reservation_reservation_cancellation_cancelled_b1cb1a2b FOREIGN KEY (cancelled_by_party_id) REFERENCES party.party (
      id);

5206 ALTER TABLE reservation.no_show_assessment ADD CONSTRAINT fk_reservation_no_show_assessment_reservation_id_c6406c62 FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id)
      ;

5207 ALTER TABLE reservation.reservation_guarantee ADD CONSTRAINT fk_reservation_reservation_guarantee_reservation__83e20f6e FOREIGN KEY (reservation_id) REFERENCES reservation.reservation
      (id) ON DELETE CASCADE;

5208 ALTER TABLE reservation.partner_booking ADD CONSTRAINT fk_reservation_partner_booking_reservation_id_res_0c525701 FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id)
      ON DELETE CASCADE;

5209 ALTER TABLE reservation.partner_booking ADD CONSTRAINT fk_reservation_partner_booking_partner_id_corpora_a50d252f FOREIGN KEY (partner_id) REFERENCES corporate.partner (id);

5210 ALTER TABLE reservation.partner_booking ADD CONSTRAINT fk_reservation_partner_booking_partner_agreement__7ffdcc6c FOREIGN KEY (partner_agreement_id) REFERENCES corporate.
      partner_agreement (id);

5211 ALTER TABLE reservation.digital_pickup_eligibility ADD CONSTRAINT fk_reservation_digital_pickup_eligibility_reserva_df67048b FOREIGN KEY (reservation_id) REFERENCES reservation.
      reservation (id);

5212 ALTER TABLE reservation.reservation_note ADD CONSTRAINT fk_reservation_reservation_note_reservation_id_re_b501e158 FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id)
      ON DELETE CASCADE;

5213 ALTER TABLE reservation.reservation_inventory_commitment ADD CONSTRAINT fk_reservation_reservation_inventory_commitment_r_c0963fa6 FOREIGN KEY (reservation_id) REFERENCES reservation.
      reservation (id) ON DELETE CASCADE;

5214 ALTER TABLE reservation.reservation_inventory_commitment ADD CONSTRAINT fk_reservation_reservation_inventory_commitment_a_95efb863 FOREIGN KEY (availability_hold_id) REFERENCES
      availability.availability_hold (id);
```

```
5215 ALTER TABLE reservation.reservation_inventory_commitment ADD CONSTRAINT fk_reservation_reservation_inventory_commitment_c_1062bc76 FOREIGN KEY (capacity_commitment_id) REFERENCES
    availability.capacity_commitment (id);

5216 ALTER TABLE rental.rental_contract ADD CONSTRAINT fk_rental_rental_contract_legal_entity_id_org_leg_4f830ed5 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5217 ALTER TABLE rental.rental_contract ADD CONSTRAINT fk_rental_rental_contract_reservation_id_reservat_46ce6596 FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id);

5218 ALTER TABLE rental.rental_contract ADD CONSTRAINT fk_rental_rental_contract_customer_account_id_par_1cd51e5d FOREIGN KEY (customer_account_id) REFERENCES party.customer_account (id);

5219 ALTER TABLE rental.rental_contract ADD CONSTRAINT fk_rental_rental_contract_origin_branch_id_org_branch_4 FOREIGN KEY (origin_branch_id) REFERENCES org.branch (id);

5220 ALTER TABLE rental.rental_contract ADD CONSTRAINT fk_rental_rental_contract_planned_return_branch_i_9a1d9ec0 FOREIGN KEY (planned_return_branch_id) REFERENCES org.branch (id);

5221 ALTER TABLE rental.rental_contract ADD CONSTRAINT fk_rental_rental_contract_actual_return_branch_id_5dfc8e3f FOREIGN KEY (actual_return_branch_id) REFERENCES org.branch (id);

5222 ALTER TABLE rental.rental_contract ADD CONSTRAINT fk_rental_rental_contract_mileage_package_id_pric_698e03a6 FOREIGN KEY (mileage_package_id) REFERENCES pricing.mileage_package (id);

5223 ALTER TABLE rental.rental_contract ADD CONSTRAINT fk_rental_rental_contract_created_channel_id_org_channel_8 FOREIGN KEY (created_channel_id) REFERENCES org.channel (id);

5224 ALTER TABLE rental.contract_revision ADD CONSTRAINT fk_rental_contract_revision_contract_id_rental_re_e6aed74c FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id) ON
    DELETE CASCADE;

5225 ALTER TABLE rental.contract_revision ADD CONSTRAINT fk_rental_contract_revision_previous_revision_id__62ea74ca FOREIGN KEY (previous_revision_id) REFERENCES rental.contract_revision (
    id);

5226 ALTER TABLE rental.contract_party_role ADD CONSTRAINT fk_rental_contract_party_role_contract_id_rental__2b7f26e9 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id) ON
    DELETE CASCADE;

5227 ALTER TABLE rental.contract_party_role ADD CONSTRAINT fk_rental_contract_party_role_party_id_party_party_2 FOREIGN KEY (party_id) REFERENCES party.party (id);

5228 ALTER TABLE rental.contract_product ADD CONSTRAINT fk_rental_contract_product_contract_id_rental_ren_a060c4cb FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id) ON DELETE
    CASCADE;

5229 ALTER TABLE rental.contract_product ADD CONSTRAINT fk_rental_contract_product_product_id_catalog_com_2ffbcdc7 FOREIGN KEY (product_id) REFERENCES catalog.commercial_product (id);

5230 ALTER TABLE rental.contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_contract_i_433b5c59 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (
    id) ON DELETE CASCADE;
```

```
5231 ALTER TABLE rental.contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_contract_r_6924bde9 FOREIGN KEY (contract_revision_id) REFERENCES rental.
    contract_revision (id) ON DELETE CASCADE;

5232 ALTER TABLE rental.contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_reservatio_b09118f3 FOREIGN KEY (reservation_price_line_id) REFERENCES reservation.
    reservation_price_line (id);

5233 ALTER TABLE rental.contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_product_id_e5d449c8 FOREIGN KEY (product_id) REFERENCES catalog.commercial_product
    (id);

5234 ALTER TABLE rental.contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_charge_typ_513bc08a FOREIGN KEY (charge_type_id) REFERENCES catalog.charge_type (
    id);

5235 ALTER TABLE rental.contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_unit_code__a675b815 FOREIGN KEY (unit_code) REFERENCES catalog.unit_of_measure (
    unit_code);

5236 ALTER TABLE rental.contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_rate_plan__aa809a02 FOREIGN KEY (rate_plan_version_id) REFERENCES pricing.
    rate_plan_version (id);

5237 ALTER TABLE rental.vehicle_assignment ADD CONSTRAINT fk_rental_vehicle_assignment_contract_id_rental_r_d95c1f9c FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id) ON
    DELETE CASCADE;

5238 ALTER TABLE rental.vehicle_assignment ADD CONSTRAINT fk_rental_vehicle_assignment_calendar_entry_id_fl_76a81150 FOREIGN KEY (calendar_entry_id) REFERENCES fleet.vehicle_calendar_entry
    (id);

5239 ALTER TABLE rental.vehicle_assignment ADD CONSTRAINT fk_rental_vehicle_assignment_vehicle_id_fleet_vehicle_3 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5240 ALTER TABLE rental.vehicle_assignment ADD CONSTRAINT fk_rental_vehicle_assignment_pickup_branch_id_org_branch_4 FOREIGN KEY (pickup_branch_id) REFERENCES org.branch (id);

5241 ALTER TABLE rental.vehicle_assignment ADD CONSTRAINT fk_rental_vehicle_assignment_planned_return_branc_8b855ab2 FOREIGN KEY (planned_return_branch_id) REFERENCES org.branch (id);

5242 ALTER TABLE rental.vehicle_assignment ADD CONSTRAINT fk_rental_vehicle_assignment_actual_return_branch_73d5a70a FOREIGN KEY (actual_return_branch_id) REFERENCES org.branch (id);

5243 ALTER TABLE rental.pickup_event ADD CONSTRAINT fk_rental_pickup_event_contract_id_rental_rental__195a99ee FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5244 ALTER TABLE rental.pickup_event ADD CONSTRAINT fk_rental_pickup_event_vehicle_assignment_id_rent_a7ee97f9 FOREIGN KEY (vehicle_assignment_id) REFERENCES rental.vehicle_assignment (id);

5245 ALTER TABLE rental.pickup_event ADD CONSTRAINT fk_rental_pickup_event_branch_id_org_branch_3 FOREIGN KEY (branch_id) REFERENCES org.branch (id);
```

```
5246 ALTER TABLE rental.pickup_event ADD CONSTRAINT fk_rental_pickup_event_odometer_reading_id_fleet__88210f28 FOREIGN KEY (odometer_reading_id) REFERENCES fleet.odometer_reading (id);

5247 ALTER TABLE rental.pickup_event ADD CONSTRAINT fk_rental_pickup_event_fuel_reading_id_fleet_fuel_f5e98d7f FOREIGN KEY (fuel_reading_id) REFERENCES fleet.fuel_reading (id);

5248 ALTER TABLE rental.pickup_event ADD CONSTRAINT fk_rental_pickup_event_inspection_id_inspection_i_69d49857 FOREIGN KEY (inspection_id) REFERENCES inspection.inspection (id);

5249 ALTER TABLE rental.return_event ADD CONSTRAINT fk_rental_return_event_contract_id_rental_rental__f6920ef5 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5250 ALTER TABLE rental.return_event ADD CONSTRAINT fk_rental_return_event_vehicle_assignment_id_rent_aa34499a FOREIGN KEY (vehicle_assignment_id) REFERENCES rental.vehicle_assignment (id);

5251 ALTER TABLE rental.return_event ADD CONSTRAINT fk_rental_return_event_branch_id_org_branch_3 FOREIGN KEY (branch_id) REFERENCES org.branch (id);

5252 ALTER TABLE rental.return_event ADD CONSTRAINT fk_rental_return_event_odometer_reading_id_fleet__eea06bd9 FOREIGN KEY (odometer_reading_id) REFERENCES fleet.odometer_reading (id);

5253 ALTER TABLE rental.return_event ADD CONSTRAINT fk_rental_return_event_fuel_reading_id_fleet_fuel_8845a500 FOREIGN KEY (fuel_reading_id) REFERENCES fleet.fuel_reading (id);

5254 ALTER TABLE rental.return_event ADD CONSTRAINT fk_rental_return_event_inspection_id_inspection_i_8a62d08c FOREIGN KEY (inspection_id) REFERENCES inspection.inspection (id);

5255 ALTER TABLE rental.extension ADD CONSTRAINT fk_rental_extension_contract_id_rental_rental_contract_1 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5256 ALTER TABLE rental.extension ADD CONSTRAINT fk_rental_extension_requested_by_party_id_party_party_2 FOREIGN KEY (requested_by_party_id) REFERENCES party.party (id);

5257 ALTER TABLE rental.vehicle_replacement ADD CONSTRAINT fk_rental_vehicle_replacement_contract_id_rental__d46cc399 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5258 ALTER TABLE rental.vehicle_replacement ADD CONSTRAINT fk_rental_vehicle_replacement_previous_assignment_4212fc10 FOREIGN KEY (previous_assignment_id) REFERENCES rental.
    vehicle_assignment (id);

5259 ALTER TABLE rental.vehicle_replacement ADD CONSTRAINT fk_rental_vehicle_replacement_new_assignment_id_r_cc143ecc FOREIGN KEY (new_assignment_id) REFERENCES rental.vehicle_assignment (
    id);

5260 ALTER TABLE rental.contract_status_history ADD CONSTRAINT fk_rental_contract_status_history_contract_id_ren_b7d30ae2 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id) ON
    DELETE CASCADE;

5261 ALTER TABLE rental.contract_terms_acceptance ADD CONSTRAINT fk_rental_contract_terms_acceptance_contract_id_r_e1bd3927 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5262 ALTER TABLE rental.contract_terms_acceptance ADD CONSTRAINT fk_rental_contract_terms_acceptance_contract_revi_38c909b2 FOREIGN KEY (contract_revision_id) REFERENCES rental.
    contract_revision (id);
```

```
5263 ALTER TABLE rental.contract_terms_acceptance ADD CONSTRAINT fk_rental_contract_terms_acceptance_party_id_party_party_3 FOREIGN KEY (party_id) REFERENCES party.party (id);

5264 ALTER TABLE rental.contract_terms_acceptance ADD CONSTRAINT fk_rental_contract_terms_acceptance_channel_id_or_c4886e88 FOREIGN KEY (channel_id) REFERENCES org.channel (id);

5265 ALTER TABLE rental.contract_document ADD CONSTRAINT fk_rental_contract_document_contract_id_rental_re_43cb1a1a FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5266 ALTER TABLE rental.contract_document ADD CONSTRAINT fk_rental_contract_document_contract_revision_id_028a9a2f FOREIGN KEY (contract_revision_id) REFERENCES rental.contract_revision (
    id);

5267 ALTER TABLE rental.digital_pickup_session ADD CONSTRAINT fk_rental_digital_pickup_session_contract_id_rent_6042c3a6 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5268 ALTER TABLE rental.digital_pickup_session ADD CONSTRAINT fk_rental_digital_pickup_session_reservation_id_r_62d0440f FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id);

5269 ALTER TABLE rental.digital_pickup_session ADD CONSTRAINT fk_rental_digital_pickup_session_party_id_party_party_3 FOREIGN KEY (party_id) REFERENCES party.party (id);

5270 ALTER TABLE rental.vehicle_access_credential ADD CONSTRAINT fk_rental_vehicle_access_credential_digital_picku_46f920a7 FOREIGN KEY (digital_pickup_session_id) REFERENCES rental.
    digital_pickup_session (id) ON DELETE CASCADE;

5271 ALTER TABLE rental.vehicle_access_credential ADD CONSTRAINT fk_rental_vehicle_access_credential_vehicle_id_fl_99bba7ba FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5272 ALTER TABLE rental.vehicle_access_command ADD CONSTRAINT fk_rental_vehicle_access_command_contract_id_rent_c6361125 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5273 ALTER TABLE rental.vehicle_access_command ADD CONSTRAINT fk_rental_vehicle_access_command_vehicle_id_fleet_d6fb9a73 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5274 ALTER TABLE rental.overdue_case ADD CONSTRAINT fk_rental_overdue_case_contract_id_rental_rental__ae4039d0 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5275 ALTER TABLE rental.contract_reprocessing ADD CONSTRAINT fk_rental_contract_reprocessing_contract_id_renta_9b6f3d24 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5276 ALTER TABLE inspection.inspection_template_item ADD CONSTRAINT fk_inspection_inspection_template_item_inspection_4789f1b9 FOREIGN KEY (inspection_template_id) REFERENCES inspection.
    inspection_template (id) ON DELETE CASCADE;

5277 ALTER TABLE inspection.inspection ADD CONSTRAINT fk_inspection_inspection_inspection_template_id_i_172a4ce8 FOREIGN KEY (inspection_template_id) REFERENCES inspection.
    inspection_template (id);

5278 ALTER TABLE inspection.inspection ADD CONSTRAINT fk_inspection_inspection_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);
```



```
5279 ALTER TABLE inspection.inspection ADD CONSTRAINT fk_inspection_inspection_contract_id_rental_renta_0b054e85 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5280 ALTER TABLE inspection.inspection ADD CONSTRAINT fk_inspection_inspection_vehicle_assignment_id_re_7bace524 FOREIGN KEY (vehicle_assignment_id) REFERENCES rental.vehicle_assignment (id)
;

5281 ALTER TABLE inspection.inspection ADD CONSTRAINT fk_inspection_inspection_branch_id_org_branch_5 FOREIGN KEY (branch_id) REFERENCES org.branch (id);

5282 ALTER TABLE inspection.inspection_item_result ADD CONSTRAINT fk_inspection_inspection_item_result_inspection_i_df07a250 FOREIGN KEY (inspection_id) REFERENCES inspection.inspection (id)
ON DELETE CASCADE;

5283 ALTER TABLE inspection.inspection_item_result ADD CONSTRAINT fk_inspection_inspection_item_result_template_ite_30e0aa67 FOREIGN KEY (template_item_id) REFERENCES inspection.
inspection_template_item (id);

5284 ALTER TABLE inspection.inspection_media ADD CONSTRAINT fk_inspection_inspection_media_inspection_id_insp_4f1df40c FOREIGN KEY (inspection_id) REFERENCES inspection.inspection (id) ON
DELETE CASCADE;

5285 ALTER TABLE inspection.inspection_media ADD CONSTRAINT fk_inspection_inspection_media_template_item_id_i_383e7e81 FOREIGN KEY (template_item_id) REFERENCES inspection.
inspection_template_item (id);

5286 ALTER TABLE inspection.damage_record ADD CONSTRAINT fk_inspection_damage_record_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5287 ALTER TABLE inspection.damage_observation ADD CONSTRAINT fk_inspection_damage_observation_damage_record_id_35f8b591 FOREIGN KEY (damage_record_id) REFERENCES inspection.damage_record (
id);

5288 ALTER TABLE inspection.damage_observation ADD CONSTRAINT fk_inspection_damage_observation_inspection_id_in_b73d6c3e FOREIGN KEY (inspection_id) REFERENCES inspection.inspection (id);

5289 ALTER TABLE inspection.damage_observation ADD CONSTRAINT fk_inspection_damage_observation_media_id_inspect_1467b661 FOREIGN KEY (media_id) REFERENCES inspection.inspection_media (id);

5290 ALTER TABLE inspection.damage_attribution ADD CONSTRAINT fk_inspection_damage_attribution_damage_record_id_d0058bd5 FOREIGN KEY (damage_record_id) REFERENCES inspection.damage_record (
id);

5291 ALTER TABLE inspection.damage_attribution ADD CONSTRAINT fk_inspection_damage_attribution_contract_id_rent_1385d531 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5292 ALTER TABLE inspection.damage_attribution ADD CONSTRAINT fk_inspection_damage_attribution_incident_id_clai_51e7cae7 FOREIGN KEY (incident_id) REFERENCES claim.incident (id);

5293 ALTER TABLE inspection.damage_attribution ADD CONSTRAINT fk_inspection_damage_attribution_responsible_part_e94686dd FOREIGN KEY (responsible_party_id) REFERENCES party.party (id);
```

```
5294 ALTER TABLE inspection.damage_assessment ADD CONSTRAINT fk_inspection_damage_assessment_damage_record_id__74e2d0dd FOREIGN KEY (damage_record_id) REFERENCES inspection.damage_record (
      id);

5295 ALTER TABLE inspection.damage_assessment ADD CONSTRAINT fk_inspection_damage_assessment_contract_id_renta_b985876a FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5296 ALTER TABLE inspection.damage_assessment ADD CONSTRAINT fk_inspection_damage_assessment_assessor_party_id_12b10a8c FOREIGN KEY (assessor_party_id) REFERENCES party.party (id);

5297 ALTER TABLE inspection.fuel_assessment ADD CONSTRAINT fk_inspection_fuel_assessment_inspection_id_inspe_07b8dc0b FOREIGN KEY (inspection_id) REFERENCES inspection.inspection (id);

5298 ALTER TABLE inspection.fuel_assessment ADD CONSTRAINT fk_inspection_fuel_assessment_contract_id_rental__c914b49c FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5299 ALTER TABLE inspection.fuel_assessment ADD CONSTRAINT fk_inspection_fuel_assessment_fuel_price_id_prici_004ccc7b FOREIGN KEY (fuel_price_id) REFERENCES pricing.fuel_price (id);

5300 ALTER TABLE inspection.cleaning_assessment ADD CONSTRAINT fk_inspection_cleaning_assessment_inspection_id_i_e93b9ede FOREIGN KEY (inspection_id) REFERENCES inspection.inspection (id);

5301 ALTER TABLE inspection.cleaning_assessment ADD CONSTRAINT fk_inspection_cleaning_assessment_contract_id_ren_fa85d3a9 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5302 ALTER TABLE inspection.lost_found_item ADD CONSTRAINT fk_inspection_lost_found_item_inspection_id_inspe_b4209e8c FOREIGN KEY (inspection_id) REFERENCES inspection.inspection (id);

5303 ALTER TABLE inspection.lost_found_item ADD CONSTRAINT fk_inspection_lost_found_item_contract_id_rental__80aee175 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5304 ALTER TABLE inspection.lost_found_item ADD CONSTRAINT fk_inspection_lost_found_item_released_to_party_i_c84510ac FOREIGN KEY (released_to_party_id) REFERENCES party.party (id);

5305 ALTER TABLE billing.payment_method_token ADD CONSTRAINT fk_billing_payment_method_token_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id);

5306 ALTER TABLE billing.payment_method_token ADD CONSTRAINT fk_billing_payment_method_token_billing_address_i_fce0e31e FOREIGN KEY (billing_address_id) REFERENCES party.postal_address (id);

5307 ALTER TABLE billing.charge ADD CONSTRAINT fk_billing_charge_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5308 ALTER TABLE billing.charge ADD CONSTRAINT fk_billing_charge_contract_id_rental_rental_contract_2 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5309 ALTER TABLE billing.charge ADD CONSTRAINT fk_billing_charge_reservation_id_reservation_reservation_3 FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id);

5310 ALTER TABLE billing.charge ADD CONSTRAINT fk_billing_charge_charge_type_id_catalog_charge_type_4 FOREIGN KEY (charge_type_id) REFERENCES catalog.charge_type (id);
```

```
5311 ALTER TABLE billing.charge ADD CONSTRAINT fk_billing_charge_unit_code_catalog_unit_of_measure_5 FOREIGN KEY (unit_code) REFERENCES catalog.unit_of_measure (unit_code);

5312 ALTER TABLE billing.charge ADD CONSTRAINT fk_billing_charge_rate_plan_version_id_pricing_ra_9152308f FOREIGN KEY (rate_plan_version_id) REFERENCES pricing.rate_plan_version (id);

5313 ALTER TABLE billing.charge ADD CONSTRAINT fk_billing_charge_reversal_of_charge_id_billing_charge_7 FOREIGN KEY (reversal_of_charge_id) REFERENCES billing.charge (id);

5314 ALTER TABLE billing.invoice ADD CONSTRAINT fk_billing_invoice_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5315 ALTER TABLE billing.invoice ADD CONSTRAINT fk_billing_invoice_customer_account_id_party_cust_c255ffac FOREIGN KEY (customer_account_id) REFERENCES party.customer_account (id);

5316 ALTER TABLE billing.invoice ADD CONSTRAINT fk_billing_invoice_billing_party_id_party_party_3 FOREIGN KEY (billing_party_id) REFERENCES party.party (id);

5317 ALTER TABLE billing.invoice ADD CONSTRAINT fk_billing_invoice_contract_id_rental_rental_contract_4 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5318 ALTER TABLE billing.invoice ADD CONSTRAINT fk_billing_invoice_corporate_agreement_id_corpora_51f3c93f FOREIGN KEY (corporate_agreement_id) REFERENCES corporate.corporate_agreement (id);

5319 ALTER TABLE billing.invoice ADD CONSTRAINT fk_billing_invoice_supersedes_invoice_id_billing_invoice_6 FOREIGN KEY (supersedes_invoice_id) REFERENCES billing.invoice (id);

5320 ALTER TABLE billing.invoice_line ADD CONSTRAINT fk_billing_invoice_line_invoice_id_billing_invoice_1 FOREIGN KEY (invoice_id) REFERENCES billing.invoice (id) ON DELETE CASCADE;

5321 ALTER TABLE billing.invoice_line ADD CONSTRAINT fk_billing_invoice_line_charge_id_billing_charge_2 FOREIGN KEY (charge_id) REFERENCES billing.charge (id);

5322 ALTER TABLE billing.receivable ADD CONSTRAINT fk_billing_receivable_invoice_id_billing_invoice_1 FOREIGN KEY (invoice_id) REFERENCES billing.invoice (id);

5323 ALTER TABLE billing.payment_intent ADD CONSTRAINT fk_billing_payment_intent_legal_entity_id_org_leg_84e570ef FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5324 ALTER TABLE billing.payment_intent ADD CONSTRAINT fk_billing_payment_intent_party_id_party_party_2 FOREIGN KEY (party_id) REFERENCES party.party (id);

5325 ALTER TABLE billing.payment_intent ADD CONSTRAINT fk_billing_payment_intent_contract_id_rental_rent_94de4098 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5326 ALTER TABLE billing.payment_intent ADD CONSTRAINT fk_billing_payment_intent_reservation_id_reservat_ed029fdc FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id);

5327 ALTER TABLE billing.payment_intent ADD CONSTRAINT fk_billing_payment_intent_receivable_id_billing_r_96e121cd FOREIGN KEY (receivable_id) REFERENCES billing.receivable (id);

5328 ALTER TABLE billing.payment_intent ADD CONSTRAINT fk_billing_payment_intent_payment_method_token_id_49b5bb17 FOREIGN KEY (payment_method_token_id) REFERENCES billing.
    payment_method_token (id);
```

```
5329 ALTER TABLE billing.payment_transaction ADD CONSTRAINT fk_billing_payment_transaction_payment_intent_id_549db615 FOREIGN KEY (payment_intent_id) REFERENCES billing.payment_intent (id);

5330 ALTER TABLE billing.payment_allocation ADD CONSTRAINT fk_billing_payment_allocation_payment_transaction_e966b684 FOREIGN KEY (payment_transaction_id) REFERENCES billing.
      payment_transaction (id);

5331 ALTER TABLE billing.payment_allocation ADD CONSTRAINT fk_billing_payment_allocation_receivable_id_bill_i_424b9336 FOREIGN KEY (receivable_id) REFERENCES billing.receivable (id);

5332 ALTER TABLE billing.payment_allocation ADD CONSTRAINT fk_billing_payment_allocation_reversal_of_allocat_ccb7ea16 FOREIGN KEY (reversal_of_allocation_id) REFERENCES billing.
      payment_allocation (id);

5333 ALTER TABLE billing.preauthorization ADD CONSTRAINT fk_billing_preauthorization_payment_method_token_f4b79f0d FOREIGN KEY (payment_method_token_id) REFERENCES billing.
      payment_method_token (id);

5334 ALTER TABLE billing.preauthorization ADD CONSTRAINT fk_billing_preauthorization_reservation_id_reserv_dfa5eef9 FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id);

5335 ALTER TABLE billing.preauthorization ADD CONSTRAINT fk_billing_preauthorization_contract_id_rental_re_b9dbdc6b FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5336 ALTER TABLE billing.refund ADD CONSTRAINT fk_billing_refund_payment_transaction_id_billing__ab3a86a0 FOREIGN KEY (payment_transaction_id) REFERENCES billing.payment_transaction (id);

5337 ALTER TABLE billing.refund ADD CONSTRAINT fk_billing_refund_refund_transaction_id_billing_p_fed5ce2f FOREIGN KEY (refund_transaction_id) REFERENCES billing.payment_transaction (id);

5338 ALTER TABLE billing.credit_note ADD CONSTRAINT fk_billing_credit_note_invoice_id_billing_invoice_1 FOREIGN KEY (invoice_id) REFERENCES billing.invoice (id);

5339 ALTER TABLE billing.credit_note ADD CONSTRAINT fk_billing_credit_note_tax_document_id_billing_ta_e623e1ff FOREIGN KEY (tax_document_id) REFERENCES billing.tax_document (id);

5340 ALTER TABLE billing.chargeback ADD CONSTRAINT fk_billing_chargeback_payment_transaction_id_bill_617288cb FOREIGN KEY (payment_transaction_id) REFERENCES billing.payment_transaction (id)
      ;

5341 ALTER TABLE billing.tax_document ADD CONSTRAINT fk_billing_tax_document_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5342 ALTER TABLE billing.tax_document ADD CONSTRAINT fk_billing_tax_document_invoice_id_billing_invoice_2 FOREIGN KEY (invoice_id) REFERENCES billing.invoice (id);

5343 ALTER TABLE billing.dunning_case ADD CONSTRAINT fk_billing_dunning_case_customer_account_id_party_1ee48f6c FOREIGN KEY (customer_account_id) REFERENCES party.customer_account (id);

5344 ALTER TABLE billing.dunning_case ADD CONSTRAINT fk_billing_dunning_case_receivable_id_billing_receivable_2 FOREIGN KEY (receivable_id) REFERENCES billing.receivable (id);
```

```
5345 ALTER TABLE billing.collection_action ADD CONSTRAINT fk_billing_collection_action_dunning_case_id_bill_29a97fd7 FOREIGN KEY (dunning_case_id) REFERENCES billing.dunning_case (id) ON
DELETE CASCADE;

5346 ALTER TABLE billing.settlement_item ADD CONSTRAINT fk_billing_settlement_item_settlement_batch_id_bi_8acdd183 FOREIGN KEY (settlement_batch_id) REFERENCES billing.settlement_batch (id)
ON DELETE CASCADE;

5347 ALTER TABLE billing.settlement_item ADD CONSTRAINT fk_billing_settlement_item_payment_transaction_id_179e8096 FOREIGN KEY (payment_transaction_id) REFERENCES billing.
payment_transaction (id);

5348 ALTER TABLE billing.reconciliation_issue ADD CONSTRAINT fk_billing_reconciliation_issue_settlement_item_i_89e1c65e FOREIGN KEY (settlement_item_id) REFERENCES billing.settlement_item (
id);

5349 ALTER TABLE billing.accounting_export ADD CONSTRAINT fk_billing_accounting_export_legal_entity_id_org__8aef407b FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5350 ALTER TABLE traffic.traffic_notice ADD CONSTRAINT fk_traffic_traffic_notice_import_batch_id_traffic_a726f841 FOREIGN KEY (import_batch_id) REFERENCES traffic.provider_import_batch (id);

5351 ALTER TABLE traffic.traffic_notice ADD CONSTRAINT fk_traffic_traffic_notice_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5352 ALTER TABLE traffic.traffic_attribution ADD CONSTRAINT fk_traffic_traffic_attribution_traffic_notice_id__782e6e40 FOREIGN KEY (traffic_notice_id) REFERENCES traffic.traffic_notice (id);

5353 ALTER TABLE traffic.traffic_attribution ADD CONSTRAINT fk_traffic_traffic_attribution_contract_id_rental_bebc0978 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5354 ALTER TABLE traffic.traffic_attribution ADD CONSTRAINT fk_traffic_traffic_attribution_vehicle_assignment_8896b457 FOREIGN KEY (vehicle_assignment_id) REFERENCES rental.
vehicle_assignment (id);

5355 ALTER TABLE traffic.traffic_attribution ADD CONSTRAINT fk_traffic_traffic_attribution_driver_profile_id__9fd23c6a FOREIGN KEY (driver_profile_id) REFERENCES party.driver_profile (id);

5356 ALTER TABLE traffic.driver_nomination ADD CONSTRAINT fk_traffic_driver_nomination_traffic_notice_id_tr_c246b814 FOREIGN KEY (traffic_notice_id) REFERENCES traffic.traffic_notice (id);

5357 ALTER TABLE traffic.driver_nomination ADD CONSTRAINT fk_traffic_driver_nomination_driver_profile_id_pa_8c032902 FOREIGN KEY (driver_profile_id) REFERENCES party.driver_profile (id);

5358 ALTER TABLE traffic.traffic_appeal ADD CONSTRAINT fk_traffic_traffic_appeal_traffic_notice_id_traff_95bfe0ab FOREIGN KEY (traffic_notice_id) REFERENCES traffic.traffic_notice (id);

5359 ALTER TABLE traffic.toll_tag ADD CONSTRAINT fk_traffic_toll_tag_owning_legal_entity_id_org_le_3e9b62ec FOREIGN KEY (owning_legal_entity_id) REFERENCES org.legal_entity (id);
```

```
5360 ALTER TABLE traffic.toll_tag_assignment ADD CONSTRAINT fk_traffic_toll_tag_assignment_toll_tag_id_traffi_a47fea74 FOREIGN KEY (toll_tag_id) REFERENCES traffic.toll_tag (id);

5361 ALTER TABLE traffic.toll_tag_assignment ADD CONSTRAINT fk_traffic_toll_tag_assignment_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5362 ALTER TABLE traffic.toll_transaction ADD CONSTRAINT fk_traffic_toll_transaction_import_batch_id_traff_a8f71b6b FOREIGN KEY (import_batch_id) REFERENCES traffic.provider_import_batch (
id);

5363 ALTER TABLE traffic.toll_transaction ADD CONSTRAINT fk_traffic_toll_transaction_toll_tag_id_traffic_toll_tag_2 FOREIGN KEY (toll_tag_id) REFERENCES traffic.toll_tag (id);

5364 ALTER TABLE traffic.toll_transaction ADD CONSTRAINT fk_traffic_toll_transaction_vehicle_id_fleet_vehicle_3 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5365 ALTER TABLE traffic.toll_transaction ADD CONSTRAINT fk_traffic_toll_transaction_contract_id_rental_re_3e506932 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5366 ALTER TABLE traffic.parking_transaction ADD CONSTRAINT fk_traffic_parking_transaction_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5367 ALTER TABLE traffic.parking_transaction ADD CONSTRAINT fk_traffic_parking_transaction_contract_id_rental_394386e9 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5368 ALTER TABLE traffic.traffic_charge_link ADD CONSTRAINT fk_traffic_traffic_charge_link_traffic_notice_id_fe7dacda FOREIGN KEY (traffic_notice_id) REFERENCES traffic.traffic_notice (id);

5369 ALTER TABLE traffic.traffic_charge_link ADD CONSTRAINT fk_traffic_traffic_charge_link_toll_transaction_i_fa1b5a73 FOREIGN KEY (toll_transaction_id) REFERENCES traffic.toll_transaction
(id);

5370 ALTER TABLE traffic.traffic_charge_link ADD CONSTRAINT fk_traffic_traffic_charge_link_parking_transactio_53fd31f9 FOREIGN KEY (parking_transaction_id) REFERENCES traffic.
parking_transaction (id);

5371 ALTER TABLE traffic.traffic_charge_link ADD CONSTRAINT fk_traffic_traffic_charge_link_charge_id_billing_charge_4 FOREIGN KEY (charge_id) REFERENCES billing.charge (id);

5372 ALTER TABLE claim.insurance_policy ADD CONSTRAINT fk_claim_insurance_policy_legal_entity_id_org_leg_b729ad96 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5373 ALTER TABLE claim.insurance_policy ADD CONSTRAINT fk_claim_insurance_policy_insurer_party_id_party__e07c11cb FOREIGN KEY (insurer_party_id) REFERENCES party.organization (party_id);

5374 ALTER TABLE claim.policy_coverage ADD CONSTRAINT fk_claim_policy_coverage_insurance_policy_id_clai_f2a0e554 FOREIGN KEY (insurance_policy_id) REFERENCES claim.insurance_policy (id) ON
DELETE CASCADE;

5375 ALTER TABLE claim.policy_coverage ADD CONSTRAINT fk_claim_policy_coverage_coverage_id_catalog_coverage_2 FOREIGN KEY (coverage_id) REFERENCES catalog.coverage (id);
```

```
5376 ALTER TABLE claim.incident ADD CONSTRAINT fk_claim_incident_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5377 ALTER TABLE claim.incident ADD CONSTRAINT fk_claim_incident_contract_id_rental_rental_contract_2 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5378 ALTER TABLE claim.incident_party ADD CONSTRAINT fk_claim_incident_party_incident_id_claim_incident_1 FOREIGN KEY (incident_id) REFERENCES claim.incident (id) ON DELETE CASCADE;

5379 ALTER TABLE claim.incident_party ADD CONSTRAINT fk_claim_incident_party_party_id_party_party_2 FOREIGN KEY (party_id) REFERENCES party.party (id);

5380 ALTER TABLE claim.incident_vehicle ADD CONSTRAINT fk_claim_incident_vehicle_incident_id_claim_incident_1 FOREIGN KEY (incident_id) REFERENCES claim.incident (id) ON DELETE CASCADE;

5381 ALTER TABLE claim.incident_vehicle ADD CONSTRAINT fk_claim_incident_vehicle_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5382 ALTER TABLE claim.incident_document ADD CONSTRAINT fk_claim_incident_document_incident_id_claim_incident_1 FOREIGN KEY (incident_id) REFERENCES claim.incident (id) ON DELETE CASCADE;

5383 ALTER TABLE claim.claim ADD CONSTRAINT fk_claim_claim_incident_id_claim_incident_1 FOREIGN KEY (incident_id) REFERENCES claim.incident (id);

5384 ALTER TABLE claim.claim ADD CONSTRAINT fk_claim_claim_insurance_policy_id_claim_insuranc_4c9269f4 FOREIGN KEY (insurance_policy_id) REFERENCES claim.insurance_policy (id);

5385 ALTER TABLE claim.claim ADD CONSTRAINT fk_claim_claim_contract_id_rental_rental_contract_3 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5386 ALTER TABLE claim.claim_coverage_decision ADD CONSTRAINT fk_claim_claim_coverage_decision_claim_id_claim_claim_1 FOREIGN KEY (claim_id) REFERENCES claim.claim (id) ON DELETE CASCADE;

5387 ALTER TABLE claim.claim_coverage_decision ADD CONSTRAINT fk_claim_claim_coverage_decision_coverage_id_cata_70121be9 FOREIGN KEY (coverage_id) REFERENCES catalog.coverage (id);

5388 ALTER TABLE claim.claim_cost ADD CONSTRAINT fk_claim_claim_cost_claim_id_claim_claim_1 FOREIGN KEY (claim_id) REFERENCES claim.claim (id) ON DELETE CASCADE;

5389 ALTER TABLE claim.claim_cost ADD CONSTRAINT fk_claim_claim_cost_supplier_party_id_party_organization_2 FOREIGN KEY (supplier_party_id) REFERENCES party.organization (party_id);

5390 ALTER TABLE claim.third_party_claim ADD CONSTRAINT fk_claim_third_party_claim_claim_id_claim_claim_1 FOREIGN KEY (claim_id) REFERENCES claim.claim (id);

5391 ALTER TABLE claim.third_party_claim ADD CONSTRAINT fk_claim_third_party_claim_third_party_id_party_party_2 FOREIGN KEY (third_party_id) REFERENCES party.party (id);

5392 ALTER TABLE claim.recovery_case ADD CONSTRAINT fk_claim_recovery_case_claim_id_claim_claim_1 FOREIGN KEY (claim_id) REFERENCES claim.claim (id);

5393 ALTER TABLE claim.recovery_case ADD CONSTRAINT fk_claim_recovery_case_responsible_party_id_party_party_2 FOREIGN KEY (responsible_party_id) REFERENCES party.party (id);
```

```
5394 ALTER TABLE claim.roadside_assistance_case ADD CONSTRAINT fk_claim_roadside_assistance_case_incident_id_cla_b8bf19f7 FOREIGN KEY (incident_id) REFERENCES claim.incident (id);

5395 ALTER TABLE claim.roadside_assistance_case ADD CONSTRAINT fk_claim_roadside_assistance_case_contract_id_ren_391d5ed1 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5396 ALTER TABLE claim.roadside_assistance_case ADD CONSTRAINT fk_claim_roadside_assistance_case_vehicle_id_flee_cce0f0dd FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5397 ALTER TABLE claim.roadside_assistance_case ADD CONSTRAINT fk_claim_roadside_assistance_case_provider_party__8ec2f39c FOREIGN KEY (provider_party_id) REFERENCES party.organization (
party_id);

5398 ALTER TABLE maintenance.maintenance_plan ADD CONSTRAINT fk_maintenance_maintenance_plan_vehicle_variant_i_47d12681 FOREIGN KEY (vehicle_variant_id) REFERENCES catalog.vehicle_variant (
id);

5399 ALTER TABLE maintenance.maintenance_rule ADD CONSTRAINT fk_maintenance_maintenance_rule_maintenance_plan__24974bfd FOREIGN KEY (maintenance_plan_id) REFERENCES maintenance.
maintenance_plan (id) ON DELETE CASCADE;

5400 ALTER TABLE maintenance.maintenance_due ADD CONSTRAINT fk_maintenance_maintenance_due_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5401 ALTER TABLE maintenance.maintenance_due ADD CONSTRAINT fk_maintenance_maintenance_due_maintenance_rule_i_b6eb59c7 FOREIGN KEY (maintenance_rule_id) REFERENCES maintenance.
maintenance_rule (id);

5402 ALTER TABLE maintenance.maintenance_due ADD CONSTRAINT fk_maintenance_maintenance_due_service_order_id_m_e2bdd15e FOREIGN KEY (service_order_id) REFERENCES maintenance.service_order (
id);

5403 ALTER TABLE maintenance.vendor ADD CONSTRAINT fk_maintenance_vendor_party_id_party_organization_1 FOREIGN KEY (party_id) REFERENCES party.organization (party_id);

5404 ALTER TABLE maintenance.workshop ADD CONSTRAINT fk_maintenance_workshop_vendor_id_maintenance_vendor_1 FOREIGN KEY (vendor_id) REFERENCES maintenance.vendor (id);

5405 ALTER TABLE maintenance.workshop ADD CONSTRAINT fk_maintenance_workshop_branch_id_org_branch_2 FOREIGN KEY (branch_id) REFERENCES org.branch (id);

5406 ALTER TABLE maintenance.workshop ADD CONSTRAINT fk_maintenance_workshop_address_id_party_postal_address_3 FOREIGN KEY (address_id) REFERENCES party.postal_address (id);

5407 ALTER TABLE maintenance.service_order ADD CONSTRAINT fk_maintenance_service_order_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5408 ALTER TABLE maintenance.service_order ADD CONSTRAINT fk_maintenance_service_order_workshop_id_maintena_9e44837d FOREIGN KEY (workshop_id) REFERENCES maintenance.workshop (id);

5409 ALTER TABLE maintenance.service_order ADD CONSTRAINT fk_maintenance_service_order_calendar_entry_id_fl_636430da FOREIGN KEY (calendar_entry_id) REFERENCES fleet.vehicle_calendar_entry
(id);
```



```
5410 ALTER TABLE maintenance.service_order_item ADD CONSTRAINT fk_maintenance_service_order_item_service_order_i_e353e5ea FOREIGN KEY (service_order_id) REFERENCES maintenance.service_order
      (id) ON DELETE CASCADE;

5411 ALTER TABLE maintenance.part ADD CONSTRAINT fk_maintenance_part_unit_code_catalog_unit_of_measure_1 FOREIGN KEY (unit_code) REFERENCES catalog.unit_of_measure (unit_code);

5412 ALTER TABLE maintenance.service_order_part ADD CONSTRAINT fk_maintenance_service_order_part_service_order_i_f2949983 FOREIGN KEY (service_order_item_id) REFERENCES maintenance.
      service_order_item (id) ON DELETE CASCADE;

5413 ALTER TABLE maintenance.service_order_part ADD CONSTRAINT fk_maintenance_service_order_part_part_id_mainten_d32bf07d FOREIGN KEY (part_id) REFERENCES maintenance.part (id);

5414 ALTER TABLE maintenance.vehicle_recall ADD CONSTRAINT fk_maintenance_vehicle_recall_recall_campaign_id__add3886a FOREIGN KEY (recall_campaign_id) REFERENCES maintenance.recall_campaign
      (id);

5415 ALTER TABLE maintenance.vehicle_recall ADD CONSTRAINT fk_maintenance_vehicle_recall_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5416 ALTER TABLE maintenance.vehicle_recall ADD CONSTRAINT fk_maintenance_vehicle_recall_service_order_id_ma_61066ba2 FOREIGN KEY (service_order_id) REFERENCES maintenance.service_order (id)
      ;

5417 ALTER TABLE maintenance.tire_assignment ADD CONSTRAINT fk_maintenance_tire_assignment_tire_id_maintenance_tire_1 FOREIGN KEY (tire_id) REFERENCES maintenance.tire (id);

5418 ALTER TABLE maintenance.tire_assignment ADD CONSTRAINT fk_maintenance_tire_assignment_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5419 ALTER TABLE maintenance.downtime ADD CONSTRAINT fk_maintenance_downtime_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5420 ALTER TABLE maintenance.downtime ADD CONSTRAINT fk_maintenance_downtime_service_order_id_maintena_89dc7a01 FOREIGN KEY (service_order_id) REFERENCES maintenance.service_order (id);

5421 ALTER TABLE maintenance.downtime ADD CONSTRAINT fk_maintenance_downtime_calendar_entry_id_fleet_v_dd9edc03 FOREIGN KEY (calendar_entry_id) REFERENCES fleet.vehicle_calendar_entry (id);

5422 ALTER TABLE telematics.device ADD CONSTRAINT fk_telematics_device_provider_id_telematics_provider_1 FOREIGN KEY (provider_id) REFERENCES telematics.provider (id);

5423 ALTER TABLE telematics.vehicle_device_assignment ADD CONSTRAINT fk_telematics_vehicle_device_assignment_device_id_ce15a595 FOREIGN KEY (device_id) REFERENCES telematics.device (id);

5424 ALTER TABLE telematics.vehicle_device_assignment ADD CONSTRAINT fk_telematics_vehicle_device_assignment_vehicle_i_306d67ea FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5425 ALTER TABLE telematics.device_health_event ADD CONSTRAINT fk_telematics_device_health_event_device_id_telem_8e6cc4aa FOREIGN KEY (device_id) REFERENCES telematics.device (id);

5426 ALTER TABLE telematics.telemetry_event_index ADD CONSTRAINT fk_telematics_telemetry_event_index_device_id_tel_3df1e8c3 FOREIGN KEY (device_id) REFERENCES telematics.device (id);
```

```
5427 ALTER TABLE telematics.telemetry_event_index ADD CONSTRAINT fk_telematics_telemetry_event_index_vehicle_id_fl_e10ed6b1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5428 ALTER TABLE telematics.trip_summary ADD CONSTRAINT fk_telematics_trip_summary_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5429 ALTER TABLE telematics.trip_summary ADD CONSTRAINT fk_telematics_trip_summary_device_id_telematics_device_2 FOREIGN KEY (device_id) REFERENCES telematics.device (id);

5430 ALTER TABLE telematics.trip_summary ADD CONSTRAINT fk_telematics_trip_summary_contract_id_rental_ren_55c02804 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5431 ALTER TABLE telematics.driving_event ADD CONSTRAINT fk_telematics_driving_event_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5432 ALTER TABLE telematics.driving_event ADD CONSTRAINT fk_telematics_driving_event_device_id_telematics_device_2 FOREIGN KEY (device_id) REFERENCES telematics.device (id);

5433 ALTER TABLE telematics.driving_event ADD CONSTRAINT fk_telematics_driving_event_contract_id_rental_re_352e0bc4 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5434 ALTER TABLE telematics.driving_event ADD CONSTRAINT fk_telematics_driving_event_trip_summary_id_telem_edc7cc20 FOREIGN KEY (trip_summary_id) REFERENCES telematics.trip_summary (id);

5435 ALTER TABLE telematics.geofence_event ADD CONSTRAINT fk_telematics_geofence_event_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5436 ALTER TABLE telematics.geofence_event ADD CONSTRAINT fk_telematics_geofence_event_device_id_telematics_device_2 FOREIGN KEY (device_id) REFERENCES telematics.device (id);

5437 ALTER TABLE telematics.geofence_event ADD CONSTRAINT fk_telematics_geofence_event_geofence_id_telemati_09f4a4a4 FOREIGN KEY (geofence_id) REFERENCES telematics.geofence (id);

5438 ALTER TABLE telematics.geofence_event ADD CONSTRAINT fk_telematics_geofence_event_contract_id_rental_r_831b6d1a FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5439 ALTER TABLE telematics.vehicle_command ADD CONSTRAINT fk_telematics_vehicle_command_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5440 ALTER TABLE telematics.vehicle_command ADD CONSTRAINT fk_telematics_vehicle_command_device_id_telematic_553167d6 FOREIGN KEY (device_id) REFERENCES telematics.device (id);

5441 ALTER TABLE telematics.vehicle_command ADD CONSTRAINT fk_telematics_vehicle_command_contract_id_rental__9d1e4164 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5442 ALTER TABLE telematics.command_result ADD CONSTRAINT fk_telematics_command_result_vehicle_command_id_t_12fde95b FOREIGN KEY (vehicle_command_id) REFERENCES telematics.vehicle_command (
    id) ON DELETE CASCADE;

5443 ALTER TABLE loyalty.loyalty_account ADD CONSTRAINT fk_loyalty_loyalty_account_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id);

5444 ALTER TABLE loyalty.loyalty_account ADD CONSTRAINT fk_loyalty_loyalty_account_current_tier_id_loyalt_fc0c485d FOREIGN KEY (current_tier_id) REFERENCES loyalty.loyalty_tier (id);
```

```
5445 ALTER TABLE loyalty.tier_rule_version ADD CONSTRAINT fk_loyalty_tier_rule_version_loyalty_tier_id_loya_6e5f4229 FOREIGN KEY (loyalty_tier_id) REFERENCES loyalty.loyalty_tier (id) ON
DELETE CASCADE;

5446 ALTER TABLE loyalty.tier_history ADD CONSTRAINT fk_loyalty_tier_history_loyalty_account_id_loyalt_31dc7dd5 FOREIGN KEY (loyalty_account_id) REFERENCES loyalty.loyalty_account (id) ON
DELETE CASCADE;

5447 ALTER TABLE loyalty.tier_history ADD CONSTRAINT fk_loyalty_tier_history_loyalty_tier_id_loyalty_l_ac4642b9 FOREIGN KEY (loyalty_tier_id) REFERENCES loyalty.loyalty_tier (id);

5448 ALTER TABLE loyalty.tier_history ADD CONSTRAINT fk_loyalty_tier_history_rule_version_id_loyalty_t_92fb18ca FOREIGN KEY (rule_version_id) REFERENCES loyalty.tier_rule_version (id);

5449 ALTER TABLE loyalty.points_ledger ADD CONSTRAINT fk_loyalty_points_ledger_loyalty_account_id_loyal_75638ffa FOREIGN KEY (loyalty_account_id) REFERENCES loyalty.loyalty_account (id);

5450 ALTER TABLE loyalty.points_ledger ADD CONSTRAINT fk_loyalty_points_ledger_earning_rule_id_loyalty__0e0ef5fe FOREIGN KEY (earning_rule_id) REFERENCES loyalty.earning_rule (id);

5451 ALTER TABLE loyalty.points_ledger ADD CONSTRAINT fk_loyalty_points_ledger_redemption_rule_id_loyal_430eb7e4 FOREIGN KEY (redemption_rule_id) REFERENCES loyalty.redemption_rule (id);

5452 ALTER TABLE loyalty.points_ledger ADD CONSTRAINT fk_loyalty_points_ledger_reversal_of_entry_id_loy_0187f35d FOREIGN KEY (reversal_of_entry_id) REFERENCES loyalty.points_ledger (id);

5453 ALTER TABLE loyalty.points_lot ADD CONSTRAINT fk_loyalty_points_lot_loyalty_account_id_loyalty__2a81d62d FOREIGN KEY (loyalty_account_id) REFERENCES loyalty.loyalty_account (id);

5454 ALTER TABLE loyalty.points_lot ADD CONSTRAINT fk_loyalty_points_lot_origin_ledger_entry_id_loya_b3419dde FOREIGN KEY (origin_ledger_entry_id) REFERENCES loyalty.points_ledger (id);

5455 ALTER TABLE loyalty.redemption ADD CONSTRAINT fk_loyalty_redemption_loyalty_account_id_loyalty__12ce29ca FOREIGN KEY (loyalty_account_id) REFERENCES loyalty.loyalty_account (id);

5456 ALTER TABLE loyalty.redemption ADD CONSTRAINT fk_loyalty_redemption_reservation_id_reservation__1a2b8fbe FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id);

5457 ALTER TABLE loyalty.redemption ADD CONSTRAINT fk_loyalty_redemption_contract_id_rental_rental_contract_3 FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5458 ALTER TABLE loyalty.redemption_allocation ADD CONSTRAINT fk_loyalty_redemption_allocation_redemption_id_lo_b939e147 FOREIGN KEY (redemption_id) REFERENCES loyalty.redemption (id) ON
DELETE CASCADE;

5459 ALTER TABLE loyalty.redemption_allocation ADD CONSTRAINT fk_loyalty_redemption_allocation_points_lot_id_lo_ca77ab36 FOREIGN KEY (points_lot_id) REFERENCES loyalty.points_lot (id);

5460 ALTER TABLE loyalty.benefit_entitlement ADD CONSTRAINT fk_loyalty_benefit_entitlement_loyalty_account_id_19c9ed67 FOREIGN KEY (loyalty_account_id) REFERENCES loyalty.loyalty_account (
id);

5461 ALTER TABLE loyalty.benefit_entitlement ADD CONSTRAINT fk_loyalty_benefit_entitlement_benefit_id_loyalty_63e3163a FOREIGN KEY (benefit_id) REFERENCES loyalty.benefit (id);
```

```
5462 ALTER TABLE loyalty.benefit_usage ADD CONSTRAINT fk_loyalty_benefit_usage_benefit_entitlement_id_l_473b2eb8 FOREIGN KEY (benefit_entitlement_id) REFERENCES loyalty.benefit_entitlement
      (id);

5463 ALTER TABLE loyalty.benefit_usage ADD CONSTRAINT fk_loyalty_benefit_usage_reservation_id_reservati_ea12cae2 FOREIGN KEY (reservation_id) REFERENCES reservation.reservation (id);

5464 ALTER TABLE loyalty.benefit_usage ADD CONSTRAINT fk_loyalty_benefit_usage_contract_id_rental_renta_c45f74fd FOREIGN KEY (contract_id) REFERENCES rental.rental_contract (id);

5465 ALTER TABLE loyalty.benefit_usage ADD CONSTRAINT fk_loyalty_benefit_usage_reversal_of_usage_id_loy_161c2c87 FOREIGN KEY (reversal_of_usage_id) REFERENCES loyalty.benefit_usage (id);

5466 ALTER TABLE loyalty.points_transfer ADD CONSTRAINT fk_loyalty_points_transfer_from_account_id_loyalt_36d9a91a FOREIGN KEY (from_account_id) REFERENCES loyalty.loyalty_account (id);

5467 ALTER TABLE loyalty.points_transfer ADD CONSTRAINT fk_loyalty_points_transfer_to_account_id_loyalty__08fd9e1c FOREIGN KEY (to_account_id) REFERENCES loyalty.loyalty_account (id);

5468 ALTER TABLE loyalty.points_transfer ADD CONSTRAINT fk_loyalty_points_transfer_out_ledger_entry_id_lo_6f1855ad FOREIGN KEY (out_ledger_entry_id) REFERENCES loyalty.points_ledger (id);

5469 ALTER TABLE loyalty.points_transfer ADD CONSTRAINT fk_loyalty_points_transfer_in_ledger_entry_id_loy_f12f28fa FOREIGN KEY (in_ledger_entry_id) REFERENCES loyalty.points_ledger (id);

5470 ALTER TABLE fleet_mgmt.fleet_service_contract ADD CONSTRAINT fk_fleet_mgmt_fleet_service_contract_legal_entity_0449c228 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5471 ALTER TABLE fleet_mgmt.fleet_service_contract ADD CONSTRAINT fk_fleet_mgmt_fleet_service_contract_customer_acc_6cd72fad FOREIGN KEY (customer_account_id) REFERENCES party.
      customer_account (id);

5472 ALTER TABLE fleet_mgmt.fleet_service_contract ADD CONSTRAINT fk_fleet_mgmt_fleet_service_contract_corporate_ag_62ad139e FOREIGN KEY (corporate_agreement_id) REFERENCES corporate.
      corporate_agreement (id);

5473 ALTER TABLE fleet_mgmt.fleet_service_level ADD CONSTRAINT fk_fleet_mgmt_fleet_service_level_fleet_service_c_0b1cf43a FOREIGN KEY (fleet_service_contract_id) REFERENCES fleet_mgmt.
      fleet_service_contract (id) ON DELETE CASCADE;

5474 ALTER TABLE fleet_mgmt.fleet_service_level ADD CONSTRAINT fk_fleet_mgmt_fleet_service_level_unit_code_catal_ecc953d1 FOREIGN KEY (unit_code) REFERENCES catalog.unit_of_measure (
      unit_code);

5475 ALTER TABLE fleet_mgmt.managed_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_managed_vehicle_assignment_fleet_se_78391358 FOREIGN KEY (fleet_service_contract_id) REFERENCES
      fleet_mgmt.fleet_service_contract (id) ON DELETE CASCADE;

5476 ALTER TABLE fleet_mgmt.managed_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_managed_vehicle_assignment_vehicle__ca7d7e43 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5477 ALTER TABLE fleet_mgmt.managed_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_managed_vehicle_assignment_assigned_4783c88b FOREIGN KEY (assigned_driver_profile_id) REFERENCES party.
      driver_profile (id);
```

```
5478 ALTER TABLE fleet_mgmt.managed_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_managed_vehicle_assignment_cost_cen_e312d0a4 FOREIGN KEY (cost_center_id) REFERENCES corporate.
      corporate_cost_center (id);

5479 ALTER TABLE fleet_mgmt.mileage_commitment ADD CONSTRAINT fk_fleet_mgmt_mileage_commitment_fleet_service_co_68e442e1 FOREIGN KEY (fleet_service_contract_id) REFERENCES fleet_mgmt.
      fleet_service_contract (id) ON DELETE CASCADE;

5480 ALTER TABLE fleet_mgmt.mileage_commitment ADD CONSTRAINT fk_fleet_mgmt_mileage_commitment_vehicle_id_fleet_66ce1962 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5481 ALTER TABLE fleet_mgmt.telemetry_package ADD CONSTRAINT fk_fleet_mgmt_telemetry_package_fleet_service_con_f3f1712e FOREIGN KEY (fleet_service_contract_id) REFERENCES fleet_mgmt.
      fleet_service_contract (id) ON DELETE CASCADE;

5482 ALTER TABLE fleet_mgmt.replacement_entitlement ADD CONSTRAINT fk_fleet_mgmt_replacement_entitlement_fleet_servi_8f99ffc4 FOREIGN KEY (fleet_service_contract_id) REFERENCES fleet_mgmt.
      fleet_service_contract (id) ON DELETE CASCADE;

5483 ALTER TABLE fleet_mgmt.replacement_entitlement ADD CONSTRAINT fk_fleet_mgmt_replacement_entitlement_vehicle_gro_bcba57c9 FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group
      (id);

5484 ALTER TABLE fleet_mgmt.fleet_service_event ADD CONSTRAINT fk_fleet_mgmt_fleet_service_event_fleet_service_c_3b809512 FOREIGN KEY (fleet_service_contract_id) REFERENCES fleet_mgmt.
      fleet_service_contract (id);

5485 ALTER TABLE fleet_mgmt.fleet_service_event ADD CONSTRAINT fk_fleet_mgmt_fleet_service_event_vehicle_id_flee_72acf7be FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5486 ALTER TABLE fleet_mgmt.subscription_plan ADD CONSTRAINT fk_fleet_mgmt_subscription_plan_vehicle_group_id__7c4c492d FOREIGN KEY (vehicle_group_id) REFERENCES catalog.vehicle_group (id);

5487 ALTER TABLE fleet_mgmt.subscription_contract ADD CONSTRAINT fk_fleet_mgmt_subscription_contract_subscription__8a13a360 FOREIGN KEY (subscription_plan_id) REFERENCES fleet_mgmt.
      subscription_plan (id);

5488 ALTER TABLE fleet_mgmt.subscription_contract ADD CONSTRAINT fk_fleet_mgmt_subscription_contract_customer_acco_ad7cb737 FOREIGN KEY (customer_account_id) REFERENCES party.
      customer_account (id);

5489 ALTER TABLE fleet_mgmt.subscription_contract ADD CONSTRAINT fk_fleet_mgmt_subscription_contract_legal_entity__27036bbf FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5490 ALTER TABLE fleet_mgmt.subscription_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_subscription_vehicle_assignment_sub_de7ead13 FOREIGN KEY (subscription_contract_id) REFERENCES
      fleet_mgmt.subscription_contract (id) ON DELETE CASCADE;

5491 ALTER TABLE fleet_mgmt.subscription_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_subscription_vehicle_assignment_veh_f9be83d1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5492 ALTER TABLE fleet_mgmt.subscription_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_subscription_vehicle_assignment_cal_a88faaf FOREIGN KEY (calendar_entry_id) REFERENCES fleet.
      vehicle_calendar_entry (id);
```

```
5493 ALTER TABLE used_car.disposal_candidate ADD CONSTRAINT fk_used_car_disposal_candidate_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5494 ALTER TABLE used_car.vehicle_valuation ADD CONSTRAINT fk_used_car_vehicle_valuation_disposal_candidate__16ac4ac3 FOREIGN KEY (disposal_candidate_id) REFERENCES used_car.
disposal_candidate (id) ON DELETE CASCADE;

5495 ALTER TABLE used_car.refurbishment_order ADD CONSTRAINT fk_used_car_refurbishment_order_disposal_candidat_a898cea0 FOREIGN KEY (disposal_candidate_id) REFERENCES used_car.
disposal_candidate (id);

5496 ALTER TABLE used_car.refurbishment_order ADD CONSTRAINT fk_used_car_refurbishment_order_service_order_id__5174b827 FOREIGN KEY (service_order_id) REFERENCES maintenance.service_order (
id);

5497 ALTER TABLE used_car.refurbishment_item ADD CONSTRAINT fk_used_car_refurbishment_item_refurbishment_orde_47a9659e FOREIGN KEY (refurbishment_order_id) REFERENCES used_car.
refurbishment_order (id) ON DELETE CASCADE;

5498 ALTER TABLE used_car.listing ADD CONSTRAINT fk_used_car_listing_disposal_candidate_id_used_ca_ff83f2ed FOREIGN KEY (disposal_candidate_id) REFERENCES used_car.disposal_candidate (id);

5499 ALTER TABLE used_car.listing ADD CONSTRAINT fk_used_car_listing_sale_channel_id_used_car_sale_5ba1c5f2 FOREIGN KEY (sale_channel_id) REFERENCES used_car.sale_channel (id);

5500 ALTER TABLE used_car.lead ADD CONSTRAINT fk_used_car_lead_listing_id_used_car_listing_1 FOREIGN KEY (listing_id) REFERENCES used_car.listing (id);

5501 ALTER TABLE used_car.lead ADD CONSTRAINT fk_used_car_lead_party_id_party_party_2 FOREIGN KEY (party_id) REFERENCES party.party (id);

5502 ALTER TABLE used_car.test_drive ADD CONSTRAINT fk_used_car_test_drive_lead_id_used_car_lead_1 FOREIGN KEY (lead_id) REFERENCES used_car.lead (id);

5503 ALTER TABLE used_car.test_drive ADD CONSTRAINT fk_used_car_test_drive_listing_id_used_car_listing_2 FOREIGN KEY (listing_id) REFERENCES used_car.listing (id);

5504 ALTER TABLE used_car.test_drive ADD CONSTRAINT fk_used_car_test_drive_driver_profile_id_party_dr_cfd433ad FOREIGN KEY (driver_profile_id) REFERENCES party.driver_profile (id);

5505 ALTER TABLE used_car.sale_order ADD CONSTRAINT fk_used_car_sale_order_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5506 ALTER TABLE used_car.sale_order ADD CONSTRAINT fk_used_car_sale_order_buyer_party_id_party_party_2 FOREIGN KEY (buyer_party_id) REFERENCES party.party (id);

5507 ALTER TABLE used_car.sale_order ADD CONSTRAINT fk_used_car_sale_order_sale_channel_id_used_car_s_74c03d06 FOREIGN KEY (sale_channel_id) REFERENCES used_car.sale_channel (id);

5508 ALTER TABLE used_car.sale_order_vehicle ADD CONSTRAINT fk_used_car_sale_order_vehicle_sale_order_id_used_def3eb45 FOREIGN KEY (sale_order_id) REFERENCES used_car.sale_order (id) ON
DELETE CASCADE;
```

```
5509 ALTER TABLE used_car.sale_order_vehicle ADD CONSTRAINT fk_used_car_sale_order_vehicle_disposal_candidate_3e572391 FOREIGN KEY (disposal_candidate_id) REFERENCES used_car.
    disposal_candidate (id);

5510 ALTER TABLE used_car.sale_order_vehicle ADD CONSTRAINT fk_used_car_sale_order_vehicle_vehicle_id_fleet_vehicle_3 FOREIGN KEY (vehicle_id) REFERENCES fleet.vehicle (id);

5511 ALTER TABLE used_car.sale_order_vehicle ADD CONSTRAINT fk_used_car_sale_order_vehicle_listing_id_used_ca_0ecc8323 FOREIGN KEY (listing_id) REFERENCES used_car.listing (id);

5512 ALTER TABLE used_car.vehicle_transfer ADD CONSTRAINT fk_used_car_vehicle_transfer_sale_order_vehicle_i_13b3f076 FOREIGN KEY (sale_order_vehicle_id) REFERENCES used_car.
    sale_order_vehicle (id);

5513 ALTER TABLE used_car.vehicle_transfer ADD CONSTRAINT fk_used_car_vehicle_transfer_seller_party_id_party_party_2 FOREIGN KEY (seller_party_id) REFERENCES party.party (id);

5514 ALTER TABLE used_car.vehicle_transfer ADD CONSTRAINT fk_used_car_vehicle_transfer_buyer_party_id_party_party_3 FOREIGN KEY (buyer_party_id) REFERENCES party.party (id);

5515 ALTER TABLE used_car.used_vehicle_warranty ADD CONSTRAINT fk_used_car_used_vehicle_warranty_sale_order_vehi_a729f4c1 FOREIGN KEY (sale_order_vehicle_id) REFERENCES used_car.
    sale_order_vehicle (id) ON DELETE CASCADE;

5516 ALTER TABLE used_car.sale_document ADD CONSTRAINT fk_used_car_sale_document_sale_order_id_used_car__2ea0cf60 FOREIGN KEY (sale_order_id) REFERENCES used_car.sale_order (id) ON DELETE
    CASCADE;

5517 ALTER TABLE privacy.privacy_notice_version ADD CONSTRAINT fk_privacy_privacy_notice_version_privacy_notice__ac0b556a FOREIGN KEY (privacy_notice_id) REFERENCES privacy.privacy_notice (
    id) ON DELETE CASCADE;

5518 ALTER TABLE privacy.legal_basis ADD CONSTRAINT fk_privacy_legal_basis_purpose_id_privacy_process_a07a3266 FOREIGN KEY (purpose_id) REFERENCES privacy.processing_purpose (id);

5519 ALTER TABLE privacy.consent_receipt ADD CONSTRAINT fk_privacy_consent_receipt_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id);

5520 ALTER TABLE privacy.consent_receipt ADD CONSTRAINT fk_privacy_consent_receipt_privacy_notice_version_a9f735eb FOREIGN KEY (privacy_notice_version_id) REFERENCES privacy.
    privacy_notice_version (id);

5521 ALTER TABLE privacy.consent_receipt ADD CONSTRAINT fk_privacy_consent_receipt_purpose_id_privacy_pro_cd939f31 FOREIGN KEY (purpose_id) REFERENCES privacy.processing_purpose (id);

5522 ALTER TABLE privacy.consent_receipt ADD CONSTRAINT fk_privacy_consent_receipt_channel_id_org_channel_4 FOREIGN KEY (channel_id) REFERENCES org.channel (id);

5523 ALTER TABLE privacy.data_subject_request ADD CONSTRAINT fk_privacy_data_subject_request_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id);

5524 ALTER TABLE privacy.data_subject_request ADD CONSTRAINT fk_privacy_data_subject_request_channel_id_org_channel_2 FOREIGN KEY (channel_id) REFERENCES org.channel (id);
```

```

5525 ALTER TABLE privacy.data_subject_request ADD CONSTRAINT fk_privacy_data_subject_request_identity_verifica_9067215d FOREIGN KEY (identity_verification_id) REFERENCES party.
      identity_verification (id);

5526 ALTER TABLE privacy.legal_hold ADD CONSTRAINT fk_privacy_legal_hold_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id);

5527 ALTER TABLE privacy.erasure_job ADD CONSTRAINT fk_privacy_erasure_job_data_subject_request_id_pr_35b86c5d FOREIGN KEY (data_subject_request_id) REFERENCES privacy.data_subject_request
      (id);

5528 ALTER TABLE privacy.erasure_job ADD CONSTRAINT fk_privacy_erasure_job_party_id_party_party_2 FOREIGN KEY (party_id) REFERENCES party.party (id);

5529 ALTER TABLE privacy.erasure_job ADD CONSTRAINT fk_privacy_erasure_job_blocked_by_legal_hold_id_p_fe8237f5 FOREIGN KEY (blocked_by_legal_hold_id) REFERENCES privacy.legal_hold (id);

5530 ALTER TABLE privacy.data_access_audit ADD CONSTRAINT fk_privacy_data_access_audit_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id);

5531 ALTER TABLE privacy.data_sharing_record ADD CONSTRAINT fk_privacy_data_sharing_record_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party.party (id);

5532 ALTER TABLE privacy.data_sharing_record ADD CONSTRAINT fk_privacy_data_sharing_record_recipient_party_id_fe3eb89a FOREIGN KEY (recipient_party_id) REFERENCES party.party (id);

5533 ALTER TABLE privacy.data_sharing_record ADD CONSTRAINT fk_privacy_data_sharing_record_purpose_id_privacy_303fc290 FOREIGN KEY (purpose_id) REFERENCES privacy.processing_purpose (id);

5534 ALTER TABLE privacy.data_sharing_record ADD CONSTRAINT fk_privacy_data_sharing_record_legal_basis_id_pri_46a287ce FOREIGN KEY (legal_basis_id) REFERENCES privacy.legal_basis (id);

5535 ALTER TABLE integration.saga_step ADD CONSTRAINT fk_integration_saga_step_saga_instance_id_integra_4d884140 FOREIGN KEY (saga_instance_id) REFERENCES integration.saga_instance (id) ON
      DELETE CASCADE;

5536 ALTER TABLE integration.audit_event ADD CONSTRAINT fk_integration_audit_event_legal_entity_id_org_le_989ccbe0 FOREIGN KEY (legal_entity_id) REFERENCES org.legal_entity (id);

5537 ALTER TABLE integration.audit_event ADD CONSTRAINT fk_integration_audit_event_branch_id_org_branch_2 FOREIGN KEY (branch_id) REFERENCES org.branch (id);

```

B.4 Índices, exclusões temporais e imutabilidade - linhas 5539 a 5982

```

5539 -- -----
5540 -- Secondary indexes
5541 -- -----
5542 CREATE INDEX ix_org_business_unit_parent_business_unit_id_1 ON org.business_unit (parent_business_unit_id);

5543 CREATE INDEX ix_org_branch_country_code_status_1 ON org.branch (country_code, status);

```



```
5544 CREATE INDEX ix_org_branch_airport_code_2 ON org.branch (airport_code);

5545 CREATE INDEX ix_org_branch_operator_branch_id_valid_from_1 ON org.branch_operator (branch_id, valid_from);

5546 CREATE INDEX ix_party_party_canonical_status_1 ON party.party (canonical_status);

5547 CREATE INDEX ix_party_party_identifier_party_id_identifier_type_1 ON party.party_identifier (party_id, identifier_type);

5548 CREATE INDEX ix_party_contact_point_party_id_contact_type_1 ON party.contact_point (party_id, contact_type);

5549 CREATE INDEX ix_party_contact_point_value_hmac_2 ON party.contact_point (value_hmac);

5550 CREATE INDEX ix_party_party_address_party_id_usage_type_1 ON party.party_address (party_id, usage_type);

5551 CREATE INDEX ix_party_customer_account_party_id_1 ON party.customer_account (party_id);

5552 CREATE INDEX ix_party_customer_account_status_2 ON party.customer_account (status);

5553 CREATE INDEX ix_party_organization_representative_organization_673bbd10 ON party.organization_representative (organization_party_id);

5554 CREATE INDEX ix_party_organization_representative_person_party_id_2 ON party.organization_representative (person_party_id);

5555 CREATE INDEX ix_party_driver_license_driver_profile_id_expires_at_1 ON party.driver_license (driver_profile_id, expires_at);

5556 CREATE INDEX ix_party_identity_verification_party_id_verified_at_1 ON party.identity_verification (party_id, verified_at);

5557 CREATE INDEX ix_party_risk_assessment_party_id_assessed_at_1 ON party.risk_assessment (party_id, assessed_at);

5558 CREATE INDEX ix_party_customer_restriction_party_id_status_1 ON party.customer_restriction (party_id, status);

5559 CREATE INDEX ix_catalog_vehicle_variant_model_year_1 ON catalog.vehicle_variant (model_year);

5560 CREATE INDEX ix_catalog_vehicle_group_market_country_code_status_1 ON catalog.vehicle_group (market_country_code, status);

5561 CREATE INDEX ix_catalog_vehicle_group_variant_vehicle_variant__503416be ON catalog.vehicle_group_variant (vehicle_variant_id, valid_from);
```

```
5562 CREATE INDEX ix_catalog_vehicle_group_upgrade_from_group_id_priority_1 ON catalog.vehicle_group_upgrade (from_group_id, priority);
5563 CREATE INDEX ix_catalog_commercial_product_product_type_status_1 ON catalog.commercial_product (product_type, status);
5564 CREATE INDEX ix_corporate_corporate_agreement_customer_account_f75ea870 ON corporate.corporate_agreement (customer_account_id, status);
5565 CREATE INDEX ix_fleet_vehicle_current_branch_id_current_vehicle_group_id_current_operational_state_1 ON fleet.vehicle (current_branch_id, current_vehicle_group_id, current_operational_state);
5566 CREATE INDEX ix_fleet_vehicle_current_lifecycle_state_2 ON fleet.vehicle (current_lifecycle_state);
5567 CREATE INDEX ix_fleet_vehicle_registration_vehicle_id_valid_from_1 ON fleet.vehicle_registration (vehicle_id, valid_from);
5568 CREATE INDEX ix_fleet_vehicle_registration_registration_number_2 ON fleet.vehicle_registration (registration_number);
5569 CREATE INDEX ix_fleet_vehicle_group_assignment_vehicle_group_id_valid_from_1 ON fleet.vehicle_group_assignment (vehicle_group_id, valid_from);
5570 CREATE INDEX ix_fleet_vehicle_operational_state_history_vehicle_id_changed_at_1 ON fleet.vehicle_operational_state_history (vehicle_id, changed_at);
5571 CREATE INDEX ix_fleet_vehicle_lifecycle_history_vehicle_id_changed_at_1 ON fleet.vehicle_lifecycle_history (vehicle_id, changed_at);
5572 CREATE INDEX ix_fleet_vehicle_restriction_vehicle_id_status_1 ON fleet.vehicle_restriction (vehicle_id, status);
5573 CREATE INDEX ix_fleet_vehicle_location_history_vehicle_id_recorded_at_1 ON fleet.vehicle_location_history (vehicle_id, recorded_at);
5574 CREATE INDEX ix_fleet_vehicle_calendar_entry_vehicle_id_start_at_end_at_1 ON fleet.vehicle_calendar_entry (vehicle_id, start_at, end_at);
5575 CREATE INDEX ix_fleet_vehicle_calendar_entry_source_type_source_id_2 ON fleet.vehicle_calendar_entry (source_type, source_id);
5576 CREATE INDEX ix_fleet_odometer_reading_vehicle_id_reading_at_1 ON fleet.odometer_reading (vehicle_id, reading_at);
5577 CREATE INDEX ix_fleet_fuel_reading_vehicle_id_reading_at_1 ON fleet.fuel_reading (vehicle_id, reading_at);
5578 CREATE INDEX ix_fleet_asset_document_vehicle_id_document_type_1 ON fleet.asset_document (vehicle_id, document_type);
5579 CREATE INDEX ix_fleet_vehicle_accessory_assignment_vehicle_id_start_at_1 ON fleet.vehicle_accessory_assignment (vehicle_id, start_at);
```

```
5580 CREATE INDEX ix_fleet_disposal_eligibility_vehicle_id_evaluated_at_1 ON fleet.disposal_eligibility (vehicle_id, evaluated_at);

5581 CREATE INDEX ix_pricing_rate_plan_version_rate_plan_id_valid_fcf91f9e ON pricing.rate_plan_version (rate_plan_id, valid_from, valid_to);

5582 CREATE INDEX ix_pricing_rate_plan_applicability_origin_branch__cea49215 ON pricing.rate_plan_applicability (origin_branch_id, vehicle_group_id, priority);

5583 CREATE INDEX ix_pricing_base_rate_rate_plan_version_id_vehicle_00ee8c12 ON pricing.base_rate (rate_plan_version_id, vehicle_group_id, origin_branch_id, valid_from);

5584 CREATE INDEX ix_pricing_one_way_rule_origin_branch_id_destinat_c15b9004 ON pricing.one_way_rule (origin_branch_id, destination_branch_id, vehicle_group_id, priority);

5585 CREATE INDEX ix_pricing_fuel_price_branch_id_fuel_type_valid_from_1 ON pricing.fuel_price (branch_id, fuel_type, valid_from);

5586 CREATE INDEX ix_pricing_coupon_redemption_coupon_id_party_id_1 ON pricing.coupon_redemption (coupon_id, party_id);

5587 CREATE INDEX ix_pricing_quote_origin_branch_id_vehicle_group_i_76eea0f3 ON pricing.quote (origin_branch_id, vehicle_group_id, planned_pickup_at);

5588 CREATE INDEX ix_pricing_quote_customer_account_id_created_at_2 ON pricing.quote (customer_account_id, created_at);

5589 CREATE INDEX ix_availability_inventory_bucket_local_business_d_b4feeb3c ON availability.inventory_bucket (local_business_date, branch_id);

5590 CREATE INDEX ix_availability_availability_hold_branch_id_vehic_54be950e ON availability.availability_hold (branch_id, vehicle_group_id, start_at, end_at);

5591 CREATE INDEX ix_availability_availability_hold_expires_at_status_2 ON availability.availability_hold (expires_at, status);

5592 CREATE INDEX ix_availability_capacity_commitment_branch_id_veh_3615b9b9 ON availability.capacity_commitment (branch_id, vehicle_group_id, start_at, end_at);

5593 CREATE INDEX ix_availability_capacity_commitment_source_type_s_d14b4be6 ON availability.capacity_commitment (source_type, source_id);

5594 CREATE INDEX ix_availability_upgrade_path_from_group_id_priority_1 ON availability.upgrade_path (from_group_id, priority);

5595 CREATE INDEX ix_availability_fleet_allotment_branch_id_vehicle_6521bb23 ON availability.fleet_allotment (branch_id, vehicle_group_id, start_at);

5596 CREATE INDEX ix_availability_oversell_alert_status_detected_at_1 ON availability.oversell_alert (status, detected_at);

5597 CREATE INDEX ix_reservation_reservation_pickup_branch_id_plann_7fcc49a3 ON reservation.reservation (pickup_branch_id, planned_pickup_at, requested_vehicle_group_id);
```

```
5598 CREATE INDEX ix_reservation_reservation_customer_account_id_cr_7d260e6d ON reservation.reservation (customer_account_id, created_at);
5599 CREATE INDEX ix_reservation_reservation_current_status_planned_301ad661 ON reservation.reservation (current_status, planned_pickup_at);
5600 CREATE INDEX ix_reservation_reservation_status_history_reserva_541b9721 ON reservation.reservation_status_history (reservation_id, changed_at);
5601 CREATE INDEX ix_reservation_digital_pickup_eligibility_reserva_d4a372f0 ON reservation.digital_pickup_eligibility (reservation_id, assessed_at);
5602 CREATE INDEX ix_reservation_reservation_inventory_commitment_r_857487d3 ON reservation.reservation_inventory_commitment (reservation_id);
5603 CREATE INDEX ix_reservation_reservation_inventory_commitment_c_789ea5ea ON reservation.reservation_inventory_commitment (capacity_commitment_id);
5604 CREATE INDEX ix_rental_rental_contract_customer_account_id_opened_at_1 ON rental.rental_contract (customer_account_id, opened_at);
5605 CREATE INDEX ix_rental_rental_contract_current_status_planned_5a9f25e5 ON rental.rental_contract (current_status, planned_return_at);
5606 CREATE INDEX ix_rental_rental_contract_origin_branch_id_opened_at_3 ON rental.rental_contract (origin_branch_id, opened_at);
5607 CREATE INDEX ix_rental_contract_party_role_contract_id_role_type_1 ON rental.contract_party_role (contract_id, role_type);
5608 CREATE INDEX ix_rental_vehicle_assignment_vehicle_id_start_at_end_at_1 ON rental.vehicle_assignment (vehicle_id, start_at, end_at);
5609 CREATE INDEX ix_rental_vehicle_assignment_contract_id_status_2 ON rental.vehicle_assignment (contract_id, status);
5610 CREATE INDEX ix_rental_extension_contract_id_requested_at_1 ON rental.extension (contract_id, requested_at);
5611 CREATE INDEX ix_rental_contract_status_history_contract_id_changed_at_1 ON rental.contract_status_history (contract_id, changed_at);
5612 CREATE INDEX ix_rental_contract_document_contract_id_document_type_1 ON rental.contract_document (contract_id, document_type);
5613 CREATE INDEX ix_rental_vehicle_access_command_vehicle_id_requested_at_1 ON rental.vehicle_access_command (vehicle_id, requested_at);
5614 CREATE INDEX ix_inspection_inspection_vehicle_id_started_at_1 ON inspection.inspection (vehicle_id, started_at);
5615 CREATE INDEX ix_inspection_inspection_contract_id_inspection_type_2 ON inspection.inspection (contract_id, inspection_type);
```

```
5616 CREATE INDEX ix_inspection_inspection_media_inspection_id_captured_at_1 ON inspection.inspection_media (inspection_id, captured_at);
5617 CREATE INDEX ix_inspection_damage_record_vehicle_id_status_1 ON inspection.damage_record (vehicle_id, status);
5618 CREATE INDEX ix_billing_payment_method_token_party_id_status_1 ON billing.payment_method_token (party_id, status);
5619 CREATE INDEX ix_billing_payment_method_token_provider_fingerprint_2 ON billing.payment_method_token (provider, fingerprint);
5620 CREATE INDEX ix_billing_charge_contract_id_occurred_at_1 ON billing.charge (contract_id, occurred_at);
5621 CREATE INDEX ix_billing_charge_source_context_source_id_2 ON billing.charge (source_context, source_id);
5622 CREATE INDEX ix_billing_charge_posting_status_occurred_at_3 ON billing.charge (posting_status, occurred_at);
5623 CREATE INDEX ix_billing_invoice_customer_account_id_issue_date_1 ON billing.invoice (customer_account_id, issue_date);
5624 CREATE INDEX ix_billing_invoice_status_due_date_2 ON billing.invoice (status, due_date);
5625 CREATE INDEX ix_billing_receivable_status_due_date_1 ON billing.receivable (status, due_date);
5626 CREATE INDEX ix_billing_payment_intent_provider_provider_reference_1 ON billing.payment_intent (provider, provider_reference);
5627 CREATE INDEX ix_billing_payment_transaction_payment_intent_id_b463a099 ON billing.payment_transaction (payment_intent_id, occurred_at);
5628 CREATE INDEX ix_billing_payment_allocation_receivable_id_allocated_at_1 ON billing.payment_allocation (receivable_id, allocated_at);
5629 CREATE INDEX ix_billing_collection_action_dunning_case_id_executed_at_1 ON billing.collection_action (dunning_case_id, executed_at);
5630 CREATE INDEX ix_traffic_traffic_notice_vehicle_id_infraction_at_1 ON traffic.traffic_notice (vehicle_id, infraction_at);
5631 CREATE INDEX ix_traffic_traffic_notice_status_due_date_2 ON traffic.traffic_notice (status, due_date);
5632 CREATE INDEX ix_traffic_toll_tag_assignment_vehicle_id_start_at_1 ON traffic.toll_tag_assignment (vehicle_id, start_at);
5633 CREATE INDEX ix_traffic_toll_transaction_vehicle_id_occurred_at_1 ON traffic.toll_transaction (vehicle_id, occurred_at);
```

```
5634 CREATE INDEX ix_traffic_parking_transaction_vehicle_id_entered_at_1 ON traffic.parking_transaction (vehicle_id, entered_at);

5635 CREATE INDEX ix_claim_incident_contract_id_occurred_at_1 ON claim.incident (contract_id, occurred_at);

5636 CREATE INDEX ix_claim_incident_status_reported_at_2 ON claim.incident (status, reported_at);

5637 CREATE INDEX ix_claim_claim_cost_claim_id_incurred_at_1 ON claim.claim_cost (claim_id, incurred_at);

5638 CREATE INDEX ix_maintenance_maintenance_due_status_due_date_1 ON maintenance.maintenance_due (status, due_date);

5639 CREATE INDEX ix_maintenance_maintenance_due_vehicle_id_status_2 ON maintenance.maintenance_due (vehicle_id, status);

5640 CREATE INDEX ix_maintenance_service_order_vehicle_id_opened_at_1 ON maintenance.service_order (vehicle_id, opened_at);

5641 CREATE INDEX ix_maintenance_service_order_status_scheduled_start_at_2 ON maintenance.service_order (status, scheduled_start_at);

5642 CREATE INDEX ix_maintenance_tire_assignment_vehicle_id_positio_a894da3f ON maintenance.tire_assignment (vehicle_id, position_code, installed_at);

5643 CREATE INDEX ix_maintenance_downtime_vehicle_id_start_at_1 ON maintenance.downtime (vehicle_id, start_at);

5644 CREATE INDEX ix_telematics_device_status_last_seen_at_1 ON telematics.device (status, last_seen_at);

5645 CREATE INDEX ix_telematics_vehicle_device_assignment_vehicle_i_a60b1872 ON telematics.vehicle_device_assignment (vehicle_id, start_at);

5646 CREATE INDEX ix_telematics_device_health_event_device_id_occurred_at_1 ON telematics.device_health_event (device_id, occurred_at);

5647 CREATE INDEX ix_telematics_telemetry_event_index_vehicle_id_ev_06487c2b ON telematics.telemetry_event_index (vehicle_id, event_time);

5648 CREATE INDEX ix_telematics_telemetry_event_index_event_type_ev_0472e44c ON telematics.telemetry_event_index (event_type, event_time);

5649 CREATE INDEX ix_telematics_trip_summary_vehicle_id_trip_start_at_1 ON telematics.trip_summary (vehicle_id, trip_start_at);

5650 CREATE INDEX ix_telematics_trip_summary_contract_id_trip_start_at_2 ON telematics.trip_summary (contract_id, trip_start_at);

5651 CREATE INDEX ix_telematics_driving_event_vehicle_id_occurred_at_1 ON telematics.driving_event (vehicle_id, occurred_at);
```

```
5652 CREATE INDEX ix telematics_driving_event_contract_id_event_type_2 ON telematics.driving_event (contract_id, event_type);
5653 CREATE INDEX ix telematics_geofence_event_vehicle_id_occurred_at_1 ON telematics.geofence_event (vehicle_id, occurred_at);
5654 CREATE INDEX ix loyalty_tier_history_loyalty_account_id_valid_from_1 ON loyalty.tier_history (loyalty_account_id, valid_from);
5655 CREATE INDEX ix loyalty_points_ledger_loyalty_account_id_available_at_1 ON loyalty.points_ledger (loyalty_account_id, available_at);
5656 CREATE INDEX ix loyalty_points_ledger_source_type_source_id_2 ON loyalty.points_ledger (source_type, source_id);
5657 CREATE INDEX ix fleet_mgmt_managed_vehicle_assignment_vehicle_ofacac8e ON fleet_mgmt.managed_vehicle_assignment (vehicle_id, start_at);
5658 CREATE INDEX ix fleet_mgmt_mileage_commitment_fleet_service_co_9f1fc2d1 ON fleet_mgmt.mileage_commitment (fleet_service_contract_id, period_start);
5659 CREATE INDEX ix fleet_mgmt_fleet_service_event_fleet_service_c_96458ea4 ON fleet_mgmt.fleet_service_event (fleet_service_contract_id, occurred_at);
5660 CREATE INDEX ix fleet_mgmt_subscription_vehicle_assignment_veh_be4692a6 ON fleet_mgmt.subscription_vehicle_assignment (vehicle_id, start_at);
5661 CREATE INDEX ix used_car_vehicle_valuation_disposal_candidate_d6cb4637 ON used_car.vehicle_valuation (disposal_candidate_id, valued_at);
5662 CREATE INDEX ix used_car_listing_status_listed_at_1 ON used_car.listing (status, listed_at);
5663 CREATE INDEX ix used_car_lead_status_next_action_at_1 ON used_car.lead (status, next_action_at);
5664 CREATE INDEX ix privacy_consent_receipt_party_id_purpose_id_ca_56424124 ON privacy.consent_receipt (party_id, purpose_id, captured_at);
5665 CREATE INDEX ix privacy_data_subject_request_status_due_at_1 ON privacy.data_subject_request (status, due_at);
5666 CREATE INDEX ix privacy_legal_hold_resource_type_resource_id_1 ON privacy.legal_hold (resource_type, resource_id);
5667 CREATE INDEX ix privacy_legal_hold_party_id_status_2 ON privacy.legal_hold (party_id, status);
5668 CREATE INDEX ix privacy_erasure_job_status_scheduled_at_1 ON privacy.erasure_job (status, scheduled_at);
5669 CREATE INDEX ix privacy_data_access_audit_party_id_occurred_at_1 ON privacy.data_access_audit (party_id, occurred_at);
```

```
5670 CREATE INDEX ix_privacy_data_access_audit_actor_id_occurred_at_2 ON privacy.data_access_audit (actor_id, occurred_at);

5671 CREATE INDEX ix_privacy_data_sharing_record_party_id_shared_at_1 ON privacy.data_sharing_record (party_id, shared_at);

5672 CREATE INDEX ix_integration_outbox_event_published_at_created_at_1 ON integration.outbox_event (published_at, created_at);

5673 CREATE INDEX ix_integration_outbox_event_aggregate_type_aggregate_id_2 ON integration.outbox_event (aggregate_type, aggregate_id);

5674 CREATE INDEX ix_integration_inbox_message_status_received_at_1 ON integration.inbox_message (status, received_at);

5675 CREATE INDEX ix_integration_idempotency_key_expires_at_status_1 ON integration.idempotency_key (expires_at, status);

5676 CREATE INDEX ix_integration_external_reference_resource_type_r_59e6ad58 ON integration.external_reference (resource_type, resource_id);

5677 CREATE INDEX ix_integration_external_reference_system_code_ext_200eeec ON integration.external_reference (system_code, external_id);

5678 CREATE INDEX ix_integration_audit_event_resource_type_resource_1720f547 ON integration.audit_event (resource_type, resource_id, occurred_at);

5679 CREATE INDEX ix_integration_audit_event_actor_id_occurred_at_2 ON integration.audit_event (actor_id, occurred_at);

5681 -- High-value partial indexes.
5682 CREATE INDEX ix_reservation_active_pickup
5683     ON reservation.reservation (pickup_branch_id, planned_pickup_at, requested_vehicle_group_id)
5684     WHERE current_status IN ('HELD', 'CONFIRMED', 'PICKUP_READY');

5686 CREATE INDEX ix_vehicle_available_by_branch_group
5687     ON fleet.vehicle (current_branch_id, current_vehicle_group_id)
5688     WHERE current_operational_state = 'AVAILABLE'
5689     AND current_lifecycle_state = 'IN_FLEET';

5691 CREATE INDEX ix_contract_open_due
5692     ON rental.rental_contract (planned_return_at)
5693     WHERE current_status IN ('ACTIVE', 'OVERDUE');

5695 CREATE INDEX ix_outbox_unpublished
5696     ON integration.outbox_event (created_at)
5697     WHERE published_at IS NULL;
```



```
5699 -- Native temporal non-overlap guarantees.
5700 ALTER TABLE fleet.vehicle_calendar_entry
5701     ADD CONSTRAINT ex_vehicle_calendar_no_overlap
5702     EXCLUDE USING gist (
5703         vehicle_id WITH =,
5704         tstzrange(start_at, end_at, '[]') WITH &&
5705     )
5706     WHERE (status IN ('HELD','CONFIRMED','ACTIVE','CLOSED'));

5708 ALTER TABLE pricing.rate_plan_version
5709     ADD CONSTRAINT ex_published_rate_plan_period
5710     EXCLUDE USING gist (
5711         rate_plan_id WITH =,
5712         tstzrange(valid_from, COALESCE(valid_to, 'infinity'::timestamptz), '[]') WITH &&
5713     )
5714     WHERE (status = 'PUBLISHED');

5716 ALTER TABLE fleet.vehicle_registration
5717     ADD CONSTRAINT ex_vehicle_registration_period
5718     EXCLUDE USING gist (
5719         vehicle_id WITH =,
5720         tstzrange(valid_from, COALESCE(valid_to, 'infinity'::timestamptz), '[]') WITH &&
5721     )
5722     WHERE (status = 'ACTIVE');

5724 ALTER TABLE fleet.vehicle_group_assignment
5725     ADD CONSTRAINT ex_vehicle_group_assignment_period
5726     EXCLUDE USING gist (
5727         vehicle_id WITH =,
5728         tstzrange(valid_from, COALESCE(valid_to, 'infinity'::timestamptz), '[]') WITH &&
5729     );

5731 ALTER TABLE telematics.vehicle_device_assignment
5732     ADD CONSTRAINT ex_device_assignment_period
5733     EXCLUDE USING gist (
5734         device_id WITH =,
5735         tstzrange(start_at, COALESCE(end_at, 'infinity'::timestamptz), '[]') WITH &&
5736     );
```

```
5738 ALTER TABLE traffic.toll_tag_assignment
5739     ADD CONSTRAINT ex_toll_tag_assignment_period
5740     EXCLUDE USING gist (
5741         toll_tag_id WITH =,
5742         tstzrange(start_at, COALESCE(end_at, 'infinity'::timestampz), '[]') WITH &&
5743     );

5745 -- Critical immutability rules.
5746 CREATE TRIGGER trg_charge_protect_posted
5747 BEFORE UPDATE OR DELETE ON billing.charge
5748 FOR EACH ROW EXECUTE FUNCTION integration.protect_posted_charge();

5750 CREATE TRIGGER trg_inspection_protect_completed
5751 BEFORE UPDATE OR DELETE ON inspection.inspection
5752 FOR EACH ROW EXECUTE FUNCTION integration.protect_completed_inspection();

5754 CREATE TRIGGER trg_points_ledger_immutable
5755 BEFORE UPDATE OR DELETE ON loyalty.points_ledger
5756 FOR EACH ROW EXECUTE FUNCTION integration.reject_mutation();

5758 CREATE TRIGGER trg_payment_transaction_immutable
5759 BEFORE UPDATE OR DELETE ON billing.payment_transaction
5760 FOR EACH ROW EXECUTE FUNCTION integration.reject_mutation();

5762 CREATE TRIGGER trg_terms_acceptance_immutable
5763 BEFORE UPDATE OR DELETE ON rental.contract_terms_acceptance
5764 FOR EACH ROW EXECUTE FUNCTION integration.reject_mutation();

5766 CREATE TRIGGER trg_audit_event_immutable
5767 BEFORE UPDATE OR DELETE ON integration.audit_event
5768 FOR EACH ROW EXECUTE FUNCTION integration.reject_mutation();

5770 CREATE TRIGGER trg_privacy_access_audit_immutable
5771 BEFORE UPDATE OR DELETE ON privacy.data_access_audit
5772 FOR EACH ROW EXECUTE FUNCTION integration.reject_mutation();

5774 CREATE TRIGGER trg_org_legal_entity_touch BEFORE UPDATE ON org.legal_entity FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5775 CREATE TRIGGER trg_org_business_unit_touch BEFORE UPDATE ON org.business_unit FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5776 CREATE TRIGGER trg_org_branch_touch BEFORE UPDATE ON org.branch FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
```

```
5777 CREATE TRIGGER trg_org_branch_hours_touch BEFORE UPDATE ON org.branch_hours FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5778 CREATE TRIGGER trg_org_branch_calendar_exception_touch BEFORE UPDATE ON org.branch_calendar_exception FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5779 CREATE TRIGGER trg_org_channel_touch BEFORE UPDATE ON org.channel FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5780 CREATE TRIGGER trg_party_party_touch BEFORE UPDATE ON party.party FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5781 CREATE TRIGGER trg_party_person_touch BEFORE UPDATE ON party.person FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5782 CREATE TRIGGER trg_party_organization_touch BEFORE UPDATE ON party.organization FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5783 CREATE TRIGGER trg_party_party_identifier_touch BEFORE UPDATE ON party.party_identifier FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5784 CREATE TRIGGER trg_party_contact_point_touch BEFORE UPDATE ON party.contact_point FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5785 CREATE TRIGGER trg_party_postal_address_touch BEFORE UPDATE ON party.postal_address FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5786 CREATE TRIGGER trg_party_party_address_touch BEFORE UPDATE ON party.party_address FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5787 CREATE TRIGGER trg_party_customer_account_touch BEFORE UPDATE ON party.customer_account FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5788 CREATE TRIGGER trg_party_organization_representative_touch BEFORE UPDATE ON party.organization_representative FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5789 CREATE TRIGGER trg_party_driver_profile_touch BEFORE UPDATE ON party.driver_profile FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5790 CREATE TRIGGER trg_party_driver_license_touch BEFORE UPDATE ON party.driver_license FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5791 CREATE TRIGGER trg_party_customer_restriction_touch BEFORE UPDATE ON party.customer_restriction FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5792 CREATE TRIGGER trg_catalog_unit_of_measure_touch BEFORE UPDATE ON catalog.unit_of_measure FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5793 CREATE TRIGGER trg_catalog_tax_category_touch BEFORE UPDATE ON catalog.tax_category FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5794 CREATE TRIGGER trg_catalog_vehicle_make_touch BEFORE UPDATE ON catalog.vehicle_make FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
```

```
5795 CREATE TRIGGER trg_catalog_vehicle_model_touch BEFORE UPDATE ON catalog.vehicle_model FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5796 CREATE TRIGGER trg_catalog_vehicle_variant_touch BEFORE UPDATE ON catalog.vehicle_variant FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5797 CREATE TRIGGER trg_catalog_feature_touch BEFORE UPDATE ON catalog.feature FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5798 CREATE TRIGGER trg_catalog_variant_feature_touch BEFORE UPDATE ON catalog.variant_feature FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5799 CREATE TRIGGER trg_catalog_vehicle_group_touch BEFORE UPDATE ON catalog.vehicle_group FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5800 CREATE TRIGGER trg_catalog_vehicle_group_variant_touch BEFORE UPDATE ON catalog.vehicle_group_variant FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5801 CREATE TRIGGER trg_catalog_vehicle_group_upgrade_touch BEFORE UPDATE ON catalog.vehicle_group_upgrade FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5802 CREATE TRIGGER trg_catalog_commercial_product_touch BEFORE UPDATE ON catalog.commercial_product FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5803 CREATE TRIGGER trg_catalog_coverage_touch BEFORE UPDATE ON catalog.coverage FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5804 CREATE TRIGGER trg_catalog_protection_coverage_touch BEFORE UPDATE ON catalog.protection_coverage FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5805 CREATE TRIGGER trg_catalog_charge_type_touch BEFORE UPDATE ON catalog.charge_type FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5806 CREATE TRIGGER trg_corporate_partner_touch BEFORE UPDATE ON corporate.partner FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5807 CREATE TRIGGER trg_corporate_partner_agreement_touch BEFORE UPDATE ON corporate.partner_agreement FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5808 CREATE TRIGGER trg_corporate_corporate_agreement_touch BEFORE UPDATE ON corporate.corporate_agreement FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5809 CREATE TRIGGER trg_corporate_corporate_cost_center_touch BEFORE UPDATE ON corporate.corporate_cost_center FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5810 CREATE TRIGGER trg_corporate_authorized_driver_touch BEFORE UPDATE ON corporate.authorized_driver FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5811 CREATE TRIGGER trg_corporate_corporate_billing_profile_touch BEFORE UPDATE ON corporate.corporate_billing_profile FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5812 CREATE TRIGGER trg_fleet_acquisition_order_touch BEFORE UPDATE ON fleet.acquisition_order FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
```

```
5813 CREATE TRIGGER trg_fleet_acquisition_order_line_touch BEFORE UPDATE ON fleet.acquisition_order_line FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5814 CREATE TRIGGER trg_fleet_vehicle_touch BEFORE UPDATE ON fleet.vehicle FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5815 CREATE TRIGGER trg_fleet_vehicle_registration_touch BEFORE UPDATE ON fleet.vehicle_registration FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5816 CREATE TRIGGER trg_fleet_vehicle_group_assignment_touch BEFORE UPDATE ON fleet.vehicle_group_assignment FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5817 CREATE TRIGGER trg_fleet_vehicle_restriction_touch BEFORE UPDATE ON fleet.vehicle_restriction FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5818 CREATE TRIGGER trg_fleet_vehicle_calendar_entry_touch BEFORE UPDATE ON fleet.vehicle_calendar_entry FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5819 CREATE TRIGGER trg_fleet_asset_document_touch BEFORE UPDATE ON fleet.asset_document FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5820 CREATE TRIGGER trg_fleet_accessory_asset_touch BEFORE UPDATE ON fleet.accessory_asset FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5821 CREATE TRIGGER trg_fleet_vehicle_accessory_assignment_touch BEFORE UPDATE ON fleet.vehicle_accessory_assignment FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5822 CREATE TRIGGER trg_pricing_rate_plan_touch BEFORE UPDATE ON pricing.rate_plan FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5823 CREATE TRIGGER trg_pricing_rate_plan_version_touch BEFORE UPDATE ON pricing.rate_plan_version FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5824 CREATE TRIGGER trg_pricing_rate_plan_applicability_touch BEFORE UPDATE ON pricing.rate_plan_applicability FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5825 CREATE TRIGGER trg_pricing_rental_length_band_touch BEFORE UPDATE ON pricing.rental_length_band FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5826 CREATE TRIGGER trg_pricing_season_touch BEFORE UPDATE ON pricing.season FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5827 CREATE TRIGGER trg_pricing_base_rate_touch BEFORE UPDATE ON pricing.base_rate FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5828 CREATE TRIGGER trg_pricing_mileage_package_touch BEFORE UPDATE ON pricing.mileage_package FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5829 CREATE TRIGGER trg_pricing_mileage_rate_touch BEFORE UPDATE ON pricing.mileage_rate FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();

5830 CREATE TRIGGER trg_pricing_one_way_rule_touch BEFORE UPDATE ON pricing.one_way_rule FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
```

```
5831 CREATE TRIGGER trg_pricing_one_way_price_touch BEFORE UPDATE ON pricing.one_way_price FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5832 CREATE TRIGGER trg_pricing_fuel_price_touch BEFORE UPDATE ON pricing.fuel_price FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5833 CREATE TRIGGER trg_pricing_preauthorization_rule_touch BEFORE UPDATE ON pricing.preauthorization_rule FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5834 CREATE TRIGGER trg_pricing_pricing_rule_touch BEFORE UPDATE ON pricing.pricing_rule FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5835 CREATE TRIGGER trg_pricing_promotion_touch BEFORE UPDATE ON pricing.promotion FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5836 CREATE TRIGGER trg_pricing_coupon_touch BEFORE UPDATE ON pricing.coupon FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5837 CREATE TRIGGER trg_pricing_quote_touch BEFORE UPDATE ON pricing.quote FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5838 CREATE TRIGGER trg_pricing_quote_line_touch BEFORE UPDATE ON pricing.quote_line FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5839 CREATE TRIGGER trg_corporate_rate_entitlement_touch BEFORE UPDATE ON corporate.rate_entitlement FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5840 CREATE TRIGGER trg_corporate_purchase_order_touch BEFORE UPDATE ON corporate.purchase_order FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5841 CREATE TRIGGER trg_corporate_voucher_touch BEFORE UPDATE ON corporate.voucher FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5842 CREATE TRIGGER trg_corporate_consolidated_billing_instruction_touch BEFORE UPDATE ON corporate.consolidated_billing_instruction FOR EACH ROW EXECUTE FUNCTION integration.
    touch_updated_at();
5843 CREATE TRIGGER trg_availability_inventory_bucket_touch BEFORE UPDATE ON availability.inventory_bucket FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5844 CREATE TRIGGER trg_availability_availability_hold_touch BEFORE UPDATE ON availability.availability_hold FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5845 CREATE TRIGGER trg_availability_capacity_commitment_touch BEFORE UPDATE ON availability.capacity_commitment FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5846 CREATE TRIGGER trg_availability_upgrade_path_touch BEFORE UPDATE ON availability.upgrade_path FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5847 CREATE TRIGGER trg_availability_fleet_allotment_touch BEFORE UPDATE ON availability.fleet_allotment FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5848 CREATE TRIGGER trg_availability_relocation_order_touch BEFORE UPDATE ON availability.relocation_order FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
```

```
5849 CREATE TRIGGER trg_availability_relocation_leg_touch BEFORE UPDATE ON availability.relocation_leg FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5850 CREATE TRIGGER trg_availability_oversell_alert_touch BEFORE UPDATE ON availability.oversell_alert FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5851 CREATE TRIGGER trg_reservation_reservation_touch BEFORE UPDATE ON reservation.reservation FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5852 CREATE TRIGGER trg_reservation_reservation_driver_touch BEFORE UPDATE ON reservation.reservation_driver FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5853 CREATE TRIGGER trg_reservation_reservation_product_touch BEFORE UPDATE ON reservation.reservation_product FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5854 CREATE TRIGGER trg_reservation_reservation_guarantee_touch BEFORE UPDATE ON reservation.reservation_guarantee FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5855 CREATE TRIGGER trg_reservation_partner_booking_touch BEFORE UPDATE ON reservation.partner_booking FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5856 CREATE TRIGGER trg_reservation_reservation_note_touch BEFORE UPDATE ON reservation.reservation_note FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5857 CREATE TRIGGER trg_reservation_reservation_inventory_commitment_touch BEFORE UPDATE ON reservation.reservation_inventory_commitment FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5858 CREATE TRIGGER trg_rental_rental_contract_touch BEFORE UPDATE ON rental.rental_contract FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5859 CREATE TRIGGER trg_rental_contract_party_role_touch BEFORE UPDATE ON rental.contract_party_role FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5860 CREATE TRIGGER trg_rental_contract_product_touch BEFORE UPDATE ON rental.contract_product FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5861 CREATE TRIGGER trg_rental_vehicle_assignment_touch BEFORE UPDATE ON rental.vehicle_assignment FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5862 CREATE TRIGGER trg_rental_extension_touch BEFORE UPDATE ON rental.extension FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5863 CREATE TRIGGER trg_rental_contract_document_touch BEFORE UPDATE ON rental.contract_document FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5864 CREATE TRIGGER trg_rental_digital_pickup_session_touch BEFORE UPDATE ON rental.digital_pickup_session FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5865 CREATE TRIGGER trg_rental_vehicle_access_credential_touch BEFORE UPDATE ON rental.vehicle_access_credential FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5866 CREATE TRIGGER trg_rental_vehicle_access_command_touch BEFORE UPDATE ON rental.vehicle_access_command FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
```

```
5867 CREATE TRIGGER trg_rental_overdue_case_touch BEFORE UPDATE ON rental.overdue_case FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5868 CREATE TRIGGER trg_rental_contract_reprocessing_touch BEFORE UPDATE ON rental.contract_reprocessing FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5869 CREATE TRIGGER trg_inspection_inspection_template_touch BEFORE UPDATE ON inspection.inspection_template FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5870 CREATE TRIGGER trg_inspection_inspection_template_item_touch BEFORE UPDATE ON inspection.inspection_template_item FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5871 CREATE TRIGGER trg_inspection_inspection_touch BEFORE UPDATE ON inspection.inspection FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5872 CREATE TRIGGER trg_inspection_damage_record_touch BEFORE UPDATE ON inspection.damage_record FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5873 CREATE TRIGGER trg_inspection_damage_attribution_touch BEFORE UPDATE ON inspection.damage_attribution FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5874 CREATE TRIGGER trg_inspection_damage_assessment_touch BEFORE UPDATE ON inspection.damage_assessment FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5875 CREATE TRIGGER trg_inspection_damage_price_table_version_touch BEFORE UPDATE ON inspection.damage_price_table_version FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5876 CREATE TRIGGER trg_inspection_lost_found_item_touch BEFORE UPDATE ON inspection.lost_found_item FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5877 CREATE TRIGGER trg_billing_payment_method_token_touch BEFORE UPDATE ON billing.payment_method_token FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5878 CREATE TRIGGER trg_billing_charge_touch BEFORE UPDATE ON billing.charge FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5879 CREATE TRIGGER trg_billing_invoice_touch BEFORE UPDATE ON billing.invoice FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5880 CREATE TRIGGER trg_billing_receivable_touch BEFORE UPDATE ON billing.receivable FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5881 CREATE TRIGGER trg_billing_payment_intent_touch BEFORE UPDATE ON billing.payment_intent FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5882 CREATE TRIGGER trg_billing_preauthorization_touch BEFORE UPDATE ON billing.preauthorization FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5883 CREATE TRIGGER trg_billing_refund_touch BEFORE UPDATE ON billing.refund FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5884 CREATE TRIGGER trg_billing_credit_note_touch BEFORE UPDATE ON billing.credit_note FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
```



```
5885 CREATE TRIGGER trg_billing_chargeback_touch BEFORE UPDATE ON billing.chargeback FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5886 CREATE TRIGGER trg_billing_tax_document_touch BEFORE UPDATE ON billing.tax_document FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5887 CREATE TRIGGER trg_billing_dunning_case_touch BEFORE UPDATE ON billing.dunning_case FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5888 CREATE TRIGGER trg_billing_settlement_batch_touch BEFORE UPDATE ON billing.settlement_batch FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5889 CREATE TRIGGER trg_billing_settlement_item_touch BEFORE UPDATE ON billing.settlement_item FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5890 CREATE TRIGGER trg_billing_reconciliation_issue_touch BEFORE UPDATE ON billing.reconciliation_issue FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5891 CREATE TRIGGER trg_billing_accounting_export_touch BEFORE UPDATE ON billing.accounting_export FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5892 CREATE TRIGGER trg_traffic_provider_import_batch_touch BEFORE UPDATE ON traffic.provider_import_batch FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5893 CREATE TRIGGER trg_traffic_traffic_notice_touch BEFORE UPDATE ON traffic.traffic_notice FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5894 CREATE TRIGGER trg_traffic_traffic_attribution_touch BEFORE UPDATE ON traffic.traffic_attribution FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5895 CREATE TRIGGER trg_traffic_driver_nomination_touch BEFORE UPDATE ON traffic.driver_nomination FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5896 CREATE TRIGGER trg_traffic_traffic_appeal_touch BEFORE UPDATE ON traffic.traffic_appeal FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5897 CREATE TRIGGER trg_traffic_toll_tag_touch BEFORE UPDATE ON traffic.toll_tag FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5898 CREATE TRIGGER trg_traffic_toll_tag_assignment_touch BEFORE UPDATE ON traffic.toll_tag_assignment FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5899 CREATE TRIGGER trg_traffic_toll_transaction_touch BEFORE UPDATE ON traffic.toll_transaction FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5900 CREATE TRIGGER trg_traffic_parking_transaction_touch BEFORE UPDATE ON traffic.parking_transaction FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5901 CREATE TRIGGER trg_claim_insurance_policy_touch BEFORE UPDATE ON claim.insurance_policy FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5902 CREATE TRIGGER trg_claim_policy_coverage_touch BEFORE UPDATE ON claim.policy_coverage FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
```

```
5903 CREATE TRIGGER trg_claim_incident_touch BEFORE UPDATE ON claim.incident FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5904 CREATE TRIGGER trg_claim_incident_party_touch BEFORE UPDATE ON claim.incident_party FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5905 CREATE TRIGGER trg_claim_incident_vehicle_touch BEFORE UPDATE ON claim.incident_vehicle FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5906 CREATE TRIGGER trg_claim_claim_touch BEFORE UPDATE ON claim.claim FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5907 CREATE TRIGGER trg_claim_claim_coverage_decision_touch BEFORE UPDATE ON claim.claim_coverage_decision FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5908 CREATE TRIGGER trg_claim_claim_cost_touch BEFORE UPDATE ON claim.claim_cost FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5909 CREATE TRIGGER trg_claim_third_party_claim_touch BEFORE UPDATE ON claim.third_party_claim FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5910 CREATE TRIGGER trg_claim_recovery_case_touch BEFORE UPDATE ON claim.recovery_case FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5911 CREATE TRIGGER trg_claim_roadside_assistance_case_touch BEFORE UPDATE ON claim.roadside_assistance_case FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5912 CREATE TRIGGER trg_maintenance_maintenance_plan_touch BEFORE UPDATE ON maintenance.maintenance_plan FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5913 CREATE TRIGGER trg_maintenance_maintenance_rule_touch BEFORE UPDATE ON maintenance.maintenance_rule FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5914 CREATE TRIGGER trg_maintenance_maintenance_due_touch BEFORE UPDATE ON maintenance.maintenance_due FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5915 CREATE TRIGGER trg_maintenance_vendor_touch BEFORE UPDATE ON maintenance.vendor FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5916 CREATE TRIGGER trg_maintenance_workshop_touch BEFORE UPDATE ON maintenance.workshop FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5917 CREATE TRIGGER trg_maintenance_service_order_touch BEFORE UPDATE ON maintenance.service_order FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5918 CREATE TRIGGER trg_maintenance_service_order_item_touch BEFORE UPDATE ON maintenance.service_order_item FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5919 CREATE TRIGGER trg_maintenance_part_touch BEFORE UPDATE ON maintenance.part FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5920 CREATE TRIGGER trg_maintenance_service_order_part_touch BEFORE UPDATE ON maintenance.service_order_part FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
```

```
5921 CREATE TRIGGER trg_maintenance_recall_campaign_touch BEFORE UPDATE ON maintenance.recall_campaign FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5922 CREATE TRIGGER trg_maintenance_vehicle_recall_touch BEFORE UPDATE ON maintenance.vehicle_recall FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5923 CREATE TRIGGER trg_maintenance_tire_touch BEFORE UPDATE ON maintenance.tire FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5924 CREATE TRIGGER trg_maintenance_tire_assignment_touch BEFORE UPDATE ON maintenance.tire_assignment FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5925 CREATE TRIGGER trg_maintenance_downtime_touch BEFORE UPDATE ON maintenance.downtime FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5926 CREATE TRIGGER trg_telematics_provider_touch BEFORE UPDATE ON telematics.provider FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5927 CREATE TRIGGER trg_telematics_device_touch BEFORE UPDATE ON telematics.device FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5928 CREATE TRIGGER trg_telematics_vehicle_device_assignment_touch BEFORE UPDATE ON telematics.vehicle_device_assignment FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5929 CREATE TRIGGER trg_telematics_geofence_touch BEFORE UPDATE ON telematics.geofence FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5930 CREATE TRIGGER trg_telematics_vehicle_command_touch BEFORE UPDATE ON telematics.vehicle_command FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5931 CREATE TRIGGER trg_telematics_telemetry_rule_version_touch BEFORE UPDATE ON telematics.telemetry_rule_version FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5932 CREATE TRIGGER trg_loyalty_loyalty_account_touch BEFORE UPDATE ON loyalty.loyalty_account FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5933 CREATE TRIGGER trg_loyalty_loyalty_tier_touch BEFORE UPDATE ON loyalty.loyalty_tier FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5934 CREATE TRIGGER trg_loyalty_tier_rule_version_touch BEFORE UPDATE ON loyalty.tier_rule_version FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5935 CREATE TRIGGER trg_loyalty_tier_history_touch BEFORE UPDATE ON loyalty.tier_history FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5936 CREATE TRIGGER trg_loyalty_earning_rule_touch BEFORE UPDATE ON loyalty.earning_rule FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5937 CREATE TRIGGER trg_loyalty_redemption_rule_touch BEFORE UPDATE ON loyalty.redemption_rule FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5938 CREATE TRIGGER trg_loyalty_points_lot_touch BEFORE UPDATE ON loyalty.points_lot FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
```

```
5939 CREATE TRIGGER trg_loyalty_redemption_touch BEFORE UPDATE ON loyalty.redemption FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5940 CREATE TRIGGER trg_loyalty_benefit_touch BEFORE UPDATE ON loyalty.benefit FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5941 CREATE TRIGGER trg_loyalty_benefit_entitlement_touch BEFORE UPDATE ON loyalty.benefit_entitlement FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5942 CREATE TRIGGER trg_loyalty_points_transfer_touch BEFORE UPDATE ON loyalty.points_transfer FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5943 CREATE TRIGGER trg_fleet_mgmt_fleet_service_contract_touch BEFORE UPDATE ON fleet_mgmt.fleet_service_contract FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5944 CREATE TRIGGER trg_fleet_mgmt_fleet_service_level_touch BEFORE UPDATE ON fleet_mgmt.fleet_service_level FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5945 CREATE TRIGGER trg_fleet_mgmt_managed_vehicle_assignment_touch BEFORE UPDATE ON fleet_mgmt.managed_vehicle_assignment FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5946 CREATE TRIGGER trg_fleet_mgmt_mileage_commitment_touch BEFORE UPDATE ON fleet_mgmt.mileage_commitment FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5947 CREATE TRIGGER trg_fleet_mgmt_telemetry_package_touch BEFORE UPDATE ON fleet_mgmt.telemetry_package FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5948 CREATE TRIGGER trg_fleet_mgmt_replacement_entitlement_touch BEFORE UPDATE ON fleet_mgmt.replacement_entitlement FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5949 CREATE TRIGGER trg_fleet_mgmt_subscription_plan_touch BEFORE UPDATE ON fleet_mgmt.subscription_plan FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5950 CREATE TRIGGER trg_fleet_mgmt_subscription_contract_touch BEFORE UPDATE ON fleet_mgmt.subscription_contract FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5951 CREATE TRIGGER trg_fleet_mgmt_subscription_vehicle_assignment_touch BEFORE UPDATE ON fleet_mgmt.subscription_vehicle_assignment FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5952 CREATE TRIGGER trg_used_car_disposal_candidate_touch BEFORE UPDATE ON used_car.disposal_candidate FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5953 CREATE TRIGGER trg_used_car_refurbishment_order_touch BEFORE UPDATE ON used_car.refurbishment_order FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5954 CREATE TRIGGER trg_used_car_refurbishment_item_touch BEFORE UPDATE ON used_car.refurbishment_item FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5955 CREATE TRIGGER trg_used_car_sale_channel_touch BEFORE UPDATE ON used_car.sale_channel FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5956 CREATE TRIGGER trg_used_car_listing_touch BEFORE UPDATE ON used_car.listing FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
```

```
5957 CREATE TRIGGER trg_used_car_lead_touch BEFORE UPDATE ON used_car.lead FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5958 CREATE TRIGGER trg_used_car_test_drive_touch BEFORE UPDATE ON used_car.test_drive FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5959 CREATE TRIGGER trg_used_car_sale_order_touch BEFORE UPDATE ON used_car.sale_order FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5960 CREATE TRIGGER trg_used_car_sale_order_vehicle_touch BEFORE UPDATE ON used_car.sale_order_vehicle FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5961 CREATE TRIGGER trg_used_car_vehicle_transfer_touch BEFORE UPDATE ON used_car.vehicle_transfer FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5962 CREATE TRIGGER trg_used_car_used_vehicle_warranty_touch BEFORE UPDATE ON used_car.used_vehicle_warranty FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5963 CREATE TRIGGER trg_privacy_privacy_notice_touch BEFORE UPDATE ON privacy.privacy_notice FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5964 CREATE TRIGGER trg_privacy_privacy_notice_version_touch BEFORE UPDATE ON privacy.privacy_notice_version FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5965 CREATE TRIGGER trg_privacy_processing_purpose_touch BEFORE UPDATE ON privacy.processing_purpose FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5966 CREATE TRIGGER trg_privacy_legal_basis_touch BEFORE UPDATE ON privacy.legal_basis FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5967 CREATE TRIGGER trg_privacy_data_subject_request_touch BEFORE UPDATE ON privacy.data_subject_request FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5968 CREATE TRIGGER trg_privacy_retention_policy_touch BEFORE UPDATE ON privacy.retention_policy FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5969 CREATE TRIGGER trg_privacy_legal_hold_touch BEFORE UPDATE ON privacy.legal_hold FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5970 CREATE TRIGGER trg_privacy_erasure_job_touch BEFORE UPDATE ON privacy.erasure_job FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5971 CREATE TRIGGER trg_privacy_token_map_touch BEFORE UPDATE ON privacy.token_map FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5972 CREATE TRIGGER trg_integration_outbox_event_touch BEFORE UPDATE ON integration.outbox_event FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5973 CREATE TRIGGER trg_integration_inbox_message_touch BEFORE UPDATE ON integration.inbox_message FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5974 CREATE TRIGGER trg_integration_idempotency_key_touch BEFORE UPDATE ON integration.idempotency_key FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
```

```
5975 CREATE TRIGGER trg_integration_external_reference_touch BEFORE UPDATE ON integration.external_reference FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5976 CREATE TRIGGER trg_integration_saga_instance_touch BEFORE UPDATE ON integration.saga_instance FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5977 CREATE TRIGGER trg_integration_saga_step_touch BEFORE UPDATE ON integration.saga_step FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5978 CREATE TRIGGER trg_integration_dead_letter_touch BEFORE UPDATE ON integration.dead_letter FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5979 CREATE TRIGGER trg_integration_job_run_touch BEFORE UPDATE ON integration.job_run FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5980 CREATE TRIGGER trg_integration_import_batch_touch BEFORE UPDATE ON integration.import_batch FOR EACH ROW EXECUTE FUNCTION integration.touch_updated_at();
5982 COMMIT;
```

C DDL completo - MySQL

O código a seguir é a transcrição integral do arquivo `rental_platform_mysql.sql`. A numeração lateral corresponde às linhas do arquivo-fonte. O script utiliza prefixos de contexto, triggers de sobreposição e o procedimento de lock do calendário.

C.1 Bootstrap - linhas 1 a 20

```
1  -- =====
2  -- Rental Platform Case Study - MySQL DDL
3  -- Target: MySQL 8.x / InnoDB.
4  --
5  -- MySQL has no PostgreSQL-style schemas inside one database and no exclusion
6  -- constraints. Therefore domain names are table prefixes, and temporal overlap
7  -- is checked by triggers plus a transaction-level vehicle guard procedure.
8  -- Application code must generate UUID strings (CHAR(36)).
9  -- =====

11 CREATE DATABASE IF NOT EXISTS rental_platform_case
12     CHARACTER SET utf8mb4
13     COLLATE utf8mb4_0900_ai_ci;
14 USE rental_platform_case;

16 SET NAMES utf8mb4;
17 SET time_zone = '+00:00';
18 SET sql_mode = 'STRICT_TRANS_TABLES,ERROR_FOR_DIVISION_BY_ZERO,NO_ENGINE_SUBSTITUTION';

20 -- -----
```

C.2 Tabelas - linhas 21 a 4942

```

21 -- Tables
22 -----
23 CREATE TABLE org_legal_entity (
24     id                        char(36) NOT NULL,
25     entity_code              varchar(30) NOT NULL,
26     legal_name               varchar(200) NOT NULL,
27     trade_name               varchar(160),
28     tax_identifier_ciphertext text,
29     tax_identifier_hmac       binary(32),
30     country_code              char(2) NOT NULL,
31     currency_code             char(3) NOT NULL,
32     timezone                  varchar(64) NOT NULL,
33     status                    varchar(20) NOT NULL DEFAULT 'ACTIVE',
34     created_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
35     updated_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
36     row_version               bigint NOT NULL DEFAULT 0,
37     CONSTRAINT pk_org_legal_entity PRIMARY KEY (id),
38     CONSTRAINT uq_org_legal_entity_entity_code_1 UNIQUE (entity_code),
39     CONSTRAINT uq_org_legal_entity_country_code_tax_identifier_hmac_2 UNIQUE (country_code, tax_identifier_hmac),
40     CONSTRAINT ck_org_legal_entity_1 CHECK (status IN ('ACTIVE','INACTIVE','SUSPENDED'))
41 ) ENGINE=InnoDB;

```

```

43 CREATE TABLE org_business_unit (
44     id                        char(36) NOT NULL,
45     legal_entity_id           char(36) NOT NULL,
46     parent_business_unit_id   char(36),
47     unit_code                  varchar(30) NOT NULL,
48     name                       varchar(160) NOT NULL,
49     unit_type                  varchar(30) NOT NULL,
50     status                     varchar(20) NOT NULL DEFAULT 'ACTIVE',
51     created_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
52     updated_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
53     row_version                bigint NOT NULL DEFAULT 0,
54     CONSTRAINT pk_org_business_unit PRIMARY KEY (id),
55     CONSTRAINT uq_org_business_unit_legal_entity_id_unit_code_1 UNIQUE (legal_entity_id, unit_code),
56     CONSTRAINT ck_org_business_unit_1 CHECK (status IN ('ACTIVE','INACTIVE'))
57 ) ENGINE=InnoDB;

```

```
59 CREATE TABLE org_branch (  
60     id                                char(36) NOT NULL,  
61     legal_entity_id                  char(36) NOT NULL,  
62     business_unit_id                char(36),  
63     branch_code                     varchar(30) NOT NULL,  
64     name                            varchar(180) NOT NULL,  
65     branch_type                     varchar(30) NOT NULL,  
66     operator_type                   varchar(20) NOT NULL,  
67     country_code                    char(2) NOT NULL,  
68     timezone                        varchar(64) NOT NULL,  
69     airport_code                    varchar(8),  
70     latitude                        decimal(10,7),  
71     longitude                       decimal(10,7),  
72     status                          varchar(20) NOT NULL DEFAULT 'ACTIVE',  
73     opened_at                       date,  
74     closed_at                       date,  
75     created_at                      datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
76     updated_at                      datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
77     row_version                     bigint NOT NULL DEFAULT 0,  
78     CONSTRAINT pk_org_branch PRIMARY KEY (id),  
79     CONSTRAINT uq_org_branch_legal_entity_id_branch_code_1 UNIQUE (legal_entity_id, branch_code),  
80     CONSTRAINT ck_org_branch_1 CHECK (branch_type IN ('AIRPORT','URBAN','MALL','DEALERSHIP','MAINTENANCE_HUB','USED_CAR_STORE','VIRTUAL')),  
81     CONSTRAINT ck_org_branch_2 CHECK (operator_type IN ('OWNED','FRANCHISE','PARTNER')),  
82     CONSTRAINT ck_org_branch_3 CHECK (status IN ('PLANNED','ACTIVE','TEMPORARILY_CLOSED','CLOSED')),  
83     CONSTRAINT ck_org_branch_4 CHECK (closed_at IS NULL OR opened_at IS NULL OR closed_at >= opened_at)  
84 ) ENGINE=InnoDB;  
  
86 CREATE TABLE org_branch_operator (  
87     id                                char(36) NOT NULL,  
88     branch_id                        char(36) NOT NULL,  
89     operator_party_id                char(36) NOT NULL,  
90     operator_role                    varchar(30) NOT NULL,  
91     valid_from                       datetime(6) NOT NULL,  
92     valid_to                         datetime(6),  
93     agreement_reference              varchar(100),  
94     created_at                      datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
95     CONSTRAINT pk_org_branch_operator PRIMARY KEY (id),  
96     CONSTRAINT ck_org_branch_operator_1 CHECK (valid_to IS NULL OR valid_to > valid_from)  
97 ) ENGINE=InnoDB;
```

```

99 CREATE TABLE org_branch_hours (
100     id                        char(36) NOT NULL,
101     branch_id                 char(36) NOT NULL,
102     day_of_week                smallint NOT NULL,
103     opens_at                   time,
104     closes_at                  time,
105     is_closed                  boolean NOT NULL DEFAULT FALSE,
106     created_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
107     updated_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
108     CONSTRAINT pk_org_branch_hours PRIMARY KEY (id),
109     CONSTRAINT uq_org_branch_hours_branch_id_day_of_week_1 UNIQUE (branch_id, day_of_week),
110     CONSTRAINT ck_org_branch_hours_1 CHECK (day_of_week BETWEEN 1 AND 7),
111     CONSTRAINT ck_org_branch_hours_2 CHECK (is_closed OR closes_at > opens_at)
112 ) ENGINE=InnoDB;

114 CREATE TABLE org_branch_calendar_exception (
115     id                        char(36) NOT NULL,
116     branch_id                 char(36) NOT NULL,
117     exception_date             date NOT NULL,
118     opens_at                   time,
119     closes_at                  time,
120     is_closed                  boolean NOT NULL DEFAULT TRUE,
121     reason                     varchar(160),
122     created_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
123     updated_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
124     CONSTRAINT pk_org_branch_calendar_exception PRIMARY KEY (id),
125     CONSTRAINT uq_org_branch_calendar_exception_branch_id_except_d9b41bc0 UNIQUE (branch_id, exception_date),
126     CONSTRAINT ck_org_branch_calendar_exception_1 CHECK (is_closed OR closes_at > opens_at)
127 ) ENGINE=InnoDB;

129 CREATE TABLE org_channel (
130     id                        char(36) NOT NULL,
131     channel_code               varchar(30) NOT NULL,
132     name                       varchar(100) NOT NULL,
133     channel_type                varchar(30) NOT NULL,
134     status                     varchar(20) NOT NULL DEFAULT 'ACTIVE',
135     created_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
136     updated_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
137     CONSTRAINT pk_org_channel PRIMARY KEY (id),
138     CONSTRAINT uq_org_channel_channel_code_1 UNIQUE (channel_code),
139     CONSTRAINT ck_org_channel_1 CHECK (channel_type IN ('WEB', 'MOBILE_APP', 'BRANCH', 'CALL_CENTER', 'PARTNER', 'API', 'KIOSK')),
140     CONSTRAINT ck_org_channel_2 CHECK (status IN ('ACTIVE', 'INACTIVE'))
141 ) ENGINE=InnoDB;

```

```
143 CREATE TABLE party_party (
144     id char(36) NOT NULL,
145     party_type varchar(20) NOT NULL,
146     canonical_status varchar(20) NOT NULL DEFAULT 'ACTIVE',
147     preferred_language varchar(10),
148     home_country_code char(2),
149     merged_into_party_id char(36),
150     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
151     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
152     row_version bigint NOT NULL DEFAULT 0,
153     CONSTRAINT pk_party_party PRIMARY KEY (id),
154     CONSTRAINT ck_party_party_1 CHECK (party_type IN ('PERSON','ORGANIZATION')),
155     CONSTRAINT ck_party_party_2 CHECK (canonical_status IN ('ACTIVE','BLOCKED','MERGED','ANONYMIZED','DECEASED','INACTIVE'))
156 ) ENGINE=InnoDB;
```

```
158 CREATE TABLE party_person (
159     party_id char(36) NOT NULL,
160     given_name varchar(100) NOT NULL,
161     family_name varchar(140) NOT NULL,
162     preferred_name varchar(100),
163     birth_date date,
164     nationality_country_code char(2),
165     gender_code varchar(20),
166     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
167     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
168     CONSTRAINT pk_party_person PRIMARY KEY (party_id)
169 ) ENGINE=InnoDB;
```

```
171 CREATE TABLE party_organization (
172     party_id char(36) NOT NULL,
173     legal_name varchar(200) NOT NULL,
174     trade_name varchar(180),
175     organization_type varchar(30),
176     incorporation_country_code char(2),
177     website_url varchar(500),
178     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
179     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
180     CONSTRAINT pk_party_organization PRIMARY KEY (party_id)
181 ) ENGINE=InnoDB;
```

```

183 CREATE TABLE party_party_identifier (
184     id                        char(36) NOT NULL,
185     party_id                 char(36) NOT NULL,
186     identifier_type          varchar(40) NOT NULL,
187     issuing_country_code     char(2) NOT NULL,
188     identifier_ciphertext    text NOT NULL,
189     identifier_hmac          binary(32) NOT NULL,
190     identifier_last4         varchar(8),
191     valid_from               date,
192     valid_to                 date,
193     verified_at              datetime(6),
194     status                   varchar(20) NOT NULL DEFAULT 'ACTIVE',
195     created_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
196     updated_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
197     CONSTRAINT pk_party_party_identifier PRIMARY KEY (id),
198     CONSTRAINT uq_party_party_identifier_identifier_type_issuing_2a125238 UNIQUE (identifier_type, issuing_country_code, identifier_hmac),
199     CONSTRAINT ck_party_party_identifier_1 CHECK (valid_to IS NULL OR valid_from IS NULL OR valid_to >= valid_from),
200     CONSTRAINT ck_party_party_identifier_2 CHECK (status IN ('ACTIVE','EXPIRED','REVOKED','UNVERIFIED'))
201 ) ENGINE=InnoDB;

```

```

203 CREATE TABLE party_contact_point (
204     id                        char(36) NOT NULL,
205     party_id                 char(36) NOT NULL,
206     contact_type             varchar(20) NOT NULL,
207     usage_type               varchar(20) NOT NULL,
208     value_ciphertext         text NOT NULL,
209     value_hmac               binary(32) NOT NULL,
210     is_primary               boolean NOT NULL DEFAULT FALSE,
211     verified_at              datetime(6),
212     valid_from               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
213     valid_to                 datetime(6),
214     created_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
215     updated_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
216     CONSTRAINT pk_party_contact_point PRIMARY KEY (id),
217     CONSTRAINT ck_party_contact_point_1 CHECK (contact_type IN ('EMAIL','PHONE','MOBILE','WHATSAPP')),
218     CONSTRAINT ck_party_contact_point_2 CHECK (usage_type IN ('PERSONAL','WORK','BILLING','EMERGENCY')),
219     CONSTRAINT ck_party_contact_point_3 CHECK (valid_to IS NULL OR valid_to > valid_from)
220 ) ENGINE=InnoDB;

```

```

222 CREATE TABLE party_postal_address (
223     id                char(36) NOT NULL,
224     country_code      char(2) NOT NULL,
225     postal_code       varchar(20),
226     state_region      varchar(100),
227     city              varchar(120) NOT NULL,
228     district          varchar(120),
229     street            varchar(180),
230     street_number     varchar(30),
231     complement        varchar(140),
232     latitude          decimal(10,7),
233     longitude         decimal(10,7),
234     created_at        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
235     updated_at        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
236     row_version       bigint NOT NULL DEFAULT 0,
237     CONSTRAINT pk_party_postal_address PRIMARY KEY (id)
238 ) ENGINE=InnoDB;

240 CREATE TABLE party_party_address (
241     id                char(36) NOT NULL,
242     party_id          char(36) NOT NULL,
243     address_id        char(36) NOT NULL,
244     usage_type        varchar(20) NOT NULL,
245     is_primary        boolean NOT NULL DEFAULT FALSE,
246     valid_from        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
247     valid_to          datetime(6),
248     created_at        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
249     updated_at        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
250     CONSTRAINT pk_party_party_address PRIMARY KEY (id),
251     CONSTRAINT uq_party_party_address_party_id_address_id_usage__32d5144f UNIQUE (party_id, address_id, usage_type, valid_from),
252     CONSTRAINT ck_party_party_address_1 CHECK (usage_type IN ('HOME','WORK','BILLING','MAILING','REGISTERED')),
253     CONSTRAINT ck_party_party_address_2 CHECK (valid_to IS NULL OR valid_to > valid_from)
254 ) ENGINE=InnoDB;

```

```

256 CREATE TABLE party_customer_account (
257     id char(36) NOT NULL,
258     party_id char(36) NOT NULL,
259     legal_entity_id char(36) NOT NULL,
260     customer_number varchar(40) NOT NULL,
261     segment varchar(30) NOT NULL,
262     status varchar(20) NOT NULL DEFAULT 'ACTIVE',
263     credit_limit decimal(19,4),
264     currency_code char(3),
265     opened_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
266     closed_at datetime(6),
267     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
268     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
269     row_version bigint NOT NULL DEFAULT 0,
270     CONSTRAINT pk_party_customer_account PRIMARY KEY (id),
271     CONSTRAINT uq_party_customer_account_legal_entity_id_custome_0bdb7276 UNIQUE (legal_entity_id, customer_number),
272     CONSTRAINT uq_party_customer_account_legal_entity_id_party_id_2 UNIQUE (legal_entity_id, party_id),
273     CONSTRAINT ck_party_customer_account_1 CHECK (segment IN ('RETAIL','CORPORATE','PARTNER','GOVERNMENT','INTERNAL')),
274     CONSTRAINT ck_party_customer_account_2 CHECK (status IN ('PENDING','ACTIVE','SUSPENDED','CLOSED')),
275     CONSTRAINT ck_party_customer_account_3 CHECK (closed_at IS NULL OR closed_at >= opened_at)
276 ) ENGINE=InnoDB;

```

```

278 CREATE TABLE party_organization_representative (
279     id char(36) NOT NULL,
280     organization_party_id char(36) NOT NULL,
281     person_party_id char(36) NOT NULL,
282     role_type varchar(40) NOT NULL,
283     valid_from datetime(6) NOT NULL,
284     valid_to datetime(6),
285     authority_document_id char(36),
286     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
287     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
288     CONSTRAINT pk_party_organization_representative PRIMARY KEY (id),
289     CONSTRAINT ck_party_organization_representative_1 CHECK (valid_to IS NULL OR valid_to > valid_from)
290 ) ENGINE=InnoDB;

```

```

292 CREATE TABLE party_driver_profile (
293     id char(36) NOT NULL,
294     person_party_id char(36) NOT NULL,
295     status varchar(20) NOT NULL DEFAULT 'PENDING',
296     first_approved_at datetime(6),
297     last_reviewed_at datetime(6),
298     young_driver_until date,
299     notes text,
300     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
301     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
302     row_version bigint NOT NULL DEFAULT 0,
303     CONSTRAINT pk_party_driver_profile PRIMARY KEY (id),
304     CONSTRAINT uq_party_driver_profile_person_party_id_1 UNIQUE (person_party_id),
305     CONSTRAINT ck_party_driver_profile_1 CHECK (status IN ('PENDING','APPROVED','RESTRICTED','SUSPENDED','REJECTED'))
306 ) ENGINE=InnoDB;

```

```

308 CREATE TABLE party_driver_license (
309     id char(36) NOT NULL,
310     driver_profile_id char(36) NOT NULL,
311     issuing_country_code char(2) NOT NULL,
312     license_number_ciphertext text NOT NULL,
313     license_number_hmac binary(32) NOT NULL,
314     category varchar(20) NOT NULL,
315     issued_at date,
316     expires_at date NOT NULL,
317     status varchar(20) NOT NULL DEFAULT 'UNVERIFIED',
318     verification_source varchar(40),
319     verified_at datetime(6),
320     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
321     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
322     row_version bigint NOT NULL DEFAULT 0,
323     CONSTRAINT pk_party_driver_license PRIMARY KEY (id),
324     CONSTRAINT uq_party_driver_license_issuing_country_code_lice_53885997 UNIQUE (issuing_country_code, license_number_hmac),
325     CONSTRAINT ck_party_driver_license_1 CHECK (status IN ('UNVERIFIED','VALID','EXPIRED','SUSPENDED','REVOKED','REJECTED')),
326     CONSTRAINT ck_party_driver_license_2 CHECK (issued_at IS NULL OR expires_at > issued_at)
327 ) ENGINE=InnoDB;

```

```
329 CREATE TABLE party_identity_verification (  
330     id                        char(36) NOT NULL,  
331     party_id                  char(36) NOT NULL,  
332     verification_type         varchar(40) NOT NULL,  
333     provider                  varchar(60),  
334     provider_reference        varchar(160),  
335     result                    varchar(20) NOT NULL,  
336     score                     decimal(8,5),  
337     evidence_json             json,  
338     verified_at               datetime(6) NOT NULL,  
339     expires_at                datetime(6),  
340     created_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
341     CONSTRAINT pk_party_identity_verification PRIMARY KEY (id),  
342     CONSTRAINT ck_party_identity_verification_1 CHECK (result IN ('APPROVED','REJECTED','REVIEW','EXPIRED')),  
343     CONSTRAINT ck_party_identity_verification_2 CHECK (expires_at IS NULL OR expires_at > verified_at)  
344 ) ENGINE=InnoDB;  
  
346 CREATE TABLE party_risk_assessment (  
347     id                        char(36) NOT NULL,  
348     party_id                  char(36) NOT NULL,  
349     assessment_type           varchar(40) NOT NULL,  
350     risk_level                varchar(20) NOT NULL,  
351     score                     decimal(10,5),  
352     rule_version              varchar(60),  
353     decision                  varchar(30) NOT NULL,  
354     reason_codes              json,  
355     assessed_at               datetime(6) NOT NULL,  
356     expires_at                datetime(6),  
357     created_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
358     CONSTRAINT pk_party_risk_assessment PRIMARY KEY (id),  
359     CONSTRAINT ck_party_risk_assessment_1 CHECK (risk_level IN ('LOW','MEDIUM','HIGH','CRITICAL')),  
360     CONSTRAINT ck_party_risk_assessment_2 CHECK (decision IN ('APPROVE','REVIEW','REJECT','LIMIT')),  
361     CONSTRAINT ck_party_risk_assessment_3 CHECK (expires_at IS NULL OR expires_at > assessed_at)  
362 ) ENGINE=InnoDB;
```



```
364 CREATE TABLE party_customer_restriction (
365     id                        char(36) NOT NULL,
366     party_id                  char(36) NOT NULL,
367     restriction_type           varchar(40) NOT NULL,
368     severity                   varchar(20) NOT NULL,
369     reason_code                varchar(60),
370     starts_at                  datetime(6) NOT NULL,
371     ends_at                    datetime(6),
372     status                      varchar(20) NOT NULL DEFAULT 'ACTIVE',
373     created_by                  char(36),
374     released_by                 char(36),
375     released_at                 datetime(6),
376     created_at                  datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
377     updated_at                  datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
378     row_version                 bigint NOT NULL DEFAULT 0,
379     CONSTRAINT pk_party_customer_restriction PRIMARY KEY (id),
380     CONSTRAINT ck_party_customer_restriction_1 CHECK (severity IN ('INFO','WARNING','BLOCKING')),
381     CONSTRAINT ck_party_customer_restriction_2 CHECK (status IN ('ACTIVE','RELEASED','EXPIRED')),
382     CONSTRAINT ck_party_customer_restriction_3 CHECK (ends_at IS NULL OR ends_at > starts_at)
383 ) ENGINE=InnoDB;

385 CREATE TABLE catalog_unit_of_measure (
386     id                        char(36) NOT NULL,
387     unit_code                  varchar(20) NOT NULL,
388     name                       varchar(80) NOT NULL,
389     dimension                   varchar(30) NOT NULL,
390     decimal_scale                smallint NOT NULL DEFAULT 0,
391     created_at                  datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
392     updated_at                  datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
393     CONSTRAINT pk_catalog_unit_of_measure PRIMARY KEY (id),
394     CONSTRAINT uq_catalog_unit_of_measure_unit_code_1 UNIQUE (unit_code),
395     CONSTRAINT ck_catalog_unit_of_measure_1 CHECK (decimal_scale BETWEEN 0 AND 9)
396 ) ENGINE=InnoDB;
```

```
398 CREATE TABLE catalog_tax_category (  
399     id                char(36) NOT NULL,  
400     tax_category_code varchar(30) NOT NULL,  
401     name              varchar(100) NOT NULL,  
402     country_code      char(2) NOT NULL,  
403     configuration_json json,  
404     status             varchar(20) NOT NULL DEFAULT 'ACTIVE',  
405     created_at         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
406     updated_at        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
407     CONSTRAINT pk_catalog_tax_category PRIMARY KEY (id),  
408     CONSTRAINT uq_catalog_tax_category_country_code_tax_category_code_1 UNIQUE (country_code, tax_category_code),  
409     CONSTRAINT ck_catalog_tax_category_1 CHECK (status IN ('ACTIVE','INACTIVE'))  
410 ) ENGINE=InnoDB;
```

```
412 CREATE TABLE catalog_vehicle_make (  
413     id                char(36) NOT NULL,  
414     make_code         varchar(30) NOT NULL,  
415     name              varchar(100) NOT NULL,  
416     country_code      char(2),  
417     status            varchar(20) NOT NULL DEFAULT 'ACTIVE',  
418     created_at        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
419     updated_at        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
420     CONSTRAINT pk_catalog_vehicle_make PRIMARY KEY (id),  
421     CONSTRAINT uq_catalog_vehicle_make_make_code_1 UNIQUE (make_code),  
422     CONSTRAINT ck_catalog_vehicle_make_1 CHECK (status IN ('ACTIVE','INACTIVE'))  
423 ) ENGINE=InnoDB;
```

```
425 CREATE TABLE catalog_vehicle_model (  
426     id                char(36) NOT NULL,  
427     make_id           char(36) NOT NULL,  
428     model_code        varchar(40) NOT NULL,  
429     name              varchar(120) NOT NULL,  
430     status            varchar(20) NOT NULL DEFAULT 'ACTIVE',  
431     created_at        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
432     updated_at        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
433     CONSTRAINT pk_catalog_vehicle_model PRIMARY KEY (id),  
434     CONSTRAINT uq_catalog_vehicle_model_make_id_model_code_1 UNIQUE (make_id, model_code),  
435     CONSTRAINT ck_catalog_vehicle_model_1 CHECK (status IN ('ACTIVE','INACTIVE'))  
436 ) ENGINE=InnoDB;
```

```

438 CREATE TABLE catalog_vehicle_variant (
439     id                                char(36) NOT NULL,
440     model_id                          char(36) NOT NULL,
441     variant_code                      varchar(50) NOT NULL,
442     trim_name                        varchar(120),
443     manufacture_year                 smallint,
444     model_year                       smallint,
445     engine_description                varchar(120),
446     transmission_type                varchar(30),
447     fuel_type                        varchar(30),
448     seat_count                       smallint,
449     door_count                       smallint,
450     luggage_capacity                 smallint,
451     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
452     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
453     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
454     CONSTRAINT pk_catalog_vehicle_variant PRIMARY KEY (id),
455     CONSTRAINT uq_catalog_vehicle_variant_model_id_variant_code_69e5c55d UNIQUE (model_id, variant_code, model_year),
456     CONSTRAINT ck_catalog_vehicle_variant_1 CHECK (transmission_type IS NULL OR transmission_type IN ('MANUAL','AUTOMATIC','CVT','DUAL_CLUTCH','OTHER')),
457     CONSTRAINT ck_catalog_vehicle_variant_2 CHECK (fuel_type IS NULL OR fuel_type IN ('GASOLINE','ETHANOL','FLEX','DIESEL','HYBRID','ELECTRIC','OTHER')),
458     CONSTRAINT ck_catalog_vehicle_variant_3 CHECK (seat_count IS NULL OR seat_count > 0),
459     CONSTRAINT ck_catalog_vehicle_variant_4 CHECK (door_count IS NULL OR door_count > 0),
460     CONSTRAINT ck_catalog_vehicle_variant_5 CHECK (status IN ('ACTIVE','INACTIVE'))
461 ) ENGINE=InnoDB;

463 CREATE TABLE catalog_feature (
464     id                                char(36) NOT NULL,
465     feature_code                     varchar(40) NOT NULL,
466     name                             varchar(100) NOT NULL,
467     feature_type                     varchar(30) NOT NULL,
468     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
469     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
470     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
471     CONSTRAINT pk_catalog_feature PRIMARY KEY (id),
472     CONSTRAINT uq_catalog_feature_feature_code_1 UNIQUE (feature_code),
473     CONSTRAINT ck_catalog_feature_1 CHECK (status IN ('ACTIVE','INACTIVE'))
474 ) ENGINE=InnoDB;

476 CREATE TABLE catalog_variant_feature (
477     vehicle_variant_id               char(36) NOT NULL,
478     feature_id                       char(36) NOT NULL,
479     feature_value                     varchar(120),
480     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
481     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
482     CONSTRAINT pk_catalog_variant_feature PRIMARY KEY (vehicle_variant_id, feature_id)
483 ) ENGINE=InnoDB;

```

```

585 CREATE TABLE catalog_vehicle_group (
586     id                                char(36) NOT NULL,
587     group_code                        varchar(30) NOT NULL,
588     name                             varchar(120) NOT NULL,
589     market_country_code              char(2) NOT NULL,
590     description                       text,
591     minimum_seats                     smallint,
592     minimum_luggage                   smallint,
593     sort_order                        int NOT NULL DEFAULT 0,
594     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
595     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
596     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
597     CONSTRAINT pk_catalog_vehicle_group PRIMARY KEY (id),
598     CONSTRAINT uq_catalog_vehicle_group_market_country_code_group_code_1 UNIQUE (market_country_code, group_code),
599     CONSTRAINT ck_catalog_vehicle_group_1 CHECK (status IN ('ACTIVE','INACTIVE'))
600 ) ENGINE=InnoDB;

602 CREATE TABLE catalog_vehicle_group_variant (
603     id                                char(36) NOT NULL,
604     vehicle_group_id                  char(36) NOT NULL,
605     vehicle_variant_id                char(36) NOT NULL,
606     valid_from                        datetime(6) NOT NULL,
607     valid_to                          datetime(6),
608     priority                          smallint NOT NULL DEFAULT 100,
609     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
610     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
611     CONSTRAINT pk_catalog_vehicle_group_variant PRIMARY KEY (id),
612     CONSTRAINT uq_catalog_vehicle_group_variant_vehicle_group_id_b7063c95 UNIQUE (vehicle_group_id, vehicle_variant_id, valid_from),
613     CONSTRAINT ck_catalog_vehicle_group_variant_1 CHECK (valid_to IS NULL OR valid_to > valid_from)
614 ) ENGINE=InnoDB;

616 CREATE TABLE catalog_vehicle_group_upgrade (
617     id                                char(36) NOT NULL,
618     from_group_id                     char(36) NOT NULL,
619     to_group_id                       char(36) NOT NULL,
620     priority                          smallint NOT NULL DEFAULT 100,
621     valid_from                        datetime(6) NOT NULL,
622     valid_to                          datetime(6),
623     requires_approval                  boolean NOT NULL DEFAULT FALSE,
624     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
625     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
626     CONSTRAINT pk_catalog_vehicle_group_upgrade PRIMARY KEY (id),
627     CONSTRAINT uq_catalog_vehicle_group_upgrade_from_group_id_to_0a9e3cb2 UNIQUE (from_group_id, to_group_id, valid_from),
628     CONSTRAINT ck_catalog_vehicle_group_upgrade_1 CHECK (from_group_id <> to_group_id),
629     CONSTRAINT ck_catalog_vehicle_group_upgrade_2 CHECK (valid_to IS NULL OR valid_to > valid_from)
630 ) ENGINE=InnoDB;

```

```
532 CREATE TABLE catalog_commercial_product (
533     id                                char(36) NOT NULL,
534     product_code                      varchar(40) NOT NULL,
535     name                              varchar(140) NOT NULL,
536     product_type                      varchar(30) NOT NULL,
537     unit_code                         varchar(20) NOT NULL,
538     tax_category_id                  char(36),
539     configuration_json                json,
540     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
541     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
542     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
543     CONSTRAINT pk_catalog_commercial_product PRIMARY KEY (id),
544     CONSTRAINT uq_catalog_commercial_product_product_code_1 UNIQUE (product_code),
545     CONSTRAINT ck_catalog_commercial_product_1 CHECK (product_type IN ('RENTAL', 'ACCESSORY', 'SERVICE', 'PROTECTION', 'FEE', 'MILEAGE', 'DISCOUNT', 'TAX')),
546     CONSTRAINT ck_catalog_commercial_product_2 CHECK (status IN ('ACTIVE', 'INACTIVE'))
547 ) ENGINE=InnoDB;

549 CREATE TABLE catalog_coverage (
550     id                                char(36) NOT NULL,
551     coverage_code                     varchar(40) NOT NULL,
552     name                              varchar(140) NOT NULL,
553     description                       text,
554     coverage_type                     varchar(30) NOT NULL,
555     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
556     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
557     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
558     CONSTRAINT pk_catalog_coverage PRIMARY KEY (id),
559     CONSTRAINT uq_catalog_coverage_coverage_code_1 UNIQUE (coverage_code),
560     CONSTRAINT ck_catalog_coverage_1 CHECK (status IN ('ACTIVE', 'INACTIVE'))
561 ) ENGINE=InnoDB;

563 CREATE TABLE catalog_protection_coverage (
564     protection_product_id             char(36) NOT NULL,
565     coverage_id                       char(36) NOT NULL,
566     deductible_amount                 decimal(19,4),
567     coverage_limit_amount             decimal(19,4),
568     currency_code                     char(3),
569     terms_json                        json,
570     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
571     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
572     CONSTRAINT pk_catalog_protection_coverage PRIMARY KEY (protection_product_id, coverage_id),
573     CONSTRAINT ck_catalog_protection_coverage_1 CHECK (deductible_amount IS NULL OR deductible_amount >= 0),
574     CONSTRAINT ck_catalog_protection_coverage_2 CHECK (coverage_limit_amount IS NULL OR coverage_limit_amount >= 0)
575 ) ENGINE=InnoDB;
```

```

577 CREATE TABLE catalog_charge_type (
578     id                        char(36) NOT NULL,
579     charge_code              varchar(50) NOT NULL,
580     name                     varchar(140) NOT NULL,
581     category                 varchar(30) NOT NULL,
582     default_product_id       char(36),
583     is_reversible             boolean NOT NULL DEFAULT TRUE,
584     status                    varchar(20) NOT NULL DEFAULT 'ACTIVE',
585     created_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
586     updated_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
587     CONSTRAINT pk_catalog_charge_type PRIMARY KEY (id),
588     CONSTRAINT uq_catalog_charge_type_charge_code_1 UNIQUE (charge_code),
589     CONSTRAINT ck_catalog_charge_type_1 CHECK (category IN ('RENTAL','USAGE','PROTECTION','FEE','DAMAGE','TRAFFIC','TOLL','TAX','DISCOUNT','OTHER')),
590     CONSTRAINT ck_catalog_charge_type_2 CHECK (status IN ('ACTIVE','INACTIVE'))
591 ) ENGINE=InnoDB;

```

```

593 CREATE TABLE corporate_partner (
594     id                        char(36) NOT NULL,
595     party_id                  char(36) NOT NULL,
596     partner_code              varchar(40) NOT NULL,
597     partner_type              varchar(30) NOT NULL,
598     status                    varchar(20) NOT NULL DEFAULT 'ACTIVE',
599     created_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
600     updated_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
601     row_version               bigint NOT NULL DEFAULT 0,
602     CONSTRAINT pk_corporate_partner PRIMARY KEY (id),
603     CONSTRAINT uq_corporate_partner_partner_code_1 UNIQUE (partner_code),
604     CONSTRAINT uq_corporate_partner_party_id_2 UNIQUE (party_id),
605     CONSTRAINT ck_corporate_partner_1 CHECK (partner_type IN ('OTA','TRAVEL_AGENCY','AIRLINE','BANK','INSURER','MARKETPLACE','OTHER')),
606     CONSTRAINT ck_corporate_partner_2 CHECK (status IN ('ACTIVE','SUSPENDED','INACTIVE'))
607 ) ENGINE=InnoDB;

```

```

609 CREATE TABLE corporate_partner_agreement (
610     id                                char(36) NOT NULL,
611     partner_id                        char(36) NOT NULL,
612     legal_entity_id                  char(36) NOT NULL,
613     agreement_number                 varchar(60) NOT NULL,
614     valid_from                       datetime(6) NOT NULL,
615     valid_to                         datetime(6),
616     commission_model                 varchar(30),
617     commission_value                  decimal(19,6),
618     currency_code                     char(3),
619     terms_json                       json,
620     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
621     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
622     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
623     row_version                       bigint NOT NULL DEFAULT 0,
624     CONSTRAINT pk_corporate_partner_agreement PRIMARY KEY (id),
625     CONSTRAINT uq_corporate_partner_agreement_legal_entity_id_ag_0279997d UNIQUE (legal_entity_id, agreement_number),
626     CONSTRAINT ck_corporate_partner_agreement_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
627     CONSTRAINT ck_corporate_partner_agreement_2 CHECK (status IN ('DRAFT','ACTIVE','SUSPENDED','EXPIRED','TERMINATED'))
628 ) ENGINE=InnoDB;

```

```

630 CREATE TABLE corporate_corporate_agreement (
631     id                                char(36) NOT NULL,
632     customer_account_id              char(36) NOT NULL,
633     legal_entity_id                  char(36) NOT NULL,
634     agreement_number                 varchar(60) NOT NULL,
635     valid_from                       datetime(6) NOT NULL,
636     valid_to                         datetime(6),
637     billing_mode                      varchar(30) NOT NULL,
638     currency_code                     char(3) NOT NULL,
639     credit_limit                      decimal(19,4),
640     terms_json                       json,
641     status                           varchar(20) NOT NULL DEFAULT 'DRAFT',
642     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
643     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
644     row_version                       bigint NOT NULL DEFAULT 0,
645     CONSTRAINT pk_corporate_corporate_agreement PRIMARY KEY (id),
646     CONSTRAINT uq_corporate_corporate_agreement_legal_entity_id_50e67ddc UNIQUE (legal_entity_id, agreement_number),
647     CONSTRAINT ck_corporate_corporate_agreement_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
648     CONSTRAINT ck_corporate_corporate_agreement_2 CHECK (billing_mode IN ('DIRECT','CONSOLIDATED','PREPAID','VOUCHER')),
649     CONSTRAINT ck_corporate_corporate_agreement_3 CHECK (status IN ('DRAFT','ACTIVE','SUSPENDED','EXPIRED','TERMINATED'))
650 ) ENGINE=InnoDB;

```

```
652 CREATE TABLE corporate_corporate_cost_center (
653     id                        char(36) NOT NULL,
654     corporate_agreement_id    char(36) NOT NULL,
655     parent_cost_center_id     char(36),
656     cost_center_code          varchar(50) NOT NULL,
657     name                      varchar(140) NOT NULL,
658     status                    varchar(20) NOT NULL DEFAULT 'ACTIVE',
659     created_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
660     updated_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
661     CONSTRAINT pk_corporate_corporate_cost_center PRIMARY KEY (id),
662     CONSTRAINT uq_corporate_corporate_cost_center_corporate_agre_88789ddd UNIQUE (corporate_agreement_id, cost_center_code),
663     CONSTRAINT ck_corporate_corporate_cost_center_1 CHECK (status IN ('ACTIVE','INACTIVE'))
664 ) ENGINE=InnoDB;

666 CREATE TABLE corporate_authorized_driver (
667     id                        char(36) NOT NULL,
668     corporate_agreement_id    char(36) NOT NULL,
669     driver_profile_id         char(36) NOT NULL,
670     cost_center_id           char(36),
671     valid_from                datetime(6) NOT NULL,
672     valid_to                  datetime(6),
673     authorization_level       varchar(30),
674     status                    varchar(20) NOT NULL DEFAULT 'ACTIVE',
675     created_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
676     updated_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
677     CONSTRAINT pk_corporate_authorized_driver PRIMARY KEY (id),
678     CONSTRAINT uq_corporate_authorized_driver_corporate_agreemen_cb7456fb UNIQUE (corporate_agreement_id, driver_profile_id, valid_from),
679     CONSTRAINT ck_corporate_authorized_driver_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
680     CONSTRAINT ck_corporate_authorized_driver_2 CHECK (status IN ('ACTIVE','SUSPENDED','EXPIRED','REVOKED'))
681 ) ENGINE=InnoDB;
```



```

683 CREATE TABLE corporate_corporate_billing_profile (
684     id                                char(36) NOT NULL,
685     corporate_agreement_id           char(36) NOT NULL,
686     billing_party_id                 char(36) NOT NULL,
687     billing_address_id               char(36),
688     payment_terms_days               int NOT NULL DEFAULT 0,
689     invoice_frequency                 varchar(20) NOT NULL,
690     purchase_order_required           boolean NOT NULL DEFAULT FALSE,
691     tax_document_email_ciphertext     text,
692     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
693     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
694     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
695     row_version                       bigint NOT NULL DEFAULT 0,
696     CONSTRAINT pk_corporate_corporate_billing_profile PRIMARY KEY (id),
697     CONSTRAINT uq_corporate_corporate_billing_profile_corporate__64893437 UNIQUE (corporate_agreement_id),
698     CONSTRAINT ck_corporate_corporate_billing_profile_1 CHECK (payment_terms_days >= 0),
699     CONSTRAINT ck_corporate_corporate_billing_profile_2 CHECK (invoice_frequency IN ('PER_CONTRACT', 'WEEKLY', 'BIWEEKLY', 'MONTHLY')),
700     CONSTRAINT ck_corporate_corporate_billing_profile_3 CHECK (status IN ('ACTIVE', 'INACTIVE'))
701 ) ENGINE=InnoDB;

703 CREATE TABLE fleet_acquisition_order (
704     id                                char(36) NOT NULL,
705     legal_entity_id                 char(36) NOT NULL,
706     supplier_party_id               char(36) NOT NULL,
707     order_number                     varchar(60) NOT NULL,
708     order_date                       date NOT NULL,
709     expected_delivery_date           date,
710     currency_code                     char(3) NOT NULL,
711     status                           varchar(20) NOT NULL DEFAULT 'DRAFT',
712     total_amount                     decimal(19,4) NOT NULL DEFAULT 0,
713     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
714     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
715     row_version                       bigint NOT NULL DEFAULT 0,
716     CONSTRAINT pk_fleet_acquisition_order PRIMARY KEY (id),
717     CONSTRAINT uq_fleet_acquisition_order_legal_entity_id_order_number_1 UNIQUE (legal_entity_id, order_number),
718     CONSTRAINT ck_fleet_acquisition_order_1 CHECK (status IN ('DRAFT', 'APPROVED', 'PLACED', 'PARTIALLY_RECEIVED', 'RECEIVED', 'CANCELLED')),
719     CONSTRAINT ck_fleet_acquisition_order_2 CHECK (total_amount >= 0)
720 ) ENGINE=InnoDB;

```

```

722 CREATE TABLE fleet_acquisition_order_line (
723     id                                char(36) NOT NULL,
724     acquisition_order_id              char(36) NOT NULL,
725     line_number                      int NOT NULL,
726     vehicle_variant_id               char(36) NOT NULL,
727     quantity_ordered                 int NOT NULL,
728     quantity_received                int NOT NULL DEFAULT 0,
729     unit_price                       decimal(19,4) NOT NULL,
730     expected_delivery_date            date,
731     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
732     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
733     CONSTRAINT pk_fleet_acquisition_order_line PRIMARY KEY (id),
734     CONSTRAINT uq_fleet_acquisition_order_line_acquisition_order_26372419 UNIQUE (acquisition_order_id, line_number),
735     CONSTRAINT ck_fleet_acquisition_order_line_1 CHECK (quantity_ordered > 0),
736     CONSTRAINT ck_fleet_acquisition_order_line_2 CHECK (quantity_received >= 0),
737     CONSTRAINT ck_fleet_acquisition_order_line_3 CHECK (quantity_received <= quantity_ordered),
738     CONSTRAINT ck_fleet_acquisition_order_line_4 CHECK (unit_price >= 0)
739 ) ENGINE=InnoDB;

741 CREATE TABLE fleet_vehicle (
742     id                                char(36) NOT NULL,
743     fleet_number                     varchar(40) NOT NULL,
744     vin                              varchar(40) NOT NULL,
745     vehicle_variant_id               char(36) NOT NULL,
746     owning_legal_entity_id           char(36) NOT NULL,
747     acquisition_order_line_id         char(36),
748     acquired_at                      date,
749     in_service_at                    date,
750     current_branch_id                 char(36),
751     current_vehicle_group_id          char(36),
752     current_operational_state         varchar(30) NOT NULL DEFAULT 'PICKUP_PREPARATION',
753     current_lifecycle_state           varchar(30) NOT NULL DEFAULT 'RECEIVED',
754     current_odometer_km               decimal(12,1) NOT NULL DEFAULT 0,
755     current_fuel_level                decimal(5,2),
756     status_reason                     varchar(120),
757     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
758     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
759     row_version                       bigint NOT NULL DEFAULT 0,
760     CONSTRAINT pk_fleet_vehicle PRIMARY KEY (id),
761     CONSTRAINT uq_fleet_vehicle_fleet_number_1 UNIQUE (fleet_number),
762     CONSTRAINT uq_fleet_vehicle_vin_2 UNIQUE (vin),
763     CONSTRAINT ck_fleet_vehicle_1 CHECK (current_operational_state IN ('AVAILABLE','PICKUP_PREPARATION','RENTED','RETURN_PROCESSING','CLEANING','MAINTENANCE','IN_TRANSFER','QUARANTINED',
764     '','BLOCKED','SALE_PREPARATION')),
765     CONSTRAINT ck_fleet_vehicle_2 CHECK (current_lifecycle_state IN ('ORDERED','RECEIVED','IN_FLEET','DISPOSAL_CANDIDATE','SALE_PREPARATION','LISTED_FOR_SALE','SOLD','DEREGISTERED')),
766     CONSTRAINT ck_fleet_vehicle_3 CHECK (current_odometer_km >= 0),
767     CONSTRAINT ck_fleet_vehicle_4 CHECK (current_fuel_level IS NULL OR (current_fuel_level >= 0 AND current_fuel_level <= 100))
767 ) ENGINE=InnoDB;

```

```
769 CREATE TABLE fleet_vehicle_registration (  
770     id                        char(36) NOT NULL,  
771     vehicle_id                char(36) NOT NULL,  
772     country_code              char(2) NOT NULL,  
773     registration_number        varchar(30) NOT NULL,  
774     registration_hmac          binary(32),  
775     issuing_region             varchar(80),  
776     valid_from                 datetime(6) NOT NULL,  
777     valid_to                   datetime(6),  
778     document_object_key        varchar(500),  
779     status                     varchar(20) NOT NULL DEFAULT 'ACTIVE',  
780     created_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
781     updated_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
782     CONSTRAINT pk_fleet_vehicle_registration PRIMARY KEY (id),  
783     CONSTRAINT uq_fleet_vehicle_registration_country_code_regist_344750a9 UNIQUE (country_code, registration_number, valid_from),  
784     CONSTRAINT ck_fleet_vehicle_registration_1 CHECK (valid_to IS NULL OR valid_to > valid_from),  
785     CONSTRAINT ck_fleet_vehicle_registration_2 CHECK (status IN ('ACTIVE','EXPIRED','REVOKED','REPLACED'))  
786 ) ENGINE=InnoDB;
```

```
788 CREATE TABLE fleet_vehicle_group_assignment (  
789     id                        char(36) NOT NULL,  
790     vehicle_id                char(36) NOT NULL,  
791     vehicle_group_id           char(36) NOT NULL,  
792     valid_from                 datetime(6) NOT NULL,  
793     valid_to                   datetime(6),  
794     assignment_reason           varchar(60),  
795     assigned_by                 char(36),  
796     created_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
797     updated_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
798     CONSTRAINT pk_fleet_vehicle_group_assignment PRIMARY KEY (id),  
799     CONSTRAINT uq_fleet_vehicle_group_assignment_vehicle_id_valid_from_1 UNIQUE (vehicle_id, valid_from),  
800     CONSTRAINT ck_fleet_vehicle_group_assignment_1 CHECK (valid_to IS NULL OR valid_to > valid_from)  
801 ) ENGINE=InnoDB;
```

```
803 CREATE TABLE fleet_vehicle_operational_state_history (  
804     id                                char(36) NOT NULL,  
805     vehicle_id                        char(36) NOT NULL,  
806     from_status                       varchar(40),  
807     to_status                         varchar(40) NOT NULL,  
808     reason_code                       varchar(60),  
809     reason_text                       text,  
810     changed_by                        char(36),  
811     changed_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
812     CONSTRAINT pk_fleet_vehicle_operational_state_history PRIMARY KEY (id),  
813     CONSTRAINT ck_fleet_vehicle_operational_state_history_1 CHECK (to_status IN ('AVAILABLE', 'PICKUP_PREPARATION', 'RENTED', 'RETURN_PROCESSING', 'CLEANING', 'MAINTENANCE', 'IN_TRANSFER', 'QUARANTINED', 'BLOCKED', 'SALE_PREPARATION'))  
814 ) ENGINE=InnoDB;  
  
816 CREATE TABLE fleet_vehicle_lifecycle_history (  
817     id                                char(36) NOT NULL,  
818     vehicle_id                        char(36) NOT NULL,  
819     from_status                       varchar(40),  
820     to_status                         varchar(40) NOT NULL,  
821     reason_code                       varchar(60),  
822     reason_text                       text,  
823     changed_by                        char(36),  
824     changed_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
825     CONSTRAINT pk_fleet_vehicle_lifecycle_history PRIMARY KEY (id),  
826     CONSTRAINT ck_fleet_vehicle_lifecycle_history_1 CHECK (to_status IN ('ORDERED', 'RECEIVED', 'IN_FLEET', 'DISPOSAL_CANDIDATE', 'SALE_PREPARATION', 'LISTED_FOR_SALE', 'SOLD', 'DEREGISTERED'))  
827 ) ENGINE=InnoDB;
```

```

829 CREATE TABLE fleet_vehicle_restriction (
830     id                        char(36) NOT NULL,
831     vehicle_id                char(36) NOT NULL,
832     restriction_type           varchar(40) NOT NULL,
833     severity                   varchar(20) NOT NULL,
834     reason_code                varchar(60),
835     starts_at                  datetime(6) NOT NULL,
836     ends_at                    datetime(6),
837     status                     varchar(20) NOT NULL DEFAULT 'ACTIVE',
838     source_type                varchar(40),
839     source_id                  char(36),
840     created_at                  datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
841     updated_at                  datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
842     row_version                 bigint NOT NULL DEFAULT 0,
843     CONSTRAINT pk_fleet_vehicle_restriction PRIMARY KEY (id),
844     CONSTRAINT ck_fleet_vehicle_restriction_1 CHECK (severity IN ('INFO','WARNING','BLOCKING')),
845     CONSTRAINT ck_fleet_vehicle_restriction_2 CHECK (status IN ('ACTIVE','RELEASED','EXPIRED')),
846     CONSTRAINT ck_fleet_vehicle_restriction_3 CHECK (ends_at IS NULL OR ends_at > starts_at)
847 ) ENGINE=InnoDB;

849 CREATE TABLE fleet_vehicle_location_history (
850     id                        char(36) NOT NULL,
851     vehicle_id                char(36) NOT NULL,
852     branch_id                  char(36),
853     latitude                    decimal(10,7),
854     longitude                   decimal(10,7),
855     location_type               varchar(30) NOT NULL,
856     source_type                 varchar(40) NOT NULL,
857     source_id                   char(36),
858     recorded_at                 datetime(6) NOT NULL,
859     created_at                  datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
860     CONSTRAINT pk_fleet_vehicle_location_history PRIMARY KEY (id),
861     CONSTRAINT ck_fleet_vehicle_location_history_1 CHECK (location_type IN ('BRANCH','GPS','WORKSHOP','CUSTOMER','TRANSFER','OTHER'))
862 ) ENGINE=InnoDB;

```

```
864 CREATE TABLE fleet_vehicle_calendar_entry (  
865     id                                char(36) NOT NULL,  
866     legal_entity_id                   char(36) NOT NULL,  
867     vehicle_id                        char(36) NOT NULL,  
868     start_at                          datetime(6) NOT NULL,  
869     end_at                            datetime(6) NOT NULL,  
870     entry_type                        varchar(30) NOT NULL,  
871     status                            varchar(20) NOT NULL,  
872     source_type                       varchar(40) NOT NULL,  
873     source_id                         char(36),  
874     notes                             text,  
875     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
876     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
877     row_version                       bigint NOT NULL DEFAULT 0,  
878     CONSTRAINT pk_fleet_vehicle_calendar_entry PRIMARY KEY (id),  
879     CONSTRAINT ck_fleet_vehicle_calendar_entry_1 CHECK (end_at > start_at),  
880     CONSTRAINT ck_fleet_vehicle_calendar_entry_2 CHECK (entry_type IN ('RENTAL', 'MAINTENANCE', 'TRANSFER', 'CLEANING', 'INSPECTION', 'SALE_PREPARATION', 'MANUAL_BLOCK')),  
881     CONSTRAINT ck_fleet_vehicle_calendar_entry_3 CHECK (status IN ('HELD', 'CONFIRMED', 'ACTIVE', 'CLOSED', 'CANCELLED', 'SUPERSEDED'))  
882 ) ENGINE=InnoDB;
```

```
884 CREATE TABLE fleet_odometer_reading (  
885     id                                char(36) NOT NULL,  
886     vehicle_id                        char(36) NOT NULL,  
887     reading_km                        decimal(12,1) NOT NULL,  
888     reading_at                        datetime(6) NOT NULL,  
889     source_type                       varchar(40) NOT NULL,  
890     source_id                         char(36),  
891     is_correction                     boolean NOT NULL DEFAULT FALSE,  
892     corrects_reading_id               char(36),  
893     recorded_by                       char(36),  
894     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
895     CONSTRAINT pk_fleet_odometer_reading PRIMARY KEY (id),  
896     CONSTRAINT ck_fleet_odometer_reading_1 CHECK (reading_km >= 0),  
897     CONSTRAINT ck_fleet_odometer_reading_2 CHECK (corrects_reading_id IS NULL OR corrects_reading_id <> id)  
898 ) ENGINE=InnoDB;
```

```

900 CREATE TABLE fleet_fuel_reading (
901     id                                char(36) NOT NULL,
902     vehicle_id                        char(36) NOT NULL,
903     fuel_level_percent                decimal(5,2) NOT NULL,
904     reading_at                        datetime(6) NOT NULL,
905     source_type                       varchar(40) NOT NULL,
906     source_id                         char(36),
907     recorded_by                       char(36),
908     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
909     CONSTRAINT pk_fleet_fuel_reading PRIMARY KEY (id),
910     CONSTRAINT ck_fleet_fuel_reading_1 CHECK (fuel_level_percent >= 0 AND fuel_level_percent <= 100)
911 ) ENGINE=InnoDB;

913 CREATE TABLE fleet_asset_document (
914     id                                char(36) NOT NULL,
915     vehicle_id                        char(36) NOT NULL,
916     document_type                     varchar(40) NOT NULL,
917     object_key                        varchar(500) NOT NULL,
918     content_type                      varchar(100),
919     sha256                            binary(32),
920     issued_at                         date,
921     expires_at                       date,
922     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
923     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
924     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
925     CONSTRAINT pk_fleet_asset_document PRIMARY KEY (id),
926     CONSTRAINT ck_fleet_asset_document_1 CHECK (expires_at IS NULL OR issued_at IS NULL OR expires_at >= issued_at),
927     CONSTRAINT ck_fleet_asset_document_2 CHECK (status IN ('ACTIVE','EXPIRED','REVOKED','REPLACED'))
928 ) ENGINE=InnoDB;

930 CREATE TABLE fleet_accessory_asset (
931     id                                char(36) NOT NULL,
932     asset_code                        varchar(50) NOT NULL,
933     product_id                       char(36) NOT NULL,
934     serial_number                     varchar(100),
935     owning_legal_entity_id            char(36) NOT NULL,
936     status                            varchar(20) NOT NULL DEFAULT 'AVAILABLE',
937     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
938     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
939     row_version                       bigint NOT NULL DEFAULT 0,
940     CONSTRAINT pk_fleet_accessory_asset PRIMARY KEY (id),
941     CONSTRAINT uq_fleet_accessory_asset_asset_code_1 UNIQUE (asset_code),
942     CONSTRAINT ck_fleet_accessory_asset_1 CHECK (status IN ('AVAILABLE','ASSIGNED','MAINTENANCE','LOST','RETIRED'))
943 ) ENGINE=InnoDB;

```

```

945 CREATE TABLE fleet_vehicle_accessory_assignment (
946     id                                char(36) NOT NULL,
947     vehicle_id                        char(36) NOT NULL,
948     accessory_asset_id                char(36) NOT NULL,
949     start_at                          datetime(6) NOT NULL,
950     end_at                            datetime(6),
951     assignment_reason                 varchar(60),
952     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
953     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
954     CONSTRAINT pk_fleet_vehicle_accessory_assignment PRIMARY KEY (id),
955     CONSTRAINT uq_fleet_vehicle_accessory_assignment_accessory_a_3ae41b12 UNIQUE (accessory_asset_id, start_at),
956     CONSTRAINT ck_fleet_vehicle_accessory_assignment_1 CHECK (end_at IS NULL OR end_at > start_at)
957 ) ENGINE=InnoDB;

```

```

959 CREATE TABLE fleet_vehicle_cost_basis (
960     id                                char(36) NOT NULL,
961     vehicle_id                        char(36) NOT NULL,
962     purchase_amount                   decimal(19,4) NOT NULL,
963     capitalized_cost_amount            decimal(19,4) NOT NULL DEFAULT 0,
964     currency_code                     char(3) NOT NULL,
965     effective_date                     date NOT NULL,
966     source_reference                   varchar(100),
967     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
968     CONSTRAINT pk_fleet_vehicle_cost_basis PRIMARY KEY (id),
969     CONSTRAINT uq_fleet_vehicle_cost_basis_vehicle_id_effective_date_1 UNIQUE (vehicle_id, effective_date),
970     CONSTRAINT ck_fleet_vehicle_cost_basis_1 CHECK (purchase_amount >= 0),
971     CONSTRAINT ck_fleet_vehicle_cost_basis_2 CHECK (capitalized_cost_amount >= 0)
972 ) ENGINE=InnoDB;

```

```

974 CREATE TABLE fleet_depreciation_entry (
975     id                                char(36) NOT NULL,
976     vehicle_id                        char(36) NOT NULL,
977     period_start                       date NOT NULL,
978     period_end                         date NOT NULL,
979     depreciation_amount                 decimal(19,4) NOT NULL,
980     book_value_after                     decimal(19,4) NOT NULL,
981     currency_code                       char(3) NOT NULL,
982     accounting_reference                 varchar(100),
983     created_at                          datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
984     CONSTRAINT pk_fleet_depreciation_entry PRIMARY KEY (id),
985     CONSTRAINT uq_fleet_depreciation_entry_vehicle_id_period_sta_7a43f62c UNIQUE (vehicle_id, period_start, period_end),
986     CONSTRAINT ck_fleet_depreciation_entry_1 CHECK (period_end >= period_start),
987     CONSTRAINT ck_fleet_depreciation_entry_2 CHECK (depreciation_amount >= 0),
988     CONSTRAINT ck_fleet_depreciation_entry_3 CHECK (book_value_after >= 0)
989 ) ENGINE=InnoDB;

```



```

991 CREATE TABLE fleet_disposal_eligibility (
992     id                                char(36) NOT NULL,
993     vehicle_id                        char(36) NOT NULL,
994     evaluated_at                      datetime(6) NOT NULL,
995     eligible                          boolean NOT NULL,
996     reason_codes                      json,
997     recommended_channel               varchar(40),
998     estimated_residual_value          decimal(19,4),
999     currency_code                     char(3),
1000    model_version                     varchar(60),
1001    created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1002    CONSTRAINT pk_fleet_disposal_eligibility PRIMARY KEY (id)
1003 ) ENGINE=InnoDB;

1005 CREATE TABLE pricing_rate_plan (
1006     id                                char(36) NOT NULL,
1007     legal_entity_id                  char(36) NOT NULL,
1008     plan_code                        varchar(50) NOT NULL,
1009     name                             varchar(160) NOT NULL,
1010     rental_mode                      varchar(30) NOT NULL,
1011     description                       text,
1012     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
1013     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1014     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1015     row_version                       bigint NOT NULL DEFAULT 0,
1016     CONSTRAINT pk_pricing_rate_plan PRIMARY KEY (id),
1017     CONSTRAINT uq_pricing_rate_plan_legal_entity_id_plan_code_1 UNIQUE (legal_entity_id, plan_code),
1018     CONSTRAINT ck_pricing_rate_plan_1 CHECK (rental_mode IN ('HOURLY','DAILY','WEEKLY','MONTHLY','SUBSCRIPTION','CORPORATE')),
1019     CONSTRAINT ck_pricing_rate_plan_2 CHECK (status IN ('ACTIVE','INACTIVE'))
1020 ) ENGINE=InnoDB;

```

```

1022 CREATE TABLE pricing_rate_plan_version (
1023     id                                char(36) NOT NULL,
1024     rate_plan_id                      char(36) NOT NULL,
1025     version_number                    int NOT NULL,
1026     valid_from                        datetime(6) NOT NULL,
1027     valid_to                          datetime(6),
1028     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',
1029     currency_code                     char(3) NOT NULL,
1030     calculation_version                varchar(60) NOT NULL,
1031     ruleset_hash                      varchar(64) NOT NULL,
1032     published_at                      datetime(6),
1033     published_by                      char(36),
1034     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1035     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1036     row_version                       bigint NOT NULL DEFAULT 0,
1037     CONSTRAINT pk_pricing_rate_plan_version PRIMARY KEY (id),
1038     CONSTRAINT uq_pricing_rate_plan_version_rate_plan_id_version_number_1 UNIQUE (rate_plan_id, version_number),
1039     CONSTRAINT ck_pricing_rate_plan_version_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
1040     CONSTRAINT ck_pricing_rate_plan_version_2 CHECK (status IN ('DRAFT', 'PUBLISHED', 'RETIRED'))
1041 ) ENGINE=InnoDB;

```

```

1043 CREATE TABLE pricing_rate_plan_applicability (
1044     id                                char(36) NOT NULL,
1045     rate_plan_version_id              char(36) NOT NULL,
1046     origin_branch_id                 char(36),
1047     destination_branch_id            char(36),
1048     vehicle_group_id                 char(36),
1049     channel_id                       char(36),
1050     customer_segment                  varchar(30),
1051     corporate_agreement_id            char(36),
1052     partner_id                       char(36),
1053     priority                          smallint NOT NULL DEFAULT 100,
1054     condition_json                    json,
1055     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1056     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1057     CONSTRAINT pk_pricing_rate_plan_applicability PRIMARY KEY (id)
1058 ) ENGINE=InnoDB;

```

```

1060 CREATE TABLE pricing_rental_length_band (
1061     id                                char(36) NOT NULL,
1062     rate_plan_version_id              char(36) NOT NULL,
1063     band_code                        varchar(30) NOT NULL,
1064     minimum_minutes                  int NOT NULL,
1065     maximum_minutes                  int,
1066     billing_unit                     varchar(20) NOT NULL,
1067     priority                         smallint NOT NULL DEFAULT 100,
1068     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1069     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1070     CONSTRAINT pk_pricing_rental_length_band PRIMARY KEY (id),
1071     CONSTRAINT uq_pricing_rental_length_band_rate_plan_version_i_f4ae433d UNIQUE (rate_plan_version_id, band_code),
1072     CONSTRAINT ck_pricing_rental_length_band_1 CHECK (minimum_minutes >= 0),
1073     CONSTRAINT ck_pricing_rental_length_band_2 CHECK (maximum_minutes IS NULL OR maximum_minutes > minimum_minutes),
1074     CONSTRAINT ck_pricing_rental_length_band_3 CHECK (billing_unit IN ('HOUR','DAY','WEEK','MONTH'))
1075 ) ENGINE=InnoDB;

1077 CREATE TABLE pricing_season (
1078     id                                char(36) NOT NULL,
1079     legal_entity_id                  char(36) NOT NULL,
1080     season_code                      varchar(30) NOT NULL,
1081     name                             varchar(100) NOT NULL,
1082     start_date                       date NOT NULL,
1083     end_date                         date NOT NULL,
1084     priority                         smallint NOT NULL DEFAULT 100,
1085     recurrence_rule                  varchar(300),
1086     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1087     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1088     CONSTRAINT pk_pricing_season PRIMARY KEY (id),
1089     CONSTRAINT uq_pricing_season_legal_entity_id_season_code_start_date_1 UNIQUE (legal_entity_id, season_code, start_date),
1090     CONSTRAINT ck_pricing_season_1 CHECK (end_date >= start_date)
1091 ) ENGINE=InnoDB;

```

```

1093 CREATE TABLE pricing_base_rate (
1094     id char(36) NOT NULL,
1095     rate_plan_version_id char(36) NOT NULL,
1096     vehicle_group_id char(36) NOT NULL,
1097     origin_branch_id char(36),
1098     rental_length_band_id char(36),
1099     season_id char(36),
1100     amount decimal(19,4) NOT NULL,
1101     currency_code char(3) NOT NULL,
1102     valid_from datetime(6) NOT NULL,
1103     valid_to datetime(6),
1104     minimum_charge_amount decimal(19,4),
1105     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1106     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1107     CONSTRAINT pk_pricing_base_rate PRIMARY KEY (id),
1108     CONSTRAINT ck_pricing_base_rate_1 CHECK (amount >= 0),
1109     CONSTRAINT ck_pricing_base_rate_2 CHECK (minimum_charge_amount IS NULL OR minimum_charge_amount >= 0),
1110     CONSTRAINT ck_pricing_base_rate_3 CHECK (valid_to IS NULL OR valid_to > valid_from)
1111 ) ENGINE=InnoDB;

```

```

1113 CREATE TABLE pricing_mileage_package (
1114     id char(36) NOT NULL,
1115     rate_plan_version_id char(36) NOT NULL,
1116     package_code varchar(40) NOT NULL,
1117     name varchar(120) NOT NULL,
1118     included_km decimal(12,2),
1119     included_km_per_unit decimal(12,2),
1120     is_unlimited boolean NOT NULL DEFAULT FALSE,
1121     billing_mode varchar(20) NOT NULL,
1122     status varchar(20) NOT NULL DEFAULT 'ACTIVE',
1123     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1124     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1125     CONSTRAINT pk_pricing_mileage_package PRIMARY KEY (id),
1126     CONSTRAINT uq_pricing_mileage_package_rate_plan_version_id_p3dc9d824 UNIQUE (rate_plan_version_id, package_code),
1127     CONSTRAINT ck_pricing_mileage_package_1 CHECK (included_km IS NULL OR included_km >= 0),
1128     CONSTRAINT ck_pricing_mileage_package_2 CHECK (included_km_per_unit IS NULL OR included_km_per_unit >= 0),
1129     CONSTRAINT ck_pricing_mileage_package_3 CHECK (billing_mode IN ('FIXED','PER_RENTAL_UNIT','FLEXIBLE')),
1130     CONSTRAINT ck_pricing_mileage_package_4 CHECK (status IN ('ACTIVE','INACTIVE'))
1131 ) ENGINE=InnoDB;

```

```

1133 CREATE TABLE pricing_mileage_rate (
1134     id char(36) NOT NULL,
1135     mileage_package_id char(36) NOT NULL,
1136     vehicle_group_id char(36),
1137     excess_km_amount decimal(19,4) NOT NULL,
1138     flex_km_amount decimal(19,4),
1139     currency_code char(3) NOT NULL,
1140     valid_from datetime(6) NOT NULL,
1141     valid_to datetime(6),
1142     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1143     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1144     CONSTRAINT pk_pricing_mileage_rate PRIMARY KEY (id),
1145     CONSTRAINT ck_pricing_mileage_rate_1 CHECK (excess_km_amount >= 0),
1146     CONSTRAINT ck_pricing_mileage_rate_2 CHECK (flex_km_amount IS NULL OR flex_km_amount >= 0),
1147     CONSTRAINT ck_pricing_mileage_rate_3 CHECK (valid_to IS NULL OR valid_to > valid_from)
1148 ) ENGINE=InnoDB;

```

```

1150 CREATE TABLE pricing_one_way_rule (
1151     id char(36) NOT NULL,
1152     rate_plan_version_id char(36) NOT NULL,
1153     origin_branch_id char(36),
1154     destination_branch_id char(36),
1155     origin_region varchar(80),
1156     destination_region varchar(80),
1157     vehicle_group_id char(36),
1158     calculation_type varchar(30) NOT NULL,
1159     priority smallint NOT NULL DEFAULT 100,
1160     valid_from datetime(6) NOT NULL,
1161     valid_to datetime(6),
1162     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1163     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1164     CONSTRAINT pk_pricing_one_way_rule PRIMARY KEY (id),
1165     CONSTRAINT ck_pricing_one_way_rule_1 CHECK (calculation_type IN ('FIXED','DISTANCE','PERCENTAGE','WAIVED','DENIED')),
1166     CONSTRAINT ck_pricing_one_way_rule_2 CHECK (valid_to IS NULL OR valid_to > valid_from)
1167 ) ENGINE=InnoDB;

```

```

1169 CREATE TABLE pricing_one_way_price (
1170     id char(36) NOT NULL,
1171     one_way_rule_id char(36) NOT NULL,
1172     fixed_amount decimal(19,4),
1173     amount_per_km decimal(19,6),
1174     percentage_rate decimal(9,6),
1175     minimum_amount decimal(19,4),
1176     maximum_amount decimal(19,4),
1177     currency_code char(3),
1178     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1179     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1180     CONSTRAINT pk_pricing_one_way_price PRIMARY KEY (id),
1181     CONSTRAINT uq_pricing_one_way_price_one_way_rule_id_1 UNIQUE (one_way_rule_id),
1182     CONSTRAINT ck_pricing_one_way_price_1 CHECK (fixed_amount IS NULL OR fixed_amount >= 0),
1183     CONSTRAINT ck_pricing_one_way_price_2 CHECK (amount_per_km IS NULL OR amount_per_km >= 0),
1184     CONSTRAINT ck_pricing_one_way_price_3 CHECK (percentage_rate IS NULL OR percentage_rate >= 0),
1185     CONSTRAINT ck_pricing_one_way_price_4 CHECK (minimum_amount IS NULL OR minimum_amount >= 0),
1186     CONSTRAINT ck_pricing_one_way_price_5 CHECK (maximum_amount IS NULL OR maximum_amount >= 0)
1187 ) ENGINE=InnoDB;

```

```

1189 CREATE TABLE pricing_fuel_price (
1190     id char(36) NOT NULL,
1191     legal_entity_id char(36) NOT NULL,
1192     branch_id char(36),
1193     fuel_type varchar(30) NOT NULL,
1194     amount_per_liter decimal(19,6) NOT NULL,
1195     service_multiplier decimal(10,6) NOT NULL DEFAULT 1,
1196     currency_code char(3) NOT NULL,
1197     valid_from datetime(6) NOT NULL,
1198     valid_to datetime(6),
1199     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1200     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1201     CONSTRAINT pk_pricing_fuel_price PRIMARY KEY (id),
1202     CONSTRAINT ck_pricing_fuel_price_1 CHECK (amount_per_liter >= 0),
1203     CONSTRAINT ck_pricing_fuel_price_2 CHECK (service_multiplier >= 0),
1204     CONSTRAINT ck_pricing_fuel_price_3 CHECK (valid_to IS NULL OR valid_to > valid_from)
1205 ) ENGINE=InnoDB;

```

```

1207 CREATE TABLE pricing_preauthorization_rule (
1208     id                                char(36) NOT NULL,
1209     rate_plan_version_id              char(36) NOT NULL,
1210     vehicle_group_id                  char(36),
1211     customer_segment                   varchar(30),
1212     fixed_amount                       decimal(19,4),
1213     rental_multiplier                  decimal(10,6),
1214     minimum_amount                     decimal(19,4),
1215     maximum_amount                     decimal(19,4),
1216     currency_code                      char(3) NOT NULL,
1217     priority                           smallint NOT NULL DEFAULT 100,
1218     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1219     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1220     CONSTRAINT pk_pricing_preauthorization_rule PRIMARY KEY (id),
1221     CONSTRAINT ck_pricing_preauthorization_rule_1 CHECK (fixed_amount IS NULL OR fixed_amount >= 0),
1222     CONSTRAINT ck_pricing_preauthorization_rule_2 CHECK (rental_multiplier IS NULL OR rental_multiplier >= 0),
1223     CONSTRAINT ck_pricing_preauthorization_rule_3 CHECK (minimum_amount IS NULL OR minimum_amount >= 0),
1224     CONSTRAINT ck_pricing_preauthorization_rule_4 CHECK (maximum_amount IS NULL OR maximum_amount >= 0)
1225 ) ENGINE=InnoDB;

```

```

1227 CREATE TABLE pricing_pricing_rule (
1228     id                                char(36) NOT NULL,
1229     rate_plan_version_id              char(36) NOT NULL,
1230     rule_code                          varchar(60) NOT NULL,
1231     rule_type                          varchar(40) NOT NULL,
1232     priority                           smallint NOT NULL DEFAULT 100,
1233     condition_json                     json NOT NULL,
1234     action_json                        json NOT NULL,
1235     valid_from                         datetime(6),
1236     valid_to                           datetime(6),
1237     status                             varchar(20) NOT NULL DEFAULT 'ACTIVE',
1238     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1239     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1240     CONSTRAINT pk_pricing_pricing_rule PRIMARY KEY (id),
1241     CONSTRAINT uq_pricing_pricing_rule_rate_plan_version_id_rule_code_1 UNIQUE (rate_plan_version_id, rule_code),
1242     CONSTRAINT ck_pricing_pricing_rule_1 CHECK (valid_to IS NULL OR valid_from IS NULL OR valid_to > valid_from),
1243     CONSTRAINT ck_pricing_pricing_rule_2 CHECK (status IN ('ACTIVE','INACTIVE'))
1244 ) ENGINE=InnoDB;

```

```
1246 CREATE TABLE pricing_promotion (
1247     id char(36) NOT NULL,
1248     promotion_code varchar(50) NOT NULL,
1249     name varchar(160) NOT NULL,
1250     valid_from datetime(6) NOT NULL,
1251     valid_to datetime(6) NOT NULL,
1252     priority smallint NOT NULL DEFAULT 100,
1253     stacking_policy varchar(30) NOT NULL,
1254     condition_json json,
1255     action_json json,
1256     status varchar(20) NOT NULL DEFAULT 'DRAFT',
1257     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1258     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1259     row_version bigint NOT NULL DEFAULT 0,
1260     CONSTRAINT pk_pricing_promotion PRIMARY KEY (id),
1261     CONSTRAINT uq_pricing_promotion_promotion_code_1 UNIQUE (promotion_code),
1262     CONSTRAINT ck_pricing_promotion_1 CHECK (valid_to > valid_from),
1263     CONSTRAINT ck_pricing_promotion_2 CHECK (stacking_policy IN ('EXCLUSIVE','STACKABLE','BEST_ONLY')),
1264     CONSTRAINT ck_pricing_promotion_3 CHECK (status IN ('DRAFT','ACTIVE','PAUSED','EXPIRED','CANCELLED'))
1265 ) ENGINE=InnoDB;
```

```
1267 CREATE TABLE pricing_coupon (
1268     id char(36) NOT NULL,
1269     promotion_id char(36) NOT NULL,
1270     coupon_code varchar(80) NOT NULL,
1271     maximum_redemptions int,
1272     maximum_per_party int,
1273     valid_from datetime(6),
1274     valid_to datetime(6),
1275     status varchar(20) NOT NULL DEFAULT 'ACTIVE',
1276     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1277     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1278     row_version bigint NOT NULL DEFAULT 0,
1279     CONSTRAINT pk_pricing_coupon PRIMARY KEY (id),
1280     CONSTRAINT uq_pricing_coupon_coupon_code_1 UNIQUE (coupon_code),
1281     CONSTRAINT ck_pricing_coupon_1 CHECK (maximum_redemptions IS NULL OR maximum_redemptions > 0),
1282     CONSTRAINT ck_pricing_coupon_2 CHECK (maximum_per_party IS NULL OR maximum_per_party > 0),
1283     CONSTRAINT ck_pricing_coupon_3 CHECK (valid_to IS NULL OR valid_from IS NULL OR valid_to > valid_from),
1284     CONSTRAINT ck_pricing_coupon_4 CHECK (status IN ('ACTIVE','PAUSED','EXPIRED','CANCELLED'))
1285 ) ENGINE=InnoDB;
```



```

1287 CREATE TABLE pricing_coupon_redemption (
1288     id                                char(36) NOT NULL,
1289     coupon_id                         char(36) NOT NULL,
1290     party_id                          char(36),
1291     reservation_id                    char(36),
1292     quote_id                          char(36),
1293     redeemed_at                       datetime(6) NOT NULL,
1294     status                            varchar(20) NOT NULL,
1295     idempotency_key                    varchar(160) NOT NULL,
1296     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1297     CONSTRAINT pk_pricing_coupon_redemption PRIMARY KEY (id),
1298     CONSTRAINT uq_pricing_coupon_redemption_idempotency_key_1 UNIQUE (idempotency_key),
1299     CONSTRAINT ck_pricing_coupon_redemption_1 CHECK (status IN ('RESERVED','CONSUMED','RELEASED','REVERSED'))
1300 ) ENGINE=InnoDB;

1302 CREATE TABLE pricing_quote (
1303     id                                char(36) NOT NULL,
1304     quote_number                       varchar(60) NOT NULL,
1305     legal_entity_id                    char(36) NOT NULL,
1306     customer_account_id                char(36),
1307     rate_plan_version_id               char(36) NOT NULL,
1308     origin_branch_id                   char(36) NOT NULL,
1309     destination_branch_id              char(36) NOT NULL,
1310     vehicle_group_id                   char(36) NOT NULL,
1311     channel_id                         char(36) NOT NULL,
1312     planned_pickup_at                  datetime(6) NOT NULL,
1313     planned_return_at                  datetime(6) NOT NULL,
1314     currency_code                      char(3) NOT NULL,
1315     subtotal_amount                    decimal(19,4) NOT NULL,
1316     discount_amount                    decimal(19,4) NOT NULL DEFAULT 0,
1317     tax_amount                         decimal(19,4) NOT NULL DEFAULT 0,
1318     total_amount                       decimal(19,4) NOT NULL,
1319     expires_at                         datetime(6) NOT NULL,
1320     status                             varchar(20) NOT NULL DEFAULT 'VALID',
1321     context_json                       json,
1322     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1323     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1324     row_version                        bigint NOT NULL DEFAULT 0,
1325     CONSTRAINT pk_pricing_quote PRIMARY KEY (id),
1326     CONSTRAINT uq_pricing_quote_legal_entity_id_quote_number_1 UNIQUE (legal_entity_id, quote_number),
1327     CONSTRAINT ck_pricing_quote_1 CHECK (planned_return_at > planned_pickup_at),
1328     CONSTRAINT ck_pricing_quote_2 CHECK (expires_at > created_at),
1329     CONSTRAINT ck_pricing_quote_3 CHECK (subtotal_amount >= 0),
1330     CONSTRAINT ck_pricing_quote_4 CHECK (discount_amount >= 0),
1331     CONSTRAINT ck_pricing_quote_5 CHECK (tax_amount >= 0),
1332     CONSTRAINT ck_pricing_quote_6 CHECK (total_amount >= 0),
1333     CONSTRAINT ck_pricing_quote_7 CHECK (status IN ('VALID','EXPIRED','CONVERTED','CANCELLED'))

```

1334) ENGINE=InnoDB;

```

1336 CREATE TABLE pricing_quote_line (
1337     id                                char(36) NOT NULL,
1338     quote_id                          char(36) NOT NULL,
1339     line_number                       int NOT NULL,
1340     product_id                        char(36),
1341     charge_type_id                    char(36),
1342     description                       varchar(240) NOT NULL,
1343     quantity                          decimal(19,6) NOT NULL,
1344     unit_code                         varchar(20) NOT NULL,
1345     unit_amount                       decimal(19,4) NOT NULL,
1346     base_amount                       decimal(19,4) NOT NULL,
1347     discount_amount                   decimal(19,4) NOT NULL DEFAULT 0,
1348     tax_amount                        decimal(19,4) NOT NULL DEFAULT 0,
1349     gross_amount                      decimal(19,4) NOT NULL,
1350     service_start_at                  datetime(6),
1351     service_end_at                    datetime(6),
1352     rule_reference                     varchar(160),
1353     line_metadata                     json,
1354     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1355     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1356     CONSTRAINT pk_pricing_quote_line PRIMARY KEY (id),
1357     CONSTRAINT uq_pricing_quote_line_quote_id_line_number_1 UNIQUE (quote_id, line_number),
1358     CONSTRAINT ck_pricing_quote_line_1 CHECK (quantity > 0),
1359     CONSTRAINT ck_pricing_quote_line_2 CHECK (discount_amount >= 0),
1360     CONSTRAINT ck_pricing_quote_line_3 CHECK (tax_amount >= 0),
1361     CONSTRAINT ck_pricing_quote_line_4 CHECK (gross_amount = base_amount - discount_amount + tax_amount),
1362     CONSTRAINT ck_pricing_quote_line_5 CHECK (service_end_at IS NULL OR service_start_at IS NULL OR service_end_at > service_start_at)
1363 ) ENGINE=InnoDB;
```

```

1365 CREATE TABLE pricing_pricing_calculation (
1366     id                                char(36) NOT NULL,
1367     quote_id                          char(36) NOT NULL,
1368     calculation_sequence               int NOT NULL,
1369     calculation_version                 varchar(60) NOT NULL,
1370     input_hash                         varchar(64) NOT NULL,
1371     input_snapshot                      json NOT NULL,
1372     output_snapshot                     json NOT NULL,
1373     duration_ms                         int,
1374     calculated_at                       datetime(6) NOT NULL,
1375     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1376     CONSTRAINT pk_pricing_pricing_calculation PRIMARY KEY (id),
1377     CONSTRAINT uq_pricing_pricing_calculation_quote_id_calculati_d1b53ccc UNIQUE (quote_id, calculation_sequence),
1378     CONSTRAINT ck_pricing_pricing_calculation_1 CHECK (duration_ms IS NULL OR duration_ms >= 0)
1379 ) ENGINE=InnoDB;
```

```
1381 CREATE TABLE pricing_quote_rule_trace (
1382     id char(36) NOT NULL,
1383     pricing_calculation_id char(36) NOT NULL,
1384     sequence_number int NOT NULL,
1385     rule_code varchar(60) NOT NULL,
1386     matched boolean NOT NULL,
1387     condition_result json,
1388     action_result json,
1389     explanation text,
1390     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1391     CONSTRAINT pk_pricing_quote_rule_trace PRIMARY KEY (id),
1392     CONSTRAINT uq_pricing_quote_rule_trace_pricing_calculation_i_ea988f52 UNIQUE (pricing_calculation_id, sequence_number)
1393 ) ENGINE=InnoDB;
```

```
1395 CREATE TABLE corporate_rate_entitlement (
1396     id char(36) NOT NULL,
1397     corporate_agreement_id char(36) NOT NULL,
1398     rate_plan_id char(36) NOT NULL,
1399     vehicle_group_id char(36),
1400     valid_from datetime(6) NOT NULL,
1401     valid_to datetime(6),
1402     priority smallint NOT NULL DEFAULT 100,
1403     constraints_json json,
1404     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1405     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1406     CONSTRAINT pk_corporate_rate_entitlement PRIMARY KEY (id),
1407     CONSTRAINT ck_corporate_rate_entitlement_1 CHECK (valid_to IS NULL OR valid_to > valid_from)
1408 ) ENGINE=InnoDB;
```

```

1410 CREATE TABLE corporate_purchase_order (
1411     id                                char(36) NOT NULL,
1412     corporate_agreement_id           char(36) NOT NULL,
1413     purchase_order_number            varchar(80) NOT NULL,
1414     cost_center_id                   char(36),
1415     valid_from                        date,
1416     valid_to                          date,
1417     authorized_amount                decimal(19,4),
1418     currency_code                    char(3),
1419     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
1420     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1421     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1422     row_version                      bigint NOT NULL DEFAULT 0,
1423     CONSTRAINT pk_corporate_purchase_order PRIMARY KEY (id),
1424     CONSTRAINT uq_corporate_purchase_order_corporate_agreement_i_393e33a8 UNIQUE (corporate_agreement_id, purchase_order_number),
1425     CONSTRAINT ck_corporate_purchase_order_1 CHECK (valid_to IS NULL OR valid_from IS NULL OR valid_to >= valid_from),
1426     CONSTRAINT ck_corporate_purchase_order_2 CHECK (authorized_amount IS NULL OR authorized_amount >= 0),
1427     CONSTRAINT ck_corporate_purchase_order_3 CHECK (status IN ('ACTIVE','EXHAUSTED','EXPIRED','CANCELLED'))
1428 ) ENGINE=InnoDB;

```

```

1430 CREATE TABLE corporate_voucher (
1431     id                                char(36) NOT NULL,
1432     corporate_agreement_id           char(36),
1433     partner_agreement_id            char(36),
1434     voucher_code                     varchar(100) NOT NULL,
1435     authorized_party_id              char(36),
1436     valid_from                       datetime(6),
1437     valid_to                         datetime(6),
1438     maximum_amount                   decimal(19,4),
1439     currency_code                    char(3),
1440     usage_limit                      int NOT NULL DEFAULT 1,
1441     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
1442     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1443     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1444     row_version                      bigint NOT NULL DEFAULT 0,
1445     CONSTRAINT pk_corporate_voucher PRIMARY KEY (id),
1446     CONSTRAINT uq_corporate_voucher_voucher_code_1 UNIQUE (voucher_code),
1447     CONSTRAINT ck_corporate_voucher_1 CHECK (usage_limit > 0),
1448     CONSTRAINT ck_corporate_voucher_2 CHECK (maximum_amount IS NULL OR maximum_amount >= 0),
1449     CONSTRAINT ck_corporate_voucher_3 CHECK (valid_to IS NULL OR valid_from IS NULL OR valid_to > valid_from),
1450     CONSTRAINT ck_corporate_voucher_4 CHECK (status IN ('ACTIVE','RESERVED','CONSUMED','EXPIRED','CANCELLED'))
1451 ) ENGINE=InnoDB;

```

```
1453 CREATE TABLE corporate_consolidated_billing_instruction (  
1454     id                                char(36) NOT NULL,  
1455     corporate_billing_profile_id      char(36) NOT NULL,  
1456     grouping_key                     varchar(40) NOT NULL,  
1457     cutoff_day                       smallint,  
1458     delivery_channel                 varchar(20) NOT NULL,  
1459     recipient_contact_id             char(36),  
1460     configuration_json               json,  
1461     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',  
1462     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
1463     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
1464     CONSTRAINT pk_corporate_consolidated_billing_instruction PRIMARY KEY (id),  
1465     CONSTRAINT ck_corporate_consolidated_billing_instruction_1 CHECK (cutoff_day IS NULL OR cutoff_day BETWEEN 1 AND 31),  
1466     CONSTRAINT ck_corporate_consolidated_billing_instruction_2 CHECK (delivery_channel IN ('EMAIL','SFTP','API','PORTAL')),  
1467     CONSTRAINT ck_corporate_consolidated_billing_instruction_3 CHECK (status IN ('ACTIVE','INACTIVE'))  
1468 ) ENGINE=InnoDB;
```

```
1470 CREATE TABLE availability_inventory_bucket (  
1471     branch_id                        char(36) NOT NULL,  
1472     vehicle_group_id                char(36) NOT NULL,  
1473     bucket_start                     datetime(6) NOT NULL,  
1474     local_business_date              date NOT NULL,  
1475     projected_capacity_qty            int NOT NULL DEFAULT 0,  
1476     blocked_qty                      int NOT NULL DEFAULT 0,  
1477     safety_buffer_qty                 int NOT NULL DEFAULT 0,  
1478     overbook_limit_qty                int NOT NULL DEFAULT 0,  
1479     held_qty                         int NOT NULL DEFAULT 0,  
1480     committed_qty                    int NOT NULL DEFAULT 0,  
1481     projection_version                bigint NOT NULL DEFAULT 0,  
1482     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
1483     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
1484     CONSTRAINT pk_availability_inventory_bucket PRIMARY KEY (branch_id, vehicle_group_id, bucket_start),  
1485     CONSTRAINT ck_availability_inventory_bucket_1 CHECK (projected_capacity_qty >= 0),  
1486     CONSTRAINT ck_availability_inventory_bucket_2 CHECK (blocked_qty >= 0),  
1487     CONSTRAINT ck_availability_inventory_bucket_3 CHECK (safety_buffer_qty >= 0),  
1488     CONSTRAINT ck_availability_inventory_bucket_4 CHECK (overbook_limit_qty >= 0),  
1489     CONSTRAINT ck_availability_inventory_bucket_5 CHECK (held_qty >= 0),  
1490     CONSTRAINT ck_availability_inventory_bucket_6 CHECK (committed_qty >= 0)  
1491 ) ENGINE=InnoDB;
```

```

1493 CREATE TABLE availability_availability_hold (
1494     id                                char(36) NOT NULL,
1495     hold_token                        varchar(120) NOT NULL,
1496     branch_id                        char(36) NOT NULL,
1497     vehicle_group_id                 char(36) NOT NULL,
1498     start_at                          datetime(6) NOT NULL,
1499     end_at                            datetime(6) NOT NULL,
1500     quantity                          int NOT NULL DEFAULT 1,
1501     expires_at                        datetime(6) NOT NULL,
1502     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
1503     source_type                       varchar(40),
1504     source_id                         char(36),
1505     idempotency_key                   varchar(160) NOT NULL,
1506     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1507     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1508     row_version                       bigint NOT NULL DEFAULT 0,
1509     CONSTRAINT pk_availability_availability_hold PRIMARY KEY (id),
1510     CONSTRAINT uq_availability_availability_hold_hold_token_1 UNIQUE (hold_token),
1511     CONSTRAINT uq_availability_availability_hold_idempotency_key_2 UNIQUE (idempotency_key),
1512     CONSTRAINT ck_availability_availability_hold_1 CHECK (end_at > start_at),
1513     CONSTRAINT ck_availability_availability_hold_2 CHECK (quantity > 0),
1514     CONSTRAINT ck_availability_availability_hold_3 CHECK (expires_at > created_at),
1515     CONSTRAINT ck_availability_availability_hold_4 CHECK (status IN ('ACTIVE','CONVERTED','EXPIRED','RELEASED'))
1516 ) ENGINE=InnoDB;

1518 CREATE TABLE availability_capacity_commitment (
1519     id                                char(36) NOT NULL,
1520     branch_id                        char(36) NOT NULL,
1521     vehicle_group_id                 char(36) NOT NULL,
1522     start_at                          datetime(6) NOT NULL,
1523     end_at                            datetime(6) NOT NULL,
1524     quantity                          int NOT NULL DEFAULT 1,
1525     commitment_type                   varchar(30) NOT NULL,
1526     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
1527     source_type                       varchar(40) NOT NULL,
1528     source_id                         char(36) NOT NULL,
1529     idempotency_key                   varchar(160) NOT NULL,
1530     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1531     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1532     row_version                       bigint NOT NULL DEFAULT 0,
1533     CONSTRAINT pk_availability_capacity_commitment PRIMARY KEY (id),
1534     CONSTRAINT uq_availability_capacity_commitment_idempotency_key_1 UNIQUE (idempotency_key),
1535     CONSTRAINT ck_availability_capacity_commitment_1 CHECK (end_at > start_at),
1536     CONSTRAINT ck_availability_capacity_commitment_2 CHECK (quantity > 0),
1537     CONSTRAINT ck_availability_capacity_commitment_3 CHECK (commitment_type IN ('RESERVATION','ALLOTMENT','MANUAL','BUFFER')),
1538     CONSTRAINT ck_availability_capacity_commitment_4 CHECK (status IN ('ACTIVE','CONSUMED','RELEASED','CANCELLED'))
1539 ) ENGINE=InnoDB;

```

```

1541 CREATE TABLE availability_upgrade_path (
1542     id                                char(36) NOT NULL,
1543     origin_branch_id                  char(36),
1544     from_group_id                     char(36) NOT NULL,
1545     to_group_id                       char(36) NOT NULL,
1546     priority                          smallint NOT NULL DEFAULT 100,
1547     valid_from                        datetime(6) NOT NULL,
1548     valid_to                          datetime(6),
1549     cost_policy                       varchar(30) NOT NULL,
1550     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
1551     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1552     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1553     CONSTRAINT pk_availability_upgrade_path PRIMARY KEY (id),
1554     CONSTRAINT uq_availability_upgrade_path_origin_branch_id_fro_bc702385 UNIQUE (origin_branch_id, from_group_id, to_group_id, valid_from),
1555     CONSTRAINT ck_availability_upgrade_path_1 CHECK (from_group_id <> to_group_id),
1556     CONSTRAINT ck_availability_upgrade_path_2 CHECK (valid_to IS NULL OR valid_to > valid_from),
1557     CONSTRAINT ck_availability_upgrade_path_3 CHECK (cost_policy IN ('FREE','CUSTOMER_PAYS','MANAGER_APPROVAL')),
1558     CONSTRAINT ck_availability_upgrade_path_4 CHECK (status IN ('ACTIVE','INACTIVE'))
1559 ) ENGINE=InnoDB;

```

```

1561 CREATE TABLE availability_fleet_allotment (
1562     id                                char(36) NOT NULL,
1563     partner_agreement_id              char(36),
1564     corporate_agreement_id            char(36),
1565     branch_id                         char(36) NOT NULL,
1566     vehicle_group_id                  char(36) NOT NULL,
1567     start_at                          datetime(6) NOT NULL,
1568     end_at                            datetime(6) NOT NULL,
1569     quantity                          int NOT NULL,
1570     release_at                        datetime(6),
1571     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
1572     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1573     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1574     CONSTRAINT pk_availability_fleet_allotment PRIMARY KEY (id),
1575     CONSTRAINT ck_availability_fleet_allotment_1 CHECK (end_at > start_at),
1576     CONSTRAINT ck_availability_fleet_allotment_2 CHECK (quantity > 0),
1577     CONSTRAINT ck_availability_fleet_allotment_3 CHECK (status IN ('ACTIVE','RELEASED','EXPIRED','CANCELLED'))
1578 ) ENGINE=InnoDB;

```

```

1580 CREATE TABLE availability_relocation_order (
1581     id                                char(36) NOT NULL,
1582     legal_entity_id                  char(36) NOT NULL,
1583     order_number                     varchar(60) NOT NULL,
1584     origin_branch_id                 char(36) NOT NULL,
1585     destination_branch_id            char(36) NOT NULL,
1586     planned_departure_at              datetime(6) NOT NULL,
1587     planned_arrival_at               datetime(6) NOT NULL,
1588     status                           varchar(20) NOT NULL DEFAULT 'PLANNED',
1589     reason_code                      varchar(60),
1590     created_by                       char(36),
1591     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1592     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1593     row_version                      bigint NOT NULL DEFAULT 0,
1594     CONSTRAINT pk_availability_relocation_order PRIMARY KEY (id),
1595     CONSTRAINT uq_availability_relocation_order_legal_entity_id_2783fe4e UNIQUE (legal_entity_id, order_number),
1596     CONSTRAINT ck_availability_relocation_order_1 CHECK (planned_arrival_at > planned_departure_at),
1597     CONSTRAINT ck_availability_relocation_order_2 CHECK (status IN ('PLANNED','DISPATCHED','IN_TRANSIT','COMPLETED','CANCELLED'))
1598 ) ENGINE=InnoDB;

```

```

1600 CREATE TABLE availability_relocation_leg (
1601     id                                char(36) NOT NULL,
1602     relocation_order_id              char(36) NOT NULL,
1603     sequence_number                  int NOT NULL,
1604     vehicle_id                       char(36) NOT NULL,
1605     calendar_entry_id               char(36),
1606     departed_at                     datetime(6),
1607     arrived_at                      datetime(6),
1608     status                           varchar(20) NOT NULL DEFAULT 'PLANNED',
1609     created_at                      datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1610     updated_at                      datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1611     CONSTRAINT pk_availability_relocation_leg PRIMARY KEY (id),
1612     CONSTRAINT uq_availability_relocation_leg_relocation_order_i_26aef275 UNIQUE (relocation_order_id, sequence_number),
1613     CONSTRAINT uq_availability_relocation_leg_relocation_order_i_53141511 UNIQUE (relocation_order_id, vehicle_id),
1614     CONSTRAINT ck_availability_relocation_leg_1 CHECK (arrived_at IS NULL OR departed_at IS NULL OR arrived_at >= departed_at),
1615     CONSTRAINT ck_availability_relocation_leg_2 CHECK (status IN ('PLANNED','IN_TRANSIT','COMPLETED','CANCELLED'))
1616 ) ENGINE=InnoDB;

```



```

1618 CREATE TABLE availability_oversell_alert (
1619     id                                char(36) NOT NULL,
1620     branch_id                        char(36) NOT NULL,
1621     vehicle_group_id                 char(36) NOT NULL,
1622     bucket_start                     datetime(6) NOT NULL,
1623     shortage_qty                     int NOT NULL,
1624     severity                         varchar(20) NOT NULL,
1625     status                          varchar(20) NOT NULL DEFAULT 'OPEN',
1626     detected_at                     datetime(6) NOT NULL,
1627     resolved_at                     datetime(6),
1628     resolution_note                  text,
1629     created_at                      datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1630     updated_at                      datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1631     row_version                      bigint NOT NULL DEFAULT 0,
1632     CONSTRAINT pk_availability_oversell_alert PRIMARY KEY (id),
1633     CONSTRAINT ck_availability_oversell_alert_1 CHECK (shortage_qty > 0),
1634     CONSTRAINT ck_availability_oversell_alert_2 CHECK (severity IN ('LOW','MEDIUM','HIGH','CRITICAL')),
1635     CONSTRAINT ck_availability_oversell_alert_3 CHECK (status IN ('OPEN','ACKNOWLEDGED','RESOLVED','IGNORED'))
1636 ) ENGINE=InnoDB;

1638 CREATE TABLE availability_forecast_snapshot (
1639     id                                char(36) NOT NULL,
1640     branch_id                        char(36) NOT NULL,
1641     vehicle_group_id                 char(36) NOT NULL,
1642     bucket_start                     datetime(6) NOT NULL,
1643     forecast_version                 varchar(60) NOT NULL,
1644     expected_returns_qty             decimal(12,4) NOT NULL,
1645     expected_pickups_qty             decimal(12,4) NOT NULL,
1646     expected_no_show_qty             decimal(12,4) NOT NULL,
1647     confidence                       decimal(8,6),
1648     generated_at                    datetime(6) NOT NULL,
1649     created_at                      datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1650     CONSTRAINT pk_availability_forecast_snapshot PRIMARY KEY (id),
1651     CONSTRAINT uq_availability_forecast_snapshot_branch_id_vehicle_group_id_bucket_start_forecast_version UNIQUE (branch_id, vehicle_group_id, bucket_start, forecast_version),
1652     CONSTRAINT ck_availability_forecast_snapshot_1 CHECK (expected_returns_qty >= 0),
1653     CONSTRAINT ck_availability_forecast_snapshot_2 CHECK (expected_pickups_qty >= 0),
1654     CONSTRAINT ck_availability_forecast_snapshot_3 CHECK (expected_no_show_qty >= 0),
1655     CONSTRAINT ck_availability_forecast_snapshot_4 CHECK (confidence IS NULL OR (confidence >= 0 AND confidence <= 1))
1656 ) ENGINE=InnoDB;

```

```

1658 CREATE TABLE reservation_reservation (
1659     id char(36) NOT NULL,
1660     reservation_number varchar(60) NOT NULL,
1661     legal_entity_id char(36) NOT NULL,
1662     customer_account_id char(36),
1663     booker_party_id char(36),
1664     requested_vehicle_group_id char(36) NOT NULL,
1665     pickup_branch_id char(36) NOT NULL,
1666     planned_return_branch_id char(36) NOT NULL,
1667     planned_pickup_at datetime(6) NOT NULL,
1668     planned_return_at datetime(6) NOT NULL,
1669     rental_mode varchar(30) NOT NULL,
1670     channel_id char(36) NOT NULL,
1671     rate_plan_version_id char(36) NOT NULL,
1672     quote_id char(36),
1673     corporate_agreement_id char(36),
1674     cost_center_id char(36),
1675     purchase_order_id char(36),
1676     voucher_id char(36),
1677     current_status varchar(20) NOT NULL DEFAULT 'DRAFT',
1678     guarantee_status varchar(20) NOT NULL DEFAULT 'NOT_REQUIRED',
1679     expires_at datetime(6),
1680     external_reference varchar(160),
1681     notes text,
1682     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1683     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1684     row_version bigint NOT NULL DEFAULT 0,
1685     CONSTRAINT pk_reservation_reservation PRIMARY KEY (id),
1686     CONSTRAINT uq_reservation_reservation_legal_entity_id_reserv_ab7bda09 UNIQUE (legal_entity_id, reservation_number),
1687     CONSTRAINT ck_reservation_reservation_1 CHECK (planned_return_at > planned_pickup_at),
1688     CONSTRAINT ck_reservation_reservation_2 CHECK (rental_mode IN ('HOURLY', 'DAILY', 'WEEKLY', 'MONTHLY', 'CORPORATE')),
1689     CONSTRAINT ck_reservation_reservation_3 CHECK (current_status IN ('DRAFT', 'HELD', 'CONFIRMED', 'PICKUP_READY', 'CONVERTED', 'CANCELLED', 'EXPIRED', 'NO_SHOW')),
1690     CONSTRAINT ck_reservation_reservation_4 CHECK (guarantee_status IN ('NOT_REQUIRED', 'PENDING', 'AUTHORIZED', 'FAILED', 'EXPIRED', 'RELEASED'))
1691 ) ENGINE=InnoDB;

```

```
1693 CREATE TABLE reservation_reservation_driver (  
1694     id                        char(36) NOT NULL,  
1695     reservation_id           char(36) NOT NULL,  
1696     driver_profile_id        char(36) NOT NULL,  
1697     driver_role              varchar(20) NOT NULL,  
1698     eligibility_status        varchar(20) NOT NULL DEFAULT 'PENDING',  
1699     eligibility_checked_at    datetime(6),  
1700     young_driver_applies     boolean NOT NULL DEFAULT FALSE,  
1701     created_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
1702     updated_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
1703     CONSTRAINT pk_reservation_reservation_driver PRIMARY KEY (id),  
1704     CONSTRAINT uq_reservation_reservation_driver_reservation_id_5504cc73 UNIQUE (reservation_id, driver_profile_id),  
1705     CONSTRAINT ck_reservation_reservation_driver_1 CHECK (driver_role IN ('PRIMARY','ADDITIONAL')),  
1706     CONSTRAINT ck_reservation_reservation_driver_2 CHECK (eligibility_status IN ('PENDING','ELIGIBLE','INELIGIBLE','REVIEW'))  
1707 ) ENGINE=InnoDB;
```

```
1709 CREATE TABLE reservation_reservation_product (  
1710     id                        char(36) NOT NULL,  
1711     reservation_id           char(36) NOT NULL,  
1712     product_id              char(36) NOT NULL,  
1713     quantity                 decimal(19,6) NOT NULL,  
1714     status                   varchar(20) NOT NULL DEFAULT 'ACTIVE',  
1715     configuration_json        json,  
1716     created_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
1717     updated_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
1718     CONSTRAINT pk_reservation_reservation_product PRIMARY KEY (id),  
1719     CONSTRAINT uq_reservation_reservation_product_reservation_id_937dcf71 UNIQUE (reservation_id, product_id),  
1720     CONSTRAINT ck_reservation_reservation_product_1 CHECK (quantity > 0),  
1721     CONSTRAINT ck_reservation_reservation_product_2 CHECK (status IN ('ACTIVE','REMOVED','UNAVAILABLE'))  
1722 ) ENGINE=InnoDB;
```

```

1724 CREATE TABLE reservation_reservation_price_line (
1725     id                        char(36) NOT NULL,
1726     reservation_id           char(36) NOT NULL,
1727     line_number              int NOT NULL,
1728     quote_line_id           char(36),
1729     product_id              char(36),
1730     charge_type_id          char(36),
1731     description              varchar(240) NOT NULL,
1732     quantity                decimal(19,6) NOT NULL,
1733     unit_code                varchar(20) NOT NULL,
1734     unit_amount             decimal(19,4) NOT NULL,
1735     base_amount             decimal(19,4) NOT NULL,
1736     discount_amount         decimal(19,4) NOT NULL DEFAULT 0,
1737     tax_amount              decimal(19,4) NOT NULL DEFAULT 0,
1738     gross_amount            decimal(19,4) NOT NULL,
1739     currency_code           char(3) NOT NULL,
1740     rate_plan_version_id    char(36) NOT NULL,
1741     rule_reference          varchar(160),
1742     created_at              datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1743     CONSTRAINT pk_reservation_reservation_price_line PRIMARY KEY (id),
1744     CONSTRAINT uq_reservation_reservation_price_line_reservation_653da8d8 UNIQUE (reservation_id, line_number),
1745     CONSTRAINT ck_reservation_reservation_price_line_1 CHECK (quantity > 0),
1746     CONSTRAINT ck_reservation_reservation_price_line_2 CHECK (discount_amount >= 0),
1747     CONSTRAINT ck_reservation_reservation_price_line_3 CHECK (tax_amount >= 0),
1748     CONSTRAINT ck_reservation_reservation_price_line_4 CHECK (gross_amount = base_amount - discount_amount + tax_amount)
1749 ) ENGINE=InnoDB;

1751 CREATE TABLE reservation_reservation_status_history (
1752     id                        char(36) NOT NULL,
1753     reservation_id           char(36) NOT NULL,
1754     from_status              varchar(40),
1755     to_status                varchar(40) NOT NULL,
1756     reason_code              varchar(60),
1757     reason_text              text,
1758     changed_by               char(36),
1759     changed_at              datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1760     CONSTRAINT pk_reservation_reservation_status_history PRIMARY KEY (id),
1761     CONSTRAINT ck_reservation_reservation_status_history_1 CHECK (to_status IN ('DRAFT','HELD','CONFIRMED','PICKUP_READY','CONVERTED','CANCELLED','EXPIRED','NO_SHOW'))
1762 ) ENGINE=InnoDB;

```

```
1764 CREATE TABLE reservation_reservation_change (  
1765     id                        char(36) NOT NULL,  
1766     reservation_id           char(36) NOT NULL,  
1767     change_sequence          int NOT NULL,  
1768     change_type              varchar(40) NOT NULL,  
1769     requested_by_party_id    char(36),  
1770     previous_snapshot        json NOT NULL,  
1771     new_snapshot             json NOT NULL,  
1772     price_delta_amount       decimal(19,4) NOT NULL DEFAULT 0,  
1773     currency_code            char(3),  
1774     changed_at               datetime(6) NOT NULL,  
1775     created_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
1776     CONSTRAINT pk_reservation_reservation_change PRIMARY KEY (id),  
1777     CONSTRAINT uq_reservation_reservation_change_reservation_id_fa6280d3 UNIQUE (reservation_id, change_sequence)  
1778 ) ENGINE=InnoDB;
```

```
1780 CREATE TABLE reservation_reservation_cancellation (  
1781     id                        char(36) NOT NULL,  
1782     reservation_id           char(36) NOT NULL,  
1783     cancelled_at             datetime(6) NOT NULL,  
1784     cancelled_by_party_id    char(36),  
1785     reason_code              varchar(60) NOT NULL,  
1786     reason_text              text,  
1787     fee_amount               decimal(19,4) NOT NULL DEFAULT 0,  
1788     currency_code            char(3),  
1789     policy_rule_reference     varchar(160),  
1790     created_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
1791     CONSTRAINT pk_reservation_reservation_cancellation PRIMARY KEY (id),  
1792     CONSTRAINT uq_reservation_reservation_cancellation_reservation_id_1 UNIQUE (reservation_id),  
1793     CONSTRAINT ck_reservation_reservation_cancellation_1 CHECK (fee_amount >= 0)  
1794 ) ENGINE=InnoDB;
```

```

1796 CREATE TABLE reservation_no_show_assessment (
1797     id                                char(36) NOT NULL,
1798     reservation_id                    char(36) NOT NULL,
1799     assessed_at                       datetime(6) NOT NULL,
1800     grace_period_minutes              int NOT NULL,
1801     fee_amount                        decimal(19,4) NOT NULL DEFAULT 0,
1802     currency_code                     char(3),
1803     rule_reference                     varchar(160),
1804     waived                            boolean NOT NULL DEFAULT FALSE,
1805     waiver_reason                     text,
1806     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1807     CONSTRAINT pk_reservation_no_show_assessment PRIMARY KEY (id),
1808     CONSTRAINT uq_reservation_no_show_assessment_reservation_id_1 UNIQUE (reservation_id),
1809     CONSTRAINT ck_reservation_no_show_assessment_1 CHECK (grace_period_minutes >= 0),
1810     CONSTRAINT ck_reservation_no_show_assessment_2 CHECK (fee_amount >= 0)
1811 ) ENGINE=InnoDB;

1813 CREATE TABLE reservation_reservation_guarantee (
1814     id                                char(36) NOT NULL,
1815     reservation_id                    char(36) NOT NULL,
1816     guarantee_type                    varchar(30) NOT NULL,
1817     amount                            decimal(19,4),
1818     currency_code                     char(3),
1819     provider_reference                 varchar(160),
1820     status                            varchar(20) NOT NULL,
1821     authorized_at                     datetime(6),
1822     expires_at                        datetime(6),
1823     idempotency_key                    varchar(160) NOT NULL,
1824     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1825     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1826     row_version                        bigint NOT NULL DEFAULT 0,
1827     CONSTRAINT pk_reservation_reservation_guarantee PRIMARY KEY (id),
1828     CONSTRAINT uq_reservation_reservation_guarantee_idempotency_key_1 UNIQUE (idempotency_key),
1829     CONSTRAINT ck_reservation_reservation_guarantee_1 CHECK (amount IS NULL OR amount >= 0),
1830     CONSTRAINT ck_reservation_reservation_guarantee_2 CHECK (guarantee_type IN ('CARD_PREAUTH','VOUCHER','CORPORATE_CREDIT','PREPAYMENT','NONE')),
1831     CONSTRAINT ck_reservation_reservation_guarantee_3 CHECK (status IN ('PENDING','AUTHORIZED','FAILED','EXPIRED','RELEASED','CONSUMED'))
1832 ) ENGINE=InnoDB;

```

```
1834 CREATE TABLE reservation_partner_booking (
1835     id                                char(36) NOT NULL,
1836     reservation_id                    char(36) NOT NULL,
1837     partner_id                        char(36) NOT NULL,
1838     partner_agreement_id              char(36),
1839     external_booking_reference         varchar(160) NOT NULL,
1840     external_status                    varchar(60),
1841     commission_amount                  decimal(19,4),
1842     currency_code                      char(3),
1843     raw_payload                        json,
1844     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1845     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1846     CONSTRAINT pk_reservation_partner_booking PRIMARY KEY (id),
1847     CONSTRAINT uq_reservation_partner_booking_partner_id_external_083fe7a4 UNIQUE (partner_id, external_booking_reference),
1848     CONSTRAINT ck_reservation_partner_booking_1 CHECK (commission_amount IS NULL OR commission_amount >= 0)
1849 ) ENGINE=InnoDB;

1851 CREATE TABLE reservation_digital_pickup_eligibility (
1852     id                                char(36) NOT NULL,
1853     reservation_id                    char(36) NOT NULL,
1854     eligible                           boolean NOT NULL,
1855     decision                           varchar(20) NOT NULL,
1856     reason_codes                       json,
1857     rule_version                       varchar(60),
1858     assessed_at                       datetime(6) NOT NULL,
1859     expires_at                         datetime(6),
1860     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1861     CONSTRAINT pk_reservation_digital_pickup_eligibility PRIMARY KEY (id),
1862     CONSTRAINT ck_reservation_digital_pickup_eligibility_1 CHECK (decision IN ('ELIGIBLE','INELIGIBLE','REVIEW')),
1863     CONSTRAINT ck_reservation_digital_pickup_eligibility_2 CHECK (expires_at IS NULL OR expires_at > assessed_at)
1864 ) ENGINE=InnoDB;

1866 CREATE TABLE reservation_reservation_note (
1867     id                                char(36) NOT NULL,
1868     reservation_id                    char(36) NOT NULL,
1869     note_type                           varchar(30) NOT NULL,
1870     note_text                           text NOT NULL,
1871     visibility                           varchar(20) NOT NULL,
1872     created_by                           char(36),
1873     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1874     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1875     CONSTRAINT pk_reservation_reservation_note PRIMARY KEY (id),
1876     CONSTRAINT ck_reservation_reservation_note_1 CHECK (visibility IN ('INTERNAL','CUSTOMER_VISIBLE','PARTNER_VISIBLE'))
1877 ) ENGINE=InnoDB;
```

```

1879 CREATE TABLE reservation_reservation_inventory_commitment (
1880     id char(36) NOT NULL,
1881     reservation_id char(36) NOT NULL,
1882     availability_hold_id char(36),
1883     capacity_commitment_id char(36),
1884     relation_type varchar(20) NOT NULL,
1885     linked_at datetime(6) NOT NULL,
1886     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1887     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1888     CONSTRAINT pk_reservation_reservation_inventory_commitment PRIMARY KEY (id),
1889     CONSTRAINT ck_reservation_reservation_inventory_commitment_1 CHECK (relation_type IN ('HOLD','COMMITMENT')),
1890     CONSTRAINT ck_reservation_reservation_inventory_commitment_2 CHECK ((relation_type = 'HOLD' AND availability_hold_id IS NOT NULL AND capacity_commitment_id IS NULL) OR (
        relation_type = 'COMMITMENT' AND capacity_commitment_id IS NOT NULL AND availability_hold_id IS NULL))
1891 ) ENGINE=InnoDB;

```

```

1893 CREATE TABLE rental_rental_contract (
1894     id char(36) NOT NULL,
1895     contract_number varchar(60) NOT NULL,
1896     legal_entity_id char(36) NOT NULL,
1897     reservation_id char(36),
1898     customer_account_id char(36) NOT NULL,
1899     origin_branch_id char(36) NOT NULL,
1900     planned_return_branch_id char(36) NOT NULL,
1901     actual_return_branch_id char(36),
1902     rental_mode varchar(30) NOT NULL,
1903     mileage_package_id char(36),
1904     opened_at datetime(6) NOT NULL,
1905     activated_at datetime(6),
1906     planned_return_at datetime(6) NOT NULL,
1907     actual_return_at datetime(6),
1908     current_revision_number int NOT NULL DEFAULT 0,
1909     current_status varchar(20) NOT NULL DEFAULT 'OPENING',
1910     currency_code char(3) NOT NULL,
1911     created_channel_id char(36) NOT NULL,
1912     closed_reason varchar(60),
1913     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1914     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1915     row_version bigint NOT NULL DEFAULT 0,
1916     CONSTRAINT pk_rental_rental_contract PRIMARY KEY (id),
1917     CONSTRAINT uq_rental_rental_contract_legal_entity_id_contrac_e46b4872 UNIQUE (legal_entity_id, contract_number),
1918     CONSTRAINT uq_rental_rental_contract_reservation_id_2 UNIQUE (reservation_id),
1919     CONSTRAINT ck_rental_rental_contract_1 CHECK (planned_return_at > opened_at),
1920     CONSTRAINT ck_rental_rental_contract_2 CHECK (actual_return_at IS NULL OR actual_return_at >= opened_at),
1921     CONSTRAINT ck_rental_rental_contract_3 CHECK (activated_at IS NULL OR activated_at >= opened_at),
1922     CONSTRAINT ck_rental_rental_contract_4 CHECK (rental_mode IN ('HOURLY','DAILY','WEEKLY','MONTHLY','CORPORATE')),
1923     CONSTRAINT ck_rental_rental_contract_5 CHECK (current_status IN ('OPENING','ACTIVE','OVERDUE','RETURN_PENDING','CLOSED','CANCELLED'))
1924 ) ENGINE=InnoDB;

```



```
1926 CREATE TABLE rental_contract_revision (
1927     id                                char(36) NOT NULL,
1928     contract_id                       char(36) NOT NULL,
1929     revision_number                    int NOT NULL,
1930     previous_revision_id              char(36),
1931     reason_code                       varchar(60) NOT NULL,
1932     effective_at                      datetime(6) NOT NULL,
1933     document_hash                     varchar(64),
1934     pricing_snapshot_hash             varchar(64),
1935     snapshot_json                     json NOT NULL,
1936     created_by                        char(36),
1937     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1938     CONSTRAINT pk_rental_contract_revision PRIMARY KEY (id),
1939     CONSTRAINT uq_rental_contract_revision_contract_id_revision_number_1 UNIQUE (contract_id, revision_number),
1940     CONSTRAINT ck_rental_contract_revision_1 CHECK (revision_number >= 0)
1941 ) ENGINE=InnoDB;

1943 CREATE TABLE rental_contract_party_role (
1944     id                                char(36) NOT NULL,
1945     contract_id                       char(36) NOT NULL,
1946     party_id                          char(36) NOT NULL,
1947     role_type                         varchar(30) NOT NULL,
1948     valid_from                        datetime(6) NOT NULL,
1949     valid_to                          datetime(6),
1950     source_type                       varchar(40),
1951     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1952     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1953     CONSTRAINT pk_rental_contract_party_role PRIMARY KEY (id),
1954     CONSTRAINT uq_rental_contract_party_role_contract_id_party_id_role_type_valid_from UNIQUE (contract_id, party_id, role_type, valid_from),
1955     CONSTRAINT ck_rental_contract_party_role_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
1956     CONSTRAINT ck_rental_contract_party_role_2 CHECK (role_type IN ('CUSTOMER', 'BOOKER', 'CORPORATE_USER', 'REPRESENTATIVE', 'PRIMARY_DRIVER', 'ADDITIONAL_DRIVER', 'PAYER', 'BENEFICIARY'))
1957 ) ENGINE=InnoDB;
```

```

1959 CREATE TABLE rental_contract_product (
1960     id                                char(36) NOT NULL,
1961     contract_id                       char(36) NOT NULL,
1962     product_id                       char(36) NOT NULL,
1963     quantity                         decimal(19,6) NOT NULL,
1964     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
1965     locked_at_activation              boolean NOT NULL DEFAULT FALSE,
1966     configuration_json               json,
1967     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1968     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
1969     row_version                      bigint NOT NULL DEFAULT 0,
1970     CONSTRAINT pk_rental_contract_product PRIMARY KEY (id),
1971     CONSTRAINT uq_rental_contract_product_contract_id_product_id_1 UNIQUE (contract_id, product_id),
1972     CONSTRAINT ck_rental_contract_product_1 CHECK (quantity > 0),
1973     CONSTRAINT ck_rental_contract_product_2 CHECK (status IN ('ACTIVE','REMOVED','CONSUMED'))
1974 ) ENGINE=InnoDB;

1976 CREATE TABLE rental_contract_price_snapshot_line (
1977     id                                char(36) NOT NULL,
1978     contract_id                       char(36) NOT NULL,
1979     contract_revision_id              char(36) NOT NULL,
1980     line_number                      int NOT NULL,
1981     reservation_price_line_id         char(36),
1982     product_id                       char(36),
1983     charge_type_id                   char(36),
1984     description                       varchar(240) NOT NULL,
1985     quantity                         decimal(19,6) NOT NULL,
1986     unit_code                        varchar(20) NOT NULL,
1987     unit_amount                      decimal(19,4) NOT NULL,
1988     base_amount                      decimal(19,4) NOT NULL,
1989     discount_amount                  decimal(19,4) NOT NULL DEFAULT 0,
1990     tax_amount                       decimal(19,4) NOT NULL DEFAULT 0,
1991     gross_amount                     decimal(19,4) NOT NULL,
1992     currency_code                    char(3) NOT NULL,
1993     rate_plan_version_id              char(36) NOT NULL,
1994     rule_reference                    varchar(160),
1995     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
1996     CONSTRAINT pk_rental_contract_price_snapshot_line PRIMARY KEY (id),
1997     CONSTRAINT uq_rental_contract_price_snapshot_line_contract_r_0abd84bf UNIQUE (contract_revision_id, line_number),
1998     CONSTRAINT ck_rental_contract_price_snapshot_line_1 CHECK (quantity > 0),
1999     CONSTRAINT ck_rental_contract_price_snapshot_line_2 CHECK (discount_amount >= 0),
2000     CONSTRAINT ck_rental_contract_price_snapshot_line_3 CHECK (tax_amount >= 0),
2001     CONSTRAINT ck_rental_contract_price_snapshot_line_4 CHECK (gross_amount = base_amount - discount_amount + tax_amount)
2002 ) ENGINE=InnoDB;

```

```

2004 CREATE TABLE rental_vehicle_assignment (
2005     id                                char(36) NOT NULL,
2006     contract_id                       char(36) NOT NULL,
2007     calendar_entry_id                 char(36) NOT NULL,
2008     vehicle_id                        char(36) NOT NULL,
2009     sequence_number                    smallint NOT NULL,
2010     pickup_branch_id                  char(36) NOT NULL,
2011     planned_return_branch_id           char(36) NOT NULL,
2012     actual_return_branch_id            char(36),
2013     start_at                          datetime(6) NOT NULL,
2014     end_at                            datetime(6),
2015     assignment_reason                  varchar(20) NOT NULL,
2016     status                            varchar(20) NOT NULL DEFAULT 'PLANNED',
2017     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2018     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2019     row_version                        bigint NOT NULL DEFAULT 0,
2020     CONSTRAINT pk_rental_vehicle_assignment PRIMARY KEY (id),
2021     CONSTRAINT uq_rental_vehicle_assignment_contract_id_sequence_number_1 UNIQUE (contract_id, sequence_number),
2022     CONSTRAINT uq_rental_vehicle_assignment_calendar_entry_id_2 UNIQUE (calendar_entry_id),
2023     CONSTRAINT ck_rental_vehicle_assignment_1 CHECK (end_at IS NULL OR end_at > start_at),
2024     CONSTRAINT ck_rental_vehicle_assignment_2 CHECK (assignment_reason IN ('INITIAL','REPLACEMENT')),
2025     CONSTRAINT ck_rental_vehicle_assignment_3 CHECK (status IN ('PLANNED','ACTIVE','COMPLETED','CANCELLED'))
2026 ) ENGINE=InnoDB;

```

```

2028 CREATE TABLE rental_pickup_event (
2029     id                                char(36) NOT NULL,
2030     contract_id                       char(36) NOT NULL,
2031     vehicle_assignment_id              char(36) NOT NULL,
2032     branch_id                          char(36) NOT NULL,
2033     picked_up_at                       datetime(6) NOT NULL,
2034     odometer_reading_id                char(36) NOT NULL,
2035     fuel_reading_id                    char(36),
2036     inspection_id                      char(36),
2037     performed_by                       char(36),
2038     digital_pickup                     boolean NOT NULL DEFAULT FALSE,
2039     latitude                           decimal(10,7),
2040     longitude                           decimal(10,7),
2041     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2042     CONSTRAINT pk_rental_pickup_event PRIMARY KEY (id),
2043     CONSTRAINT uq_rental_pickup_event_vehicle_assignment_id_1 UNIQUE (vehicle_assignment_id)
2044 ) ENGINE=InnoDB;

```

```
2046 CREATE TABLE rental_return_event (
2047     id char(36) NOT NULL,
2048     contract_id char(36) NOT NULL,
2049     vehicle_assignment_id char(36) NOT NULL,
2050     branch_id char(36) NOT NULL,
2051     returned_at datetime(6) NOT NULL,
2052     odometer_reading_id char(36) NOT NULL,
2053     fuel_reading_id char(36),
2054     inspection_id char(36),
2055     performed_by char(36),
2056     after_hours boolean NOT NULL DEFAULT FALSE,
2057     latitude decimal(10,7),
2058     longitude decimal(10,7),
2059     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2060     CONSTRAINT pk_rental_return_event PRIMARY KEY (id),
2061     CONSTRAINT uq_rental_return_event_vehicle_assignment_id_1 UNIQUE (vehicle_assignment_id)
2062 ) ENGINE=InnoDB;

2064 CREATE TABLE rental_extension (
2065     id char(36) NOT NULL,
2066     contract_id char(36) NOT NULL,
2067     requested_at datetime(6) NOT NULL,
2068     requested_by_party_id char(36),
2069     previous_planned_return_at datetime(6) NOT NULL,
2070     new_planned_return_at datetime(6) NOT NULL,
2071     status varchar(20) NOT NULL DEFAULT 'REQUESTED',
2072     availability_checked_at datetime(6),
2073     payment_checked_at datetime(6),
2074     price_delta_amount decimal(19,4),
2075     currency_code char(3),
2076     decision_reason text,
2077     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2078     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2079     row_version bigint NOT NULL DEFAULT 0,
2080     CONSTRAINT pk_rental_extension PRIMARY KEY (id),
2081     CONSTRAINT ck_rental_extension_1 CHECK (new_planned_return_at > previous_planned_return_at),
2082     CONSTRAINT ck_rental_extension_2 CHECK (status IN ('REQUESTED', 'APPROVED', 'REJECTED', 'CANCELLED', 'APPLIED'))
2083 ) ENGINE=InnoDB;
```

```

2085 CREATE TABLE rental_vehicle_replacement (
2086     id                                char(36) NOT NULL,
2087     contract_id                       char(36) NOT NULL,
2088     previous_assignment_id            char(36) NOT NULL,
2089     new_assignment_id                 char(36) NOT NULL,
2090     reason_code                       varchar(60) NOT NULL,
2091     replaced_at                       datetime(6) NOT NULL,
2092     authorized_by                     char(36),
2093     notes                             text,
2094     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2095     CONSTRAINT pk_rental_vehicle_replacement PRIMARY KEY (id),
2096     CONSTRAINT uq_rental_vehicle_replacement_previous_assignment_id_1 UNIQUE (previous_assignment_id),
2097     CONSTRAINT uq_rental_vehicle_replacement_new_assignment_id_2 UNIQUE (new_assignment_id),
2098     CONSTRAINT ck_rental_vehicle_replacement_1 CHECK (previous_assignment_id <> new_assignment_id)
2099 ) ENGINE=InnoDB;

2101 CREATE TABLE rental_contract_status_history (
2102     id                                char(36) NOT NULL,
2103     contract_id                       char(36) NOT NULL,
2104     from_status                       varchar(40),
2105     to_status                         varchar(40) NOT NULL,
2106     reason_code                       varchar(60),
2107     reason_text                       text,
2108     changed_by                        char(36),
2109     changed_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2110     CONSTRAINT pk_rental_contract_status_history PRIMARY KEY (id),
2111     CONSTRAINT ck_rental_contract_status_history_1 CHECK (to_status IN ('OPENING','ACTIVE','OVERDUE','RETURN_PENDING','CLOSED','CANCELLED'))
2112 ) ENGINE=InnoDB;

2114 CREATE TABLE rental_contract_terms_acceptance (
2115     id                                char(36) NOT NULL,
2116     contract_id                       char(36) NOT NULL,
2117     contract_revision_id              char(36) NOT NULL,
2118     party_id                          char(36) NOT NULL,
2119     terms_type                        varchar(40) NOT NULL,
2120     terms_version                     varchar(60) NOT NULL,
2121     accepted_at                       datetime(6) NOT NULL,
2122     channel_id                        char(36),
2123     evidence_hash                     varchar(64) NOT NULL,
2124     ip_address_token                  varchar(100),
2125     device_reference                  varchar(160),
2126     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2127     CONSTRAINT pk_rental_contract_terms_acceptance PRIMARY KEY (id),
2128     CONSTRAINT uq_rental_contract_terms_acceptance_contract_revi_e69987ad UNIQUE (contract_revision_id, party_id, terms_type, terms_version)
2129 ) ENGINE=InnoDB;

```

```

2131 CREATE TABLE rental_contract_document (
2132     id                                char(36) NOT NULL,
2133     contract_id                       char(36) NOT NULL,
2134     contract_revision_id              char(36),
2135     document_type                     varchar(40) NOT NULL,
2136     object_key                       varchar(500) NOT NULL,
2137     content_type                      varchar(100),
2138     sha256                           binary(32),
2139     generated_at                     datetime(6) NOT NULL,
2140     signed_at                         datetime(6),
2141     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
2142     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2143     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2144     CONSTRAINT pk_rental_contract_document PRIMARY KEY (id),
2145     CONSTRAINT ck_rental_contract_document_1 CHECK (status IN ('ACTIVE','SUPERSEDED','VOID'))
2146 ) ENGINE=InnoDB;

2148 CREATE TABLE rental_digital_pickup_session (
2149     id                                char(36) NOT NULL,
2150     contract_id                       char(36) NOT NULL,
2151     reservation_id                    char(36),
2152     party_id                          char(36) NOT NULL,
2153     session_token_hash                binary(32) NOT NULL,
2154     started_at                       datetime(6) NOT NULL,
2155     expires_at                       datetime(6) NOT NULL,
2156     completed_at                     datetime(6),
2157     status                            varchar(20) NOT NULL DEFAULT 'STARTED',
2158     failure_reason                     varchar(120),
2159     device_reference                   varchar(160),
2160     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2161     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2162     row_version                       bigint NOT NULL DEFAULT 0,
2163     CONSTRAINT pk_rental_digital_pickup_session PRIMARY KEY (id),
2164     CONSTRAINT uq_rental_digital_pickup_session_session_token_hash_1 UNIQUE (session_token_hash),
2165     CONSTRAINT ck_rental_digital_pickup_session_1 CHECK (expires_at > started_at),
2166     CONSTRAINT ck_rental_digital_pickup_session_2 CHECK (completed_at IS NULL OR completed_at >= started_at),
2167     CONSTRAINT ck_rental_digital_pickup_session_3 CHECK (status IN ('STARTED','IDENTITY_VERIFIED','PAYMENT_VERIFIED','READY','COMPLETED','FAILED','EXPIRED','CANCELLED'))
2168 ) ENGINE=InnoDB;

```

```

2170 CREATE TABLE rental_vehicle_access_credential (
2171     id                                char(36) NOT NULL,
2172     digital_pickup_session_id         char(36) NOT NULL,
2173     vehicle_id                        char(36) NOT NULL,
2174     credential_type                    varchar(30) NOT NULL,
2175     credential_token_ciphertext       text NOT NULL,
2176     issued_at                         datetime(6) NOT NULL,
2177     expires_at                        datetime(6) NOT NULL,
2178     revoked_at                        datetime(6),
2179     status                             varchar(20) NOT NULL DEFAULT 'ACTIVE',
2180     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2181     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2182     row_version                       bigint NOT NULL DEFAULT 0,
2183     CONSTRAINT pk_rental_vehicle_access_credential PRIMARY KEY (id),
2184     CONSTRAINT ck_rental_vehicle_access_credential_1 CHECK (expires_at > issued_at),
2185     CONSTRAINT ck_rental_vehicle_access_credential_2 CHECK (revoked_at IS NULL OR revoked_at >= issued_at),
2186     CONSTRAINT ck_rental_vehicle_access_credential_3 CHECK (credential_type IN ('DIGITAL_KEY','PIN','BLUETOOTH_TOKEN','NFC_TOKEN')),
2187     CONSTRAINT ck_rental_vehicle_access_credential_4 CHECK (status IN ('ACTIVE','USED','EXPIRED','REVOKED'))
2188 ) ENGINE=InnoDB;

2190 CREATE TABLE rental_vehicle_access_command (
2191     id                                char(36) NOT NULL,
2192     contract_id                       char(36),
2193     vehicle_id                        char(36) NOT NULL,
2194     command_type                       varchar(30) NOT NULL,
2195     requested_by                       char(36),
2196     reason_code                       varchar(60),
2197     requested_at                       datetime(6) NOT NULL,
2198     expires_at                        datetime(6),
2199     status                             varchar(20) NOT NULL DEFAULT 'REQUESTED',
2200     provider_reference                 varchar(160),
2201     result_code                       varchar(60),
2202     completed_at                      datetime(6),
2203     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2204     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2205     row_version                       bigint NOT NULL DEFAULT 0,
2206     CONSTRAINT pk_rental_vehicle_access_command PRIMARY KEY (id),
2207     CONSTRAINT ck_rental_vehicle_access_command_1 CHECK (command_type IN ('UNLOCK','LOCK','START_ENABLE','START_DISABLE','HORN','LIGHTS')),
2208     CONSTRAINT ck_rental_vehicle_access_command_2 CHECK (status IN ('REQUESTED','SENT','ACKNOWLEDGED','SUCCEEDED','FAILED','EXPIRED','CANCELLED')),
2209     CONSTRAINT ck_rental_vehicle_access_command_3 CHECK (expires_at IS NULL OR expires_at > requested_at)
2210 ) ENGINE=InnoDB;

```

```

2212 CREATE TABLE rental_overdue_case (
2213     id char(36) NOT NULL,
2214     contract_id char(36) NOT NULL,
2215     opened_at datetime(6) NOT NULL,
2216     severity varchar(20) NOT NULL,
2217     status varchar(20) NOT NULL DEFAULT 'OPEN',
2218     last_contact_at datetime(6),
2219     next_action_at datetime(6),
2220     assigned_to char(36),
2221     resolution_code varchar(60),
2222     closed_at datetime(6),
2223     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2224     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2225     row_version bigint NOT NULL DEFAULT 0,
2226     CONSTRAINT pk_rental_overdue_case PRIMARY KEY (id),
2227     CONSTRAINT uq_rental_overdue_case_contract_id_1 UNIQUE (contract_id),
2228     CONSTRAINT ck_rental_overdue_case_1 CHECK (severity IN ('LOW','MEDIUM','HIGH','CRITICAL')),
2229     CONSTRAINT ck_rental_overdue_case_2 CHECK (status IN ('OPEN','CONTACTING','ESCALATED','RECOVERY','CLOSED')),
2230     CONSTRAINT ck_rental_overdue_case_3 CHECK (closed_at IS NULL OR closed_at >= opened_at)
2231 ) ENGINE=InnoDB;

2233 CREATE TABLE rental_contract_reprocessing (
2234     id char(36) NOT NULL,
2235     contract_id char(36) NOT NULL,
2236     requested_at datetime(6) NOT NULL,
2237     requested_by char(36),
2238     reason_code varchar(60) NOT NULL,
2239     previous_revision_number int NOT NULL,
2240     new_revision_number int,
2241     status varchar(20) NOT NULL DEFAULT 'REQUESTED',
2242     financial_delta_amount decimal(19,4),
2243     currency_code char(3),
2244     result_json json,
2245     completed_at datetime(6),
2246     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2247     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2248     row_version bigint NOT NULL DEFAULT 0,
2249     CONSTRAINT pk_rental_contract_reprocessing PRIMARY KEY (id),
2250     CONSTRAINT ck_rental_contract_reprocessing_1 CHECK (status IN ('REQUESTED','PROCESSING','COMPLETED','FAILED','CANCELLED'))
2251 ) ENGINE=InnoDB;

```



```

2253 CREATE TABLE inspection_inspection_template (
2254     id                        char(36) NOT NULL,
2255     template_code            varchar(50) NOT NULL,
2256     name                     varchar(140) NOT NULL,
2257     inspection_type          varchar(30) NOT NULL,
2258     version_number           int NOT NULL,
2259     valid_from               datetime(6) NOT NULL,
2260     valid_to                 datetime(6),
2261     status                    varchar(20) NOT NULL DEFAULT 'DRAFT',
2262     created_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2263     updated_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2264     row_version              bigint NOT NULL DEFAULT 0,
2265     CONSTRAINT pk_inspection_inspection_template PRIMARY KEY (id),
2266     CONSTRAINT uq_inspection_inspection_template_template_code_v_2484f4a5 UNIQUE (template_code, version_number),
2267     CONSTRAINT ck_inspection_inspection_template_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
2268     CONSTRAINT ck_inspection_inspection_template_2 CHECK (inspection_type IN ('PICKUP','RETURN','MAINTENANCE','TRANSFER','SALE','AD_HOC')),
2269     CONSTRAINT ck_inspection_inspection_template_3 CHECK (status IN ('DRAFT','PUBLISHED','RETIRED'))
2270 ) ENGINE=InnoDB;

2272 CREATE TABLE inspection_inspection_template_item (
2273     id                        char(36) NOT NULL,
2274     inspection_template_id    char(36) NOT NULL,
2275     item_code                 varchar(50) NOT NULL,
2276     label                     varchar(160) NOT NULL,
2277     item_type                 varchar(30) NOT NULL,
2278     required                  boolean NOT NULL DEFAULT TRUE,
2279     sort_order                int NOT NULL DEFAULT 0,
2280     configuration_json        json,
2281     created_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2282     updated_at               datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2283     CONSTRAINT pk_inspection_inspection_template_item PRIMARY KEY (id),
2284     CONSTRAINT uq_inspection_inspection_template_item_inspection_a33ef367 UNIQUE (inspection_template_id, item_code),
2285     CONSTRAINT ck_inspection_inspection_template_item_1 CHECK (item_type IN ('BOOLEAN','TEXT','NUMBER','CHOICE','PHOTO','ODOMETER','FUEL','DAMAGE_MAP','SIGNATURE'))
2286 ) ENGINE=InnoDB;

```

```

2288 CREATE TABLE inspection_inspection (
2289     id char(36) NOT NULL,
2290     inspection_template_id char(36) NOT NULL,
2291     inspection_type varchar(30) NOT NULL,
2292     vehicle_id char(36) NOT NULL,
2293     contract_id char(36),
2294     vehicle_assignment_id char(36),
2295     branch_id char(36),
2296     started_at datetime(6) NOT NULL,
2297     completed_at datetime(6),
2298     performed_by char(36),
2299     status varchar(20) NOT NULL DEFAULT 'IN_PROGRESS',
2300     device_reference varchar(160),
2301     latitude decimal(10,7),
2302     longitude decimal(10,7),
2303     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2304     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2305     row_version bigint NOT NULL DEFAULT 0,
2306     CONSTRAINT pk_inspection_inspection PRIMARY KEY (id),
2307     CONSTRAINT ck_inspection_inspection_1 CHECK (completed_at IS NULL OR completed_at >= started_at),
2308     CONSTRAINT ck_inspection_inspection_2 CHECK (inspection_type IN ('PICKUP','RETURN','MAINTENANCE','TRANSFER','SALE','AD_HOC')),
2309     CONSTRAINT ck_inspection_inspection_3 CHECK (status IN ('IN_PROGRESS','COMPLETED','CANCELLED','SUPERSEDED'))
2310 ) ENGINE=InnoDB;

```

```

2312 CREATE TABLE inspection_inspection_item_result (
2313     id char(36) NOT NULL,
2314     inspection_id char(36) NOT NULL,
2315     template_item_id char(36) NOT NULL,
2316     result_text text,
2317     result_number decimal(19,6),
2318     result_boolean boolean,
2319     result_json json,
2320     passed boolean,
2321     observed_at datetime(6) NOT NULL,
2322     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2323     CONSTRAINT pk_inspection_inspection_item_result PRIMARY KEY (id),
2324     CONSTRAINT uq_inspection_inspection_item_result_inspection_i_72157564 UNIQUE (inspection_id, template_item_id)
2325 ) ENGINE=InnoDB;

```

```

2327 CREATE TABLE inspection_inspection_media (
2328     id                                char(36) NOT NULL,
2329     inspection_id                     char(36) NOT NULL,
2330     template_item_id                 char(36),
2331     media_type                       varchar(20) NOT NULL,
2332     object_key                       varchar(500) NOT NULL,
2333     content_type                     varchar(100),
2334     sha256                           binary(32),
2335     captured_at                      datetime(6) NOT NULL,
2336     captured_by                      char(36),
2337     device_reference                 varchar(160),
2338     latitude                         decimal(10,7),
2339     longitude                        decimal(10,7),
2340     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2341     CONSTRAINT pk_inspection_inspection_media PRIMARY KEY (id),
2342     CONSTRAINT ck_inspection_inspection_media_1 CHECK (media_type IN ('PHOTO','VIDEO','AUDIO','SIGNATURE','DOCUMENT'))
2343 ) ENGINE=InnoDB;

2345 CREATE TABLE inspection_damage_record (
2346     id                                char(36) NOT NULL,
2347     vehicle_id                       char(36) NOT NULL,
2348     body_part                        varchar(60) NOT NULL,
2349     damage_type                      varchar(40) NOT NULL,
2350     position_x                       decimal(8,5),
2351     position_y                       decimal(8,5),
2352     severity                         varchar(20) NOT NULL,
2353     first_observed_at                datetime(6) NOT NULL,
2354     resolved_at                      datetime(6),
2355     status                           varchar(20) NOT NULL DEFAULT 'OPEN',
2356     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2357     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2358     row_version                      bigint NOT NULL DEFAULT 0,
2359     CONSTRAINT pk_inspection_damage_record PRIMARY KEY (id),
2360     CONSTRAINT ck_inspection_damage_record_1 CHECK (position_x IS NULL OR (position_x >= 0 AND position_x <= 1)),
2361     CONSTRAINT ck_inspection_damage_record_2 CHECK (position_y IS NULL OR (position_y >= 0 AND position_y <= 1)),
2362     CONSTRAINT ck_inspection_damage_record_3 CHECK (severity IN ('COSMETIC','MINOR','MODERATE','MAJOR','SAFETY')),
2363     CONSTRAINT ck_inspection_damage_record_4 CHECK (status IN ('OPEN','MONITORED','REPAIRED','WRITTEN_OFF')),
2364     CONSTRAINT ck_inspection_damage_record_5 CHECK (resolved_at IS NULL OR resolved_at >= first_observed_at)
2365 ) ENGINE=InnoDB;

```

```

2367 CREATE TABLE inspection_damage_observation (
2368     id                                char(36) NOT NULL,
2369     damage_record_id                 char(36) NOT NULL,
2370     inspection_id                    char(36) NOT NULL,
2371     observed_status                  varchar(20) NOT NULL,
2372     severity                         varchar(20) NOT NULL,
2373     media_id                         char(36),
2374     notes                           text,
2375     observed_at                      datetime(6) NOT NULL,
2376     created_at                      datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2377     CONSTRAINT pk_inspection_damage_observation PRIMARY KEY (id),
2378     CONSTRAINT uq_inspection_damage_observation_damage_record_id_7ecb3ff UNIQUE (damage_record_id, inspection_id),
2379     CONSTRAINT ck_inspection_damage_observation_1 CHECK (observed_status IN ('EXISTING','NEW','WORSENER','UNCHANGED','RESOLVED')),
2380     CONSTRAINT ck_inspection_damage_observation_2 CHECK (severity IN ('COSMETIC','MINOR','MODERATE','MAJOR','SAFETY'))
2381 ) ENGINE=InnoDB;

2383 CREATE TABLE inspection_damage_attribution (
2384     id                                char(36) NOT NULL,
2385     damage_record_id                 char(36) NOT NULL,
2386     contract_id                     char(36),
2387     incident_id                      char(36),
2388     attribution_status               varchar(20) NOT NULL,
2389     decision_reason                  text,
2390     decided_at                      datetime(6),
2391     decided_by                      char(36),
2392     responsible_party_id             char(36),
2393     created_at                      datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2394     updated_at                      datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2395     row_version                     bigint NOT NULL DEFAULT 0,
2396     CONSTRAINT pk_inspection_damage_attribution PRIMARY KEY (id),
2397     CONSTRAINT ck_inspection_damage_attribution_1 CHECK (attribution_status IN ('PENDING','CUSTOMER','COMPANY','THIRD_PARTY','PRE_EXISTING','UNDETERMINED','WAIVED'))
2398 ) ENGINE=InnoDB;

```

```

2400 CREATE TABLE inspection_damage_assessment (
2401     id                                char(36) NOT NULL,
2402     damage_record_id                 char(36) NOT NULL,
2403     contract_id                      char(36),
2404     assessment_version               int NOT NULL,
2405     assessed_at                      datetime(6) NOT NULL,
2406     repair_estimate_amount           decimal(19,4),
2407     downtime_amount                 decimal(19,4),
2408     administrative_amount            decimal(19,4),
2409     customer_charge_amount           decimal(19,4),
2410     currency_code                    char(3),
2411     method                           varchar(30) NOT NULL,
2412     assessor_party_id                char(36),
2413     price_table_version              varchar(60),
2414     status                           varchar(20) NOT NULL DEFAULT 'DRAFT',
2415     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2416     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2417     row_version                      bigint NOT NULL DEFAULT 0,
2418     CONSTRAINT pk_inspection_damage_assessment PRIMARY KEY (id),
2419     CONSTRAINT uq_inspection_damage_assessment_damage_record_id_e1fad7c0 UNIQUE (damage_record_id, assessment_version),
2420     CONSTRAINT ck_inspection_damage_assessment_1 CHECK (repair_estimate_amount IS NULL OR repair_estimate_amount >= 0),
2421     CONSTRAINT ck_inspection_damage_assessment_2 CHECK (downtime_amount IS NULL OR downtime_amount >= 0),
2422     CONSTRAINT ck_inspection_damage_assessment_3 CHECK (administrative_amount IS NULL OR administrative_amount >= 0),
2423     CONSTRAINT ck_inspection_damage_assessment_4 CHECK (customer_charge_amount IS NULL OR customer_charge_amount >= 0),
2424     CONSTRAINT ck_inspection_damage_assessment_5 CHECK (method IN ('PRICE_TABLE','MANUAL_ESTIMATE','WORKSHOP_QUOTE','INSURER')),
2425     CONSTRAINT ck_inspection_damage_assessment_6 CHECK (status IN ('DRAFT','APPROVED','REJECTED','SUPERSEDED'))
2426 ) ENGINE=InnoDB;

2428 CREATE TABLE inspection_damage_price_table_version (
2429     id                                char(36) NOT NULL,
2430     table_code                        varchar(50) NOT NULL,
2431     version_number                    int NOT NULL,
2432     country_code                     char(2) NOT NULL,
2433     valid_from                       datetime(6) NOT NULL,
2434     valid_to                         datetime(6),
2435     currency_code                    char(3) NOT NULL,
2436     price_data                       json NOT NULL,
2437     status                           varchar(20) NOT NULL DEFAULT 'DRAFT',
2438     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2439     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2440     row_version                      bigint NOT NULL DEFAULT 0,
2441     CONSTRAINT pk_inspection_damage_price_table_version PRIMARY KEY (id),
2442     CONSTRAINT uq_inspection_damage_price_table_version_table_co_a76ef88e UNIQUE (table_code, version_number),
2443     CONSTRAINT ck_inspection_damage_price_table_version_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
2444     CONSTRAINT ck_inspection_damage_price_table_version_2 CHECK (status IN ('DRAFT','PUBLISHED','RETIRED'))
2445 ) ENGINE=InnoDB;

```

```
2447 CREATE TABLE inspection_fuel_assessment (
2448     id char(36) NOT NULL,
2449     inspection_id char(36) NOT NULL,
2450     contract_id char(36) NOT NULL,
2451     pickup_level_percent decimal(5,2) NOT NULL,
2452     return_level_percent decimal(5,2) NOT NULL,
2453     missing_liters decimal(10,3) NOT NULL DEFAULT 0,
2454     unit_price decimal(19,6) NOT NULL DEFAULT 0,
2455     service_fee_amount decimal(19,4) NOT NULL DEFAULT 0,
2456     total_amount decimal(19,4) NOT NULL DEFAULT 0,
2457     currency_code char(3) NOT NULL,
2458     fuel_price_id char(36),
2459     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2460     CONSTRAINT pk_inspection_fuel_assessment PRIMARY KEY (id),
2461     CONSTRAINT uq_inspection_fuel_assessment_inspection_id_1 UNIQUE (inspection_id),
2462     CONSTRAINT ck_inspection_fuel_assessment_1 CHECK (pickup_level_percent BETWEEN 0 AND 100),
2463     CONSTRAINT ck_inspection_fuel_assessment_2 CHECK (return_level_percent BETWEEN 0 AND 100),
2464     CONSTRAINT ck_inspection_fuel_assessment_3 CHECK (missing_liters >= 0),
2465     CONSTRAINT ck_inspection_fuel_assessment_4 CHECK (unit_price >= 0),
2466     CONSTRAINT ck_inspection_fuel_assessment_5 CHECK (service_fee_amount >= 0),
2467     CONSTRAINT ck_inspection_fuel_assessment_6 CHECK (total_amount >= 0)
2468 ) ENGINE=InnoDB;

2470 CREATE TABLE inspection_cleaning_assessment (
2471     id char(36) NOT NULL,
2472     inspection_id char(36) NOT NULL,
2473     contract_id char(36) NOT NULL,
2474     cleaning_level varchar(20) NOT NULL,
2475     chargeable boolean NOT NULL,
2476     amount decimal(19,4) NOT NULL DEFAULT 0,
2477     currency_code char(3),
2478     reason_codes json,
2479     approved_by char(36),
2480     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2481     CONSTRAINT pk_inspection_cleaning_assessment PRIMARY KEY (id),
2482     CONSTRAINT uq_inspection_cleaning_assessment_inspection_id_1 UNIQUE (inspection_id),
2483     CONSTRAINT ck_inspection_cleaning_assessment_1 CHECK (cleaning_level IN ('NORMAL','SPECIAL','BIOHAZARD','SMOKE','PET','EXTREME')),
2484     CONSTRAINT ck_inspection_cleaning_assessment_2 CHECK (amount >= 0)
2485 ) ENGINE=InnoDB;
```

```
2487 CREATE TABLE inspection_lost_found_item (
2488     id char(36) NOT NULL,
2489     inspection_id char(36) NOT NULL,
2490     contract_id char(36),
2491     item_description varchar(240) NOT NULL,
2492     found_at datetime(6) NOT NULL,
2493     storage_location varchar(120),
2494     status varchar(20) NOT NULL DEFAULT 'STORED',
2495     released_to_party_id char(36),
2496     released_at datetime(6),
2497     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2498     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2499     row_version bigint NOT NULL DEFAULT 0,
2500     CONSTRAINT pk_inspection_lost_found_item PRIMARY KEY (id),
2501     CONSTRAINT ck_inspection_lost_found_item_1 CHECK (status IN ('STORED','CUSTOMER_NOTIFIED','RELEASED','DISPOSED','TRANSFERRED_TO_AUTHORITY'))
2502 ) ENGINE=InnoDB;
```

```
2504 CREATE TABLE billing_payment_method_token (
2505     id char(36) NOT NULL,
2506     party_id char(36) NOT NULL,
2507     provider varchar(60) NOT NULL,
2508     provider_customer_reference varchar(160),
2509     payment_token_ciphertext text NOT NULL,
2510     fingerprint varchar(160),
2511     brand varchar(40),
2512     last4 char(4),
2513     expiry_month smallint,
2514     expiry_year smallint,
2515     billing_address_id char(36),
2516     status varchar(20) NOT NULL DEFAULT 'ACTIVE',
2517     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2518     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2519     row_version bigint NOT NULL DEFAULT 0,
2520     CONSTRAINT pk_billing_payment_method_token PRIMARY KEY (id),
2521     CONSTRAINT ck_billing_payment_method_token_1 CHECK (expiry_month IS NULL OR expiry_month BETWEEN 1 AND 12),
2522     CONSTRAINT ck_billing_payment_method_token_2 CHECK (expiry_year IS NULL OR expiry_year >= 2000),
2523     CONSTRAINT ck_billing_payment_method_token_3 CHECK (status IN ('ACTIVE','EXPIRED','REVOKED','FAILED'))
2524 ) ENGINE=InnoDB;
```

```

2526 CREATE TABLE billing_charge (
2527     id char(36) NOT NULL,
2528     legal_entity_id char(36) NOT NULL,
2529     contract_id char(36),
2530     reservation_id char(36),
2531     charge_type_id char(36) NOT NULL,
2532     source_context varchar(40) NOT NULL,
2533     source_id char(36) NOT NULL,
2534     source_event_id varchar(160),
2535     service_start_at datetime(6),
2536     service_end_at datetime(6),
2537     quantity decimal(19,6) NOT NULL DEFAULT 1,
2538     unit_code varchar(20) NOT NULL,
2539     unit_amount decimal(19,4) NOT NULL,
2540     base_amount decimal(19,4) NOT NULL,
2541     discount_amount decimal(19,4) NOT NULL DEFAULT 0,
2542     tax_amount decimal(19,4) NOT NULL DEFAULT 0,
2543     gross_amount decimal(19,4) NOT NULL,
2544     currency_code char(3) NOT NULL,
2545     rate_plan_version_id char(36),
2546     rule_reference varchar(160),
2547     posting_status varchar(20) NOT NULL DEFAULT 'DRAFT',
2548     reversal_of_charge_id char(36),
2549     idempotency_key varchar(160) NOT NULL,
2550     occurred_at datetime(6) NOT NULL,
2551     posted_at datetime(6),
2552     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2553     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2554     row_version bigint NOT NULL DEFAULT 0,
2555     CONSTRAINT pk_billing_charge PRIMARY KEY (id),
2556     CONSTRAINT uq_billing_charge_legal_entity_id_idempotency_key_1 UNIQUE (legal_entity_id, idempotency_key),
2557     CONSTRAINT ck_billing_charge_1 CHECK (service_end_at IS NULL OR service_start_at IS NULL OR service_end_at > service_start_at),
2558     CONSTRAINT ck_billing_charge_2 CHECK (quantity > 0),
2559     CONSTRAINT ck_billing_charge_3 CHECK (discount_amount >= 0),
2560     CONSTRAINT ck_billing_charge_4 CHECK (tax_amount >= 0),
2561     CONSTRAINT ck_billing_charge_5 CHECK (gross_amount = base_amount - discount_amount + tax_amount),
2562     CONSTRAINT ck_billing_charge_6 CHECK (posting_status IN ('DRAFT','POSTED','VOID')),
2563     CONSTRAINT ck_billing_charge_7 CHECK (reversal_of_charge_id IS NULL OR reversal_of_charge_id <> id)
2564 ) ENGINE=InnoDB;

```



```
2566 CREATE TABLE billing_invoice (
2567     id char(36) NOT NULL,
2568     legal_entity_id char(36) NOT NULL,
2569     invoice_number varchar(60) NOT NULL,
2570     customer_account_id char(36) NOT NULL,
2571     billing_party_id char(36) NOT NULL,
2572     contract_id char(36),
2573     corporate_agreement_id char(36),
2574     issue_date date NOT NULL,
2575     due_date date NOT NULL,
2576     currency_code char(3) NOT NULL,
2577     subtotal_amount decimal(19,4) NOT NULL,
2578     discount_amount decimal(19,4) NOT NULL DEFAULT 0,
2579     tax_amount decimal(19,4) NOT NULL DEFAULT 0,
2580     total_amount decimal(19,4) NOT NULL,
2581     status varchar(20) NOT NULL DEFAULT 'DRAFT',
2582     supersedes_invoice_id char(36),
2583     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2584     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2585     row_version bigint NOT NULL DEFAULT 0,
2586     CONSTRAINT pk_billing_invoice PRIMARY KEY (id),
2587     CONSTRAINT uq_billing_invoice_legal_entity_id_invoice_number_1 UNIQUE (legal_entity_id, invoice_number),
2588     CONSTRAINT ck_billing_invoice_1 CHECK (due_date >= issue_date),
2589     CONSTRAINT ck_billing_invoice_2 CHECK (subtotal_amount >= 0),
2590     CONSTRAINT ck_billing_invoice_3 CHECK (discount_amount >= 0),
2591     CONSTRAINT ck_billing_invoice_4 CHECK (tax_amount >= 0),
2592     CONSTRAINT ck_billing_invoice_5 CHECK (total_amount >= 0),
2593     CONSTRAINT ck_billing_invoice_6 CHECK (status IN ('DRAFT', 'ISSUED', 'PARTIALLY_PAID', 'PAID', 'OVERDUE', 'CANCELLED', 'WRITTEN_OFF'))
2594 ) ENGINE=InnoDB;
```

```

2596 CREATE TABLE billing_invoice_line (
2597     id char(36) NOT NULL,
2598     invoice_id char(36) NOT NULL,
2599     line_number int NOT NULL,
2600     charge_id char(36) NOT NULL,
2601     description varchar(240) NOT NULL,
2602     quantity decimal(19,6) NOT NULL,
2603     unit_amount decimal(19,4) NOT NULL,
2604     net_amount decimal(19,4) NOT NULL,
2605     tax_amount decimal(19,4) NOT NULL DEFAULT 0,
2606     gross_amount decimal(19,4) NOT NULL,
2607     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2608     CONSTRAINT pk_billing_invoice_line PRIMARY KEY (id),
2609     CONSTRAINT uq_billing_invoice_line_invoice_id_line_number_1 UNIQUE (invoice_id, line_number),
2610     CONSTRAINT uq_billing_invoice_line_invoice_id_charge_id_2 UNIQUE (invoice_id, charge_id),
2611     CONSTRAINT ck_billing_invoice_line_1 CHECK (quantity > 0),
2612     CONSTRAINT ck_billing_invoice_line_2 CHECK (tax_amount >= 0),
2613     CONSTRAINT ck_billing_invoice_line_3 CHECK (gross_amount = net_amount + tax_amount)
2614 ) ENGINE=InnoDB;

2616 CREATE TABLE billing_receivable (
2617     id char(36) NOT NULL,
2618     invoice_id char(36) NOT NULL,
2619     receivable_number varchar(60) NOT NULL,
2620     original_amount decimal(19,4) NOT NULL,
2621     open_amount decimal(19,4) NOT NULL,
2622     currency_code char(3) NOT NULL,
2623     due_date date NOT NULL,
2624     status varchar(20) NOT NULL DEFAULT 'OPEN',
2625     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2626     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2627     row_version bigint NOT NULL DEFAULT 0,
2628     CONSTRAINT pk_billing_receivable PRIMARY KEY (id),
2629     CONSTRAINT uq_billing_receivable_receivable_number_1 UNIQUE (receivable_number),
2630     CONSTRAINT uq_billing_receivable_invoice_id_2 UNIQUE (invoice_id),
2631     CONSTRAINT ck_billing_receivable_1 CHECK (original_amount >= 0),
2632     CONSTRAINT ck_billing_receivable_2 CHECK (open_amount >= 0),
2633     CONSTRAINT ck_billing_receivable_3 CHECK (open_amount <= original_amount),
2634     CONSTRAINT ck_billing_receivable_4 CHECK (status IN ('OPEN','PARTIALLY_PAID','PAID','OVERDUE','DISPUTED','WRITTEN_OFF','CANCELLED'))
2635 ) ENGINE=InnoDB;

```

```
2637 CREATE TABLE billing_payment_intent (
2638     id char(36) NOT NULL,
2639     legal_entity_id char(36) NOT NULL,
2640     party_id char(36) NOT NULL,
2641     contract_id char(36),
2642     reservation_id char(36),
2643     receivable_id char(36),
2644     payment_method_token_id char(36),
2645     amount decimal(19,4) NOT NULL,
2646     currency_code char(3) NOT NULL,
2647     capture_method varchar(20) NOT NULL,
2648     status varchar(30) NOT NULL DEFAULT 'CREATED',
2649     provider varchar(60) NOT NULL,
2650     provider_reference varchar(160),
2651     idempotency_key varchar(160) NOT NULL,
2652     expires_at datetime(6),
2653     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2654     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2655     row_version bigint NOT NULL DEFAULT 0,
2656     CONSTRAINT pk_billing_payment_intent PRIMARY KEY (id),
2657     CONSTRAINT uq_billing_payment_intent_legal_entity_id_idempot_5465443a UNIQUE (legal_entity_id, idempotency_key),
2658     CONSTRAINT ck_billing_payment_intent_1 CHECK (amount > 0),
2659     CONSTRAINT ck_billing_payment_intent_2 CHECK (capture_method IN ('AUTOMATIC','MANUAL')),
2660     CONSTRAINT ck_billing_payment_intent_3 CHECK (status IN ('CREATED','REQUIRES_ACTION','PROCESSING','AUTHORIZED','CAPTURED','FAILED','CANCELLED','EXPIRED'))
2661 ) ENGINE=InnoDB;
```

```
2663 CREATE TABLE billing_payment_transaction (
2664     id char(36) NOT NULL,
2665     payment_intent_id char(36),
2666     transaction_type varchar(30) NOT NULL,
2667     provider varchar(60) NOT NULL,
2668     provider_transaction_id varchar(180) NOT NULL,
2669     amount decimal(19,4) NOT NULL,
2670     currency_code char(3) NOT NULL,
2671     status varchar(20) NOT NULL,
2672     occurred_at datetime(6) NOT NULL,
2673     settled_at datetime(6),
2674     failure_code varchar(80),
2675     raw_response json,
2676     idempotency_key varchar(160) NOT NULL,
2677     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2678     CONSTRAINT pk_billing_payment_transaction PRIMARY KEY (id),
2679     CONSTRAINT uq_billing_payment_transaction_provider_provider__5cf6ecc2 UNIQUE (provider, provider_transaction_id),
2680     CONSTRAINT uq_billing_payment_transaction_idempotency_key_2 UNIQUE (idempotency_key),
2681     CONSTRAINT ck_billing_payment_transaction_1 CHECK (amount >= 0),
2682     CONSTRAINT ck_billing_payment_transaction_2 CHECK (transaction_type IN ('AUTHORIZE','CAPTURE','SALE','VOID','REFUND','CHARGEBACK','REVERSAL')),
2683     CONSTRAINT ck_billing_payment_transaction_3 CHECK (status IN ('PENDING','SUCCEEDED','FAILED','REVERSED'))
2684 ) ENGINE=InnoDB;

2686 CREATE TABLE billing_payment_allocation (
2687     id char(36) NOT NULL,
2688     payment_transaction_id char(36) NOT NULL,
2689     receivable_id char(36) NOT NULL,
2690     allocated_amount decimal(19,4) NOT NULL,
2691     currency_code char(3) NOT NULL,
2692     allocated_at datetime(6) NOT NULL,
2693     reversal_of_allocation_id char(36),
2694     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2695     CONSTRAINT pk_billing_payment_allocation PRIMARY KEY (id),
2696     CONSTRAINT ck_billing_payment_allocation_1 CHECK (allocated_amount > 0),
2697     CONSTRAINT ck_billing_payment_allocation_2 CHECK (reversal_of_allocation_id IS NULL OR reversal_of_allocation_id <> id)
2698 ) ENGINE=InnoDB;
```

```

2700 CREATE TABLE billing_preauthorization (
2701     id char(36) NOT NULL,
2702     payment_method_token_id char(36) NOT NULL,
2703     reservation_id char(36),
2704     contract_id char(36),
2705     provider varchar(60) NOT NULL,
2706     provider_reference varchar(160) NOT NULL,
2707     authorized_amount decimal(19,4) NOT NULL,
2708     captured_amount decimal(19,4) NOT NULL DEFAULT 0,
2709     released_amount decimal(19,4) NOT NULL DEFAULT 0,
2710     currency_code char(3) NOT NULL,
2711     authorized_at datetime(6) NOT NULL,
2712     expires_at datetime(6),
2713     status varchar(20) NOT NULL DEFAULT 'AUTHORIZED',
2714     idempotency_key varchar(160) NOT NULL,
2715     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2716     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2717     row_version bigint NOT NULL DEFAULT 0,
2718     CONSTRAINT pk_billing_preauthorization PRIMARY KEY (id),
2719     CONSTRAINT uq_billing_preauthorization_provider_provider_reference_1 UNIQUE (provider, provider_reference),
2720     CONSTRAINT uq_billing_preauthorization_idempotency_key_2 UNIQUE (idempotency_key),
2721     CONSTRAINT ck_billing_preauthorization_1 CHECK (authorized_amount >= 0),
2722     CONSTRAINT ck_billing_preauthorization_2 CHECK (captured_amount >= 0),
2723     CONSTRAINT ck_billing_preauthorization_3 CHECK (released_amount >= 0),
2724     CONSTRAINT ck_billing_preauthorization_4 CHECK (captured_amount + released_amount <= authorized_amount),
2725     CONSTRAINT ck_billing_preauthorization_5 CHECK (status IN ('PENDING', 'AUTHORIZED', 'PARTIALLY_CAPTURED', 'CAPTURED', 'RELEASED', 'EXPIRED', 'FAILED'))
2726 ) ENGINE=InnoDB;

2728 CREATE TABLE billing_refund (
2729     id char(36) NOT NULL,
2730     payment_transaction_id char(36) NOT NULL,
2731     refund_transaction_id char(36),
2732     amount decimal(19,4) NOT NULL,
2733     currency_code char(3) NOT NULL,
2734     reason_code varchar(60) NOT NULL,
2735     status varchar(20) NOT NULL DEFAULT 'REQUESTED',
2736     requested_at datetime(6) NOT NULL,
2737     completed_at datetime(6),
2738     idempotency_key varchar(160) NOT NULL,
2739     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2740     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2741     row_version bigint NOT NULL DEFAULT 0,
2742     CONSTRAINT pk_billing_refund PRIMARY KEY (id),
2743     CONSTRAINT uq_billing_refund_idempotency_key_1 UNIQUE (idempotency_key),
2744     CONSTRAINT ck_billing_refund_1 CHECK (amount > 0),
2745     CONSTRAINT ck_billing_refund_2 CHECK (status IN ('REQUESTED', 'PROCESSING', 'SUCCEEDED', 'FAILED', 'CANCELLED'))
2746 ) ENGINE=InnoDB;

```

```
2748 CREATE TABLE billing_credit_note (
2749     id char(36) NOT NULL,
2750     invoice_id char(36) NOT NULL,
2751     credit_note_number varchar(60) NOT NULL,
2752     issue_date date NOT NULL,
2753     amount decimal(19,4) NOT NULL,
2754     currency_code char(3) NOT NULL,
2755     reason_code varchar(60) NOT NULL,
2756     status varchar(20) NOT NULL DEFAULT 'ISSUED',
2757     tax_document_id char(36),
2758     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2759     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2760     row_version bigint NOT NULL DEFAULT 0,
2761     CONSTRAINT pk_billing_credit_note PRIMARY KEY (id),
2762     CONSTRAINT uq_billing_credit_note_credit_note_number_1 UNIQUE (credit_note_number),
2763     CONSTRAINT ck_billing_credit_note_1 CHECK (amount > 0),
2764     CONSTRAINT ck_billing_credit_note_2 CHECK (status IN ('DRAFT', 'ISSUED', 'APPLIED', 'CANCELLED'))
2765 ) ENGINE=InnoDB;
```

```
2767 CREATE TABLE billing_chargeback (
2768     id char(36) NOT NULL,
2769     payment_transaction_id char(36) NOT NULL,
2770     provider_case_reference varchar(160) NOT NULL,
2771     amount decimal(19,4) NOT NULL,
2772     currency_code char(3) NOT NULL,
2773     reason_code varchar(80),
2774     opened_at datetime(6) NOT NULL,
2775     response_due_at datetime(6),
2776     status varchar(20) NOT NULL DEFAULT 'OPEN',
2777     outcome varchar(20),
2778     closed_at datetime(6),
2779     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2780     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2781     row_version bigint NOT NULL DEFAULT 0,
2782     CONSTRAINT pk_billing_chargeback PRIMARY KEY (id),
2783     CONSTRAINT uq_billing_chargeback_provider_case_reference_1 UNIQUE (provider_case_reference),
2784     CONSTRAINT ck_billing_chargeback_1 CHECK (amount > 0),
2785     CONSTRAINT ck_billing_chargeback_2 CHECK (status IN ('OPEN', 'EVIDENCE_SUBMITTED', 'WON', 'LOST', 'CLOSED')),
2786     CONSTRAINT ck_billing_chargeback_3 CHECK (closed_at IS NULL OR closed_at >= opened_at)
2787 ) ENGINE=InnoDB;
```

```

2789 CREATE TABLE billing_tax_document (
2790     id char(36) NOT NULL,
2791     legal_entity_id char(36) NOT NULL,
2792     invoice_id char(36),
2793     document_type varchar(30) NOT NULL,
2794     document_number varchar(80) NOT NULL,
2795     series varchar(30),
2796     access_key varchar(100),
2797     issued_at datetime(6) NOT NULL,
2798     status varchar(20) NOT NULL,
2799     object_key varchar(500),
2800     provider_response json,
2801     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2802     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2803     row_version bigint NOT NULL DEFAULT 0,
2804     CONSTRAINT pk_billing_tax_document PRIMARY KEY (id),
2805     CONSTRAINT uq_billing_tax_document_legal_entity_id_document__76b2374c UNIQUE (legal_entity_id, document_type, document_number, series),
2806     CONSTRAINT ck_billing_tax_document_1 CHECK (status IN ('REQUESTED','AUTHORIZED','REJECTED','CANCELLED','VOID')),
2807 ) ENGINE=InnoDB;

```

```

2809 CREATE TABLE billing_dunning_case (
2810     id char(36) NOT NULL,
2811     customer_account_id char(36) NOT NULL,
2812     receivable_id char(36) NOT NULL,
2813     opened_at datetime(6) NOT NULL,
2814     stage varchar(30) NOT NULL,
2815     status varchar(20) NOT NULL DEFAULT 'OPEN',
2816     assigned_to char(36),
2817     next_action_at datetime(6),
2818     closed_at datetime(6),
2819     resolution_code varchar(60),
2820     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2821     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2822     row_version bigint NOT NULL DEFAULT 0,
2823     CONSTRAINT pk_billing_dunning_case PRIMARY KEY (id),
2824     CONSTRAINT uq_billing_dunning_case_receivable_id_1 UNIQUE (receivable_id),
2825     CONSTRAINT ck_billing_dunning_case_1 CHECK (stage IN ('REMINDER','NOTICE','COLLECTION','LEGAL')),
2826     CONSTRAINT ck_billing_dunning_case_2 CHECK (status IN ('OPEN','PAUSED','PROMISE_TO_PAY','CLOSED')),
2827     CONSTRAINT ck_billing_dunning_case_3 CHECK (closed_at IS NULL OR closed_at >= opened_at)
2828 ) ENGINE=InnoDB;

```

```
2830 CREATE TABLE billing_collection_action (
2831     id                                char(36) NOT NULL,
2832     dunning_case_id                  char(36) NOT NULL,
2833     action_type                      varchar(40) NOT NULL,
2834     scheduled_at                     datetime(6),
2835     executed_at                      datetime(6),
2836     channel                          varchar(20),
2837     result_code                      varchar(60),
2838     notes                            text,
2839     performed_by                     char(36),
2840     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2841     CONSTRAINT pk_billing_collection_action PRIMARY KEY (id)
2842 ) ENGINE=InnoDB;

2844 CREATE TABLE billing_settlement_batch (
2845     id                                char(36) NOT NULL,
2846     provider                          varchar(60) NOT NULL,
2847     batch_reference                   varchar(160) NOT NULL,
2848     settlement_date                   date NOT NULL,
2849     gross_amount                     decimal(19,4) NOT NULL,
2850     fee_amount                       decimal(19,4) NOT NULL DEFAULT 0,
2851     net_amount                       decimal(19,4) NOT NULL,
2852     currency_code                     char(3) NOT NULL,
2853     status                            varchar(20) NOT NULL DEFAULT 'RECEIVED',
2854     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2855     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2856     row_version                       bigint NOT NULL DEFAULT 0,
2857     CONSTRAINT pk_billing_settlement_batch PRIMARY KEY (id),
2858     CONSTRAINT uq_billing_settlement_batch_provider_batch_reference_1 UNIQUE (provider, batch_reference),
2859     CONSTRAINT ck_billing_settlement_batch_1 CHECK (gross_amount >= 0),
2860     CONSTRAINT ck_billing_settlement_batch_2 CHECK (fee_amount >= 0),
2861     CONSTRAINT ck_billing_settlement_batch_3 CHECK (status IN ('RECEIVED','RECONCILED','PARTIALLY_RECONCILED','REJECTED'))
2862 ) ENGINE=InnoDB;
```



```

2864 CREATE TABLE billing_settlement_item (
2865     id char(36) NOT NULL,
2866     settlement_batch_id char(36) NOT NULL,
2867     payment_transaction_id char(36),
2868     provider_transaction_id varchar(180) NOT NULL,
2869     gross_amount decimal(19,4) NOT NULL,
2870     fee_amount decimal(19,4) NOT NULL DEFAULT 0,
2871     net_amount decimal(19,4) NOT NULL,
2872     currency_code char(3) NOT NULL,
2873     status varchar(20) NOT NULL DEFAULT 'MATCHED',
2874     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2875     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2876     CONSTRAINT pk_billing_settlement_item PRIMARY KEY (id),
2877     CONSTRAINT uq_billing_settlement_item_settlement_batch_id_pr_c0f4489e UNIQUE (settlement_batch_id, provider_transaction_id),
2878     CONSTRAINT ck_billing_settlement_item_1 CHECK (gross_amount >= 0),
2879     CONSTRAINT ck_billing_settlement_item_2 CHECK (fee_amount >= 0),
2880     CONSTRAINT ck_billing_settlement_item_3 CHECK (status IN ('MATCHED','UNMATCHED','DUPLICATE','MISMATCH'))
2881 ) ENGINE=InnoDB;

```

```

2883 CREATE TABLE billing_reconciliation_issue (
2884     id char(36) NOT NULL,
2885     settlement_item_id char(36),
2886     issue_type varchar(40) NOT NULL,
2887     severity varchar(20) NOT NULL,
2888     description text,
2889     status varchar(20) NOT NULL DEFAULT 'OPEN',
2890     opened_at datetime(6) NOT NULL,
2891     resolved_at datetime(6),
2892     resolution_note text,
2893     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2894     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2895     row_version bigint NOT NULL DEFAULT 0,
2896     CONSTRAINT pk_billing_reconciliation_issue PRIMARY KEY (id),
2897     CONSTRAINT ck_billing_reconciliation_issue_1 CHECK (severity IN ('LOW','MEDIUM','HIGH','CRITICAL')),
2898     CONSTRAINT ck_billing_reconciliation_issue_2 CHECK (status IN ('OPEN','INVESTIGATING','RESOLVED','IGNORED')),
2899     CONSTRAINT ck_billing_reconciliation_issue_3 CHECK (resolved_at IS NULL OR resolved_at >= opened_at)
2900 ) ENGINE=InnoDB;

```

```

2902 CREATE TABLE billing_accounting_export (
2903     id char(36) NOT NULL,
2904     legal_entity_id char(36) NOT NULL,
2905     period_start date NOT NULL,
2906     period_end date NOT NULL,
2907     export_type varchar(30) NOT NULL,
2908     object_key varchar(500),
2909     record_count int NOT NULL DEFAULT 0,
2910     total_debit decimal(19,4) NOT NULL DEFAULT 0,
2911     total_credit decimal(19,4) NOT NULL DEFAULT 0,
2912     currency_code char(3),
2913     status varchar(20) NOT NULL DEFAULT 'GENERATED',
2914     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2915     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2916     row_version bigint NOT NULL DEFAULT 0,
2917     CONSTRAINT pk_billing_accounting_export PRIMARY KEY (id),
2918     CONSTRAINT ck_billing_accounting_export_1 CHECK (period_end >= period_start),
2919     CONSTRAINT ck_billing_accounting_export_2 CHECK (record_count >= 0),
2920     CONSTRAINT ck_billing_accounting_export_3 CHECK (status IN ('GENERATED','SENT','ACCEPTED','REJECTED'))
2921 ) ENGINE=InnoDB;

2923 CREATE TABLE traffic_provider_import_batch (
2924     id char(36) NOT NULL,
2925     provider varchar(60) NOT NULL,
2926     batch_reference varchar(160) NOT NULL,
2927     received_at datetime(6) NOT NULL,
2928     record_count int NOT NULL DEFAULT 0,
2929     processed_count int NOT NULL DEFAULT 0,
2930     error_count int NOT NULL DEFAULT 0,
2931     status varchar(20) NOT NULL DEFAULT 'RECEIVED',
2932     object_key varchar(500),
2933     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2934     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2935     row_version bigint NOT NULL DEFAULT 0,
2936     CONSTRAINT pk_traffic_provider_import_batch PRIMARY KEY (id),
2937     CONSTRAINT uq_traffic_provider_import_batch_provider_batch_r_20ebf910 UNIQUE (provider, batch_reference),
2938     CONSTRAINT ck_traffic_provider_import_batch_1 CHECK (record_count >= 0),
2939     CONSTRAINT ck_traffic_provider_import_batch_2 CHECK (processed_count >= 0),
2940     CONSTRAINT ck_traffic_provider_import_batch_3 CHECK (error_count >= 0),
2941     CONSTRAINT ck_traffic_provider_import_batch_4 CHECK (status IN ('RECEIVED','PROCESSING','COMPLETED','PARTIAL','FAILED'))
2942 ) ENGINE=InnoDB;

```

```

2944 CREATE TABLE traffic_traffic_notice (
2945     id char(36) NOT NULL,
2946     import_batch_id char(36),
2947     vehicle_id char(36) NOT NULL,
2948     authority_code varchar(60) NOT NULL,
2949     external_notice_number varchar(120) NOT NULL,
2950     infraction_code varchar(60),
2951     infraction_at datetime(6) NOT NULL,
2952     location_text varchar(240),
2953     base_amount decimal(19,4) NOT NULL,
2954     currency_code char(3) NOT NULL,
2955     due_date date,
2956     status varchar(30) NOT NULL DEFAULT 'RECEIVED',
2957     raw_payload json,
2958     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2959     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2960     row_version bigint NOT NULL DEFAULT 0,
2961     CONSTRAINT pk_traffic_traffic_notice PRIMARY KEY (id),
2962     CONSTRAINT uq_traffic_traffic_notice_authority_code_external_4c8a0b01 UNIQUE (authority_code, external_notice_number),
2963     CONSTRAINT ck_traffic_traffic_notice_1 CHECK (base_amount >= 0),
2964     CONSTRAINT ck_traffic_traffic_notice_2 CHECK (status IN ('RECEIVED', 'ATTRIBUTED', 'NOMINATION_PENDING', 'APPEALED', 'CONFIRMED', 'PAID', 'CANCELLED'))
2965 ) ENGINE=InnoDB;

2967 CREATE TABLE traffic_traffic_attribution (
2968     id char(36) NOT NULL,
2969     traffic_notice_id char(36) NOT NULL,
2970     contract_id char(36),
2971     vehicle_assignment_id char(36),
2972     driver_profile_id char(36),
2973     attribution_status varchar(30) NOT NULL,
2974     confidence decimal(8,6),
2975     attributed_at datetime(6),
2976     decided_by char(36),
2977     reason_text text,
2978     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2979     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2980     row_version bigint NOT NULL DEFAULT 0,
2981     CONSTRAINT pk_traffic_traffic_attribution PRIMARY KEY (id),
2982     CONSTRAINT uq_traffic_traffic_attribution_traffic_notice_id_1 UNIQUE (traffic_notice_id),
2983     CONSTRAINT ck_traffic_traffic_attribution_1 CHECK (confidence IS NULL OR (confidence >= 0 AND confidence <= 1)),
2984     CONSTRAINT ck_traffic_traffic_attribution_2 CHECK (attribution_status IN ('PENDING', 'MATCHED', 'MANUAL_REVIEW', 'UNATTRIBUTED', 'COMPANY_RESPONSIBLE'))
2985 ) ENGINE=InnoDB;

```

```

2987 CREATE TABLE traffic_driver_nomination (
2988     id char(36) NOT NULL,
2989     traffic_notice_id char(36) NOT NULL,
2990     driver_profile_id char(36) NOT NULL,
2991     submitted_at datetime(6),
2992     submission_deadline date,
2993     status varchar(20) NOT NULL DEFAULT 'PENDING',
2994     authority_reference varchar(160),
2995     document_object_key varchar(500),
2996     rejection_reason text,
2997     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
2998     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
2999     row_version bigint NOT NULL DEFAULT 0,
3000     CONSTRAINT pk_traffic_driver_nomination PRIMARY KEY (id),
3001     CONSTRAINT ck_traffic_driver_nomination_1 CHECK (status IN ('PENDING','SUBMITTED','ACCEPTED','REJECTED','EXPIRED','CANCELLED'))
3002 ) ENGINE=InnoDB;

```

```

3004 CREATE TABLE traffic_traffic_appeal (
3005     id char(36) NOT NULL,
3006     traffic_notice_id char(36) NOT NULL,
3007     appeal_level smallint NOT NULL DEFAULT 1,
3008     submitted_at datetime(6),
3009     deadline date,
3010     status varchar(20) NOT NULL DEFAULT 'DRAFT',
3011     grounds text,
3012     document_object_key varchar(500),
3013     decision_at datetime(6),
3014     decision_text text,
3015     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3016     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3017     row_version bigint NOT NULL DEFAULT 0,
3018     CONSTRAINT pk_traffic_traffic_appeal PRIMARY KEY (id),
3019     CONSTRAINT ck_traffic_traffic_appeal_1 CHECK (appeal_level > 0),
3020     CONSTRAINT ck_traffic_traffic_appeal_2 CHECK (status IN ('DRAFT','SUBMITTED','UPHELD','DENIED','WITHDRAWN','EXPIRED'))
3021 ) ENGINE=InnoDB;

```

```
3023 CREATE TABLE traffic_toll_tag (
3024     id                        char(36) NOT NULL,
3025     provider                  varchar(60) NOT NULL,
3026     tag_number                 varchar(100) NOT NULL,
3027     owning_legal_entity_id     char(36) NOT NULL,
3028     status                     varchar(20) NOT NULL DEFAULT 'ACTIVE',
3029     created_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3030     updated_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3031     row_version                bigint NOT NULL DEFAULT 0,
3032     CONSTRAINT pk_traffic_toll_tag PRIMARY KEY (id),
3033     CONSTRAINT uq_traffic_toll_tag_provider_tag_number_1 UNIQUE (provider, tag_number),
3034     CONSTRAINT ck_traffic_toll_tag_1 CHECK (status IN ('ACTIVE','SUSPENDED','LOST','RETIRED'))
3035 ) ENGINE=InnoDB;

3037 CREATE TABLE traffic_toll_tag_assignment (
3038     id                        char(36) NOT NULL,
3039     toll_tag_id                char(36) NOT NULL,
3040     vehicle_id                 char(36) NOT NULL,
3041     start_at                    datetime(6) NOT NULL,
3042     end_at                      datetime(6),
3043     created_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3044     updated_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3045     CONSTRAINT pk_traffic_toll_tag_assignment PRIMARY KEY (id),
3046     CONSTRAINT uq_traffic_toll_tag_assignment_toll_tag_id_start_at_1 UNIQUE (toll_tag_id, start_at),
3047     CONSTRAINT ck_traffic_toll_tag_assignment_1 CHECK (end_at IS NULL OR end_at > start_at)
3048 ) ENGINE=InnoDB;
```

```

3050 CREATE TABLE traffic_toll_transaction (
3051     id                                char(36) NOT NULL,
3052     import_batch_id                   char(36),
3053     provider                          varchar(60) NOT NULL,
3054     external_transaction_id            varchar(160) NOT NULL,
3055     toll_tag_id                       char(36),
3056     vehicle_id                        char(36) NOT NULL,
3057     occurred_at                       datetime(6) NOT NULL,
3058     plaza_name                        varchar(160),
3059     amount                            decimal(19,4) NOT NULL,
3060     currency_code                     char(3) NOT NULL,
3061     contract_id                       char(36),
3062     status                            varchar(20) NOT NULL DEFAULT 'RECEIVED',
3063     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3064     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3065     row_version                       bigint NOT NULL DEFAULT 0,
3066     CONSTRAINT pk_traffic_toll_transaction PRIMARY KEY (id),
3067     CONSTRAINT uq_traffic_toll_transaction_provider_external_tra_55281db6 UNIQUE (provider, external_transaction_id),
3068     CONSTRAINT ck_traffic_toll_transaction_1 CHECK (amount >= 0),
3069     CONSTRAINT ck_traffic_toll_transaction_2 CHECK (status IN ('RECEIVED','ATTRIBUTED','CHARGED','DISPUTED','REVERSED'))
3070 ) ENGINE=InnoDB;

```

```

3072 CREATE TABLE traffic_parking_transaction (
3073     id                                char(36) NOT NULL,
3074     provider                          varchar(60) NOT NULL,
3075     external_transaction_id            varchar(160) NOT NULL,
3076     vehicle_id                        char(36) NOT NULL,
3077     entered_at                        datetime(6),
3078     exited_at                        datetime(6),
3079     location_name                      varchar(160),
3080     amount                            decimal(19,4) NOT NULL,
3081     currency_code                     char(3) NOT NULL,
3082     contract_id                       char(36),
3083     status                            varchar(20) NOT NULL DEFAULT 'RECEIVED',
3084     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3085     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3086     row_version                       bigint NOT NULL DEFAULT 0,
3087     CONSTRAINT pk_traffic_parking_transaction PRIMARY KEY (id),
3088     CONSTRAINT uq_traffic_parking_transaction_provider_external_c2aaba9a UNIQUE (provider, external_transaction_id),
3089     CONSTRAINT ck_traffic_parking_transaction_1 CHECK (amount >= 0),
3090     CONSTRAINT ck_traffic_parking_transaction_2 CHECK (exited_at IS NULL OR entered_at IS NULL OR exited_at >= entered_at),
3091     CONSTRAINT ck_traffic_parking_transaction_3 CHECK (status IN ('RECEIVED','ATTRIBUTED','CHARGED','DISPUTED','REVERSED'))
3092 ) ENGINE=InnoDB;

```

```

3094 CREATE TABLE traffic_traffic_charge_link (
3095     id                char(36) NOT NULL,
3096     source_type        varchar(20) NOT NULL,
3097     traffic_notice_id  char(36),
3098     toll_transaction_id char(36),
3099     parking_transaction_id char(36),
3100     charge_id          char(36) NOT NULL,
3101     linked_at          datetime(6) NOT NULL,
3102     created_at         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3103     CONSTRAINT pk_traffic_traffic_charge_link PRIMARY KEY (id),
3104     CONSTRAINT ck_traffic_traffic_charge_link_1 CHECK (source_type IN ('TRAFFIC_NOTICE','TOLL','PARKING')),
3105     CONSTRAINT ck_traffic_traffic_charge_link_2 CHECK ((source_type = 'TRAFFIC_NOTICE' AND traffic_notice_id IS NOT NULL AND toll_transaction_id IS NULL AND parking_transaction_id IS
        NULL) OR (source_type = 'TOLL' AND toll_transaction_id IS NOT NULL AND traffic_notice_id IS NULL AND parking_transaction_id IS NULL) OR (source_type = 'PARKING' AND
        parking_transaction_id IS NOT NULL AND traffic_notice_id IS NULL AND toll_transaction_id IS NULL))
3106 ) ENGINE=InnoDB;

3108 CREATE TABLE claim_insurance_policy (
3109     id                char(36) NOT NULL,
3110     legal_entity_id   char(36) NOT NULL,
3111     insurer_party_id  char(36) NOT NULL,
3112     policy_number     varchar(100) NOT NULL,
3113     valid_from        datetime(6) NOT NULL,
3114     valid_to          datetime(6) NOT NULL,
3115     currency_code     char(3) NOT NULL,
3116     status            varchar(20) NOT NULL DEFAULT 'ACTIVE',
3117     policy_document_key varchar(500),
3118     created_at        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3119     updated_at        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3120     row_version       bigint NOT NULL DEFAULT 0,
3121     CONSTRAINT pk_claim_insurance_policy PRIMARY KEY (id),
3122     CONSTRAINT uq_claim_insurance_policy_legal_entity_id_policy_number_1 UNIQUE (legal_entity_id, policy_number),
3123     CONSTRAINT ck_claim_insurance_policy_1 CHECK (valid_to > valid_from),
3124     CONSTRAINT ck_claim_insurance_policy_2 CHECK (status IN ('DRAFT','ACTIVE','SUSPENDED','EXPIRED','CANCELLED'))
3125 ) ENGINE=InnoDB;

```

```

3127 CREATE TABLE claim_policy_coverage (
3128     insurance_policy_id      char(36) NOT NULL,
3129     coverage_id              char(36) NOT NULL,
3130     deductible_amount         decimal(19,4),
3131     coverage_limit_amount     decimal(19,4),
3132     currency_code             char(3) NOT NULL,
3133     terms_json                json,
3134     created_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3135     updated_at                datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3136     CONSTRAINT pk_claim_policy_coverage PRIMARY KEY (insurance_policy_id, coverage_id),
3137     CONSTRAINT ck_claim_policy_coverage_1 CHECK (deductible_amount IS NULL OR deductible_amount >= 0),
3138     CONSTRAINT ck_claim_policy_coverage_2 CHECK (coverage_limit_amount IS NULL OR coverage_limit_amount >= 0)
3139 ) ENGINE=InnoDB;

3141 CREATE TABLE claim_incident (
3142     id                        char(36) NOT NULL,
3143     incident_number           varchar(60) NOT NULL,
3144     legal_entity_id           char(36) NOT NULL,
3145     contract_id               char(36),
3146     incident_type              varchar(30) NOT NULL,
3147     occurred_at                datetime(6) NOT NULL,
3148     reported_at                datetime(6) NOT NULL,
3149     latitude                   decimal(10,7),
3150     longitude                   decimal(10,7),
3151     location_text              varchar(240),
3152     description                text,
3153     police_report_number       varchar(100),
3154     status                     varchar(20) NOT NULL DEFAULT 'OPEN',
3155     created_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3156     updated_at                 datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3157     row_version                 bigint NOT NULL DEFAULT 0,
3158     CONSTRAINT pk_claim_incident PRIMARY KEY (id),
3159     CONSTRAINT uq_claim_incident_legal_entity_id_incident_number_1 UNIQUE (legal_entity_id, incident_number),
3160     CONSTRAINT ck_claim_incident_1 CHECK (reported_at >= occurred_at),
3161     CONSTRAINT ck_claim_incident_2 CHECK (incident_type IN ('ACCIDENT','THEFT','ROBBERY','VANDALISM','FIRE','FLOOD','MECHANICAL_FAILURE','OTHER')),
3162     CONSTRAINT ck_claim_incident_3 CHECK (status IN ('OPEN','UNDER_REVIEW','RESOLVED','CLOSED','CANCELLED'))
3163 ) ENGINE=InnoDB;

```



```
3165 CREATE TABLE claim_incident_party (  
3166     id char(36) NOT NULL,  
3167     incident_id char(36) NOT NULL,  
3168     party_id char(36),  
3169     role_type varchar(30) NOT NULL,  
3170     name_snapshot varchar(180),  
3171     contact_snapshot json,  
3172     injury_severity varchar(20),  
3173     notes text,  
3174     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
3175     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
3176     CONSTRAINT pk_claim_incident_party PRIMARY KEY (id),  
3177     CONSTRAINT ck_claim_incident_party_1 CHECK (role_type IN ('DRIVER', 'PASSENGER', 'THIRD_PARTY_DRIVER', 'THIRD_PARTY_OWNER', 'WITNESS', 'AUTHORITY', 'OTHER'))  
3178 ) ENGINE=InnoDB;
```

```
3180 CREATE TABLE claim_incident_vehicle (  
3181     id char(36) NOT NULL,  
3182     incident_id char(36) NOT NULL,  
3183     vehicle_id char(36),  
3184     role_type varchar(30) NOT NULL,  
3185     registration_snapshot varchar(40),  
3186     make_model_snapshot varchar(180),  
3187     drivable_after boolean,  
3188     tow_required boolean,  
3189     notes text,  
3190     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
3191     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
3192     CONSTRAINT pk_claim_incident_vehicle PRIMARY KEY (id),  
3193     CONSTRAINT ck_claim_incident_vehicle_1 CHECK (role_type IN ('RENTAL_VEHICLE', 'THIRD_PARTY_VEHICLE', 'OTHER'))  
3194 ) ENGINE=InnoDB;
```

```
3196 CREATE TABLE claim_incident_document (  
3197     id char(36) NOT NULL,  
3198     incident_id char(36) NOT NULL,  
3199     document_type varchar(40) NOT NULL,  
3200     object_key varchar(500) NOT NULL,  
3201     content_type varchar(100),  
3202     sha256 binary(32),  
3203     captured_at datetime(6) NOT NULL,  
3204     description varchar(240),  
3205     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
3206     CONSTRAINT pk_claim_incident_document PRIMARY KEY (id)  
3207 ) ENGINE=InnoDB;
```

```

3209 CREATE TABLE claim_claim (
3210     id char(36) NOT NULL,
3211     claim_number varchar(60) NOT NULL,
3212     incident_id char(36) NOT NULL,
3213     insurance_policy_id char(36),
3214     contract_id char(36),
3215     claim_type varchar(30) NOT NULL,
3216     opened_at datetime(6) NOT NULL,
3217     reported_to_insurer_at datetime(6),
3218     status varchar(30) NOT NULL DEFAULT 'OPEN',
3219     estimated_amount decimal(19,4),
3220     approved_amount decimal(19,4),
3221     currency_code char(3),
3222     insurer_reference varchar(160),
3223     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3224     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3225     row_version bigint NOT NULL DEFAULT 0,
3226     CONSTRAINT pk_claim_claim PRIMARY KEY (id),
3227     CONSTRAINT uq_claim_claim_claim_number_1 UNIQUE (claim_number),
3228     CONSTRAINT ck_claim_claim_1 CHECK (estimated_amount IS NULL OR estimated_amount >= 0),
3229     CONSTRAINT ck_claim_claim_2 CHECK (approved_amount IS NULL OR approved_amount >= 0),
3230     CONSTRAINT ck_claim_claim_3 CHECK (claim_type IN ('OWN_DAMAGE', 'THIRD_PARTY', 'THEFT', 'TOTAL_LOSS', 'ASSISTANCE', 'OTHER')),
3231     CONSTRAINT ck_claim_claim_4 CHECK (status IN ('OPEN', 'SUBMITTED', 'UNDER_REVIEW', 'APPROVED', 'PARTIALLY_APPROVED', 'DENIED', 'PAID', 'CLOSED', 'CANCELLED'))
3232 ) ENGINE=InnoDB;

```

```

3234 CREATE TABLE claim_claim_coverage_decision (
3235     id char(36) NOT NULL,
3236     claim_id char(36) NOT NULL,
3237     coverage_id char(36) NOT NULL,
3238     decision varchar(30) NOT NULL,
3239     decided_at datetime(6),
3240     covered_amount decimal(19,4),
3241     deductible_amount decimal(19,4),
3242     currency_code char(3),
3243     reason_text text,
3244     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3245     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3246     row_version bigint NOT NULL DEFAULT 0,
3247     CONSTRAINT pk_claim_claim_coverage_decision PRIMARY KEY (id),
3248     CONSTRAINT uq_claim_claim_coverage_decision_claim_id_coverage_id_1 UNIQUE (claim_id, coverage_id),
3249     CONSTRAINT ck_claim_claim_coverage_decision_1 CHECK (covered_amount IS NULL OR covered_amount >= 0),
3250     CONSTRAINT ck_claim_claim_coverage_decision_2 CHECK (deductible_amount IS NULL OR deductible_amount >= 0),
3251     CONSTRAINT ck_claim_claim_coverage_decision_3 CHECK (decision IN ('PENDING', 'COVERED', 'PARTIALLY_COVERED', 'NOT_COVERED', 'EXCLUDED', 'WAIVED'))
3252 ) ENGINE=InnoDB;

```

```

3254 CREATE TABLE claim_claim_cost (
3255     id                                char(36) NOT NULL,
3256     claim_id                          char(36) NOT NULL,
3257     cost_type                         varchar(40) NOT NULL,
3258     supplier_party_id                 char(36),
3259     description                       varchar(240),
3260     amount                           decimal(19,4) NOT NULL,
3261     currency_code                     char(3) NOT NULL,
3262     incurred_at                       date NOT NULL,
3263     invoice_reference                 varchar(100),
3264     recoverable                       boolean NOT NULL DEFAULT FALSE,
3265     status                            varchar(20) NOT NULL DEFAULT 'RECORDED',
3266     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3267     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3268     row_version                       bigint NOT NULL DEFAULT 0,
3269     CONSTRAINT pk_claim_claim_cost PRIMARY KEY (id),
3270     CONSTRAINT ck_claim_claim_cost_1 CHECK (amount >= 0),
3271     CONSTRAINT ck_claim_claim_cost_2 CHECK (status IN ('RECORDED','APPROVED','PAID','REVERSED'))
3272 ) ENGINE=InnoDB;

3274 CREATE TABLE claim_third_party_claim (
3275     id                                char(36) NOT NULL,
3276     claim_id                          char(36) NOT NULL,
3277     third_party_id                     char(36),
3278     claimant_name_snapshot             varchar(180),
3279     claimed_amount                     decimal(19,4),
3280     approved_amount                    decimal(19,4),
3281     currency_code                     char(3),
3282     status                            varchar(20) NOT NULL DEFAULT 'RECEIVED',
3283     settlement_date                    date,
3284     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3285     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3286     row_version                       bigint NOT NULL DEFAULT 0,
3287     CONSTRAINT pk_claim_third_party_claim PRIMARY KEY (id),
3288     CONSTRAINT ck_claim_third_party_claim_1 CHECK (claimed_amount IS NULL OR claimed_amount >= 0),
3289     CONSTRAINT ck_claim_third_party_claim_2 CHECK (approved_amount IS NULL OR approved_amount >= 0),
3290     CONSTRAINT ck_claim_third_party_claim_3 CHECK (status IN ('RECEIVED','UNDER_REVIEW','NEGOTIATION','SETTLED','DENIED','LITIGATION','CLOSED'))
3291 ) ENGINE=InnoDB;

```

```

3293 CREATE TABLE claim_recovery_case (
3294     id char(36) NOT NULL,
3295     claim_id char(36) NOT NULL,
3296     responsible_party_id char(36),
3297     opened_at datetime(6) NOT NULL,
3298     target_amount decimal(19,4) NOT NULL,
3299     recovered_amount decimal(19,4) NOT NULL DEFAULT 0,
3300     currency_code char(3) NOT NULL,
3301     status varchar(20) NOT NULL DEFAULT 'OPEN',
3302     closed_at datetime(6),
3303     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3304     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3305     row_version bigint NOT NULL DEFAULT 0,
3306     CONSTRAINT pk_claim_recovery_case PRIMARY KEY (id),
3307     CONSTRAINT ck_claim_recovery_case_1 CHECK (target_amount >= 0),
3308     CONSTRAINT ck_claim_recovery_case_2 CHECK (recovered_amount >= 0),
3309     CONSTRAINT ck_claim_recovery_case_3 CHECK (recovered_amount <= target_amount),
3310     CONSTRAINT ck_claim_recovery_case_4 CHECK (status IN ('OPEN', 'NEGOTIATION', 'COLLECTION', 'LITIGATION', 'RECOVERED', 'CLOSED', 'WRITTEN_OFF'))
3311 ) ENGINE=InnoDB;

```

```

3313 CREATE TABLE claim_roadside_assistance_case (
3314     id char(36) NOT NULL,
3315     case_number varchar(60) NOT NULL,
3316     incident_id char(36),
3317     contract_id char(36),
3318     vehicle_id char(36) NOT NULL,
3319     assistance_type varchar(40) NOT NULL,
3320     requested_at datetime(6) NOT NULL,
3321     dispatched_at datetime(6),
3322     completed_at datetime(6),
3323     provider_party_id char(36),
3324     status varchar(20) NOT NULL DEFAULT 'REQUESTED',
3325     cost_amount decimal(19,4),
3326     currency_code char(3),
3327     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3328     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3329     row_version bigint NOT NULL DEFAULT 0,
3330     CONSTRAINT pk_claim_roadside_assistance_case PRIMARY KEY (id),
3331     CONSTRAINT uq_claim_roadside_assistance_case_case_number_1 UNIQUE (case_number),
3332     CONSTRAINT ck_claim_roadside_assistance_case_1 CHECK (completed_at IS NULL OR completed_at >= requested_at),
3333     CONSTRAINT ck_claim_roadside_assistance_case_2 CHECK (cost_amount IS NULL OR cost_amount >= 0),
3334     CONSTRAINT ck_claim_roadside_assistance_case_3 CHECK (status IN ('REQUESTED', 'DISPATCHED', 'ARRIVED', 'COMPLETED', 'CANCELLED', 'FAILED'))
3335 ) ENGINE=InnoDB;

```

```

3337 CREATE TABLE maintenance_maintenance_plan (
3338     id                                char(36) NOT NULL,
3339     plan_code                         varchar(50) NOT NULL,
3340     name                             varchar(140) NOT NULL,
3341     vehicle_variant_id               char(36),
3342     manufacturer                     boolean NOT NULL DEFAULT FALSE,
3343     valid_from                       date NOT NULL,
3344     valid_to                         date,
3345     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
3346     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3347     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3348     row_version                      bigint NOT NULL DEFAULT 0,
3349     CONSTRAINT pk_maintenance_maintenance_plan PRIMARY KEY (id),
3350     CONSTRAINT uq_maintenance_maintenance_plan_plan_code_valid_from_1 UNIQUE (plan_code, valid_from),
3351     CONSTRAINT ck_maintenance_maintenance_plan_1 CHECK (valid_to IS NULL OR valid_to >= valid_from),
3352     CONSTRAINT ck_maintenance_maintenance_plan_2 CHECK (status IN ('ACTIVE','INACTIVE','RETIRED'))
3353 ) ENGINE=InnoDB;

3355 CREATE TABLE maintenance_maintenance_rule (
3356     id                                char(36) NOT NULL,
3357     maintenance_plan_id              char(36) NOT NULL,
3358     rule_code                         varchar(50) NOT NULL,
3359     service_type                     varchar(40) NOT NULL,
3360     every_km                         decimal(12,1),
3361     every_days                       int,
3362     whichever_first                  boolean NOT NULL DEFAULT TRUE,
3363     condition_json                   json,
3364     priority                         smallint NOT NULL DEFAULT 100,
3365     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
3366     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3367     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3368     CONSTRAINT pk_maintenance_maintenance_rule PRIMARY KEY (id),
3369     CONSTRAINT uq_maintenance_maintenance_rule_maintenance_plan_6159e176 UNIQUE (maintenance_plan_id, rule_code),
3370     CONSTRAINT ck_maintenance_maintenance_rule_1 CHECK (every_km IS NULL OR every_km > 0),
3371     CONSTRAINT ck_maintenance_maintenance_rule_2 CHECK (every_days IS NULL OR every_days > 0),
3372     CONSTRAINT ck_maintenance_maintenance_rule_3 CHECK (every_km IS NOT NULL OR every_days IS NOT NULL OR condition_json IS NOT NULL),
3373     CONSTRAINT ck_maintenance_maintenance_rule_4 CHECK (status IN ('ACTIVE','INACTIVE'))
3374 ) ENGINE=InnoDB;

```

```

3376 CREATE TABLE maintenance_maintenance_due (
3377     id                                char(36) NOT NULL,
3378     vehicle_id                        char(36) NOT NULL,
3379     maintenance_rule_id               char(36) NOT NULL,
3380     due_odometer_km                   decimal(12,1),
3381     due_date                           date,
3382     calculated_at                     datetime(6) NOT NULL,
3383     status                            varchar(20) NOT NULL DEFAULT 'DUE',
3384     service_order_id                  char(36),
3385     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3386     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3387     row_version                        bigint NOT NULL DEFAULT 0,
3388     CONSTRAINT pk_maintenance_maintenance_due PRIMARY KEY (id),
3389     CONSTRAINT ck_maintenance_maintenance_due_1 CHECK (due_odometer_km IS NULL OR due_odometer_km >= 0),
3390     CONSTRAINT ck_maintenance_maintenance_due_2 CHECK (status IN ('UPCOMING','DUE','OVERDUE','SCHEDULED','COMPLETED','WAIVED'))
3391 ) ENGINE=InnoDB;

3393 CREATE TABLE maintenance_vendor (
3394     id                                char(36) NOT NULL,
3395     party_id                           char(36) NOT NULL,
3396     vendor_code                        varchar(40) NOT NULL,
3397     vendor_type                        varchar(30) NOT NULL,
3398     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
3399     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3400     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3401     row_version                        bigint NOT NULL DEFAULT 0,
3402     CONSTRAINT pk_maintenance_vendor PRIMARY KEY (id),
3403     CONSTRAINT uq_maintenance_vendor_vendor_code_1 UNIQUE (vendor_code),
3404     CONSTRAINT uq_maintenance_vendor_party_id_2 UNIQUE (party_id),
3405     CONSTRAINT ck_maintenance_vendor_1 CHECK (vendor_type IN ('WORKSHOP','PARTS','TOWING','CLEANING','INSPECTION','OTHER')),
3406     CONSTRAINT ck_maintenance_vendor_2 CHECK (status IN ('ACTIVE','SUSPENDED','INACTIVE'))
3407 ) ENGINE=InnoDB;

```

```

3409 CREATE TABLE maintenance_workshop (
3410     id char(36) NOT NULL,
3411     vendor_id char(36) NOT NULL,
3412     branch_id char(36),
3413     name varchar(160) NOT NULL,
3414     address_id char(36),
3415     latitude decimal(10,7),
3416     longitude decimal(10,7),
3417     status varchar(20) NOT NULL DEFAULT 'ACTIVE',
3418     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3419     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3420     row_version bigint NOT NULL DEFAULT 0,
3421     CONSTRAINT pk_maintenance_workshop PRIMARY KEY (id),
3422     CONSTRAINT ck_maintenance_workshop_1 CHECK (status IN ('ACTIVE','INACTIVE'))
3423 ) ENGINE=InnoDB;

3425 CREATE TABLE maintenance_service_order (
3426     id char(36) NOT NULL,
3427     service_order_number varchar(60) NOT NULL,
3428     vehicle_id char(36) NOT NULL,
3429     workshop_id char(36),
3430     calendar_entry_id char(36),
3431     order_type varchar(30) NOT NULL,
3432     opened_at datetime(6) NOT NULL,
3433     scheduled_start_at datetime(6),
3434     started_at datetime(6),
3435     completed_at datetime(6),
3436     odometer_open_km decimal(12,1),
3437     odometer_close_km decimal(12,1),
3438     status varchar(20) NOT NULL DEFAULT 'OPEN',
3439     estimated_amount decimal(19,4),
3440     actual_amount decimal(19,4),
3441     currency_code char(3),
3442     notes text,
3443     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3444     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3445     row_version bigint NOT NULL DEFAULT 0,
3446     CONSTRAINT pk_maintenance_service_order PRIMARY KEY (id),
3447     CONSTRAINT uq_maintenance_service_order_service_order_number_1 UNIQUE (service_order_number),
3448     CONSTRAINT ck_maintenance_service_order_1 CHECK (completed_at IS NULL OR completed_at >= opened_at),
3449     CONSTRAINT ck_maintenance_service_order_2 CHECK (odometer_open_km IS NULL OR odometer_open_km >= 0),
3450     CONSTRAINT ck_maintenance_service_order_3 CHECK (odometer_close_km IS NULL OR odometer_close_km >= 0),
3451     CONSTRAINT ck_maintenance_service_order_4 CHECK (estimated_amount IS NULL OR estimated_amount >= 0),
3452     CONSTRAINT ck_maintenance_service_order_5 CHECK (actual_amount IS NULL OR actual_amount >= 0),
3453     CONSTRAINT ck_maintenance_service_order_6 CHECK (order_type IN ('PREVENTIVE','CORRECTIVE','RECALL','TIRE','BODYWORK','CLEANING','INSPECTION')),
3454     CONSTRAINT ck_maintenance_service_order_7 CHECK (status IN ('OPEN','SCHEDULED','IN_PROGRESS','AWAITING_PARTS','QUALITY_CHECK','COMPLETED','CANCELLED'))
3455 ) ENGINE=InnoDB;

```

```

3457 CREATE TABLE maintenance_service_order_item (
3458     id                                char(36) NOT NULL,
3459     service_order_id                 char(36) NOT NULL,
3460     line_number                      int NOT NULL,
3461     service_type                     varchar(60) NOT NULL,
3462     description                      varchar(240),
3463     quantity                         decimal(19,6) NOT NULL DEFAULT 1,
3464     unit_amount                     decimal(19,4) NOT NULL DEFAULT 0,
3465     labor_hours                     decimal(10,2),
3466     status                          varchar(20) NOT NULL DEFAULT 'PLANNED',
3467     created_at                      datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3468     updated_at                      datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3469     row_version                     bigint NOT NULL DEFAULT 0,
3470     CONSTRAINT pk_maintenance_service_order_item PRIMARY KEY (id),
3471     CONSTRAINT uq_maintenance_service_order_item_service_order_i_6de424be UNIQUE (service_order_id, line_number),
3472     CONSTRAINT ck_maintenance_service_order_item_1 CHECK (quantity > 0),
3473     CONSTRAINT ck_maintenance_service_order_item_2 CHECK (unit_amount >= 0),
3474     CONSTRAINT ck_maintenance_service_order_item_3 CHECK (labor_hours IS NULL OR labor_hours >= 0),
3475     CONSTRAINT ck_maintenance_service_order_item_4 CHECK (status IN ('PLANNED','APPROVED','IN_PROGRESS','COMPLETED','CANCELLED'))
3476 ) ENGINE=InnoDB;

3478 CREATE TABLE maintenance_part (
3479     id                                char(36) NOT NULL,
3480     part_code                       varchar(60) NOT NULL,
3481     manufacturer_code              varchar(80),
3482     name                           varchar(160) NOT NULL,
3483     unit_code                      varchar(20) NOT NULL,
3484     status                         varchar(20) NOT NULL DEFAULT 'ACTIVE',
3485     created_at                    datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3486     updated_at                   datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3487     CONSTRAINT pk_maintenance_part PRIMARY KEY (id),
3488     CONSTRAINT uq_maintenance_part_part_code_1 UNIQUE (part_code),
3489     CONSTRAINT ck_maintenance_part_1 CHECK (status IN ('ACTIVE','INACTIVE','DISCONTINUED'))
3490 ) ENGINE=InnoDB;

```



```

3492 CREATE TABLE maintenance_service_order_part (
3493     id char(36) NOT NULL,
3494     service_order_item_id char(36) NOT NULL,
3495     part_id char(36) NOT NULL,
3496     quantity decimal(19,6) NOT NULL,
3497     unit_amount decimal(19,4) NOT NULL,
3498     currency_code char(3) NOT NULL,
3499     serial_number varchar(100),
3500     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3501     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3502     CONSTRAINT pk_maintenance_service_order_part PRIMARY KEY (id),
3503     CONSTRAINT uq_maintenance_service_order_part_service_order_i_13b18f26 UNIQUE (service_order_item_id, part_id, serial_number),
3504     CONSTRAINT ck_maintenance_service_order_part_1 CHECK (quantity > 0),
3505     CONSTRAINT ck_maintenance_service_order_part_2 CHECK (unit_amount >= 0)
3506 ) ENGINE=InnoDB;

3508 CREATE TABLE maintenance_recall_campaign (
3509     id char(36) NOT NULL,
3510     manufacturer_code varchar(60) NOT NULL,
3511     campaign_code varchar(80) NOT NULL,
3512     name varchar(180) NOT NULL,
3513     announced_at date,
3514     severity varchar(20) NOT NULL,
3515     instructions text,
3516     status varchar(20) NOT NULL DEFAULT 'ACTIVE',
3517     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3518     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3519     row_version bigint NOT NULL DEFAULT 0,
3520     CONSTRAINT pk_maintenance_recall_campaign PRIMARY KEY (id),
3521     CONSTRAINT uq_maintenance_recall_campaign_manufacturer_code__cb32fd47 UNIQUE (manufacturer_code, campaign_code),
3522     CONSTRAINT ck_maintenance_recall_campaign_1 CHECK (severity IN ('ADVISORY','IMPORTANT','SAFETY_CRITICAL')),
3523     CONSTRAINT ck_maintenance_recall_campaign_2 CHECK (status IN ('ACTIVE','CLOSED','CANCELLED'))
3524 ) ENGINE=InnoDB;

```

```
3526 CREATE TABLE maintenance_vehicle_recall (
3527     id                                char(36) NOT NULL,
3528     recall_campaign_id                char(36) NOT NULL,
3529     vehicle_id                        char(36) NOT NULL,
3530     identified_at                     datetime(6) NOT NULL,
3531     status                            varchar(20) NOT NULL DEFAULT 'OPEN',
3532     service_order_id                  char(36),
3533     completed_at                      datetime(6),
3534     completion_reference              varchar(120),
3535     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3536     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3537     row_version                       bigint NOT NULL DEFAULT 0,
3538     CONSTRAINT pk_maintenance_vehicle_recall PRIMARY KEY (id),
3539     CONSTRAINT uq_maintenance_vehicle_recall_recall_campaign_id_202e0ec3 UNIQUE (recall_campaign_id, vehicle_id),
3540     CONSTRAINT ck_maintenance_vehicle_recall_1 CHECK (status IN ('OPEN','SCHEDULED','COMPLETED','NOT_APPLICABLE','DECLINED'))
3541 ) ENGINE=InnoDB;

3543 CREATE TABLE maintenance_tire (
3544     id                                char(36) NOT NULL,
3545     serial_number                     varchar(100) NOT NULL,
3546     brand                             varchar(80),
3547     model                             varchar(100),
3548     size_code                         varchar(40),
3549     purchased_at                      date,
3550     purchase_amount                   decimal(19,4),
3551     currency_code                     char(3),
3552     status                            varchar(20) NOT NULL DEFAULT 'IN_STOCK',
3553     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3554     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3555     row_version                       bigint NOT NULL DEFAULT 0,
3556     CONSTRAINT pk_maintenance_tire PRIMARY KEY (id),
3557     CONSTRAINT uq_maintenance_tire_serial_number_1 UNIQUE (serial_number),
3558     CONSTRAINT ck_maintenance_tire_1 CHECK (purchase_amount IS NULL OR purchase_amount >= 0),
3559     CONSTRAINT ck_maintenance_tire_2 CHECK (status IN ('IN_STOCK','INSTALLED','REPAIR','DISCARDED','LOST'))
3560 ) ENGINE=InnoDB;
```

```

3562 CREATE TABLE maintenance_tire_assignment (
3563     id                                char(36) NOT NULL,
3564     tire_id                           char(36) NOT NULL,
3565     vehicle_id                         char(36) NOT NULL,
3566     position_code                      varchar(30) NOT NULL,
3567     installed_at                       datetime(6) NOT NULL,
3568     removed_at                         datetime(6),
3569     installed_odometer_km               decimal(12,1),
3570     removed_odometer_km                decimal(12,1),
3571     removal_reason                     varchar(60),
3572     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3573     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3574     CONSTRAINT pk_maintenance_tire_assignment PRIMARY KEY (id),
3575     CONSTRAINT uq_maintenance_tire_assignment_tire_id_installed_at_1 UNIQUE (tire_id, installed_at),
3576     CONSTRAINT ck_maintenance_tire_assignment_1 CHECK (removed_at IS NULL OR removed_at > installed_at),
3577     CONSTRAINT ck_maintenance_tire_assignment_2 CHECK (installed_odometer_km IS NULL OR installed_odometer_km >= 0),
3578     CONSTRAINT ck_maintenance_tire_assignment_3 CHECK (removed_odometer_km IS NULL OR removed_odometer_km >= 0)
3579 ) ENGINE=InnoDB;

3581 CREATE TABLE maintenance_downtime (
3582     id                                char(36) NOT NULL,
3583     vehicle_id                         char(36) NOT NULL,
3584     service_order_id                   char(36),
3585     start_at                           datetime(6) NOT NULL,
3586     end_at                             datetime(6),
3587     downtime_type                      varchar(30) NOT NULL,
3588     reason_code                        varchar(60),
3589     calendar_entry_id                  char(36),
3590     estimated_cost_amount               decimal(19,4),
3591     currency_code                       char(3),
3592     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3593     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3594     row_version                         bigint NOT NULL DEFAULT 0,
3595     CONSTRAINT pk_maintenance_downtime PRIMARY KEY (id),
3596     CONSTRAINT ck_maintenance_downtime_1 CHECK (end_at IS NULL OR end_at > start_at),
3597     CONSTRAINT ck_maintenance_downtime_2 CHECK (estimated_cost_amount IS NULL OR estimated_cost_amount >= 0),
3598     CONSTRAINT ck_maintenance_downtime_3 CHECK (downtime_type IN ('MAINTENANCE', 'RECALL', 'DAMAGE', 'DOCUMENTATION', 'CLEANING', 'OTHER'))
3599 ) ENGINE=InnoDB;

```

```
3601 CREATE TABLE telematics_provider (  
3602     id                                char(36) NOT NULL,  
3603     provider_code                     varchar(40) NOT NULL,  
3604     name                             varchar(140) NOT NULL,  
3605     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',  
3606     configuration_json                json,  
3607     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
3608     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
3609     row_version                       bigint NOT NULL DEFAULT 0,  
3610     CONSTRAINT pk_telematics_provider PRIMARY KEY (id),  
3611     CONSTRAINT uq_telematics_provider_provider_code_1 UNIQUE (provider_code),  
3612     CONSTRAINT ck_telematics_provider_1 CHECK (status IN ('ACTIVE','SUSPENDED','INACTIVE'))  
3613 ) ENGINE=InnoDB;  
  
3615 CREATE TABLE telematics_device (  
3616     id                                char(36) NOT NULL,  
3617     provider_id                       char(36) NOT NULL,  
3618     device_serial                     varchar(120) NOT NULL,  
3619     device_type                       varchar(30) NOT NULL,  
3620     firmware_version                  varchar(60),  
3621     activated_at                      datetime(6),  
3622     last_seen_at                      datetime(6),  
3623     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',  
3624     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
3625     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
3626     row_version                       bigint NOT NULL DEFAULT 0,  
3627     CONSTRAINT pk_telematics_device PRIMARY KEY (id),  
3628     CONSTRAINT uq_telematics_device_provider_id_device_serial_1 UNIQUE (provider_id, device_serial),  
3629     CONSTRAINT ck_telematics_device_1 CHECK (device_type IN ('OEM','OBD','TRACKER','SMART_KEY','OTHER')),  
3630     CONSTRAINT ck_telematics_device_2 CHECK (status IN ('ACTIVE','OFFLINE','SUSPENDED','RETIRED','LOST'))  
3631 ) ENGINE=InnoDB;
```

```
3633 CREATE TABLE telematics_vehicle_device_assignment (  
3634     id                                char(36) NOT NULL,  
3635     device_id                         char(36) NOT NULL,  
3636     vehicle_id                       char(36) NOT NULL,  
3637     start_at                         datetime(6) NOT NULL,  
3638     end_at                           datetime(6),  
3639     assignment_type                   varchar(30) NOT NULL,  
3640     installed_by                      char(36),  
3641     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
3642     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
3643     CONSTRAINT pk_telematics_vehicle_device_assignment PRIMARY KEY (id),  
3644     CONSTRAINT uq_telematics_vehicle_device_assignment_device_id_f95fcb22 UNIQUE (device_id, start_at),  
3645     CONSTRAINT ck_telematics_vehicle_device_assignment_1 CHECK (end_at IS NULL OR end_at > start_at),  
3646     CONSTRAINT ck_telematics_vehicle_device_assignment_2 CHECK (assignment_type IN ('PRIMARY_TELEMATICS','DIGITAL_KEY','AUXILIARY'))  
3647 ) ENGINE=InnoDB;
```

```
3649 CREATE TABLE telematics_device_health_event (  
3650     id                                char(36) NOT NULL,  
3651     device_id                         char(36) NOT NULL,  
3652     event_type                       varchar(40) NOT NULL,  
3653     severity                         varchar(20) NOT NULL,  
3654     occurred_at                      datetime(6) NOT NULL,  
3655     details_json                     json,  
3656     resolved_at                      datetime(6),  
3657     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
3658     CONSTRAINT pk_telematics_device_health_event PRIMARY KEY (id),  
3659     CONSTRAINT ck_telematics_device_health_event_1 CHECK (severity IN ('INFO','WARNING','ERROR','CRITICAL')),  
3660     CONSTRAINT ck_telematics_device_health_event_2 CHECK (resolved_at IS NULL OR resolved_at >= occurred_at)  
3661 ) ENGINE=InnoDB;
```

```
3663 CREATE TABLE telematics_telemetry_event_index (  
3664     id                                char(36) NOT NULL,  
3665     device_id                        char(36) NOT NULL,  
3666     vehicle_id                      char(36) NOT NULL,  
3667     provider_event_id               varchar(180),  
3668     sequence_number                 bigint,  
3669     event_type                      varchar(40) NOT NULL,  
3670     event_time                     datetime(6) NOT NULL,  
3671     received_at                    datetime(6) NOT NULL,  
3672     latitude                       decimal(10,7),  
3673     longitude                      decimal(10,7),  
3674     odometer_km                    decimal(12,1),  
3675     fuel_level_percent              decimal(5,2),  
3676     speed_kph                      decimal(8,2),  
3677     object_key                     varchar(500),  
3678     payload_version                 int NOT NULL DEFAULT 1,  
3679     created_at                     datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
3680     CONSTRAINT pk_telematics_telemetry_event_index PRIMARY KEY (id),  
3681     CONSTRAINT uq_telematics_telemetry_event_index_device_id_pro_51faf317 UNIQUE (device_id, provider_event_id),  
3682     CONSTRAINT uq_telematics_telemetry_event_index_device_id_seq_585ee7dd UNIQUE (device_id, sequence_number),  
3683     CONSTRAINT ck_telematics_telemetry_event_index_1 CHECK (sequence_number IS NULL OR sequence_number >= 0),  
3684     CONSTRAINT ck_telematics_telemetry_event_index_2 CHECK (odometer_km IS NULL OR odometer_km >= 0),  
3685     CONSTRAINT ck_telematics_telemetry_event_index_3 CHECK (fuel_level_percent IS NULL OR fuel_level_percent BETWEEN 0 AND 100),  
3686     CONSTRAINT ck_telematics_telemetry_event_index_4 CHECK (speed_kph IS NULL OR speed_kph >= 0)  
3687 ) ENGINE=InnoDB;
```

```

3689 CREATE TABLE telematics_trip_summary (
3690     id                                char(36) NOT NULL,
3691     vehicle_id                        char(36) NOT NULL,
3692     device_id                         char(36),
3693     contract_id                       char(36),
3694     trip_start_at                     datetime(6) NOT NULL,
3695     trip_end_at                       datetime(6) NOT NULL,
3696     start_latitude                    decimal(10,7),
3697     start_longitude                   decimal(10,7),
3698     end_latitude                      decimal(10,7),
3699     end_longitude                     decimal(10,7),
3700     distance_km                       decimal(12,3) NOT NULL,
3701     duration_seconds                  int NOT NULL,
3702     maximum_speed_kph                 decimal(8,2),
3703     harsh_event_count                 int NOT NULL DEFAULT 0,
3704     calculation_version                varchar(60),
3705     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3706     CONSTRAINT pk_telematics_trip_summary PRIMARY KEY (id),
3707     CONSTRAINT ck_telematics_trip_summary_1 CHECK (trip_end_at > trip_start_at),
3708     CONSTRAINT ck_telematics_trip_summary_2 CHECK (distance_km >= 0),
3709     CONSTRAINT ck_telematics_trip_summary_3 CHECK (duration_seconds >= 0),
3710     CONSTRAINT ck_telematics_trip_summary_4 CHECK (maximum_speed_kph IS NULL OR maximum_speed_kph >= 0),
3711     CONSTRAINT ck_telematics_trip_summary_5 CHECK (harsh_event_count >= 0)
3712 ) ENGINE=InnoDB;

```

```

3714 CREATE TABLE telematics_driving_event (
3715     id                                char(36) NOT NULL,
3716     vehicle_id                        char(36) NOT NULL,
3717     device_id                         char(36),
3718     contract_id                       char(36),
3719     trip_summary_id                   char(36),
3720     event_type                        varchar(40) NOT NULL,
3721     severity                           varchar(20) NOT NULL,
3722     occurred_at                       datetime(6) NOT NULL,
3723     latitude                          decimal(10,7),
3724     longitude                         decimal(10,7),
3725     measured_value                     decimal(19,6),
3726     threshold_value                    decimal(19,6),
3727     rule_version                       varchar(60),
3728     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3729     CONSTRAINT pk_telematics_driving_event PRIMARY KEY (id),
3730     CONSTRAINT ck_telematics_driving_event_1 CHECK (event_type IN ('HARSH_BRAKE','HARSH_ACCELERATION','HARSH_CORNER','SPEEDING','IMPACT','TOWING','GEOFENCE','IDLE','OTHER')),
3731     CONSTRAINT ck_telematics_driving_event_2 CHECK (severity IN ('INFO','LOW','MEDIUM','HIGH','CRITICAL'))
3732 ) ENGINE=InnoDB;

```

```
3734 CREATE TABLE telematics_geofence (
3735     id char(36) NOT NULL,
3736     geofence_code varchar(50) NOT NULL,
3737     name varchar(140) NOT NULL,
3738     geofence_type varchar(30) NOT NULL,
3739     geometry_json json NOT NULL,
3740     status varchar(20) NOT NULL DEFAULT 'ACTIVE',
3741     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3742     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3743     row_version bigint NOT NULL DEFAULT 0,
3744     CONSTRAINT pk_telematics_geofence PRIMARY KEY (id),
3745     CONSTRAINT uq_telematics_geofence_geofence_code_1 UNIQUE (geofence_code),
3746     CONSTRAINT ck_telematics_geofence_1 CHECK (geofence_type IN ('BRANCH','COUNTRY','RESTRICTED_AREA','SERVICE_AREA','CUSTOM')),
3747     CONSTRAINT ck_telematics_geofence_2 CHECK (status IN ('ACTIVE','INACTIVE'))
3748 ) ENGINE=InnoDB;

3750 CREATE TABLE telematics_geofence_event (
3751     id char(36) NOT NULL,
3752     vehicle_id char(36) NOT NULL,
3753     device_id char(36),
3754     geofence_id char(36) NOT NULL,
3755     contract_id char(36),
3756     event_type varchar(20) NOT NULL,
3757     occurred_at datetime(6) NOT NULL,
3758     latitude decimal(10,7),
3759     longitude decimal(10,7),
3760     provider_event_id varchar(180),
3761     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3762     CONSTRAINT pk_telematics_geofence_event PRIMARY KEY (id),
3763     CONSTRAINT uq_telematics_geofence_event_device_id_provider_event_id_1 UNIQUE (device_id, provider_event_id),
3764     CONSTRAINT ck_telematics_geofence_event_1 CHECK (event_type IN ('ENTER','EXIT','DWELL'))
3765 ) ENGINE=InnoDB;
```



```
3767 CREATE TABLE telematics_vehicle_command (
3768     id char(36) NOT NULL,
3769     vehicle_id char(36) NOT NULL,
3770     device_id char(36),
3771     contract_id char(36),
3772     command_type varchar(30) NOT NULL,
3773     requested_by char(36),
3774     reason_code varchar(60),
3775     requested_at datetime(6) NOT NULL,
3776     expires_at datetime(6),
3777     status varchar(20) NOT NULL DEFAULT 'REQUESTED',
3778     idempotency_key varchar(160) NOT NULL,
3779     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3780     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3781     row_version bigint NOT NULL DEFAULT 0,
3782     CONSTRAINT pk_telematics_vehicle_command PRIMARY KEY (id),
3783     CONSTRAINT uq_telematics_vehicle_command_idempotency_key_1 UNIQUE (idempotency_key),
3784     CONSTRAINT ck_telematics_vehicle_command_1 CHECK (command_type IN ('LOCK','UNLOCK','IMMOBILIZE','MOBILIZE','HORN','LIGHTS','LOCATE')),
3785     CONSTRAINT ck_telematics_vehicle_command_2 CHECK (status IN ('REQUESTED','SENT','ACKNOWLEDGED','SUCCEEDED','FAILED','EXPIRED','CANCELLED')),
3786     CONSTRAINT ck_telematics_vehicle_command_3 CHECK (expires_at IS NULL OR expires_at > requested_at)
3787 ) ENGINE=InnoDB;

3789 CREATE TABLE telematics_command_result (
3790     id char(36) NOT NULL,
3791     vehicle_command_id char(36) NOT NULL,
3792     provider_reference varchar(160),
3793     acknowledged_at datetime(6),
3794     executed_at datetime(6),
3795     result_code varchar(60) NOT NULL,
3796     result_message text,
3797     raw_response json,
3798     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3799     CONSTRAINT pk_telematics_command_result PRIMARY KEY (id),
3800     CONSTRAINT uq_telematics_command_result_vehicle_command_id_1 UNIQUE (vehicle_command_id)
3801 ) ENGINE=InnoDB;
```

```

3803 CREATE TABLE telematics_telemetry_rule_version (
3804     id                                char(36) NOT NULL,
3805     rule_code                         varchar(60) NOT NULL,
3806     version_number                    int NOT NULL,
3807     valid_from                        datetime(6) NOT NULL,
3808     valid_to                          datetime(6),
3809     rule_type                         varchar(40) NOT NULL,
3810     rule_json                         json NOT NULL,
3811     status                           varchar(20) NOT NULL DEFAULT 'DRAFT',
3812     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3813     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3814     row_version                      bigint NOT NULL DEFAULT 0,
3815     CONSTRAINT pk_telematics_telemetry_rule_version PRIMARY KEY (id),
3816     CONSTRAINT uq_telematics_telemetry_rule_version_rule_code_ve_dfb988d UNIQUE (rule_code, version_number),
3817     CONSTRAINT ck_telematics_telemetry_rule_version_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
3818     CONSTRAINT ck_telematics_telemetry_rule_version_2 CHECK (status IN ('DRAFT','PUBLISHED','RETIRED'))
3819 ) ENGINE=InnoDB;

3821 CREATE TABLE loyalty_loyalty_account (
3822     id                                char(36) NOT NULL,
3823     party_id                         char(36) NOT NULL,
3824     account_number                   varchar(60) NOT NULL,
3825     status                          varchar(20) NOT NULL DEFAULT 'ACTIVE',
3826     enrolled_at                     datetime(6) NOT NULL,
3827     current_tier_id                  char(36),
3828     balance_projection               decimal(19,4) NOT NULL DEFAULT 0,
3829     balance_updated_at               datetime(6),
3830     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3831     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3832     row_version                      bigint NOT NULL DEFAULT 0,
3833     CONSTRAINT pk_loyalty_loyalty_account PRIMARY KEY (id),
3834     CONSTRAINT uq_loyalty_loyalty_account_party_id_1 UNIQUE (party_id),
3835     CONSTRAINT uq_loyalty_loyalty_account_account_number_2 UNIQUE (account_number),
3836     CONSTRAINT ck_loyalty_loyalty_account_1 CHECK (status IN ('ACTIVE','SUSPENDED','CLOSED'))
3837 ) ENGINE=InnoDB;

```

```

3839 CREATE TABLE loyalty_loyalty_tier (
3840     id char(36) NOT NULL,
3841     tier_code varchar(30) NOT NULL,
3842     name varchar(100) NOT NULL,
3843     rank_order smallint NOT NULL,
3844     status varchar(20) NOT NULL DEFAULT 'ACTIVE',
3845     benefit_summary json,
3846     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3847     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3848     CONSTRAINT pk_loyalty_loyalty_tier PRIMARY KEY (id),
3849     CONSTRAINT uq_loyalty_loyalty_tier_tier_code_1 UNIQUE (tier_code),
3850     CONSTRAINT uq_loyalty_loyalty_tier_rank_order_2 UNIQUE (rank_order),
3851     CONSTRAINT ck_loyalty_loyalty_tier_1 CHECK (rank_order > 0),
3852     CONSTRAINT ck_loyalty_loyalty_tier_2 CHECK (status IN ('ACTIVE','INACTIVE'))
3853 ) ENGINE=InnoDB;

3855 CREATE TABLE loyalty_tier_rule_version (
3856     id char(36) NOT NULL,
3857     loyalty_tier_id char(36) NOT NULL,
3858     version_number int NOT NULL,
3859     valid_from datetime(6) NOT NULL,
3860     valid_to datetime(6),
3861     qualification_rule_json json NOT NULL,
3862     retention_rule_json json,
3863     status varchar(20) NOT NULL DEFAULT 'DRAFT',
3864     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3865     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3866     row_version bigint NOT NULL DEFAULT 0,
3867     CONSTRAINT pk_loyalty_tier_rule_version PRIMARY KEY (id),
3868     CONSTRAINT uq_loyalty_tier_rule_version_loyalty_tier_id_vers_e0d1732a UNIQUE (loyalty_tier_id, version_number),
3869     CONSTRAINT ck_loyalty_tier_rule_version_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
3870     CONSTRAINT ck_loyalty_tier_rule_version_2 CHECK (status IN ('DRAFT','PUBLISHED','RETIRED'))
3871 ) ENGINE=InnoDB;

```

```
3873 CREATE TABLE loyalty_tier_history (
3874     id char(36) NOT NULL,
3875     loyalty_account_id char(36) NOT NULL,
3876     loyalty_tier_id char(36) NOT NULL,
3877     valid_from datetime(6) NOT NULL,
3878     valid_to datetime(6),
3879     reason_code varchar(60),
3880     rule_version_id char(36),
3881     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3882     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3883     CONSTRAINT pk_loyalty_tier_history PRIMARY KEY (id),
3884     CONSTRAINT ck_loyalty_tier_history_1 CHECK (valid_to IS NULL OR valid_to > valid_from)
3885 ) ENGINE=InnoDB;

3887 CREATE TABLE loyalty_earning_rule (
3888     id char(36) NOT NULL,
3889     rule_code varchar(60) NOT NULL,
3890     version_number int NOT NULL,
3891     valid_from datetime(6) NOT NULL,
3892     valid_to datetime(6),
3893     condition_json json NOT NULL,
3894     calculation_json json NOT NULL,
3895     status varchar(20) NOT NULL DEFAULT 'DRAFT',
3896     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3897     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3898     row_version bigint NOT NULL DEFAULT 0,
3899     CONSTRAINT pk_loyalty_earning_rule PRIMARY KEY (id),
3900     CONSTRAINT uq_loyalty_earning_rule_rule_code_version_number_1 UNIQUE (rule_code, version_number),
3901     CONSTRAINT ck_loyalty_earning_rule_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
3902     CONSTRAINT ck_loyalty_earning_rule_2 CHECK (status IN ('DRAFT','PUBLISHED','RETIRED'))
3903 ) ENGINE=InnoDB;
```

```

3905 CREATE TABLE loyalty_redemption_rule (
3906     id                                char(36) NOT NULL,
3907     rule_code                         varchar(60) NOT NULL,
3908     version_number                    int NOT NULL,
3909     valid_from                        datetime(6) NOT NULL,
3910     valid_to                          datetime(6),
3911     condition_json                    json NOT NULL,
3912     conversion_json                   json NOT NULL,
3913     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',
3914     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3915     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3916     row_version                       bigint NOT NULL DEFAULT 0,
3917     CONSTRAINT pk_loyalty_redemption_rule PRIMARY KEY (id),
3918     CONSTRAINT uq_loyalty_redemption_rule_rule_code_version_number_1 UNIQUE (rule_code, version_number),
3919     CONSTRAINT ck_loyalty_redemption_rule_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
3920     CONSTRAINT ck_loyalty_redemption_rule_2 CHECK (status IN ('DRAFT','PUBLISHED','RETIRED'))
3921 ) ENGINE=InnoDB;

3923 CREATE TABLE loyalty_points_ledger (
3924     id                                char(36) NOT NULL,
3925     loyalty_account_id                char(36) NOT NULL,
3926     entry_type                        varchar(30) NOT NULL,
3927     points                            decimal(19,4) NOT NULL,
3928     source_type                       varchar(40) NOT NULL,
3929     source_id                         char(36) NOT NULL,
3930     source_correlation_id             varchar(160) NOT NULL,
3931     earning_rule_id                   char(36),
3932     redemption_rule_id                char(36),
3933     available_at                      datetime(6) NOT NULL,
3934     expires_at                        datetime(6),
3935     reversal_of_entry_id              char(36),
3936     occurred_at                       datetime(6) NOT NULL,
3937     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3938     CONSTRAINT pk_loyalty_points_ledger PRIMARY KEY (id),
3939     CONSTRAINT uq_loyalty_points_ledger_loyalty_account_id_sourc_1c8160a0 UNIQUE (loyalty_account_id, source_correlation_id),
3940     CONSTRAINT ck_loyalty_points_ledger_1 CHECK (points <> 0),
3941     CONSTRAINT ck_loyalty_points_ledger_2 CHECK (expires_at IS NULL OR expires_at > available_at),
3942     CONSTRAINT ck_loyalty_points_ledger_3 CHECK (reversal_of_entry_id IS NULL OR reversal_of_entry_id <> id),
3943     CONSTRAINT ck_loyalty_points_ledger_4 CHECK (entry_type IN ('EARN','REDEEM','EXPIRE','ADJUSTMENT','REVERSAL','TRANSFER_IN','TRANSFER_OUT'))
3944 ) ENGINE=InnoDB;

```

```

3946 CREATE TABLE loyalty_points_lot (
3947     id char(36) NOT NULL,
3948     loyalty_account_id char(36) NOT NULL,
3949     origin_ledger_entry_id char(36) NOT NULL,
3950     original_points decimal(19,4) NOT NULL,
3951     remaining_points decimal(19,4) NOT NULL,
3952     available_at datetime(6) NOT NULL,
3953     expires_at datetime(6),
3954     status varchar(20) NOT NULL DEFAULT 'AVAILABLE',
3955     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3956     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3957     row_version bigint NOT NULL DEFAULT 0,
3958     CONSTRAINT pk_loyalty_points_lot PRIMARY KEY (id),
3959     CONSTRAINT uq_loyalty_points_lot_origin_ledger_entry_id_1 UNIQUE (origin_ledger_entry_id),
3960     CONSTRAINT ck_loyalty_points_lot_1 CHECK (original_points > 0),
3961     CONSTRAINT ck_loyalty_points_lot_2 CHECK (remaining_points >= 0),
3962     CONSTRAINT ck_loyalty_points_lot_3 CHECK (remaining_points <= original_points),
3963     CONSTRAINT ck_loyalty_points_lot_4 CHECK (expires_at IS NULL OR expires_at > available_at),
3964     CONSTRAINT ck_loyalty_points_lot_5 CHECK (status IN ('PENDING', 'AVAILABLE', 'CONSUMED', 'EXPIRED', 'REVERSED'))
3965 ) ENGINE=InnoDB;

3967 CREATE TABLE loyalty_redemption (
3968     id char(36) NOT NULL,
3969     loyalty_account_id char(36) NOT NULL,
3970     reservation_id char(36),
3971     contract_id char(36),
3972     points_requested decimal(19,4) NOT NULL,
3973     monetary_value decimal(19,4),
3974     currency_code char(3),
3975     status varchar(20) NOT NULL DEFAULT 'REQUESTED',
3976     requested_at datetime(6) NOT NULL,
3977     completed_at datetime(6),
3978     idempotency_key varchar(160) NOT NULL,
3979     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3980     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
3981     row_version bigint NOT NULL DEFAULT 0,
3982     CONSTRAINT pk_loyalty_redemption PRIMARY KEY (id),
3983     CONSTRAINT uq_loyalty_redemption_idempotency_key_1 UNIQUE (idempotency_key),
3984     CONSTRAINT ck_loyalty_redemption_1 CHECK (points_requested > 0),
3985     CONSTRAINT ck_loyalty_redemption_2 CHECK (monetary_value IS NULL OR monetary_value >= 0),
3986     CONSTRAINT ck_loyalty_redemption_3 CHECK (status IN ('REQUESTED', 'RESERVED', 'COMPLETED', 'FAILED', 'CANCELLED', 'REVERSED'))
3987 ) ENGINE=InnoDB;

```

```

3989 CREATE TABLE loyalty_redemption_allocation (
3990     id                                char(36) NOT NULL,
3991     redemption_id                    char(36) NOT NULL,
3992     points_lot_id                    char(36) NOT NULL,
3993     points_consumed                  decimal(19,4) NOT NULL,
3994     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
3995     CONSTRAINT pk_loyalty_redemption_allocation PRIMARY KEY (id),
3996     CONSTRAINT uq_loyalty_redemption_allocation_redemption_id_po_22aa0170 UNIQUE (redemption_id, points_lot_id),
3997     CONSTRAINT ck_loyalty_redemption_allocation_1 CHECK (points_consumed > 0)
3998 ) ENGINE=InnoDB;

4000 CREATE TABLE loyalty_benefit (
4001     id                                char(36) NOT NULL,
4002     benefit_code                     varchar(50) NOT NULL,
4003     name                             varchar(140) NOT NULL,
4004     benefit_type                     varchar(30) NOT NULL,
4005     configuration_json               json,
4006     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
4007     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4008     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4009     CONSTRAINT pk_loyalty_benefit PRIMARY KEY (id),
4010     CONSTRAINT uq_loyalty_benefit_benefit_code_1 UNIQUE (benefit_code),
4011     CONSTRAINT ck_loyalty_benefit_1 CHECK (benefit_type IN ('DISCOUNT','UPGRADE','FREE_DAY','ADDITIONAL_DRIVER','PRIORITY','OTHER')),
4012     CONSTRAINT ck_loyalty_benefit_2 CHECK (status IN ('ACTIVE','INACTIVE'))
4013 ) ENGINE=InnoDB;

4015 CREATE TABLE loyalty_benefit_entitlement (
4016     id                                char(36) NOT NULL,
4017     loyalty_account_id               char(36) NOT NULL,
4018     benefit_id                       char(36) NOT NULL,
4019     granted_at                       datetime(6) NOT NULL,
4020     expires_at                       datetime(6),
4021     quantity_granted                  decimal(19,4) NOT NULL DEFAULT 1,
4022     quantity_remaining                decimal(19,4) NOT NULL DEFAULT 1,
4023     source_type                       varchar(40),
4024     source_id                         char(36),
4025     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
4026     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4027     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4028     row_version                       bigint NOT NULL DEFAULT 0,
4029     CONSTRAINT pk_loyalty_benefit_entitlement PRIMARY KEY (id),
4030     CONSTRAINT ck_loyalty_benefit_entitlement_1 CHECK (quantity_granted > 0),
4031     CONSTRAINT ck_loyalty_benefit_entitlement_2 CHECK (quantity_remaining >= 0),
4032     CONSTRAINT ck_loyalty_benefit_entitlement_3 CHECK (quantity_remaining <= quantity_granted),
4033     CONSTRAINT ck_loyalty_benefit_entitlement_4 CHECK (expires_at IS NULL OR expires_at > granted_at),
4034     CONSTRAINT ck_loyalty_benefit_entitlement_5 CHECK (status IN ('ACTIVE','CONSUMED','EXPIRED','REVOKED'))
4035 ) ENGINE=InnoDB;

```

```

4037 CREATE TABLE loyalty_benefit_usage (
4038     id                                char(36) NOT NULL,
4039     benefit_entitlement_id            char(36) NOT NULL,
4040     reservation_id                   char(36),
4041     contract_id                      char(36),
4042     quantity_used                    decimal(19,4) NOT NULL,
4043     used_at                          datetime(6) NOT NULL,
4044     status                           varchar(20) NOT NULL DEFAULT 'APPLIED',
4045     reversal_of_usage_id             char(36),
4046     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4047     CONSTRAINT pk_loyalty_benefit_usage PRIMARY KEY (id),
4048     CONSTRAINT ck_loyalty_benefit_usage_1 CHECK (quantity_used > 0),
4049     CONSTRAINT ck_loyalty_benefit_usage_2 CHECK (reversal_of_usage_id IS NULL OR reversal_of_usage_id <> id),
4050     CONSTRAINT ck_loyalty_benefit_usage_3 CHECK (status IN ('APPLIED','REVERSED'))
4051 ) ENGINE=InnoDB;

4053 CREATE TABLE loyalty_points_transfer (
4054     id                                char(36) NOT NULL,
4055     from_account_id                  char(36) NOT NULL,
4056     to_account_id                    char(36) NOT NULL,
4057     points                           decimal(19,4) NOT NULL,
4058     requested_at                     datetime(6) NOT NULL,
4059     completed_at                     datetime(6),
4060     status                           varchar(20) NOT NULL DEFAULT 'REQUESTED',
4061     out_ledger_entry_id              char(36),
4062     in_ledger_entry_id               char(36),
4063     idempotency_key                  varchar(160) NOT NULL,
4064     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4065     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4066     row_version                      bigint NOT NULL DEFAULT 0,
4067     CONSTRAINT pk_loyalty_points_transfer PRIMARY KEY (id),
4068     CONSTRAINT uq_loyalty_points_transfer_idempotency_key_1 UNIQUE (idempotency_key),
4069     CONSTRAINT ck_loyalty_points_transfer_1 CHECK (from_account_id <> to_account_id),
4070     CONSTRAINT ck_loyalty_points_transfer_2 CHECK (points > 0),
4071     CONSTRAINT ck_loyalty_points_transfer_3 CHECK (status IN ('REQUESTED','COMPLETED','FAILED','CANCELLED','REVERSED'))
4072 ) ENGINE=InnoDB;

```



```

4074 CREATE TABLE fleet_mgmt_fleet_service_contract (
4075     id                                char(36) NOT NULL,
4076     contract_number                   varchar(60) NOT NULL,
4077     legal_entity_id                   char(36) NOT NULL,
4078     customer_account_id               char(36) NOT NULL,
4079     corporate_agreement_id            char(36),
4080     valid_from                         datetime(6) NOT NULL,
4081     valid_to                           datetime(6),
4082     billing_mode                       varchar(30) NOT NULL,
4083     currency_code                     char(3) NOT NULL,
4084     service_scope_json                 json,
4085     status                            varchar(20) NOT NULL DEFAULT 'DRAFT',
4086     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4087     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4088     row_version                        bigint NOT NULL DEFAULT 0,
4089     CONSTRAINT pk_fleet_mgmt_fleet_service_contract PRIMARY KEY (id),
4090     CONSTRAINT uq_fleet_mgmt_fleet_service_contract_legal_entity_94056b31 UNIQUE (legal_entity_id, contract_number),
4091     CONSTRAINT ck_fleet_mgmt_fleet_service_contract_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
4092     CONSTRAINT ck_fleet_mgmt_fleet_service_contract_2 CHECK (billing_mode IN ('FIXED_MONTHLY','PER_VEHICLE','PER_KM','HYBRID')),
4093     CONSTRAINT ck_fleet_mgmt_fleet_service_contract_3 CHECK (status IN ('DRAFT','ACTIVE','SUSPENDED','EXPIRED','TERMINATED'))
4094 ) ENGINE=InnoDB;

```

```

4096 CREATE TABLE fleet_mgmt_fleet_service_level (
4097     id                                char(36) NOT NULL,
4098     fleet_service_contract_id          char(36) NOT NULL,
4099     service_code                       varchar(50) NOT NULL,
4100     target_value                       decimal(19,6),
4101     unit_code                          varchar(20),
4102     measurement_window                 varchar(30),
4103     penalty_rule_json                  json,
4104     status                             varchar(20) NOT NULL DEFAULT 'ACTIVE',
4105     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4106     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4107     CONSTRAINT pk_fleet_mgmt_fleet_service_level PRIMARY KEY (id),
4108     CONSTRAINT uq_fleet_mgmt_fleet_service_level_fleet_service_c_c0079b34 UNIQUE (fleet_service_contract_id, service_code),
4109     CONSTRAINT ck_fleet_mgmt_fleet_service_level_1 CHECK (status IN ('ACTIVE','INACTIVE'))
4110 ) ENGINE=InnoDB;

```

```

4112 CREATE TABLE fleet_mgmt_managed_vehicle_assignment (
4113     id                                char(36) NOT NULL,
4114     fleet_service_contract_id         char(36) NOT NULL,
4115     vehicle_id                        char(36) NOT NULL,
4116     assigned_driver_profile_id        char(36),
4117     cost_center_id                    char(36),
4118     start_at                          datetime(6) NOT NULL,
4119     end_at                            datetime(6),
4120     assignment_status                  varchar(20) NOT NULL DEFAULT 'ACTIVE',
4121     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4122     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4123     row_version                        bigint NOT NULL DEFAULT 0,
4124     CONSTRAINT pk_fleet_mgmt_managed_vehicle_assignment PRIMARY KEY (id),
4125     CONSTRAINT uq_fleet_mgmt_managed_vehicle_assignment_fleet_se_39f0436d UNIQUE (fleet_service_contract_id, vehicle_id, start_at),
4126     CONSTRAINT ck_fleet_mgmt_managed_vehicle_assignment_1 CHECK (end_at IS NULL OR end_at > start_at),
4127     CONSTRAINT ck_fleet_mgmt_managed_vehicle_assignment_2 CHECK (assignment_status IN ('PLANNED','ACTIVE','SUSPENDED','COMPLETED','CANCELLED'))
4128 ) ENGINE=InnoDB;

```

```

4130 CREATE TABLE fleet_mgmt_mileage_commitment (
4131     id                                char(36) NOT NULL,
4132     fleet_service_contract_id         char(36) NOT NULL,
4133     vehicle_id                        char(36),
4134     period_start                       date NOT NULL,
4135     period_end                         date NOT NULL,
4136     included_km                        decimal(12,2) NOT NULL,
4137     excess_km_amount                   decimal(19,4) NOT NULL,
4138     currency_code                      char(3) NOT NULL,
4139     actual_km                          decimal(12,2),
4140     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4141     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4142     row_version                        bigint NOT NULL DEFAULT 0,
4143     CONSTRAINT pk_fleet_mgmt_mileage_commitment PRIMARY KEY (id),
4144     CONSTRAINT ck_fleet_mgmt_mileage_commitment_1 CHECK (period_end >= period_start),
4145     CONSTRAINT ck_fleet_mgmt_mileage_commitment_2 CHECK (included_km >= 0),
4146     CONSTRAINT ck_fleet_mgmt_mileage_commitment_3 CHECK (excess_km_amount >= 0),
4147     CONSTRAINT ck_fleet_mgmt_mileage_commitment_4 CHECK (actual_km IS NULL OR actual_km >= 0)
4148 ) ENGINE=InnoDB;

```

```

4150 CREATE TABLE fleet_mgmt_telemetry_package (
4151     id char(36) NOT NULL,
4152     fleet_service_contract_id char(36) NOT NULL,
4153     package_code varchar(50) NOT NULL,
4154     features_json json NOT NULL,
4155     monthly_amount decimal(19,4) NOT NULL DEFAULT 0,
4156     currency_code char(3) NOT NULL,
4157     status varchar(20) NOT NULL DEFAULT 'ACTIVE',
4158     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4159     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4160     CONSTRAINT pk_fleet_mgmt_telemetry_package PRIMARY KEY (id),
4161     CONSTRAINT uq_fleet_mgmt_telemetry_package_fleet_service_con_51e8a4d2 UNIQUE (fleet_service_contract_id, package_code),
4162     CONSTRAINT ck_fleet_mgmt_telemetry_package_1 CHECK (monthly_amount >= 0),
4163     CONSTRAINT ck_fleet_mgmt_telemetry_package_2 CHECK (status IN ('ACTIVE','INACTIVE'))
4164 ) ENGINE=InnoDB;

4166 CREATE TABLE fleet_mgmt_replacement_entitlement (
4167     id char(36) NOT NULL,
4168     fleet_service_contract_id char(36) NOT NULL,
4169     vehicle_group_id char(36),
4170     trigger_type varchar(40) NOT NULL,
4171     trigger_threshold decimal(19,6),
4172     maximum_days int,
4173     terms_json json,
4174     status varchar(20) NOT NULL DEFAULT 'ACTIVE',
4175     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4176     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4177     CONSTRAINT pk_fleet_mgmt_replacement_entitlement PRIMARY KEY (id),
4178     CONSTRAINT ck_fleet_mgmt_replacement_entitlement_1 CHECK (maximum_days IS NULL OR maximum_days > 0),
4179     CONSTRAINT ck_fleet_mgmt_replacement_entitlement_2 CHECK (trigger_type IN ('MAINTENANCE','ACCIDENT','DOWNTIME','MILEAGE','MANUAL')),
4180     CONSTRAINT ck_fleet_mgmt_replacement_entitlement_3 CHECK (status IN ('ACTIVE','INACTIVE'))
4181 ) ENGINE=InnoDB;

4183 CREATE TABLE fleet_mgmt_fleet_service_event (
4184     id char(36) NOT NULL,
4185     fleet_service_contract_id char(36) NOT NULL,
4186     vehicle_id char(36),
4187     event_type varchar(40) NOT NULL,
4188     source_type varchar(40),
4189     source_id char(36),
4190     occurred_at datetime(6) NOT NULL,
4191     details_json json,
4192     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4193     CONSTRAINT pk_fleet_mgmt_fleet_service_event PRIMARY KEY (id)
4194 ) ENGINE=InnoDB;

```

```

4196 CREATE TABLE fleet_mgmt_subscription_plan (
4197     id                                char(36) NOT NULL,
4198     plan_code                         varchar(50) NOT NULL,
4199     name                             varchar(140) NOT NULL,
4200     vehicle_group_id                 char(36) NOT NULL,
4201     minimum_months                   int NOT NULL,
4202     included_km_per_month             decimal(12,2) NOT NULL,
4203     monthly_amount                   decimal(19,4) NOT NULL,
4204     currency_code                    char(3) NOT NULL,
4205     terms_json                       json,
4206     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
4207     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4208     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4209     row_version                       bigint NOT NULL DEFAULT 0,
4210     CONSTRAINT pk_fleet_mgmt_subscription_plan PRIMARY KEY (id),
4211     CONSTRAINT uq_fleet_mgmt_subscription_plan_plan_code_1 UNIQUE (plan_code),
4212     CONSTRAINT ck_fleet_mgmt_subscription_plan_1 CHECK (minimum_months > 0),
4213     CONSTRAINT ck_fleet_mgmt_subscription_plan_2 CHECK (included_km_per_month >= 0),
4214     CONSTRAINT ck_fleet_mgmt_subscription_plan_3 CHECK (monthly_amount >= 0),
4215     CONSTRAINT ck_fleet_mgmt_subscription_plan_4 CHECK (status IN ('ACTIVE','INACTIVE'))
4216 ) ENGINE=InnoDB;

4218 CREATE TABLE fleet_mgmt_subscription_contract (
4219     id                                char(36) NOT NULL,
4220     contract_number                   varchar(60) NOT NULL,
4221     subscription_plan_id              char(36) NOT NULL,
4222     customer_account_id               char(36) NOT NULL,
4223     legal_entity_id                   char(36) NOT NULL,
4224     start_at                          datetime(6) NOT NULL,
4225     minimum_end_at                    datetime(6) NOT NULL,
4226     end_at                            datetime(6),
4227     billing_day                       smallint NOT NULL,
4228     status                            varchar(20) NOT NULL DEFAULT 'PENDING',
4229     currency_code                     char(3) NOT NULL,
4230     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4231     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4232     row_version                       bigint NOT NULL DEFAULT 0,
4233     CONSTRAINT pk_fleet_mgmt_subscription_contract PRIMARY KEY (id),
4234     CONSTRAINT uq_fleet_mgmt_subscription_contract_legal_entity__79a78c69 UNIQUE (legal_entity_id, contract_number),
4235     CONSTRAINT ck_fleet_mgmt_subscription_contract_1 CHECK (minimum_end_at > start_at),
4236     CONSTRAINT ck_fleet_mgmt_subscription_contract_2 CHECK (end_at IS NULL OR end_at >= minimum_end_at),
4237     CONSTRAINT ck_fleet_mgmt_subscription_contract_3 CHECK (billing_day BETWEEN 1 AND 28),
4238     CONSTRAINT ck_fleet_mgmt_subscription_contract_4 CHECK (status IN ('PENDING','ACTIVE','SUSPENDED','CANCELLED','COMPLETED','DEFAULTED'))
4239 ) ENGINE=InnoDB;

```

```

4241 CREATE TABLE fleet_mgmt_subscription_vehicle_assignment (
4242     id                                char(36) NOT NULL,
4243     subscription_contract_id          char(36) NOT NULL,
4244     vehicle_id                        char(36) NOT NULL,
4245     calendar_entry_id                 char(36),
4246     start_at                          datetime(6) NOT NULL,
4247     end_at                            datetime(6),
4248     assignment_reason                 varchar(30) NOT NULL,
4249     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
4250     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4251     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4252     row_version                       bigint NOT NULL DEFAULT 0,
4253     CONSTRAINT pk_fleet_mgmt_subscription_vehicle_assignment PRIMARY KEY (id),
4254     CONSTRAINT uq_fleet_mgmt_subscription_vehicle_assignment_sub_5dde8dad UNIQUE (subscription_contract_id, vehicle_id, start_at),
4255     CONSTRAINT ck_fleet_mgmt_subscription_vehicle_assignment_1 CHECK (end_at IS NULL OR end_at > start_at),
4256     CONSTRAINT ck_fleet_mgmt_subscription_vehicle_assignment_2 CHECK (assignment_reason IN ('INITIAL', 'REPLACEMENT', 'UPGRADE', 'DOWNGRADE')),
4257     CONSTRAINT ck_fleet_mgmt_subscription_vehicle_assignment_3 CHECK (status IN ('PLANNED', 'ACTIVE', 'COMPLETED', 'CANCELLED'))
4258 ) ENGINE=InnoDB;

4260 CREATE TABLE used_car_disposal_candidate (
4261     id                                char(36) NOT NULL,
4262     vehicle_id                        char(36) NOT NULL,
4263     identified_at                      datetime(6) NOT NULL,
4264     reason_code                       varchar(40) NOT NULL,
4265     priority                          smallint NOT NULL DEFAULT 100,
4266     target_sale_date                  date,
4267     status                            varchar(30) NOT NULL DEFAULT 'IDENTIFIED',
4268     approved_at                       datetime(6),
4269     approved_by                       char(36),
4270     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4271     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4272     row_version                       bigint NOT NULL DEFAULT 0,
4273     CONSTRAINT pk_used_car_disposal_candidate PRIMARY KEY (id),
4274     CONSTRAINT uq_used_car_disposal_candidate_vehicle_id_1 UNIQUE (vehicle_id),
4275     CONSTRAINT ck_used_car_disposal_candidate_1 CHECK (reason_code IN ('AGE', 'MILEAGE', 'MAINTENANCE_COST', 'RESIDUAL_VALUE', 'FLEET_REBALANCING', 'ACCIDENT_HISTORY', 'MODEL_STRATEGY', 'OTHER')),
4276     CONSTRAINT ck_used_car_disposal_candidate_2 CHECK (status IN ('IDENTIFIED', 'UNDER_REVIEW', 'APPROVED', 'REJECTED', 'PREPARING', 'LISTED', 'SOLD', 'CANCELLED'))
4277 ) ENGINE=InnoDB;

```

```

4279 CREATE TABLE used_car_vehicle_valuation (
4280     id char(36) NOT NULL,
4281     disposal_candidate_id char(36) NOT NULL,
4282     valuation_type varchar(30) NOT NULL,
4283     valued_at datetime(6) NOT NULL,
4284     market_value decimal(19,4) NOT NULL,
4285     minimum_sale_value decimal(19,4),
4286     expected_refurbishment_cost decimal(19,4),
4287     currency_code char(3) NOT NULL,
4288     valuation_source varchar(60),
4289     model_version varchar(60),
4290     details_json json,
4291     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4292     CONSTRAINT pk_used_car_vehicle_valuation PRIMARY KEY (id),
4293     CONSTRAINT ck_used_car_vehicle_valuation_1 CHECK (market_value >= 0),
4294     CONSTRAINT ck_used_car_vehicle_valuation_2 CHECK (minimum_sale_value IS NULL OR minimum_sale_value >= 0),
4295     CONSTRAINT ck_used_car_vehicle_valuation_3 CHECK (expected_refurbishment_cost IS NULL OR expected_refurbishment_cost >= 0),
4296     CONSTRAINT ck_used_car_vehicle_valuation_4 CHECK (valuation_type IN ('MARKET','TRADE','AUCTION','INTERNAL','APPRAISAL'))
4297 ) ENGINE=InnoDB;

```

```

4299 CREATE TABLE used_car_refurbishment_order (
4300     id char(36) NOT NULL,
4301     disposal_candidate_id char(36) NOT NULL,
4302     service_order_id char(36),
4303     opened_at datetime(6) NOT NULL,
4304     target_completion_at datetime(6),
4305     completed_at datetime(6),
4306     estimated_amount decimal(19,4),
4307     actual_amount decimal(19,4),
4308     currency_code char(3),
4309     status varchar(20) NOT NULL DEFAULT 'OPEN',
4310     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4311     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4312     row_version bigint NOT NULL DEFAULT 0,
4313     CONSTRAINT pk_used_car_refurbishment_order PRIMARY KEY (id),
4314     CONSTRAINT ck_used_car_refurbishment_order_1 CHECK (completed_at IS NULL OR completed_at >= opened_at),
4315     CONSTRAINT ck_used_car_refurbishment_order_2 CHECK (estimated_amount IS NULL OR estimated_amount >= 0),
4316     CONSTRAINT ck_used_car_refurbishment_order_3 CHECK (actual_amount IS NULL OR actual_amount >= 0),
4317     CONSTRAINT ck_used_car_refurbishment_order_4 CHECK (status IN ('OPEN','APPROVED','IN_PROGRESS','COMPLETED','CANCELLED'))
4318 ) ENGINE=InnoDB;

```

```
4320 CREATE TABLE used_car_refurbishment_item (  
4321     id                                char(36) NOT NULL,  
4322     refurbishment_order_id           char(36) NOT NULL,  
4323     line_number                      int NOT NULL,  
4324     item_type                        varchar(40) NOT NULL,  
4325     description                      varchar(240),  
4326     estimated_amount                 decimal(19,4),  
4327     actual_amount                   decimal(19,4),  
4328     currency_code                   char(3),  
4329     status                          varchar(20) NOT NULL DEFAULT 'PLANNED',  
4330     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
4331     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
4332     row_version                      bigint NOT NULL DEFAULT 0,  
4333     CONSTRAINT pk_used_car_refurbishment_item PRIMARY KEY (id),  
4334     CONSTRAINT uq_used_car_refurbishment_item_refurbishment_orde_45478fc0 UNIQUE (refurbishment_order_id, line_number),  
4335     CONSTRAINT ck_used_car_refurbishment_item_1 CHECK (estimated_amount IS NULL OR estimated_amount >= 0),  
4336     CONSTRAINT ck_used_car_refurbishment_item_2 CHECK (actual_amount IS NULL OR actual_amount >= 0),  
4337     CONSTRAINT ck_used_car_refurbishment_item_3 CHECK (status IN ('PLANNED','APPROVED','COMPLETED','CANCELLED'))  
4338 ) ENGINE=InnoDB;
```

```
4340 CREATE TABLE used_car_sale_channel (  
4341     id                                char(36) NOT NULL,  
4342     channel_code                     varchar(40) NOT NULL,  
4343     name                             varchar(140) NOT NULL,  
4344     channel_type                     varchar(30) NOT NULL,  
4345     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',  
4346     configuration_json               json,  
4347     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
4348     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
4349     CONSTRAINT pk_used_car_sale_channel PRIMARY KEY (id),  
4350     CONSTRAINT uq_used_car_sale_channel_channel_code_1 UNIQUE (channel_code),  
4351     CONSTRAINT ck_used_car_sale_channel_1 CHECK (channel_type IN ('OWN_STORE','ONLINE','AUCTION','WHOLESALE','PARTNER')),  
4352     CONSTRAINT ck_used_car_sale_channel_2 CHECK (status IN ('ACTIVE','INACTIVE'))  
4353 ) ENGINE=InnoDB;
```

```

4355 CREATE TABLE used_car_listing (
4356     id                                char(36) NOT NULL,
4357     disposal_candidate_id            char(36) NOT NULL,
4358     sale_channel_id                  char(36) NOT NULL,
4359     listing_reference                 varchar(100) NOT NULL,
4360     listed_at                        datetime(6) NOT NULL,
4361     expires_at                       datetime(6),
4362     asking_price                     decimal(19,4) NOT NULL,
4363     currency_code                    char(3) NOT NULL,
4364     odometer_km                      decimal(12,1) NOT NULL,
4365     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',
4366     description                      text,
4367     media_manifest                   json,
4368     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4369     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4370     row_version                      bigint NOT NULL DEFAULT 0,
4371     CONSTRAINT pk_used_car_listing PRIMARY KEY (id),
4372     CONSTRAINT uq_used_car_listing_sale_channel_id_listing_reference_1 UNIQUE (sale_channel_id, listing_reference),
4373     CONSTRAINT ck_used_car_listing_1 CHECK (asking_price >= 0),
4374     CONSTRAINT ck_used_car_listing_2 CHECK (odometer_km >= 0),
4375     CONSTRAINT ck_used_car_listing_3 CHECK (expires_at IS NULL OR expires_at > listed_at),
4376     CONSTRAINT ck_used_car_listing_4 CHECK (status IN ('DRAFT', 'ACTIVE', 'RESERVED', 'SOLD', 'EXPIRED', 'WITHDRAWN'))
4377 ) ENGINE=InnoDB;

4379 CREATE TABLE used_car_lead (
4380     id                                char(36) NOT NULL,
4381     listing_id                       char(36),
4382     party_id                         char(36),
4383     source_channel                   varchar(40),
4384     created_at_source                datetime(6),
4385     contact_snapshot                 json,
4386     status                           varchar(20) NOT NULL DEFAULT 'NEW',
4387     assigned_to                      char(36),
4388     next_action_at                  datetime(6),
4389     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4390     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4391     row_version                      bigint NOT NULL DEFAULT 0,
4392     CONSTRAINT pk_used_car_lead PRIMARY KEY (id),
4393     CONSTRAINT ck_used_car_lead_1 CHECK (status IN ('NEW', 'CONTACTED', 'QUALIFIED', 'TEST_DRIVE', 'NEGOTIATION', 'WON', 'LOST', 'DUPLICATE'))
4394 ) ENGINE=InnoDB;

```



```

4396 CREATE TABLE used_car_test_drive (
4397     id char(36) NOT NULL,
4398     lead_id char(36),
4399     listing_id char(36) NOT NULL,
4400     driver_profile_id char(36) NOT NULL,
4401     scheduled_start_at datetime(6) NOT NULL,
4402     scheduled_end_at datetime(6) NOT NULL,
4403     actual_start_at datetime(6),
4404     actual_end_at datetime(6),
4405     status varchar(20) NOT NULL DEFAULT 'SCHEDULED',
4406     notes text,
4407     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4408     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4409     row_version bigint NOT NULL DEFAULT 0,
4410     CONSTRAINT pk_used_car_test_drive PRIMARY KEY (id),
4411     CONSTRAINT ck_used_car_test_drive_1 CHECK (scheduled_end_at > scheduled_start_at),
4412     CONSTRAINT ck_used_car_test_drive_2 CHECK (actual_end_at IS NULL OR actual_start_at IS NULL OR actual_end_at >= actual_start_at),
4413     CONSTRAINT ck_used_car_test_drive_3 CHECK (status IN ('SCHEDULED','CHECKED_IN','COMPLETED','NO_SHOW','CANCELLED'))
4414 ) ENGINE=InnoDB;

```

```

4416 CREATE TABLE used_car_sale_order (
4417     id char(36) NOT NULL,
4418     sale_order_number varchar(60) NOT NULL,
4419     legal_entity_id char(36) NOT NULL,
4420     buyer_party_id char(36) NOT NULL,
4421     sale_channel_id char(36) NOT NULL,
4422     order_date date NOT NULL,
4423     currency_code char(3) NOT NULL,
4424     subtotal_amount decimal(19,4) NOT NULL,
4425     discount_amount decimal(19,4) NOT NULL DEFAULT 0,
4426     tax_amount decimal(19,4) NOT NULL DEFAULT 0,
4427     total_amount decimal(19,4) NOT NULL,
4428     status varchar(20) NOT NULL DEFAULT 'DRAFT',
4429     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4430     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4431     row_version bigint NOT NULL DEFAULT 0,
4432     CONSTRAINT pk_used_car_sale_order PRIMARY KEY (id),
4433     CONSTRAINT uq_used_car_sale_order_legal_entity_id_sale_order_number_1 UNIQUE (legal_entity_id, sale_order_number),
4434     CONSTRAINT ck_used_car_sale_order_1 CHECK (subtotal_amount >= 0),
4435     CONSTRAINT ck_used_car_sale_order_2 CHECK (discount_amount >= 0),
4436     CONSTRAINT ck_used_car_sale_order_3 CHECK (tax_amount >= 0),
4437     CONSTRAINT ck_used_car_sale_order_4 CHECK (total_amount >= 0),
4438     CONSTRAINT ck_used_car_sale_order_5 CHECK (status IN ('DRAFT','RESERVED','SIGNED','PAID','DELIVERED','CANCELLED'))
4439 ) ENGINE=InnoDB;

```

```

4441 CREATE TABLE used_car_sale_order_vehicle (
4442     id                                char(36) NOT NULL,
4443     sale_order_id                     char(36) NOT NULL,
4444     disposal_candidate_id             char(36) NOT NULL,
4445     vehicle_id                        char(36) NOT NULL,
4446     listing_id                        char(36),
4447     sale_price                         decimal(19,4) NOT NULL,
4448     discount_amount                   decimal(19,4) NOT NULL DEFAULT 0,
4449     tax_amount                         decimal(19,4) NOT NULL DEFAULT 0,
4450     currency_code                     char(3) NOT NULL,
4451     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4452     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4453     CONSTRAINT pk_used_car_sale_order_vehicle PRIMARY KEY (id),
4454     CONSTRAINT uq_used_car_sale_order_vehicle_sale_order_id_vehicle_id_1 UNIQUE (sale_order_id, vehicle_id),
4455     CONSTRAINT uq_used_car_sale_order_vehicle_vehicle_id_2 UNIQUE (vehicle_id),
4456     CONSTRAINT ck_used_car_sale_order_vehicle_1 CHECK (sale_price >= 0),
4457     CONSTRAINT ck_used_car_sale_order_vehicle_2 CHECK (discount_amount >= 0),
4458     CONSTRAINT ck_used_car_sale_order_vehicle_3 CHECK (tax_amount >= 0)
4459 ) ENGINE=InnoDB;

4461 CREATE TABLE used_car_vehicle_transfer (
4462     id                                char(36) NOT NULL,
4463     sale_order_vehicle_id             char(36) NOT NULL,
4464     seller_party_id                   char(36) NOT NULL,
4465     buyer_party_id                   char(36) NOT NULL,
4466     requested_at                      datetime(6) NOT NULL,
4467     completed_at                      datetime(6),
4468     authority_reference                varchar(160),
4469     document_object_key                varchar(500),
4470     status                            varchar(20) NOT NULL DEFAULT 'REQUESTED',
4471     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4472     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4473     row_version                        bigint NOT NULL DEFAULT 0,
4474     CONSTRAINT pk_used_car_vehicle_transfer PRIMARY KEY (id),
4475     CONSTRAINT uq_used_car_vehicle_transfer_sale_order_vehicle_id_1 UNIQUE (sale_order_vehicle_id),
4476     CONSTRAINT ck_used_car_vehicle_transfer_1 CHECK (status IN ('REQUESTED', 'DOCUMENTATION_PENDING', 'SUBMITTED', 'COMPLETED', 'REJECTED', 'CANCELLED'))
4477 ) ENGINE=InnoDB;

```

```
4479 CREATE TABLE used_car_used_vehicle_warranty (  
4480     id                                char(36) NOT NULL,  
4481     sale_order_vehicle_id            char(36) NOT NULL,  
4482     warranty_code                    varchar(50) NOT NULL,  
4483     starts_at                        date NOT NULL,  
4484     ends_at                          date NOT NULL,  
4485     coverage_json                    json NOT NULL,  
4486     status                           varchar(20) NOT NULL DEFAULT 'ACTIVE',  
4487     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
4488     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
4489     row_version                       bigint NOT NULL DEFAULT 0,  
4490     CONSTRAINT pk_used_car_used_vehicle_warranty PRIMARY KEY (id),  
4491     CONSTRAINT uq_used_car_used_vehicle_warranty_sale_order_vehi_f93774c5 UNIQUE (sale_order_vehicle_id, warranty_code),  
4492     CONSTRAINT ck_used_car_used_vehicle_warranty_1 CHECK (ends_at >= starts_at),  
4493     CONSTRAINT ck_used_car_used_vehicle_warranty_2 CHECK (status IN ('ACTIVE','EXPIRED','CANCELLED','CLAIMED'))  
4494 ) ENGINE=InnoDB;
```

```
4496 CREATE TABLE used_car_sale_document (  
4497     id                                char(36) NOT NULL,  
4498     sale_order_id                    char(36) NOT NULL,  
4499     document_type                     varchar(40) NOT NULL,  
4500     object_key                        varchar(500) NOT NULL,  
4501     content_type                      varchar(100),  
4502     sha256                           binary(32),  
4503     generated_at                     datetime(6) NOT NULL,  
4504     signed_at                         datetime(6),  
4505     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',  
4506     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
4507     CONSTRAINT pk_used_car_sale_document PRIMARY KEY (id),  
4508     CONSTRAINT ck_used_car_sale_document_1 CHECK (status IN ('ACTIVE','SUPERSEDED','VOID'))  
4509 ) ENGINE=InnoDB;
```

```
4511 CREATE TABLE privacy_privacy_notice (  
4512     id                                char(36) NOT NULL,  
4513     notice_code                       varchar(50) NOT NULL,  
4514     name                              varchar(160) NOT NULL,  
4515     country_code                      char(2) NOT NULL,  
4516     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',  
4517     created_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
4518     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),  
4519     CONSTRAINT pk_privacy_privacy_notice PRIMARY KEY (id),  
4520     CONSTRAINT uq_privacy_privacy_notice_country_code_notice_code_1 UNIQUE (country_code, notice_code),  
4521     CONSTRAINT ck_privacy_privacy_notice_1 CHECK (status IN ('ACTIVE','INACTIVE'))  
4522 ) ENGINE=InnoDB;
```

```

4524 CREATE TABLE privacy_privacy_notice_version (
4525     id                                char(36) NOT NULL,
4526     privacy_notice_id                 char(36) NOT NULL,
4527     version_number                    int NOT NULL,
4528     valid_from                        datetime(6) NOT NULL,
4529     valid_to                          datetime(6),
4530     language_code                     varchar(10) NOT NULL,
4531     content_object_key                varchar(500) NOT NULL,
4532     content_hash                      varchar(64) NOT NULL,
4533     status                           varchar(20) NOT NULL DEFAULT 'DRAFT',
4534     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4535     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4536     row_version                       bigint NOT NULL DEFAULT 0,
4537     CONSTRAINT pk_privacy_privacy_notice_version PRIMARY KEY (id),
4538     CONSTRAINT uq_privacy_privacy_notice_version_privacy_notice__a2c98a00 UNIQUE (privacy_notice_id, version_number, language_code),
4539     CONSTRAINT ck_privacy_privacy_notice_version_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
4540     CONSTRAINT ck_privacy_privacy_notice_version_2 CHECK (status IN ('DRAFT','PUBLISHED','RETIRED'))
4541 ) ENGINE=InnoDB;

4543 CREATE TABLE privacy_processing_purpose (
4544     id                                char(36) NOT NULL,
4545     purpose_code                      varchar(50) NOT NULL,
4546     name                              varchar(160) NOT NULL,
4547     description                       text,
4548     data_categories_json              json,
4549     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
4550     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4551     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4552     CONSTRAINT pk_privacy_processing_purpose PRIMARY KEY (id),
4553     CONSTRAINT uq_privacy_processing_purpose_purpose_code_1 UNIQUE (purpose_code),
4554     CONSTRAINT ck_privacy_processing_purpose_1 CHECK (status IN ('ACTIVE','INACTIVE'))
4555 ) ENGINE=InnoDB;

```

```
4557 CREATE TABLE privacy_legal_basis (
4558     id char(36) NOT NULL,
4559     purpose_id char(36) NOT NULL,
4560     country_code char(2) NOT NULL,
4561     basis_type varchar(40) NOT NULL,
4562     legal_reference varchar(240),
4563     valid_from datetime(6) NOT NULL,
4564     valid_to datetime(6),
4565     status varchar(20) NOT NULL DEFAULT 'ACTIVE',
4566     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4567     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4568     CONSTRAINT pk_privacy_legal_basis PRIMARY KEY (id),
4569     CONSTRAINT ck_privacy_legal_basis_1 CHECK (valid_to IS NULL OR valid_to > valid_from),
4570     CONSTRAINT ck_privacy_legal_basis_2 CHECK (basis_type IN ('CONSENT','CONTRACT','LEGAL_OBLIGATION','LEGITIMATE_INTEREST','VITAL_INTEREST','PUBLIC_TASK','FRAUD_PREVENTION','CREDIT_PROTECTION','OTHER')),
4571     CONSTRAINT ck_privacy_legal_basis_3 CHECK (status IN ('ACTIVE','INACTIVE'))
4572 ) ENGINE=InnoDB;
```

```
4574 CREATE TABLE privacy_consent_receipt (
4575     id char(36) NOT NULL,
4576     party_id char(36) NOT NULL,
4577     privacy_notice_version_id char(36) NOT NULL,
4578     purpose_id char(36) NOT NULL,
4579     decision varchar(20) NOT NULL,
4580     captured_at datetime(6) NOT NULL,
4581     channel_id char(36),
4582     evidence_hash varchar(64) NOT NULL,
4583     ip_address_token varchar(100),
4584     device_reference varchar(160),
4585     withdrawn_at datetime(6),
4586     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4587     CONSTRAINT pk_privacy_consent_receipt PRIMARY KEY (id),
4588     CONSTRAINT ck_privacy_consent_receipt_1 CHECK (decision IN ('GRANTED','DENIED','WITHDRAWN')),
4589     CONSTRAINT ck_privacy_consent_receipt_2 CHECK (withdrawn_at IS NULL OR withdrawn_at >= captured_at)
4590 ) ENGINE=InnoDB;
```

```

4592 CREATE TABLE privacy_data_subject_request (
4593     id char(36) NOT NULL,
4594     party_id char(36),
4595     request_type varchar(30) NOT NULL,
4596     received_at datetime(6) NOT NULL,
4597     due_at datetime(6),
4598     channel_id char(36),
4599     identity_verification_id char(36),
4600     status varchar(30) NOT NULL DEFAULT 'RECEIVED',
4601     assigned_to char(36),
4602     completed_at datetime(6),
4603     resolution_summary text,
4604     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4605     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4606     row_version bigint NOT NULL DEFAULT 0,
4607     CONSTRAINT pk_privacy_data_subject_request PRIMARY KEY (id),
4608     CONSTRAINT ck_privacy_data_subject_request_1 CHECK (request_type IN ('ACCESS','CORRECTION','PORTABILITY','DELETION','ANONYMIZATION','INFORMATION','OBJECTION','RESTRICTION')),
4609     CONSTRAINT ck_privacy_data_subject_request_2 CHECK (status IN ('RECEIVED','IDENTITY_PENDING','IN_PROGRESS','PARTIALLY_COMPLETED','COMPLETED','DENIED','CANCELLED')),
4610     CONSTRAINT ck_privacy_data_subject_request_3 CHECK (due_at IS NULL OR due_at >= received_at),
4611     CONSTRAINT ck_privacy_data_subject_request_4 CHECK (completed_at IS NULL OR completed_at >= received_at)
4612 ) ENGINE=InnoDB;

```

```

4614 CREATE TABLE privacy_retention_policy (
4615     id char(36) NOT NULL,
4616     policy_code varchar(60) NOT NULL,
4617     resource_type varchar(80) NOT NULL,
4618     country_code char(2),
4619     retention_days int NOT NULL,
4620     trigger_event varchar(60) NOT NULL,
4621     disposition_action varchar(30) NOT NULL,
4622     legal_reference varchar(240),
4623     valid_from datetime(6) NOT NULL,
4624     valid_to datetime(6),
4625     status varchar(20) NOT NULL DEFAULT 'ACTIVE',
4626     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4627     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4628     row_version bigint NOT NULL DEFAULT 0,
4629     CONSTRAINT pk_privacy_retention_policy PRIMARY KEY (id),
4630     CONSTRAINT uq_privacy_retention_policy_policy_code_valid_from_1 UNIQUE (policy_code, valid_from),
4631     CONSTRAINT ck_privacy_retention_policy_1 CHECK (retention_days >= 0),
4632     CONSTRAINT ck_privacy_retention_policy_2 CHECK (valid_to IS NULL OR valid_to > valid_from),
4633     CONSTRAINT ck_privacy_retention_policy_3 CHECK (disposition_action IN ('DELETE','ANONYMIZE','ARCHIVE','REVIEW')),
4634     CONSTRAINT ck_privacy_retention_policy_4 CHECK (status IN ('ACTIVE','INACTIVE'))
4635 ) ENGINE=InnoDB;

```

```
4637 CREATE TABLE privacy_legal_hold (
4638     id char(36) NOT NULL,
4639     hold_reference varchar(100) NOT NULL,
4640     party_id char(36),
4641     resource_type varchar(80),
4642     resource_id char(36),
4643     reason_code varchar(60) NOT NULL,
4644     starts_at datetime(6) NOT NULL,
4645     ends_at datetime(6),
4646     status varchar(20) NOT NULL DEFAULT 'ACTIVE',
4647     authorized_by char(36),
4648     notes text,
4649     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4650     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4651     row_version bigint NOT NULL DEFAULT 0,
4652     CONSTRAINT pk_privacy_legal_hold PRIMARY KEY (id),
4653     CONSTRAINT uq_privacy_legal_hold_hold_reference_1 UNIQUE (hold_reference),
4654     CONSTRAINT ck_privacy_legal_hold_1 CHECK (ends_at IS NULL OR ends_at > starts_at),
4655     CONSTRAINT ck_privacy_legal_hold_2 CHECK (status IN ('ACTIVE','RELEASED','EXPIRED'))
4656 ) ENGINE=InnoDB;

4658 CREATE TABLE privacy_erasure_job (
4659     id char(36) NOT NULL,
4660     data_subject_request_id char(36),
4661     party_id char(36),
4662     resource_type varchar(80) NOT NULL,
4663     resource_id char(36),
4664     action_type varchar(30) NOT NULL,
4665     scheduled_at datetime(6) NOT NULL,
4666     executed_at datetime(6),
4667     status varchar(20) NOT NULL DEFAULT 'SCHEDULED',
4668     blocked_by_legal_hold_id char(36),
4669     result_json json,
4670     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4671     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4672     row_version bigint NOT NULL DEFAULT 0,
4673     CONSTRAINT pk_privacy_erasure_job PRIMARY KEY (id),
4674     CONSTRAINT ck_privacy_erasure_job_1 CHECK (action_type IN ('DELETE','ANONYMIZE','TOKENIZE','ARCHIVE')),
4675     CONSTRAINT ck_privacy_erasure_job_2 CHECK (status IN ('SCHEDULED','RUNNING','COMPLETED','FAILED','BLOCKED','CANCELLED'))
4676 ) ENGINE=InnoDB;
```

```
4678 CREATE TABLE privacy_data_access_audit (  
4679     id                                char(36) NOT NULL,  
4680     actor_id                          char(36),  
4681     actor_type                        varchar(30) NOT NULL,  
4682     party_id                          char(36),  
4683     resource_type                     varchar(80) NOT NULL,  
4684     resource_id                       char(36),  
4685     action                            varchar(30) NOT NULL,  
4686     purpose_code                      varchar(50),  
4687     occurred_at                       datetime(6) NOT NULL,  
4688     request_id                       varchar(100),  
4689     source_ip_token                   varchar(100),  
4690     metadata_json                     json,  
4691     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
4692     CONSTRAINT pk_privacy_data_access_audit PRIMARY KEY (id)  
4693 ) ENGINE=InnoDB;
```

```
4695 CREATE TABLE privacy_data_sharing_record (  
4696     id                                char(36) NOT NULL,  
4697     party_id                          char(36),  
4698     recipient_party_id                 char(36),  
4699     recipient_name                     varchar(180),  
4700     purpose_id                        char(36) NOT NULL,  
4701     legal_basis_id                     char(36),  
4702     data_categories_json               json NOT NULL,  
4703     shared_at                         datetime(6) NOT NULL,  
4704     transfer_country_code              char(2),  
4705     agreement_reference                varchar(120),  
4706     request_reference                  varchar(120),  
4707     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),  
4708     CONSTRAINT pk_privacy_data_sharing_record PRIMARY KEY (id)  
4709 ) ENGINE=InnoDB;
```



```

4711 CREATE TABLE privacy_token_map (
4712     id                                char(36) NOT NULL,
4713     token_type                        varchar(40) NOT NULL,
4714     token_value                       varchar(180) NOT NULL,
4715     resource_type                     varchar(80) NOT NULL,
4716     resource_id_ciphertext            text NOT NULL,
4717     created_at_source                 datetime(6) NOT NULL,
4718     expires_at                       datetime(6),
4719     status                            varchar(20) NOT NULL DEFAULT 'ACTIVE',
4720     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4721     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4722     row_version                       bigint NOT NULL DEFAULT 0,
4723     CONSTRAINT pk_privacy_token_map PRIMARY KEY (id),
4724     CONSTRAINT uq_privacy_token_map_token_type_token_value_1 UNIQUE (token_type, token_value),
4725     CONSTRAINT ck_privacy_token_map_1 CHECK (status IN ('ACTIVE','REVOKED','EXPIRED'))
4726 ) ENGINE=InnoDB;

4728 CREATE TABLE integration_outbox_event (
4729     id                                char(36) NOT NULL,
4730     aggregate_type                    varchar(80) NOT NULL,
4731     aggregate_id                      char(36) NOT NULL,
4732     aggregate_version                  bigint NOT NULL,
4733     event_index                       smallint NOT NULL DEFAULT 0,
4734     event_type                        varchar(120) NOT NULL,
4735     payload_version                    int NOT NULL DEFAULT 1,
4736     payload                           json NOT NULL,
4737     occurred_at                       datetime(6) NOT NULL,
4738     published_at                      datetime(6),
4739     publish_attempts                   int NOT NULL DEFAULT 0,
4740     last_error                        text,
4741     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4742     updated_at                       datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4743     row_version                       bigint NOT NULL DEFAULT 0,
4744     CONSTRAINT pk_integration_outbox_event PRIMARY KEY (id),
4745     CONSTRAINT uq_integration_outbox_event_aggregate_type_aggreg_7e983bc6 UNIQUE (aggregate_type, aggregate_id, aggregate_version, event_index),
4746     CONSTRAINT ck_integration_outbox_event_1 CHECK (aggregate_version >= 0),
4747     CONSTRAINT ck_integration_outbox_event_2 CHECK (event_index >= 0),
4748     CONSTRAINT ck_integration_outbox_event_3 CHECK (payload_version > 0),
4749     CONSTRAINT ck_integration_outbox_event_4 CHECK (publish_attempts >= 0)
4750 ) ENGINE=InnoDB;

```

```

4752 CREATE TABLE integration_inbox_message (
4753     id char(36) NOT NULL,
4754     consumer_name varchar(100) NOT NULL,
4755     message_id varchar(180) NOT NULL,
4756     event_type varchar(120),
4757     received_at datetime(6) NOT NULL,
4758     processed_at datetime(6),
4759     status varchar(20) NOT NULL DEFAULT 'RECEIVED',
4760     result_json json,
4761     last_error text,
4762     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4763     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4764     row_version bigint NOT NULL DEFAULT 0,
4765     CONSTRAINT pk_integration_inbox_message PRIMARY KEY (id),
4766     CONSTRAINT uq_integration_inbox_message_consumer_name_message_id_1 UNIQUE (consumer_name, message_id),
4767     CONSTRAINT ck_integration_inbox_message_1 CHECK (status IN ('RECEIVED','PROCESSING','PROCESSED','FAILED','IGNORED'))
4768 ) ENGINE=InnoDB;

```

```

4770 CREATE TABLE integration_idempotency_key (
4771     id char(36) NOT NULL,
4772     scope varchar(100) NOT NULL,
4773     idempotency_key varchar(180) NOT NULL,
4774     request_hash varchar(64) NOT NULL,
4775     resource_type varchar(80),
4776     resource_id char(36),
4777     response_code int,
4778     response_snapshot json,
4779     expires_at datetime(6),
4780     status varchar(20) NOT NULL DEFAULT 'PROCESSING',
4781     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4782     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4783     row_version bigint NOT NULL DEFAULT 0,
4784     CONSTRAINT pk_integration_idempotency_key PRIMARY KEY (id),
4785     CONSTRAINT uq_integration_idempotency_key_scope_idempotency_key_1 UNIQUE (scope, idempotency_key),
4786     CONSTRAINT ck_integration_idempotency_key_1 CHECK (status IN ('PROCESSING','COMPLETED','FAILED','EXPIRED'))
4787 ) ENGINE=InnoDB;

```

```
4789 CREATE TABLE integration_external_reference (
4790     id                                char(36) NOT NULL,
4791     system_code                       varchar(60) NOT NULL,
4792     resource_type                     varchar(80) NOT NULL,
4793     resource_id                       char(36) NOT NULL,
4794     external_resource_type            varchar(80),
4795     external_id                       varchar(180) NOT NULL,
4796     valid_from                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4797     valid_to                          datetime(6),
4798     metadata_json                     json,
4799     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4800     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4801     CONSTRAINT pk_integration_external_reference PRIMARY KEY (id),
4802     CONSTRAINT uq_integration_external_reference_system_code_ext_9c5d3d28 UNIQUE (system_code, external_id, valid_from),
4803     CONSTRAINT ck_integration_external_reference_1 CHECK (valid_to IS NULL OR valid_to > valid_from)
4804 ) ENGINE=InnoDB;

4806 CREATE TABLE integration_saga_instance (
4807     id                                char(36) NOT NULL,
4808     saga_type                         varchar(100) NOT NULL,
4809     business_key                      varchar(180) NOT NULL,
4810     current_step                      varchar(100),
4811     status                            varchar(20) NOT NULL DEFAULT 'STARTED',
4812     state_json                        json,
4813     started_at                        datetime(6) NOT NULL,
4814     completed_at                      datetime(6),
4815     last_error                        text,
4816     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4817     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4818     row_version                       bigint NOT NULL DEFAULT 0,
4819     CONSTRAINT pk_integration_saga_instance PRIMARY KEY (id),
4820     CONSTRAINT uq_integration_saga_instance_saga_type_business_key_1 UNIQUE (saga_type, business_key),
4821     CONSTRAINT ck_integration_saga_instance_1 CHECK (status IN ('STARTED','RUNNING','COMPENSATING','COMPLETED','FAILED','CANCELLED'))
4822 ) ENGINE=InnoDB;
```

```

4824 CREATE TABLE integration_saga_step (
4825     id char(36) NOT NULL,
4826     saga_instance_id char(36) NOT NULL,
4827     step_number int NOT NULL,
4828     step_name varchar(100) NOT NULL,
4829     status varchar(20) NOT NULL DEFAULT 'PENDING',
4830     attempts int NOT NULL DEFAULT 0,
4831     started_at datetime(6),
4832     completed_at datetime(6),
4833     request_json json,
4834     result_json json,
4835     last_error text,
4836     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4837     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4838     row_version bigint NOT NULL DEFAULT 0,
4839     CONSTRAINT pk_integration_saga_step PRIMARY KEY (id),
4840     CONSTRAINT uq_integration_saga_step_saga_instance_id_step_number_1 UNIQUE (saga_instance_id, step_number),
4841     CONSTRAINT ck_integration_saga_step_1 CHECK (step_number >= 0),
4842     CONSTRAINT ck_integration_saga_step_2 CHECK (attempts >= 0),
4843     CONSTRAINT ck_integration_saga_step_3 CHECK (status IN ('PENDING','RUNNING','COMPLETED','FAILED','COMPENSATED','SKIPPED'))
4844 ) ENGINE=InnoDB;

```

```

4846 CREATE TABLE integration_dead_letter (
4847     id char(36) NOT NULL,
4848     source_system varchar(80) NOT NULL,
4849     message_id varchar(180) NOT NULL,
4850     event_type varchar(120),
4851     payload json,
4852     error_class varchar(160),
4853     error_message text,
4854     failed_at datetime(6) NOT NULL,
4855     retry_count int NOT NULL DEFAULT 0,
4856     status varchar(20) NOT NULL DEFAULT 'OPEN',
4857     reprocessed_at datetime(6),
4858     created_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4859     updated_at datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4860     row_version bigint NOT NULL DEFAULT 0,
4861     CONSTRAINT pk_integration_dead_letter PRIMARY KEY (id),
4862     CONSTRAINT uq_integration_dead_letter_source_system_message_id_1 UNIQUE (source_system, message_id),
4863     CONSTRAINT ck_integration_dead_letter_1 CHECK (retry_count >= 0),
4864     CONSTRAINT ck_integration_dead_letter_2 CHECK (status IN ('OPEN','RETRYING','REPROCESSED','IGNORED','RESOLVED'))
4865 ) ENGINE=InnoDB;

```

```

4867 CREATE TABLE integration_audit_event (
4868     id                                char(36) NOT NULL,
4869     actor_type                        varchar(30) NOT NULL,
4870     actor_id                          char(36),
4871     action                            varchar(80) NOT NULL,
4872     resource_type                     varchar(80) NOT NULL,
4873     resource_id                       char(36),
4874     legal_entity_id                   char(36),
4875     branch_id                         char(36),
4876     occurred_at                       datetime(6) NOT NULL,
4877     request_id                        varchar(100),
4878     correlation_id                    varchar(100),
4879     source_ip_token                   varchar(100),
4880     before_hash                       varchar(64),
4881     after_hash                        varchar(64),
4882     metadata_json                     json,
4883     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4884     CONSTRAINT pk_integration_audit_event PRIMARY KEY (id)
4885 ) ENGINE=InnoDB;

4887 CREATE TABLE integration_job_run (
4888     id                                char(36) NOT NULL,
4889     job_name                           varchar(120) NOT NULL,
4890     run_key                            varchar(180) NOT NULL,
4891     started_at                         datetime(6) NOT NULL,
4892     completed_at                       datetime(6),
4893     status                             varchar(20) NOT NULL DEFAULT 'RUNNING',
4894     records_read                       bigint NOT NULL DEFAULT 0,
4895     records_written                     bigint NOT NULL DEFAULT 0,
4896     records_failed                     bigint NOT NULL DEFAULT 0,
4897     checkpoint_json                     json,
4898     last_error                         text,
4899     created_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4900     updated_at                         datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4901     row_version                         bigint NOT NULL DEFAULT 0,
4902     CONSTRAINT pk_integration_job_run PRIMARY KEY (id),
4903     CONSTRAINT uq_integration_job_run_job_name_run_key_1 UNIQUE (job_name, run_key),
4904     CONSTRAINT ck_integration_job_run_1 CHECK (records_read >= 0),
4905     CONSTRAINT ck_integration_job_run_2 CHECK (records_written >= 0),
4906     CONSTRAINT ck_integration_job_run_3 CHECK (records_failed >= 0),
4907     CONSTRAINT ck_integration_job_run_4 CHECK (status IN ('RUNNING','COMPLETED','PARTIAL','FAILED','CANCELLED'))
4908 ) ENGINE=InnoDB;

```

```

4910 CREATE TABLE integration_import_batch (
4911     id                                char(36) NOT NULL,
4912     import_type                       varchar(80) NOT NULL,
4913     source_system                     varchar(80) NOT NULL,
4914     external_batch_id                 varchar(180),
4915     object_key                        varchar(500),
4916     received_at                       datetime(6) NOT NULL,
4917     processed_at                      datetime(6),
4918     record_count                      int NOT NULL DEFAULT 0,
4919     success_count                     int NOT NULL DEFAULT 0,
4920     failure_count                     int NOT NULL DEFAULT 0,
4921     status                            varchar(20) NOT NULL DEFAULT 'RECEIVED',
4922     result_json                       json,
4923     created_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6),
4924     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4925     row_version                       bigint NOT NULL DEFAULT 0,
4926     CONSTRAINT pk_integration_import_batch PRIMARY KEY (id),
4927     CONSTRAINT uq_integration_import_batch_source_system_externa_958d6d40 UNIQUE (source_system, external_batch_id),
4928     CONSTRAINT ck_integration_import_batch_1 CHECK (record_count >= 0),
4929     CONSTRAINT ck_integration_import_batch_2 CHECK (success_count >= 0),
4930     CONSTRAINT ck_integration_import_batch_3 CHECK (failure_count >= 0),
4931     CONSTRAINT ck_integration_import_batch_4 CHECK (status IN ('RECEIVED', 'VALIDATING', 'PROCESSING', 'COMPLETED', 'PARTIAL', 'FAILED', 'REJECTED'))
4932 ) ENGINE=InnoDB;

```

```

4935 CREATE TABLE fleet_vehicle_calendar_guard (
4936     vehicle_id                        char(36) NOT NULL,
4937     lock_version                      bigint NOT NULL DEFAULT 0,
4938     updated_at                        datetime(6) NOT NULL DEFAULT CURRENT_TIMESTAMP(6) ON UPDATE CURRENT_TIMESTAMP(6),
4939     CONSTRAINT pk_fleet_vehicle_calendar_guard PRIMARY KEY (vehicle_id)
4940 ) ENGINE=InnoDB;

```

```

4942 -- -----

```

C.3 Chaves estrangeiras - linhas 4943 a 5467

```

4943 -- Foreign keys
4944 -- -----
4945 ALTER TABLE org_business_unit ADD CONSTRAINT fk_org_business_unit_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

```

```

4946 ALTER TABLE org_business_unit ADD CONSTRAINT fk_org_business_unit_parent_business_unit_id_org__913017ce FOREIGN KEY (parent_business_unit_id) REFERENCES org_business_unit (id);

```

```

4947 ALTER TABLE org_branch ADD CONSTRAINT fk_org_branch_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

```

```
4948 ALTER TABLE org_branch ADD CONSTRAINT fk_org_branch_business_unit_id_org_business_unit_2 FOREIGN KEY (business_unit_id) REFERENCES org_business_unit (id);
4949 ALTER TABLE org_branch_operator ADD CONSTRAINT fk_org_branch_operator_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org_branch (id) ON DELETE CASCADE;
4950 ALTER TABLE org_branch_operator ADD CONSTRAINT fk_org_branch_operator_operator_party_id_party_party_2 FOREIGN KEY (operator_party_id) REFERENCES party_party (id);
4951 ALTER TABLE org_branch_hours ADD CONSTRAINT fk_org_branch_hours_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org_branch (id) ON DELETE CASCADE;
4952 ALTER TABLE org_branch_calendar_exception ADD CONSTRAINT fk_org_branch_calendar_exception_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org_branch (id) ON DELETE CASCADE;
4953 ALTER TABLE party_party ADD CONSTRAINT fk_party_party_merged_into_party_id_party_party_1 FOREIGN KEY (merged_into_party_id) REFERENCES party_party (id);
4954 ALTER TABLE party_person ADD CONSTRAINT fk_party_person_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id) ON DELETE CASCADE;
4955 ALTER TABLE party_organization ADD CONSTRAINT fk_party_organization_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id) ON DELETE CASCADE;
4956 ALTER TABLE party_party_identifier ADD CONSTRAINT fk_party_party_identifier_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id) ON DELETE CASCADE;
4957 ALTER TABLE party_contact_point ADD CONSTRAINT fk_party_contact_point_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id) ON DELETE CASCADE;
4958 ALTER TABLE party_party_address ADD CONSTRAINT fk_party_party_address_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id) ON DELETE CASCADE;
4959 ALTER TABLE party_party_address ADD CONSTRAINT fk_party_party_address_address_id_party_postal_address_2 FOREIGN KEY (address_id) REFERENCES party_postal_address (id);
4960 ALTER TABLE party_customer_account ADD CONSTRAINT fk_party_customer_account_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id);
4961 ALTER TABLE party_customer_account ADD CONSTRAINT fk_party_customer_account_legal_entity_id_org_leg_69f18cc9 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);
4962 ALTER TABLE party_organization_representative ADD CONSTRAINT fk_party_organization_representative_organization_991f314f FOREIGN KEY (organization_party_id) REFERENCES
    party_organization (party_id);
4963 ALTER TABLE party_organization_representative ADD CONSTRAINT fk_party_organization_representative_person_party_06bc49af FOREIGN KEY (person_party_id) REFERENCES party_person (party_id);
4964 ALTER TABLE party_driver_profile ADD CONSTRAINT fk_party_driver_profile_person_party_id_party_person_1 FOREIGN KEY (person_party_id) REFERENCES party_person (party_id);
```

```
4965 ALTER TABLE party_driver_license ADD CONSTRAINT fk_party_driver_license_driver_profile_id_party_d_1256538a FOREIGN KEY (driver_profile_id) REFERENCES party_driver_profile (id) ON
DELETE CASCADE;

4966 ALTER TABLE party_identity_verification ADD CONSTRAINT fk_party_identity_verification_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id);

4967 ALTER TABLE party_risk_assessment ADD CONSTRAINT fk_party_risk_assessment_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id);

4968 ALTER TABLE party_customer_restriction ADD CONSTRAINT fk_party_customer_restriction_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id);

4969 ALTER TABLE catalog_vehicle_model ADD CONSTRAINT fk_catalog_vehicle_model_make_id_catalog_vehicle_make_1 FOREIGN KEY (make_id) REFERENCES catalog_vehicle_make (id);

4970 ALTER TABLE catalog_vehicle_variant ADD CONSTRAINT fk_catalog_vehicle_variant_model_id_catalog_vehic_cc9f481e FOREIGN KEY (model_id) REFERENCES catalog_vehicle_model (id);

4971 ALTER TABLE catalog_variant_feature ADD CONSTRAINT fk_catalog_variant_feature_vehicle_variant_id_cat_b18cefb4 FOREIGN KEY (vehicle_variant_id) REFERENCES catalog_vehicle_variant (id)
ON DELETE CASCADE;

4972 ALTER TABLE catalog_variant_feature ADD CONSTRAINT fk_catalog_variant_feature_feature_id_catalog_feature_2 FOREIGN KEY (feature_id) REFERENCES catalog_feature (id) ON DELETE CASCADE;

4973 ALTER TABLE catalog_vehicle_group_variant ADD CONSTRAINT fk_catalog_vehicle_group_variant_vehicle_group_id_3433c773 FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id)
ON DELETE CASCADE;

4974 ALTER TABLE catalog_vehicle_group_variant ADD CONSTRAINT fk_catalog_vehicle_group_variant_vehicle_variant__9cb5d80b FOREIGN KEY (vehicle_variant_id) REFERENCES catalog_vehicle_variant
(id);

4975 ALTER TABLE catalog_vehicle_group_upgrade ADD CONSTRAINT fk_catalog_vehicle_group_upgrade_from_group_id_ca_3d9eb99b FOREIGN KEY (from_group_id) REFERENCES catalog_vehicle_group (id);

4976 ALTER TABLE catalog_vehicle_group_upgrade ADD CONSTRAINT fk_catalog_vehicle_group_upgrade_to_group_id_cata_b75e5b64 FOREIGN KEY (to_group_id) REFERENCES catalog_vehicle_group (id);

4977 ALTER TABLE catalog_commercial_product ADD CONSTRAINT fk_catalog_commercial_product_unit_code_catalog_u_bb2e364a FOREIGN KEY (unit_code) REFERENCES catalog_unit_of_measure (unit_code);

4978 ALTER TABLE catalog_commercial_product ADD CONSTRAINT fk_catalog_commercial_product_tax_category_id_cat_a17528a4 FOREIGN KEY (tax_category_id) REFERENCES catalog_tax_category (id);

4979 ALTER TABLE catalog_protection_coverage ADD CONSTRAINT fk_catalog_protection_coverage_protection_product_ee8a7131 FOREIGN KEY (protection_product_id) REFERENCES
catalog_commercial_product (id) ON DELETE CASCADE;

4980 ALTER TABLE catalog_protection_coverage ADD CONSTRAINT fk_catalog_protection_coverage_coverage_id_catalo_fa7da6c0 FOREIGN KEY (coverage_id) REFERENCES catalog_coverage (id);
```



```
4981 ALTER TABLE catalog_charge_type ADD CONSTRAINT fk_catalog_charge_type_default_product_id_catalog_0ab13201 FOREIGN KEY (default_product_id) REFERENCES catalog_commercial_product (id);

4982 ALTER TABLE corporate_partner ADD CONSTRAINT fk_corporate_partner_party_id_party_organization_1 FOREIGN KEY (party_id) REFERENCES party_organization (party_id);

4983 ALTER TABLE corporate_partner_agreement ADD CONSTRAINT fk_corporate_partner_agreement_partner_id_corpora_bdc6085c FOREIGN KEY (partner_id) REFERENCES corporate_partner (id);

4984 ALTER TABLE corporate_partner_agreement ADD CONSTRAINT fk_corporate_partner_agreement_legal_entity_id_or_9769ba82 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

4985 ALTER TABLE corporate_corporate_agreement ADD CONSTRAINT fk_corporate_corporate_agreement_customer_account_fabc5706 FOREIGN KEY (customer_account_id) REFERENCES party_customer_account (id);

4986 ALTER TABLE corporate_corporate_agreement ADD CONSTRAINT fk_corporate_corporate_agreement_legal_entity_id_b542cbcb FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

4987 ALTER TABLE corporate_corporate_cost_center ADD CONSTRAINT fk_corporate_corporate_cost_center_corporate_agre_0e663e39 FOREIGN KEY (corporate_agreement_id) REFERENCES corporate_corporate_agreement (id) ON DELETE CASCADE;

4988 ALTER TABLE corporate_corporate_cost_center ADD CONSTRAINT fk_corporate_corporate_cost_center_parent_cost_center_id_c1c0422c FOREIGN KEY (parent_cost_center_id) REFERENCES corporate_corporate_cost_center (id);

4989 ALTER TABLE corporate_authorized_driver ADD CONSTRAINT fk_corporate_authorized_driver_corporate_agreement_dfd5ceff FOREIGN KEY (corporate_agreement_id) REFERENCES corporate_corporate_agreement (id) ON DELETE CASCADE;

4990 ALTER TABLE corporate_authorized_driver ADD CONSTRAINT fk_corporate_authorized_driver_driver_profile_id_c24f2666 FOREIGN KEY (driver_profile_id) REFERENCES party_driver_profile (id);

4991 ALTER TABLE corporate_authorized_driver ADD CONSTRAINT fk_corporate_authorized_driver_cost_center_id_cor_0ddc326b FOREIGN KEY (cost_center_id) REFERENCES corporate_corporate_cost_center (id);

4992 ALTER TABLE corporate_corporate_billing_profile ADD CONSTRAINT fk_corporate_corporate_billing_profile_corporate_agreement_id_547efdde FOREIGN KEY (corporate_agreement_id) REFERENCES corporate_corporate_agreement (id) ON DELETE CASCADE;

4993 ALTER TABLE corporate_corporate_billing_profile ADD CONSTRAINT fk_corporate_corporate_billing_profile_billing_party_id_78869652 FOREIGN KEY (billing_party_id) REFERENCES party_party (id);

4994 ALTER TABLE corporate_corporate_billing_profile ADD CONSTRAINT fk_corporate_corporate_billing_profile_billing_address_id_1942df6c FOREIGN KEY (billing_address_id) REFERENCES party_postal_address (id);

4995 ALTER TABLE fleet_acquisition_order ADD CONSTRAINT fk_fleet_acquisition_order_legal_entity_id_org_le_b74bdace FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);
```

```
4996 ALTER TABLE fleet_acquisition_order ADD CONSTRAINT fk_fleet_acquisition_order_supplier_party_id_part_b47c48d6 FOREIGN KEY (supplier_party_id) REFERENCES party_organization (party_id);

4997 ALTER TABLE fleet_acquisition_order_line ADD CONSTRAINT fk_fleet_acquisition_order_line_acquisition_order_5b6faa62 FOREIGN KEY (acquisition_order_id) REFERENCES fleet_acquisition_order (id) ON DELETE CASCADE;

4998 ALTER TABLE fleet_acquisition_order_line ADD CONSTRAINT fk_fleet_acquisition_order_line_vehicle_variant_i_8ee7863e FOREIGN KEY (vehicle_variant_id) REFERENCES catalog_vehicle_variant (id);

4999 ALTER TABLE fleet_vehicle ADD CONSTRAINT fk_fleet_vehicle_vehicle_variant_id_catalog_vehic_566b420b FOREIGN KEY (vehicle_variant_id) REFERENCES catalog_vehicle_variant (id);

5000 ALTER TABLE fleet_vehicle ADD CONSTRAINT fk_fleet_vehicle_owning_legal_entity_id_org_legal_entity_2 FOREIGN KEY (owning_legal_entity_id) REFERENCES org_legal_entity (id);

5001 ALTER TABLE fleet_vehicle ADD CONSTRAINT fk_fleet_vehicle_acquisition_order_line_id_fleet__674c3c12 FOREIGN KEY (acquisition_order_line_id) REFERENCES fleet_acquisition_order_line (id);

5002 ALTER TABLE fleet_vehicle ADD CONSTRAINT fk_fleet_vehicle_current_branch_id_org_branch_4 FOREIGN KEY (current_branch_id) REFERENCES org_branch (id);

5003 ALTER TABLE fleet_vehicle ADD CONSTRAINT fk_fleet_vehicle_current_vehicle_group_id_catalog_535204f6 FOREIGN KEY (current_vehicle_group_id) REFERENCES catalog_vehicle_group (id);

5004 ALTER TABLE fleet_vehicle_registration ADD CONSTRAINT fk_fleet_vehicle_registration_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id) ON DELETE CASCADE;

5005 ALTER TABLE fleet_vehicle_group_assignment ADD CONSTRAINT fk_fleet_vehicle_group_assignment_vehicle_id_flee_842255ce FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id) ON DELETE CASCADE;

5006 ALTER TABLE fleet_vehicle_group_assignment ADD CONSTRAINT fk_fleet_vehicle_group_assignment_vehicle_group_i_14bed1dd FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id);

5007 ALTER TABLE fleet_vehicle_operational_state_history ADD CONSTRAINT fk_fleet_vehicle_operational_state_history_vehicl_98f31720 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id) ON DELETE CASCADE;

5008 ALTER TABLE fleet_vehicle_lifecycle_history ADD CONSTRAINT fk_fleet_vehicle_lifecycle_history_vehicle_id_fle_94edbc4a FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id) ON DELETE CASCADE;

5009 ALTER TABLE fleet_vehicle_restriction ADD CONSTRAINT fk_fleet_vehicle_restriction_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5010 ALTER TABLE fleet_vehicle_location_history ADD CONSTRAINT fk_fleet_vehicle_location_history_vehicle_id_flee_7dfbd856 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);
```

```
5011 ALTER TABLE fleet_vehicle_location_history ADD CONSTRAINT fk_fleet_vehicle_location_history_branch_id_org_branch_2 FOREIGN KEY (branch_id) REFERENCES org_branch (id);

5012 ALTER TABLE fleet_vehicle_calendar_entry ADD CONSTRAINT fk_fleet_vehicle_calendar_entry_legal_entity_id_o_6e894812 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5013 ALTER TABLE fleet_vehicle_calendar_entry ADD CONSTRAINT fk_fleet_vehicle_calendar_entry_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5014 ALTER TABLE fleet_odometer_reading ADD CONSTRAINT fk_fleet_odometer_reading_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5015 ALTER TABLE fleet_odometer_reading ADD CONSTRAINT fk_fleet_odometer_reading_corrects_reading_id_fle_7abc031f FOREIGN KEY (corrects_reading_id) REFERENCES fleet_odometer_reading (id);

5016 ALTER TABLE fleet_fuel_reading ADD CONSTRAINT fk_fleet_fuel_reading_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5017 ALTER TABLE fleet_asset_document ADD CONSTRAINT fk_fleet_asset_document_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5018 ALTER TABLE fleet_accessory_asset ADD CONSTRAINT fk_fleet_accessory_asset_product_id_catalog_comme_2de1c88f FOREIGN KEY (product_id) REFERENCES catalog_commercial_product (id);

5019 ALTER TABLE fleet_accessory_asset ADD CONSTRAINT fk_fleet_accessory_asset_owning_legal_entity_id_o_3c33def1 FOREIGN KEY (owning_legal_entity_id) REFERENCES org_legal_entity (id);

5020 ALTER TABLE fleet_vehicle_accessory_assignment ADD CONSTRAINT fk_fleet_vehicle_accessory_assignment_vehicle_id__9d76ef64 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5021 ALTER TABLE fleet_vehicle_accessory_assignment ADD CONSTRAINT fk_fleet_vehicle_accessory_assignment_accessory_a_d6bac007 FOREIGN KEY (accessory_asset_id) REFERENCES
    fleet_accessory_asset (id);

5022 ALTER TABLE fleet_vehicle_cost_basis ADD CONSTRAINT fk_fleet_vehicle_cost_basis_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5023 ALTER TABLE fleet_depreciation_entry ADD CONSTRAINT fk_fleet_depreciation_entry_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5024 ALTER TABLE fleet_disposal_eligibility ADD CONSTRAINT fk_fleet_disposal_eligibility_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5025 ALTER TABLE pricing_rate_plan ADD CONSTRAINT fk_pricing_rate_plan_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5026 ALTER TABLE pricing_rate_plan_version ADD CONSTRAINT fk_pricing_rate_plan_version_rate_plan_id_pricing_733eaaf5 FOREIGN KEY (rate_plan_id) REFERENCES pricing_rate_plan (id) ON DELETE
    CASCADE;

5027 ALTER TABLE pricing_rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_rate_plan_vers_3a8fc222 FOREIGN KEY (rate_plan_version_id) REFERENCES
    pricing_rate_plan_version (id) ON DELETE CASCADE;
```

```
5028 ALTER TABLE pricing_rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_origin_branch__66ca57bc FOREIGN KEY (origin_branch_id) REFERENCES org_branch (id);

5029 ALTER TABLE pricing_rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_destination_br_38984212 FOREIGN KEY (destination_branch_id) REFERENCES org_branch (id);

5030 ALTER TABLE pricing_rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_vehicle_group__7ae718b9 FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (
id);

5031 ALTER TABLE pricing_rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_channel_id_org_1ba087d8 FOREIGN KEY (channel_id) REFERENCES org_channel (id);

5032 ALTER TABLE pricing_rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_corporate_agre_6e701357 FOREIGN KEY (corporate_agreement_id) REFERENCES
corporate_corporate_agreement (id);

5033 ALTER TABLE pricing_rate_plan_applicability ADD CONSTRAINT fk_pricing_rate_plan_applicability_partner_id_cor_e060e1ed FOREIGN KEY (partner_id) REFERENCES corporate_partner (id);

5034 ALTER TABLE pricing_rental_length_band ADD CONSTRAINT fk_pricing_rental_length_band_rate_plan_version_i_9c376409 FOREIGN KEY (rate_plan_version_id) REFERENCES pricing_rate_plan_version
(id) ON DELETE CASCADE;

5035 ALTER TABLE pricing_season ADD CONSTRAINT fk_pricing_season_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5036 ALTER TABLE pricing_base_rate ADD CONSTRAINT fk_pricing_base_rate_rate_plan_version_id_pricing_2316b89f FOREIGN KEY (rate_plan_version_id) REFERENCES pricing_rate_plan_version (id) ON
DELETE CASCADE;

5037 ALTER TABLE pricing_base_rate ADD CONSTRAINT fk_pricing_base_rate_vehicle_group_id_catalog_veh_78dc57b3 FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id);

5038 ALTER TABLE pricing_base_rate ADD CONSTRAINT fk_pricing_base_rate_origin_branch_id_org_branch_3 FOREIGN KEY (origin_branch_id) REFERENCES org_branch (id);

5039 ALTER TABLE pricing_base_rate ADD CONSTRAINT fk_pricing_base_rate_rental_length_band_id_pricing_6d056e4d FOREIGN KEY (rental_length_band_id) REFERENCES pricing_rental_length_band (id);

5040 ALTER TABLE pricing_base_rate ADD CONSTRAINT fk_pricing_base_rate_season_id_pricing_season_5 FOREIGN KEY (season_id) REFERENCES pricing_season (id);

5041 ALTER TABLE pricing_mileage_package ADD CONSTRAINT fk_pricing_mileage_package_rate_plan_version_id_p_270ffd4f FOREIGN KEY (rate_plan_version_id) REFERENCES pricing_rate_plan_version (
id) ON DELETE CASCADE;

5042 ALTER TABLE pricing_mileage_rate ADD CONSTRAINT fk_pricing_mileage_rate_mileage_package_id_pricing_090b9e6d FOREIGN KEY (mileage_package_id) REFERENCES pricing_mileage_package (id) ON
DELETE CASCADE;

5043 ALTER TABLE pricing_mileage_rate ADD CONSTRAINT fk_pricing_mileage_rate_vehicle_group_id_catalog__91640bf7 FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id);
```

```
5044 ALTER TABLE pricing_one_way_rule ADD CONSTRAINT fk_pricing_one_way_rule_rate_plan_version_id_pric_bf479ef8 FOREIGN KEY (rate_plan_version_id) REFERENCES pricing_rate_plan_version (id)
    ON DELETE CASCADE;

5045 ALTER TABLE pricing_one_way_rule ADD CONSTRAINT fk_pricing_one_way_rule_origin_branch_id_org_branch_2 FOREIGN KEY (origin_branch_id) REFERENCES org_branch (id);

5046 ALTER TABLE pricing_one_way_rule ADD CONSTRAINT fk_pricing_one_way_rule_destination_branch_id_org_branch_3 FOREIGN KEY (destination_branch_id) REFERENCES org_branch (id);

5047 ALTER TABLE pricing_one_way_rule ADD CONSTRAINT fk_pricing_one_way_rule_vehicle_group_id_catalog_cf12e5c7 FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id);

5048 ALTER TABLE pricing_one_way_price ADD CONSTRAINT fk_pricing_one_way_price_one_way_rule_id_pricing_e419f17b FOREIGN KEY (one_way_rule_id) REFERENCES pricing_one_way_rule (id) ON DELETE
    CASCADE;

5049 ALTER TABLE pricing_fuel_price ADD CONSTRAINT fk_pricing_fuel_price_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5050 ALTER TABLE pricing_fuel_price ADD CONSTRAINT fk_pricing_fuel_price_branch_id_org_branch_2 FOREIGN KEY (branch_id) REFERENCES org_branch (id);

5051 ALTER TABLE pricing_preauthorization_rule ADD CONSTRAINT fk_pricing_preauthorization_rule_rate_plan_version_id_pric_f22e10b2 FOREIGN KEY (rate_plan_version_id) REFERENCES
    pricing_rate_plan_version (id) ON DELETE CASCADE;

5052 ALTER TABLE pricing_preauthorization_rule ADD CONSTRAINT fk_pricing_preauthorization_rule_vehicle_group_id_catalog_d327ec19 FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id);

5053 ALTER TABLE pricing_pricing_rule ADD CONSTRAINT fk_pricing_pricing_rule_rate_plan_version_id_pric_5df31375 FOREIGN KEY (rate_plan_version_id) REFERENCES pricing_rate_plan_version (id)
    ON DELETE CASCADE;

5054 ALTER TABLE pricing_coupon ADD CONSTRAINT fk_pricing_coupon_promotion_id_pricing_promotion_1 FOREIGN KEY (promotion_id) REFERENCES pricing_promotion (id) ON DELETE CASCADE;

5055 ALTER TABLE pricing_coupon_redemption ADD CONSTRAINT fk_pricing_coupon_redemption_coupon_id_pricing_coupon_1 FOREIGN KEY (coupon_id) REFERENCES pricing_coupon (id);

5056 ALTER TABLE pricing_coupon_redemption ADD CONSTRAINT fk_pricing_coupon_redemption_party_id_party_party_2 FOREIGN KEY (party_id) REFERENCES party_party (id);

5057 ALTER TABLE pricing_coupon_redemption ADD CONSTRAINT fk_pricing_coupon_redemption_reservation_id_reservation_20f2c00e FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id);

5058 ALTER TABLE pricing_coupon_redemption ADD CONSTRAINT fk_pricing_coupon_redemption_quote_id_pricing_quote_4 FOREIGN KEY (quote_id) REFERENCES pricing_quote (id);

5059 ALTER TABLE pricing_quote ADD CONSTRAINT fk_pricing_quote_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);
```

```
5060 ALTER TABLE pricing_quote ADD CONSTRAINT fk_pricing_quote_customer_account_id_party_custom_f3509bd8 FOREIGN KEY (customer_account_id) REFERENCES party_customer_account (id);

5061 ALTER TABLE pricing_quote ADD CONSTRAINT fk_pricing_quote_rate_plan_version_id_pricing_rat_1e59fe59 FOREIGN KEY (rate_plan_version_id) REFERENCES pricing_rate_plan_version (id);

5062 ALTER TABLE pricing_quote ADD CONSTRAINT fk_pricing_quote_origin_branch_id_org_branch_4 FOREIGN KEY (origin_branch_id) REFERENCES org_branch (id);

5063 ALTER TABLE pricing_quote ADD CONSTRAINT fk_pricing_quote_destination_branch_id_org_branch_5 FOREIGN KEY (destination_branch_id) REFERENCES org_branch (id);

5064 ALTER TABLE pricing_quote ADD CONSTRAINT fk_pricing_quote_vehicle_group_id_catalog_vehicle_group_6 FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id);

5065 ALTER TABLE pricing_quote ADD CONSTRAINT fk_pricing_quote_channel_id_org_channel_7 FOREIGN KEY (channel_id) REFERENCES org_channel (id);

5066 ALTER TABLE pricing_quote_line ADD CONSTRAINT fk_pricing_quote_line_quote_id_pricing_quote_1 FOREIGN KEY (quote_id) REFERENCES pricing_quote (id) ON DELETE CASCADE;

5067 ALTER TABLE pricing_quote_line ADD CONSTRAINT fk_pricing_quote_line_product_id_catalog_commerci_ee18710e FOREIGN KEY (product_id) REFERENCES catalog_commercial_product (id);

5068 ALTER TABLE pricing_quote_line ADD CONSTRAINT fk_pricing_quote_line_charge_type_id_catalog_charge_type_3 FOREIGN KEY (charge_type_id) REFERENCES catalog_charge_type (id);

5069 ALTER TABLE pricing_quote_line ADD CONSTRAINT fk_pricing_quote_line_unit_code_catalog_unit_of_measure_4 FOREIGN KEY (unit_code) REFERENCES catalog_unit_of_measure (unit_code);

5070 ALTER TABLE pricing_pricing_calculation ADD CONSTRAINT fk_pricing_pricing_calculation_quote_id_pricing_quote_1 FOREIGN KEY (quote_id) REFERENCES pricing_quote (id) ON DELETE CASCADE;

5071 ALTER TABLE pricing_quote_rule_trace ADD CONSTRAINT fk_pricing_quote_rule_trace_pricing_calculation_i_664709e5 FOREIGN KEY (pricing_calculation_id) REFERENCES pricing_pricing_calculation (id) ON DELETE CASCADE;

5072 ALTER TABLE corporate_rate_entitlement ADD CONSTRAINT fk_corporate_rate_entitlement_corporate_agreement_1b6fe465 FOREIGN KEY (corporate_agreement_id) REFERENCES corporate_corporate_agreement (id) ON DELETE CASCADE;

5073 ALTER TABLE corporate_rate_entitlement ADD CONSTRAINT fk_corporate_rate_entitlement_rate_plan_id_pricing_443b648f FOREIGN KEY (rate_plan_id) REFERENCES pricing_rate_plan (id);

5074 ALTER TABLE corporate_rate_entitlement ADD CONSTRAINT fk_corporate_rate_entitlement_vehicle_group_id_ca_9961c6e2 FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id);

5075 ALTER TABLE corporate_purchase_order ADD CONSTRAINT fk_corporate_purchase_order_corporate_agreement_i_49590724 FOREIGN KEY (corporate_agreement_id) REFERENCES corporate_corporate_agreement (id) ON DELETE CASCADE;

5076 ALTER TABLE corporate_purchase_order ADD CONSTRAINT fk_corporate_purchase_order_cost_center_id_corpor_8869e641 FOREIGN KEY (cost_center_id) REFERENCES corporate_corporate_cost_center (id);
```

```
5077 ALTER TABLE corporate_voucher ADD CONSTRAINT fk_corporate_voucher_corporate_agreement_id_corpo_ee99af88 FOREIGN KEY (corporate_agreement_id) REFERENCES corporate_corporate_agreement (
      id);

5078 ALTER TABLE corporate_voucher ADD CONSTRAINT fk_corporate_voucher_partner_agreement_id_corpora_d0bdacf7 FOREIGN KEY (partner_agreement_id) REFERENCES corporate_partner_agreement (id);

5079 ALTER TABLE corporate_voucher ADD CONSTRAINT fk_corporate_voucher_authorized_party_id_party_party_3 FOREIGN KEY (authorized_party_id) REFERENCES party_party (id);

5080 ALTER TABLE corporate_consolidated_billing_instruction ADD CONSTRAINT fk_corporate_consolidated_billing_instruction_cor_d19eee78 FOREIGN KEY (corporate_billing_profile_id) REFERENCES
      corporate_corporate_billing_profile (id) ON DELETE CASCADE;

5081 ALTER TABLE corporate_consolidated_billing_instruction ADD CONSTRAINT fk_corporate_consolidated_billing_instruction_rec_fb4bcb7d FOREIGN KEY (recipient_contact_id) REFERENCES
      party_contact_point (id);

5082 ALTER TABLE availability_inventory_bucket ADD CONSTRAINT fk_availability_inventory_bucket_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org_branch (id);

5083 ALTER TABLE availability_inventory_bucket ADD CONSTRAINT fk_availability_inventory_bucket_vehicle_group_id_7ef5caad FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id);

5084 ALTER TABLE availability_availability_hold ADD CONSTRAINT fk_availability_availability_hold_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org_branch (id);

5085 ALTER TABLE availability_availability_hold ADD CONSTRAINT fk_availability_availability_hold_vehicle_group_i_246a9284 FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id)
      ;

5086 ALTER TABLE availability_capacity_commitment ADD CONSTRAINT fk_availability_capacity_commitment_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org_branch (id);

5087 ALTER TABLE availability_capacity_commitment ADD CONSTRAINT fk_availability_capacity_commitment_vehicle_group_ee08c37d FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (
      id);

5088 ALTER TABLE availability_upgrade_path ADD CONSTRAINT fk_availability_upgrade_path_origin_branch_id_org_branch_1 FOREIGN KEY (origin_branch_id) REFERENCES org_branch (id);

5089 ALTER TABLE availability_upgrade_path ADD CONSTRAINT fk_availability_upgrade_path_from_group_id_catalo_7470f48f FOREIGN KEY (from_group_id) REFERENCES catalog_vehicle_group (id);

5090 ALTER TABLE availability_upgrade_path ADD CONSTRAINT fk_availability_upgrade_path_to_group_id_catalog_0b7eff92 FOREIGN KEY (to_group_id) REFERENCES catalog_vehicle_group (id);

5091 ALTER TABLE availability_fleet_allotment ADD CONSTRAINT fk_availability_fleet_allotment_partner_agreement_bfa6ad8b FOREIGN KEY (partner_agreement_id) REFERENCES
      corporate_partner_agreement (id);
```

```
5092 ALTER TABLE availability_fleet_allotment ADD CONSTRAINT fk_availability_fleet_allotment_corporate_agreeme_6ceac69d FOREIGN KEY (corporate_agreement_id) REFERENCES
    corporate_corporate_agreement (id);

5093 ALTER TABLE availability_fleet_allotment ADD CONSTRAINT fk_availability_fleet_allotment_branch_id_org_branch_3 FOREIGN KEY (branch_id) REFERENCES org_branch (id);

5094 ALTER TABLE availability_fleet_allotment ADD CONSTRAINT fk_availability_fleet_allotment_vehicle_group_id_cc05a8e4 FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id);

5095 ALTER TABLE availability_relocation_order ADD CONSTRAINT fk_availability_relocation_order_legal_entity_id_f05e7324 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5096 ALTER TABLE availability_relocation_order ADD CONSTRAINT fk_availability_relocation_order_origin_branch_id_e8b29d25 FOREIGN KEY (origin_branch_id) REFERENCES org_branch (id);

5097 ALTER TABLE availability_relocation_order ADD CONSTRAINT fk_availability_relocation_order_destination_bran_0b2fa5fe FOREIGN KEY (destination_branch_id) REFERENCES org_branch (id);

5098 ALTER TABLE availability_relocation_leg ADD CONSTRAINT fk_availability_relocation_leg_relocation_order_i_001aa7c2 FOREIGN KEY (relocation_order_id) REFERENCES
    availability_relocation_order (id) ON DELETE CASCADE;

5099 ALTER TABLE availability_relocation_leg ADD CONSTRAINT fk_availability_relocation_leg_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5100 ALTER TABLE availability_relocation_leg ADD CONSTRAINT fk_availability_relocation_leg_calendar_entry_id_c7a15dd3 FOREIGN KEY (calendar_entry_id) REFERENCES
    fleet_vehicle_calendar_entry (id);

5101 ALTER TABLE availability_oversell_alert ADD CONSTRAINT fk_availability_oversell_alert_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org_branch (id);

5102 ALTER TABLE availability_oversell_alert ADD CONSTRAINT fk_availability_oversell_alert_vehicle_group_id_c8aa75740 FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id);

5103 ALTER TABLE availability_forecast_snapshot ADD CONSTRAINT fk_availability_forecast_snapshot_branch_id_org_branch_1 FOREIGN KEY (branch_id) REFERENCES org_branch (id);

5104 ALTER TABLE availability_forecast_snapshot ADD CONSTRAINT fk_availability_forecast_snapshot_vehicle_group_id_d8873a07 FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id)
    ;

5105 ALTER TABLE reservation_reservation ADD CONSTRAINT fk_reservation_reservation_legal_entity_id_org_le_80967ca0 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5106 ALTER TABLE reservation_reservation ADD CONSTRAINT fk_reservation_reservation_customer_account_id_pa_85377a7b FOREIGN KEY (customer_account_id) REFERENCES party_customer_account (id);

5107 ALTER TABLE reservation_reservation ADD CONSTRAINT fk_reservation_reservation_booker_party_id_party_party_3 FOREIGN KEY (booker_party_id) REFERENCES party_party (id);

5108 ALTER TABLE reservation_reservation ADD CONSTRAINT fk_reservation_reservation_requested_vehicle_grou_7f83f461 FOREIGN KEY (requested_vehicle_group_id) REFERENCES catalog_vehicle_group
    (id);
```



```
5109 ALTER TABLE reservation_reservation ADD CONSTRAINT fk_reservation_reservation_pickup_branch_id_org_branch_5 FOREIGN KEY (pickup_branch_id) REFERENCES org_branch (id);

5110 ALTER TABLE reservation_reservation ADD CONSTRAINT fk_reservation_reservation_planned_return_branch__7465987c FOREIGN KEY (planned_return_branch_id) REFERENCES org_branch (id);

5111 ALTER TABLE reservation_reservation ADD CONSTRAINT fk_reservation_reservation_channel_id_org_channel_7 FOREIGN KEY (channel_id) REFERENCES org_channel (id);

5112 ALTER TABLE reservation_reservation ADD CONSTRAINT fk_reservation_reservation_rate_plan_version_id_p_83281045 FOREIGN KEY (rate_plan_version_id) REFERENCES pricing_rate_plan_version (
id);

5113 ALTER TABLE reservation_reservation ADD CONSTRAINT fk_reservation_reservation_quote_id_pricing_quote_9 FOREIGN KEY (quote_id) REFERENCES pricing_quote (id);

5114 ALTER TABLE reservation_reservation ADD CONSTRAINT fk_reservation_reservation_corporate_agreement_id_f244d17d FOREIGN KEY (corporate_agreement_id) REFERENCES
corporate_corporate_agreement (id);

5115 ALTER TABLE reservation_reservation ADD CONSTRAINT fk_reservation_reservation_cost_center_id_corpora_b229e667 FOREIGN KEY (cost_center_id) REFERENCES corporate_corporate_cost_center (
id);

5116 ALTER TABLE reservation_reservation ADD CONSTRAINT fk_reservation_reservation_purchase_order_id_corp_bafb6cf8 FOREIGN KEY (purchase_order_id) REFERENCES corporate_purchase_order (id);

5117 ALTER TABLE reservation_reservation ADD CONSTRAINT fk_reservation_reservation_voucher_id_corporate_voucher_13 FOREIGN KEY (voucher_id) REFERENCES corporate_voucher (id);

5118 ALTER TABLE reservation_reservation_driver ADD CONSTRAINT fk_reservation_reservation_driver_reservation_id__9d862a68 FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id)
ON DELETE CASCADE;

5119 ALTER TABLE reservation_reservation_driver ADD CONSTRAINT fk_reservation_reservation_driver_driver_profile__aa9ab200 FOREIGN KEY (driver_profile_id) REFERENCES party_driver_profile (id)
;

5120 ALTER TABLE reservation_reservation_product ADD CONSTRAINT fk_reservation_reservation_product_reservation_id_ff90d098 FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (
id) ON DELETE CASCADE;

5121 ALTER TABLE reservation_reservation_product ADD CONSTRAINT fk_reservation_reservation_product_product_id_cat_ed1f54e4 FOREIGN KEY (product_id) REFERENCES catalog_commercial_product (id)
;

5122 ALTER TABLE reservation_reservation_price_line ADD CONSTRAINT fk_reservation_reservation_price_line_reservation_479bc52e FOREIGN KEY (reservation_id) REFERENCES reservation_reservation
(id) ON DELETE CASCADE;

5123 ALTER TABLE reservation_reservation_price_line ADD CONSTRAINT fk_reservation_reservation_price_line_quote_line__9bf598d0 FOREIGN KEY (quote_line_id) REFERENCES pricing_quote_line (id);
```

```
5124 ALTER TABLE reservation_reservation_price_line ADD CONSTRAINT fk_reservation_reservation_price_line_product_id_b3c5f731 FOREIGN KEY (product_id) REFERENCES catalog_commercial_product (id);

5125 ALTER TABLE reservation_reservation_price_line ADD CONSTRAINT fk_reservation_reservation_price_line_charge_type_a99c8203 FOREIGN KEY (charge_type_id) REFERENCES catalog_charge_type (id);

5126 ALTER TABLE reservation_reservation_price_line ADD CONSTRAINT fk_reservation_reservation_price_line_unit_code_c_80863c1a FOREIGN KEY (unit_code) REFERENCES catalog_unit_of_measure (unit_code);

5127 ALTER TABLE reservation_reservation_price_line ADD CONSTRAINT fk_reservation_reservation_price_line_rate_plan_v_51b707de FOREIGN KEY (rate_plan_version_id) REFERENCES pricing_rate_plan_version (id);

5128 ALTER TABLE reservation_reservation_status_history ADD CONSTRAINT fk_reservation_reservation_status_history_reserva_c9f5f2e5 FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id) ON DELETE CASCADE;

5129 ALTER TABLE reservation_reservation_change ADD CONSTRAINT fk_reservation_reservation_change_reservation_id_fa8da71c FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id);

5130 ALTER TABLE reservation_reservation_change ADD CONSTRAINT fk_reservation_reservation_change_requested_by_pa_f41ad951 FOREIGN KEY (requested_by_party_id) REFERENCES party_party (id);

5131 ALTER TABLE reservation_reservation_cancellation ADD CONSTRAINT fk_reservation_reservation_cancellation_reservati_7bd79379 FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id);

5132 ALTER TABLE reservation_reservation_cancellation ADD CONSTRAINT fk_reservation_reservation_cancellation_cancelled_b1cb1a2b FOREIGN KEY (cancelled_by_party_id) REFERENCES party_party (id);

5133 ALTER TABLE reservation_no_show_assessment ADD CONSTRAINT fk_reservation_no_show_assessment_reservation_id_c6406c62 FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id);

5134 ALTER TABLE reservation_reservation_guarantee ADD CONSTRAINT fk_reservation_reservation_guarantee_reservation__83e20f6e FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id) ON DELETE CASCADE;

5135 ALTER TABLE reservation_partner_booking ADD CONSTRAINT fk_reservation_partner_booking_reservation_id_res_0c525701 FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id) ON DELETE CASCADE;

5136 ALTER TABLE reservation_partner_booking ADD CONSTRAINT fk_reservation_partner_booking_partner_id_corpora_a50d252f FOREIGN KEY (partner_id) REFERENCES corporate_partner (id);

5137 ALTER TABLE reservation_partner_booking ADD CONSTRAINT fk_reservation_partner_booking_partner_agreement__7ffdcc6c FOREIGN KEY (partner_agreement_id) REFERENCES corporate_partner_agreement (id);
```

```
5138 ALTER TABLE reservation_digital_pickup_eligibility ADD CONSTRAINT fk_reservation_digital_pickup_eligibility_reserva_df67048b FOREIGN KEY (reservation_id) REFERENCES
      reservation_reservation (id);

5139 ALTER TABLE reservation_reservation_note ADD CONSTRAINT fk_reservation_reservation_note_reservation_id_re_b501e158 FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id)
      ON DELETE CASCADE;

5140 ALTER TABLE reservation_reservation_inventory_commitment ADD CONSTRAINT fk_reservation_reservation_inventory_commitment_r_c0963fa6 FOREIGN KEY (reservation_id) REFERENCES
      reservation_reservation (id) ON DELETE CASCADE;

5141 ALTER TABLE reservation_reservation_inventory_commitment ADD CONSTRAINT fk_reservation_reservation_inventory_commitment_a_95efb863 FOREIGN KEY (availability_hold_id) REFERENCES
      availability_availability_hold (id);

5142 ALTER TABLE reservation_reservation_inventory_commitment ADD CONSTRAINT fk_reservation_reservation_inventory_commitment_c_1062bc76 FOREIGN KEY (capacity_commitment_id) REFERENCES
      availability_capacity_commitment (id);

5143 ALTER TABLE rental_rental_contract ADD CONSTRAINT fk_rental_rental_contract_legal_entity_id_org_leg_4f830ed5 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5144 ALTER TABLE rental_rental_contract ADD CONSTRAINT fk_rental_rental_contract_reservation_id_reservat_46ce6596 FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id);

5145 ALTER TABLE rental_rental_contract ADD CONSTRAINT fk_rental_rental_contract_customer_account_id_par_1cd51e5d FOREIGN KEY (customer_account_id) REFERENCES party_customer_account (id);

5146 ALTER TABLE rental_rental_contract ADD CONSTRAINT fk_rental_rental_contract_origin_branch_id_org_branch_4 FOREIGN KEY (origin_branch_id) REFERENCES org_branch (id);

5147 ALTER TABLE rental_rental_contract ADD CONSTRAINT fk_rental_rental_contract_planned_return_branch_i_9a1d9ec0 FOREIGN KEY (planned_return_branch_id) REFERENCES org_branch (id);

5148 ALTER TABLE rental_rental_contract ADD CONSTRAINT fk_rental_rental_contract_actual_return_branch_id_5dfc8e3f FOREIGN KEY (actual_return_branch_id) REFERENCES org_branch (id);

5149 ALTER TABLE rental_rental_contract ADD CONSTRAINT fk_rental_rental_contract_mileage_package_id_pric_698e03a6 FOREIGN KEY (mileage_package_id) REFERENCES pricing_mileage_package (id);

5150 ALTER TABLE rental_rental_contract ADD CONSTRAINT fk_rental_rental_contract_created_channel_id_org_channel_8 FOREIGN KEY (created_channel_id) REFERENCES org_channel (id);

5151 ALTER TABLE rental_contract_revision ADD CONSTRAINT fk_rental_contract_revision_contract_id_rental_re_e6aed74c FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id) ON
      DELETE CASCADE;

5152 ALTER TABLE rental_contract_revision ADD CONSTRAINT fk_rental_contract_revision_previous_revision_id_62ea74ca FOREIGN KEY (previous_revision_id) REFERENCES rental_contract_revision (
      id);
```

```
5153 ALTER TABLE rental_contract_party_role ADD CONSTRAINT fk_rental_contract_party_role_contract_id_rental__2b7f26e9 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id) ON
DELETE CASCADE;

5154 ALTER TABLE rental_contract_party_role ADD CONSTRAINT fk_rental_contract_party_role_party_id_party_party_2 FOREIGN KEY (party_id) REFERENCES party_party (id);

5155 ALTER TABLE rental_contract_product ADD CONSTRAINT fk_rental_contract_product_contract_id_rental_ren_a060c4cb FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id) ON DELETE
CASCADE;

5156 ALTER TABLE rental_contract_product ADD CONSTRAINT fk_rental_contract_product_product_id_catalog_com_2ffbcdc7 FOREIGN KEY (product_id) REFERENCES catalog_commercial_product (id);

5157 ALTER TABLE rental_contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_contract_i_433b5c59 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (
id) ON DELETE CASCADE;

5158 ALTER TABLE rental_contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_contract_r_6924bde9 FOREIGN KEY (contract_revision_id) REFERENCES
rental_contract_revision (id) ON DELETE CASCADE;

5159 ALTER TABLE rental_contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_reservatio_b09118f3 FOREIGN KEY (reservation_price_line_id) REFERENCES
reservation_reservation_price_line (id);

5160 ALTER TABLE rental_contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_product_id_e5d449c8 FOREIGN KEY (product_id) REFERENCES catalog_commercial_product
(id);

5161 ALTER TABLE rental_contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_charge_typ_513bc08a FOREIGN KEY (charge_type_id) REFERENCES catalog_charge_type (
id);

5162 ALTER TABLE rental_contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_unit_code__a675b815 FOREIGN KEY (unit_code) REFERENCES catalog_unit_of_measure (
unit_code);

5163 ALTER TABLE rental_contract_price_snapshot_line ADD CONSTRAINT fk_rental_contract_price_snapshot_line_rate_plan__aa809a02 FOREIGN KEY (rate_plan_version_id) REFERENCES
pricing_rate_plan_version (id);

5164 ALTER TABLE rental_vehicle_assignment ADD CONSTRAINT fk_rental_vehicle_assignment_contract_id_rental_r_d95c1f9c FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id) ON
DELETE CASCADE;

5165 ALTER TABLE rental_vehicle_assignment ADD CONSTRAINT fk_rental_vehicle_assignment_calendar_entry_id_fl_76a81150 FOREIGN KEY (calendar_entry_id) REFERENCES fleet_vehicle_calendar_entry
(id);

5166 ALTER TABLE rental_vehicle_assignment ADD CONSTRAINT fk_rental_vehicle_assignment_vehicle_id_fleet_vehicle_3 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);
```

```
5167 ALTER TABLE rental_vehicle_assignment ADD CONSTRAINT fk_rental_vehicle_assignment_pickup_branch_id_org_branch_4 FOREIGN KEY (pickup_branch_id) REFERENCES org_branch (id);

5168 ALTER TABLE rental_vehicle_assignment ADD CONSTRAINT fk_rental_vehicle_assignment_planned_return_branc_8b855ab2 FOREIGN KEY (planned_return_branch_id) REFERENCES org_branch (id);

5169 ALTER TABLE rental_vehicle_assignment ADD CONSTRAINT fk_rental_vehicle_assignment_actual_return_branch_73d5a70a FOREIGN KEY (actual_return_branch_id) REFERENCES org_branch (id);

5170 ALTER TABLE rental_pickup_event ADD CONSTRAINT fk_rental_pickup_event_contract_id_rental_rental__195a99ee FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5171 ALTER TABLE rental_pickup_event ADD CONSTRAINT fk_rental_pickup_event_vehicle_assignment_id_rent_a7ee97f9 FOREIGN KEY (vehicle_assignment_id) REFERENCES rental_vehicle_assignment (id);

5172 ALTER TABLE rental_pickup_event ADD CONSTRAINT fk_rental_pickup_event_branch_id_org_branch_3 FOREIGN KEY (branch_id) REFERENCES org_branch (id);

5173 ALTER TABLE rental_pickup_event ADD CONSTRAINT fk_rental_pickup_event_odometer_reading_id_fleet__88210f28 FOREIGN KEY (odometer_reading_id) REFERENCES fleet_odometer_reading (id);

5174 ALTER TABLE rental_pickup_event ADD CONSTRAINT fk_rental_pickup_event_fuel_reading_id_fleet_fuel_f5e98d7f FOREIGN KEY (fuel_reading_id) REFERENCES fleet_fuel_reading (id);

5175 ALTER TABLE rental_pickup_event ADD CONSTRAINT fk_rental_pickup_event_inspection_id_inspection_i_69d49857 FOREIGN KEY (inspection_id) REFERENCES inspection_inspection (id);

5176 ALTER TABLE rental_return_event ADD CONSTRAINT fk_rental_return_event_contract_id_rental_rental__f6920ef5 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5177 ALTER TABLE rental_return_event ADD CONSTRAINT fk_rental_return_event_vehicle_assignment_id_rent_aa34499a FOREIGN KEY (vehicle_assignment_id) REFERENCES rental_vehicle_assignment (id);

5178 ALTER TABLE rental_return_event ADD CONSTRAINT fk_rental_return_event_branch_id_org_branch_3 FOREIGN KEY (branch_id) REFERENCES org_branch (id);

5179 ALTER TABLE rental_return_event ADD CONSTRAINT fk_rental_return_event_odometer_reading_id_fleet__eea06bd9 FOREIGN KEY (odometer_reading_id) REFERENCES fleet_odometer_reading (id);

5180 ALTER TABLE rental_return_event ADD CONSTRAINT fk_rental_return_event_fuel_reading_id_fleet_fuel_8845a500 FOREIGN KEY (fuel_reading_id) REFERENCES fleet_fuel_reading (id);

5181 ALTER TABLE rental_return_event ADD CONSTRAINT fk_rental_return_event_inspection_id_inspection_i_8a62d08c FOREIGN KEY (inspection_id) REFERENCES inspection_inspection (id);

5182 ALTER TABLE rental_extension ADD CONSTRAINT fk_rental_extension_contract_id_rental_rental_contract_1 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5183 ALTER TABLE rental_extension ADD CONSTRAINT fk_rental_extension_requested_by_party_id_party_party_2 FOREIGN KEY (requested_by_party_id) REFERENCES party_party (id);

5184 ALTER TABLE rental_vehicle_replacement ADD CONSTRAINT fk_rental_vehicle_replacement_contract_id_rental__d46cc399 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);
```

```
5185 ALTER TABLE rental_vehicle_replacement ADD CONSTRAINT fk_rental_vehicle_replacement_previous_assignment_4212fc10 FOREIGN KEY (previous_assignment_id) REFERENCES
    rental_vehicle_assignment (id);

5186 ALTER TABLE rental_vehicle_replacement ADD CONSTRAINT fk_rental_vehicle_replacement_new_assignment_id_r_cc143ecc FOREIGN KEY (new_assignment_id) REFERENCES rental_vehicle_assignment (
    id);

5187 ALTER TABLE rental_contract_status_history ADD CONSTRAINT fk_rental_contract_status_history_contract_id_ren_b7d30ae2 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id) ON
    DELETE CASCADE;

5188 ALTER TABLE rental_contract_terms_acceptance ADD CONSTRAINT fk_rental_contract_terms_acceptance_contract_id_r_e1bd3927 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5189 ALTER TABLE rental_contract_terms_acceptance ADD CONSTRAINT fk_rental_contract_terms_acceptance_contract_revi_38c909b2 FOREIGN KEY (contract_revision_id) REFERENCES
    rental_contract_revision (id);

5190 ALTER TABLE rental_contract_terms_acceptance ADD CONSTRAINT fk_rental_contract_terms_acceptance_party_id_party_party_3 FOREIGN KEY (party_id) REFERENCES party_party (id);

5191 ALTER TABLE rental_contract_terms_acceptance ADD CONSTRAINT fk_rental_contract_terms_acceptance_channel_id_or_c4886e88 FOREIGN KEY (channel_id) REFERENCES org_channel (id);

5192 ALTER TABLE rental_contract_document ADD CONSTRAINT fk_rental_contract_document_contract_id_rental_re_43cb1a1a FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5193 ALTER TABLE rental_contract_document ADD CONSTRAINT fk_rental_contract_document_contract_revision_id__028a9a2f FOREIGN KEY (contract_revision_id) REFERENCES rental_contract_revision (
    id);

5194 ALTER TABLE rental_digital_pickup_session ADD CONSTRAINT fk_rental_digital_pickup_session_contract_id_rent_6042c3a6 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5195 ALTER TABLE rental_digital_pickup_session ADD CONSTRAINT fk_rental_digital_pickup_session_reservation_id_r_62d0440f FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id);

5196 ALTER TABLE rental_digital_pickup_session ADD CONSTRAINT fk_rental_digital_pickup_session_party_id_party_party_3 FOREIGN KEY (party_id) REFERENCES party_party (id);

5197 ALTER TABLE rental_vehicle_access_credential ADD CONSTRAINT fk_rental_vehicle_access_credential_digital_picku_46f920a7 FOREIGN KEY (digital_pickup_session_id) REFERENCES
    rental_digital_pickup_session (id) ON DELETE CASCADE;

5198 ALTER TABLE rental_vehicle_access_credential ADD CONSTRAINT fk_rental_vehicle_access_credential_vehicle_id_fl_99bba7ba FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5199 ALTER TABLE rental_vehicle_access_command ADD CONSTRAINT fk_rental_vehicle_access_command_contract_id_rent_c6361125 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);
```

```
5200 ALTER TABLE rental_vehicle_access_command ADD CONSTRAINT fk_rental_vehicle_access_command_vehicle_id_fleet_d6fb9a73 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5201 ALTER TABLE rental_overdue_case ADD CONSTRAINT fk_rental_overdue_case_contract_id_rental_rental__ae4039d0 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5202 ALTER TABLE rental_contract_reprocessing ADD CONSTRAINT fk_rental_contract_reprocessing_contract_id_renta_9b6f3d24 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5203 ALTER TABLE inspection_inspection_template_item ADD CONSTRAINT fk_inspection_inspection_template_item_inspection_4789f1b9 FOREIGN KEY (inspection_template_id) REFERENCES
inspection_inspection_template (id) ON DELETE CASCADE;

5204 ALTER TABLE inspection_inspection ADD CONSTRAINT fk_inspection_inspection_inspection_template_id_i_172a4ce8 FOREIGN KEY (inspection_template_id) REFERENCES
inspection_inspection_template (id);

5205 ALTER TABLE inspection_inspection ADD CONSTRAINT fk_inspection_inspection_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5206 ALTER TABLE inspection_inspection ADD CONSTRAINT fk_inspection_inspection_contract_id_rental_renta_0b054e85 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5207 ALTER TABLE inspection_inspection ADD CONSTRAINT fk_inspection_inspection_vehicle_assignment_id_re_7bace524 FOREIGN KEY (vehicle_assignment_id) REFERENCES rental_vehicle_assignment (id)
;

5208 ALTER TABLE inspection_inspection ADD CONSTRAINT fk_inspection_inspection_branch_id_org_branch_5 FOREIGN KEY (branch_id) REFERENCES org_branch (id);

5209 ALTER TABLE inspection_inspection_item_result ADD CONSTRAINT fk_inspection_inspection_item_result_inspection_i_df07a250 FOREIGN KEY (inspection_id) REFERENCES inspection_inspection (id)
ON DELETE CASCADE;

5210 ALTER TABLE inspection_inspection_item_result ADD CONSTRAINT fk_inspection_inspection_item_result_template_ite_30e0aa67 FOREIGN KEY (template_item_id) REFERENCES
inspection_inspection_template_item (id);

5211 ALTER TABLE inspection_inspection_media ADD CONSTRAINT fk_inspection_inspection_media_inspection_id_insp_4f1df40c FOREIGN KEY (inspection_id) REFERENCES inspection_inspection (id) ON
DELETE CASCADE;

5212 ALTER TABLE inspection_inspection_media ADD CONSTRAINT fk_inspection_inspection_media_template_item_id_i_383e7e81 FOREIGN KEY (template_item_id) REFERENCES
inspection_inspection_template_item (id);

5213 ALTER TABLE inspection_damage_record ADD CONSTRAINT fk_inspection_damage_record_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5214 ALTER TABLE inspection_damage_observation ADD CONSTRAINT fk_inspection_damage_observation_damage_record_id_35f8b591 FOREIGN KEY (damage_record_id) REFERENCES inspection_damage_record (
id);
```

```
5215 ALTER TABLE inspection_damage_observation ADD CONSTRAINT fk_inspection_damage_observation_inspection_id_in_b73d6c3e FOREIGN KEY (inspection_id) REFERENCES inspection_inspection (id);

5216 ALTER TABLE inspection_damage_observation ADD CONSTRAINT fk_inspection_damage_observation_media_id_inspect_1467b661 FOREIGN KEY (media_id) REFERENCES inspection_inspection_media (id);

5217 ALTER TABLE inspection_damage_attribution ADD CONSTRAINT fk_inspection_damage_attribution_damage_record_id_d0058bd5 FOREIGN KEY (damage_record_id) REFERENCES inspection_damage_record (id);

5218 ALTER TABLE inspection_damage_attribution ADD CONSTRAINT fk_inspection_damage_attribution_contract_id_rent_1385d531 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5219 ALTER TABLE inspection_damage_attribution ADD CONSTRAINT fk_inspection_damage_attribution_incident_id_clai_51e7cae7 FOREIGN KEY (incident_id) REFERENCES claim_incident (id);

5220 ALTER TABLE inspection_damage_attribution ADD CONSTRAINT fk_inspection_damage_attribution_responsible_part_e94686dd FOREIGN KEY (responsible_party_id) REFERENCES party_party (id);

5221 ALTER TABLE inspection_damage_assessment ADD CONSTRAINT fk_inspection_damage_assessment_damage_record_id__74e2d0dd FOREIGN KEY (damage_record_id) REFERENCES inspection_damage_record (id);

5222 ALTER TABLE inspection_damage_assessment ADD CONSTRAINT fk_inspection_damage_assessment_contract_id_renta_b985876a FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5223 ALTER TABLE inspection_damage_assessment ADD CONSTRAINT fk_inspection_damage_assessment_assessor_party_id_12b10a8c FOREIGN KEY (assessor_party_id) REFERENCES party_party (id);

5224 ALTER TABLE inspection_fuel_assessment ADD CONSTRAINT fk_inspection_fuel_assessment_inspection_id_inspe_07b8dc0b FOREIGN KEY (inspection_id) REFERENCES inspection_inspection (id);

5225 ALTER TABLE inspection_fuel_assessment ADD CONSTRAINT fk_inspection_fuel_assessment_contract_id_rental__c914b49c FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5226 ALTER TABLE inspection_fuel_assessment ADD CONSTRAINT fk_inspection_fuel_assessment_fuel_price_id_prici_004ccc7b FOREIGN KEY (fuel_price_id) REFERENCES pricing_fuel_price (id);

5227 ALTER TABLE inspection_cleaning_assessment ADD CONSTRAINT fk_inspection_cleaning_assessment_inspection_id_i_e93b9ede FOREIGN KEY (inspection_id) REFERENCES inspection_inspection (id);

5228 ALTER TABLE inspection_cleaning_assessment ADD CONSTRAINT fk_inspection_cleaning_assessment_contract_id_ren_fa85d3a9 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5229 ALTER TABLE inspection_lost_found_item ADD CONSTRAINT fk_inspection_lost_found_item_inspection_id_inspe_b4209e8c FOREIGN KEY (inspection_id) REFERENCES inspection_inspection (id);

5230 ALTER TABLE inspection_lost_found_item ADD CONSTRAINT fk_inspection_lost_found_item_contract_id_rental__80aee175 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5231 ALTER TABLE inspection_lost_found_item ADD CONSTRAINT fk_inspection_lost_found_item_released_to_party_i_c84510ac FOREIGN KEY (released_to_party_id) REFERENCES party_party (id);
```



```
5232 ALTER TABLE billing_payment_method_token ADD CONSTRAINT fk_billing_payment_method_token_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id);

5233 ALTER TABLE billing_payment_method_token ADD CONSTRAINT fk_billing_payment_method_token_billing_address_i_fce0e31e FOREIGN KEY (billing_address_id) REFERENCES party_postal_address (id);

5234 ALTER TABLE billing_charge ADD CONSTRAINT fk_billing_charge_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5235 ALTER TABLE billing_charge ADD CONSTRAINT fk_billing_charge_contract_id_rental_rental_contract_2 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5236 ALTER TABLE billing_charge ADD CONSTRAINT fk_billing_charge_reservation_id_reservation_reservation_3 FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id);

5237 ALTER TABLE billing_charge ADD CONSTRAINT fk_billing_charge_charge_type_id_catalog_charge_type_4 FOREIGN KEY (charge_type_id) REFERENCES catalog_charge_type (id);

5238 ALTER TABLE billing_charge ADD CONSTRAINT fk_billing_charge_unit_code_catalog_unit_of_measure_5 FOREIGN KEY (unit_code) REFERENCES catalog_unit_of_measure (unit_code);

5239 ALTER TABLE billing_charge ADD CONSTRAINT fk_billing_charge_rate_plan_version_id_pricing_ra_9152308f FOREIGN KEY (rate_plan_version_id) REFERENCES pricing_rate_plan_version (id);

5240 ALTER TABLE billing_charge ADD CONSTRAINT fk_billing_charge_reversal_of_charge_id_billing_charge_7 FOREIGN KEY (reversal_of_charge_id) REFERENCES billing_charge (id);

5241 ALTER TABLE billing_invoice ADD CONSTRAINT fk_billing_invoice_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5242 ALTER TABLE billing_invoice ADD CONSTRAINT fk_billing_invoice_customer_account_id_party_cust_c255ffac FOREIGN KEY (customer_account_id) REFERENCES party_customer_account (id);

5243 ALTER TABLE billing_invoice ADD CONSTRAINT fk_billing_invoice_billing_party_id_party_party_3 FOREIGN KEY (billing_party_id) REFERENCES party_party (id);

5244 ALTER TABLE billing_invoice ADD CONSTRAINT fk_billing_invoice_contract_id_rental_rental_contract_4 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5245 ALTER TABLE billing_invoice ADD CONSTRAINT fk_billing_invoice_corporate_agreement_id_corpora_51f3c93f FOREIGN KEY (corporate_agreement_id) REFERENCES corporate_corporate_agreement (id);

5246 ALTER TABLE billing_invoice ADD CONSTRAINT fk_billing_invoice_supersedes_invoice_id_billing_invoice_6 FOREIGN KEY (supersedes_invoice_id) REFERENCES billing_invoice (id);

5247 ALTER TABLE billing_invoice_line ADD CONSTRAINT fk_billing_invoice_line_invoice_id_billing_invoice_1 FOREIGN KEY (invoice_id) REFERENCES billing_invoice (id) ON DELETE CASCADE;

5248 ALTER TABLE billing_invoice_line ADD CONSTRAINT fk_billing_invoice_line_charge_id_billing_charge_2 FOREIGN KEY (charge_id) REFERENCES billing_charge (id);
```

```
5249 ALTER TABLE billing_receivable ADD CONSTRAINT fk_billing_receivable_invoice_id_billing_invoice_1 FOREIGN KEY (invoice_id) REFERENCES billing_invoice (id);

5250 ALTER TABLE billing_payment_intent ADD CONSTRAINT fk_billing_payment_intent_legal_entity_id_org_leg_84e570ef FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5251 ALTER TABLE billing_payment_intent ADD CONSTRAINT fk_billing_payment_intent_party_id_party_party_2 FOREIGN KEY (party_id) REFERENCES party_party (id);

5252 ALTER TABLE billing_payment_intent ADD CONSTRAINT fk_billing_payment_intent_contract_id_rental_rent_94de4098 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5253 ALTER TABLE billing_payment_intent ADD CONSTRAINT fk_billing_payment_intent_reservation_id_reservat_ed029fdc FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id);

5254 ALTER TABLE billing_payment_intent ADD CONSTRAINT fk_billing_payment_intent_receivable_id_billing_r_96e121cd FOREIGN KEY (receivable_id) REFERENCES billing_receivable (id);

5255 ALTER TABLE billing_payment_intent ADD CONSTRAINT fk_billing_payment_intent_payment_method_token_id_49b5bb17 FOREIGN KEY (payment_method_token_id) REFERENCES
    billing_payment_method_token (id);

5256 ALTER TABLE billing_payment_transaction ADD CONSTRAINT fk_billing_payment_transaction_payment_intent_id_549db615 FOREIGN KEY (payment_intent_id) REFERENCES billing_payment_intent (id);

5257 ALTER TABLE billing_payment_allocation ADD CONSTRAINT fk_billing_payment_allocation_payment_transaction_e966b684 FOREIGN KEY (payment_transaction_id) REFERENCES
    billing_payment_transaction (id);

5258 ALTER TABLE billing_payment_allocation ADD CONSTRAINT fk_billing_payment_allocation_receivable_id_bill_i_424b9336 FOREIGN KEY (receivable_id) REFERENCES billing_receivable (id);

5259 ALTER TABLE billing_payment_allocation ADD CONSTRAINT fk_billing_payment_allocation_reversal_of_allocat_ccb7ea16 FOREIGN KEY (reversal_of_allocation_id) REFERENCES
    billing_payment_allocation (id);

5260 ALTER TABLE billing_preauthorization ADD CONSTRAINT fk_billing_preauthorization_payment_method_token__f4b79f0d FOREIGN KEY (payment_method_token_id) REFERENCES
    billing_payment_method_token (id);

5261 ALTER TABLE billing_preauthorization ADD CONSTRAINT fk_billing_preauthorization_reservation_id_reserv_dfa5eef9 FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id);

5262 ALTER TABLE billing_preauthorization ADD CONSTRAINT fk_billing_preauthorization_contract_id_rental_re_b9dbdc6b FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5263 ALTER TABLE billing_refund ADD CONSTRAINT fk_billing_refund_payment_transaction_id_billing__ab3a86a0 FOREIGN KEY (payment_transaction_id) REFERENCES billing_payment_transaction (id);

5264 ALTER TABLE billing_refund ADD CONSTRAINT fk_billing_refund_refund_transaction_id_billing_p_fed5ce2f FOREIGN KEY (refund_transaction_id) REFERENCES billing_payment_transaction (id);
```

```
5265 ALTER TABLE billing_credit_note ADD CONSTRAINT fk_billing_credit_note_invoice_id_billing_invoice_1 FOREIGN KEY (invoice_id) REFERENCES billing_invoice (id);

5266 ALTER TABLE billing_credit_note ADD CONSTRAINT fk_billing_credit_note_tax_document_id_billing_ta_e623e1ff FOREIGN KEY (tax_document_id) REFERENCES billing_tax_document (id);

5267 ALTER TABLE billing_chargedback ADD CONSTRAINT fk_billing_chargedback_payment_transaction_id_bill_617288cb FOREIGN KEY (payment_transaction_id) REFERENCES billing_payment_transaction (id)
;

5268 ALTER TABLE billing_tax_document ADD CONSTRAINT fk_billing_tax_document_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5269 ALTER TABLE billing_tax_document ADD CONSTRAINT fk_billing_tax_document_invoice_id_billing_invoice_2 FOREIGN KEY (invoice_id) REFERENCES billing_invoice (id);

5270 ALTER TABLE billing_dunning_case ADD CONSTRAINT fk_billing_dunning_case_customer_account_id_party_1ee48f6c FOREIGN KEY (customer_account_id) REFERENCES party_customer_account (id);

5271 ALTER TABLE billing_dunning_case ADD CONSTRAINT fk_billing_dunning_case_receivable_id_billing_receivable_2 FOREIGN KEY (receivable_id) REFERENCES billing_receivable (id);

5272 ALTER TABLE billing_collection_action ADD CONSTRAINT fk_billing_collection_action_dunning_case_id_bill_29a97fd7 FOREIGN KEY (dunning_case_id) REFERENCES billing_dunning_case (id) ON
DELETE CASCADE;

5273 ALTER TABLE billing_settlement_item ADD CONSTRAINT fk_billing_settlement_item_settlement_batch_id_bi_8acdd183 FOREIGN KEY (settlement_batch_id) REFERENCES billing_settlement_batch (id)
ON DELETE CASCADE;

5274 ALTER TABLE billing_settlement_item ADD CONSTRAINT fk_billing_settlement_item_payment_transaction_id_179e8096 FOREIGN KEY (payment_transaction_id) REFERENCES
billing_payment_transaction (id);

5275 ALTER TABLE billing_reconciliation_issue ADD CONSTRAINT fk_billing_reconciliation_issue_settlement_item_i_89e1c65e FOREIGN KEY (settlement_item_id) REFERENCES billing_settlement_item (
id);

5276 ALTER TABLE billing_accounting_export ADD CONSTRAINT fk_billing_accounting_export_legal_entity_id_org__8aef407b FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5277 ALTER TABLE traffic_traffic_notice ADD CONSTRAINT fk_traffic_traffic_notice_import_batch_id_traffic_a726f841 FOREIGN KEY (import_batch_id) REFERENCES traffic_provider_import_batch (id);

5278 ALTER TABLE traffic_traffic_notice ADD CONSTRAINT fk_traffic_traffic_notice_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5279 ALTER TABLE traffic_traffic_attribution ADD CONSTRAINT fk_traffic_traffic_attribution_traffic_notice_id__782e6e40 FOREIGN KEY (traffic_notice_id) REFERENCES traffic_traffic_notice (id);
```

```
5280 ALTER TABLE traffic_traffic_attribution ADD CONSTRAINT fk_traffic_traffic_attribution_contract_id_rental_bebc0978 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5281 ALTER TABLE traffic_traffic_attribution ADD CONSTRAINT fk_traffic_traffic_attribution_vehicle_assignment_8896b457 FOREIGN KEY (vehicle_assignment_id) REFERENCES
rental_vehicle_assignment (id);

5282 ALTER TABLE traffic_traffic_attribution ADD CONSTRAINT fk_traffic_traffic_attribution_driver_profile_id_9fd23c6a FOREIGN KEY (driver_profile_id) REFERENCES party_driver_profile (id);

5283 ALTER TABLE traffic_driver_nomination ADD CONSTRAINT fk_traffic_driver_nomination_traffic_notice_id_tr_c246b814 FOREIGN KEY (traffic_notice_id) REFERENCES traffic_traffic_notice (id);

5284 ALTER TABLE traffic_driver_nomination ADD CONSTRAINT fk_traffic_driver_nomination_driver_profile_id_pa_8c032902 FOREIGN KEY (driver_profile_id) REFERENCES party_driver_profile (id);

5285 ALTER TABLE traffic_traffic_appeal ADD CONSTRAINT fk_traffic_traffic_appeal_traffic_notice_id_traff_95bfe0ab FOREIGN KEY (traffic_notice_id) REFERENCES traffic_traffic_notice (id);

5286 ALTER TABLE traffic_toll_tag ADD CONSTRAINT fk_traffic_toll_tag_owning_legal_entity_id_org_le_3e9b62ec FOREIGN KEY (owning_legal_entity_id) REFERENCES org_legal_entity (id);

5287 ALTER TABLE traffic_toll_tag_assignment ADD CONSTRAINT fk_traffic_toll_tag_assignment_toll_tag_id_traffi_a47fea74 FOREIGN KEY (toll_tag_id) REFERENCES traffic_toll_tag (id);

5288 ALTER TABLE traffic_toll_tag_assignment ADD CONSTRAINT fk_traffic_toll_tag_assignment_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5289 ALTER TABLE traffic_toll_transaction ADD CONSTRAINT fk_traffic_toll_transaction_import_batch_id_traff_a8f71b6b FOREIGN KEY (import_batch_id) REFERENCES traffic_provider_import_batch (
id);

5290 ALTER TABLE traffic_toll_transaction ADD CONSTRAINT fk_traffic_toll_transaction_toll_tag_id_traffic_toll_tag_2 FOREIGN KEY (toll_tag_id) REFERENCES traffic_toll_tag (id);

5291 ALTER TABLE traffic_toll_transaction ADD CONSTRAINT fk_traffic_toll_transaction_vehicle_id_fleet_vehicle_3 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5292 ALTER TABLE traffic_toll_transaction ADD CONSTRAINT fk_traffic_toll_transaction_contract_id_rental_re_3e506932 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5293 ALTER TABLE traffic_parking_transaction ADD CONSTRAINT fk_traffic_parking_transaction_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5294 ALTER TABLE traffic_parking_transaction ADD CONSTRAINT fk_traffic_parking_transaction_contract_id_rental_394386e9 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5295 ALTER TABLE traffic_traffic_charge_link ADD CONSTRAINT fk_traffic_traffic_charge_link_traffic_notice_id_fe7dacda FOREIGN KEY (traffic_notice_id) REFERENCES traffic_traffic_notice (id);

5296 ALTER TABLE traffic_traffic_charge_link ADD CONSTRAINT fk_traffic_traffic_charge_link_toll_transaction_i_fa1b5a73 FOREIGN KEY (toll_transaction_id) REFERENCES traffic_toll_transaction
(id);
```

```
5297 ALTER TABLE traffic_traffic_charge_link ADD CONSTRAINT fk_traffic_traffic_charge_link_parking_transactio_53fd31f9 FOREIGN KEY (parking_transaction_id) REFERENCES
    traffic_parking_transaction (id);

5298 ALTER TABLE traffic_traffic_charge_link ADD CONSTRAINT fk_traffic_traffic_charge_link_charge_id_billing_charge_4 FOREIGN KEY (charge_id) REFERENCES billing_charge (id);

5299 ALTER TABLE claim_insurance_policy ADD CONSTRAINT fk_claim_insurance_policy_legal_entity_id_org_leg_b729ad96 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5300 ALTER TABLE claim_insurance_policy ADD CONSTRAINT fk_claim_insurance_policy_insurer_party_id_party__e07c11cb FOREIGN KEY (insurer_party_id) REFERENCES party_organization (party_id);

5301 ALTER TABLE claim_policy_coverage ADD CONSTRAINT fk_claim_policy_coverage_insurance_policy_id_clai_f2a0e554 FOREIGN KEY (insurance_policy_id) REFERENCES claim_insurance_policy (id) ON
    DELETE CASCADE;

5302 ALTER TABLE claim_policy_coverage ADD CONSTRAINT fk_claim_policy_coverage_coverage_id_catalog_coverage_2 FOREIGN KEY (coverage_id) REFERENCES catalog_coverage (id);

5303 ALTER TABLE claim_incident ADD CONSTRAINT fk_claim_incident_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5304 ALTER TABLE claim_incident ADD CONSTRAINT fk_claim_incident_contract_id_rental_rental_contract_2 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5305 ALTER TABLE claim_incident_party ADD CONSTRAINT fk_claim_incident_party_incident_id_claim_incident_1 FOREIGN KEY (incident_id) REFERENCES claim_incident (id) ON DELETE CASCADE;

5306 ALTER TABLE claim_incident_party ADD CONSTRAINT fk_claim_incident_party_party_id_party_party_2 FOREIGN KEY (party_id) REFERENCES party_party (id);

5307 ALTER TABLE claim_incident_vehicle ADD CONSTRAINT fk_claim_incident_vehicle_incident_id_claim_incident_1 FOREIGN KEY (incident_id) REFERENCES claim_incident (id) ON DELETE CASCADE;

5308 ALTER TABLE claim_incident_vehicle ADD CONSTRAINT fk_claim_incident_vehicle_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5309 ALTER TABLE claim_incident_document ADD CONSTRAINT fk_claim_incident_document_incident_id_claim_incident_1 FOREIGN KEY (incident_id) REFERENCES claim_incident (id) ON DELETE CASCADE;

5310 ALTER TABLE claim_claim ADD CONSTRAINT fk_claim_claim_incident_id_claim_incident_1 FOREIGN KEY (incident_id) REFERENCES claim_incident (id);

5311 ALTER TABLE claim_claim ADD CONSTRAINT fk_claim_claim_insurance_policy_id_claim_insuranc_4c9269f4 FOREIGN KEY (insurance_policy_id) REFERENCES claim_insurance_policy (id);

5312 ALTER TABLE claim_claim ADD CONSTRAINT fk_claim_claim_contract_id_rental_rental_contract_3 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5313 ALTER TABLE claim_claim_coverage_decision ADD CONSTRAINT fk_claim_claim_coverage_decision_claim_id_claim_claim_1 FOREIGN KEY (claim_id) REFERENCES claim_claim (id) ON DELETE CASCADE;
```

```
5314 ALTER TABLE claim_claim_coverage_decision ADD CONSTRAINT fk_claim_claim_coverage_decision_coverage_id_cata_70121be9 FOREIGN KEY (coverage_id) REFERENCES catalog_coverage (id);

5315 ALTER TABLE claim_claim_cost ADD CONSTRAINT fk_claim_claim_cost_claim_id_claim_claim_1 FOREIGN KEY (claim_id) REFERENCES claim_claim (id) ON DELETE CASCADE;

5316 ALTER TABLE claim_claim_cost ADD CONSTRAINT fk_claim_claim_cost_supplier_party_id_party_organization_2 FOREIGN KEY (supplier_party_id) REFERENCES party_organization (party_id);

5317 ALTER TABLE claim_third_party_claim ADD CONSTRAINT fk_claim_third_party_claim_claim_id_claim_claim_1 FOREIGN KEY (claim_id) REFERENCES claim_claim (id);

5318 ALTER TABLE claim_third_party_claim ADD CONSTRAINT fk_claim_third_party_claim_third_party_id_party_party_2 FOREIGN KEY (third_party_id) REFERENCES party_party (id);

5319 ALTER TABLE claim_recovery_case ADD CONSTRAINT fk_claim_recovery_case_claim_id_claim_claim_1 FOREIGN KEY (claim_id) REFERENCES claim_claim (id);

5320 ALTER TABLE claim_recovery_case ADD CONSTRAINT fk_claim_recovery_case_responsible_party_id_party_party_2 FOREIGN KEY (responsible_party_id) REFERENCES party_party (id);

5321 ALTER TABLE claim_roadside_assistance_case ADD CONSTRAINT fk_claim_roadside_assistance_case_incident_id_cla_b8bf19f7 FOREIGN KEY (incident_id) REFERENCES claim_incident (id);

5322 ALTER TABLE claim_roadside_assistance_case ADD CONSTRAINT fk_claim_roadside_assistance_case_contract_id_ren_391d5ed1 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5323 ALTER TABLE claim_roadside_assistance_case ADD CONSTRAINT fk_claim_roadside_assistance_case_vehicle_id_flee_ccc0f0dd FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5324 ALTER TABLE claim_roadside_assistance_case ADD CONSTRAINT fk_claim_roadside_assistance_case_provider_party__8ec2f39c FOREIGN KEY (provider_party_id) REFERENCES party_organization (
    party_id);

5325 ALTER TABLE maintenance_maintenance_plan ADD CONSTRAINT fk_maintenance_maintenance_plan_vehicle_variant_i_47d12681 FOREIGN KEY (vehicle_variant_id) REFERENCES catalog_vehicle_variant (
    id);

5326 ALTER TABLE maintenance_maintenance_rule ADD CONSTRAINT fk_maintenance_maintenance_rule_maintenance_plan__24974bfd FOREIGN KEY (maintenance_plan_id) REFERENCES
    maintenance_maintenance_plan (id) ON DELETE CASCADE;

5327 ALTER TABLE maintenance_maintenance_due ADD CONSTRAINT fk_maintenance_maintenance_due_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5328 ALTER TABLE maintenance_maintenance_due ADD CONSTRAINT fk_maintenance_maintenance_due_maintenance_rule_i_b6eb59c7 FOREIGN KEY (maintenance_rule_id) REFERENCES
    maintenance_maintenance_rule (id);

5329 ALTER TABLE maintenance_maintenance_due ADD CONSTRAINT fk_maintenance_maintenance_due_service_order_id_m_e2bdd15e FOREIGN KEY (service_order_id) REFERENCES maintenance_service_order (
    id);
```

```
5330 ALTER TABLE maintenance_vendor ADD CONSTRAINT fk_maintenance_vendor_party_id_party_organization_1 FOREIGN KEY (party_id) REFERENCES party_organization (party_id);

5331 ALTER TABLE maintenance_workshop ADD CONSTRAINT fk_maintenance_workshop_vendor_id_maintenance_vendor_1 FOREIGN KEY (vendor_id) REFERENCES maintenance_vendor (id);

5332 ALTER TABLE maintenance_workshop ADD CONSTRAINT fk_maintenance_workshop_branch_id_org_branch_2 FOREIGN KEY (branch_id) REFERENCES org_branch (id);

5333 ALTER TABLE maintenance_workshop ADD CONSTRAINT fk_maintenance_workshop_address_id_party_postal_address_3 FOREIGN KEY (address_id) REFERENCES party_postal_address (id);

5334 ALTER TABLE maintenance_service_order ADD CONSTRAINT fk_maintenance_service_order_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5335 ALTER TABLE maintenance_service_order ADD CONSTRAINT fk_maintenance_service_order_workshop_id_maintena_9e44837d FOREIGN KEY (workshop_id) REFERENCES maintenance_workshop (id);

5336 ALTER TABLE maintenance_service_order ADD CONSTRAINT fk_maintenance_service_order_calendar_entry_id_fl_636430da FOREIGN KEY (calendar_entry_id) REFERENCES fleet_vehicle_calendar_entry (id);

5337 ALTER TABLE maintenance_service_order_item ADD CONSTRAINT fk_maintenance_service_order_item_service_order_i_e353e5ea FOREIGN KEY (service_order_id) REFERENCES maintenance_service_order (id) ON DELETE CASCADE;

5338 ALTER TABLE maintenance_part ADD CONSTRAINT fk_maintenance_part_unit_code_catalog_unit_of_measure_1 FOREIGN KEY (unit_code) REFERENCES catalog_unit_of_measure (unit_code);

5339 ALTER TABLE maintenance_service_order_part ADD CONSTRAINT fk_maintenance_service_order_part_service_order_i_f2949983 FOREIGN KEY (service_order_item_id) REFERENCES maintenance_service_order_item (id) ON DELETE CASCADE;

5340 ALTER TABLE maintenance_service_order_part ADD CONSTRAINT fk_maintenance_service_order_part_part_id_mainten_d32bf07d FOREIGN KEY (part_id) REFERENCES maintenance_part (id);

5341 ALTER TABLE maintenance_vehicle_recall ADD CONSTRAINT fk_maintenance_vehicle_recall_recall_campaign_id__add3886a FOREIGN KEY (recall_campaign_id) REFERENCES maintenance_recall_campaign (id);

5342 ALTER TABLE maintenance_vehicle_recall ADD CONSTRAINT fk_maintenance_vehicle_recall_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5343 ALTER TABLE maintenance_vehicle_recall ADD CONSTRAINT fk_maintenance_vehicle_recall_service_order_id_ma_61066ba2 FOREIGN KEY (service_order_id) REFERENCES maintenance_service_order (id);

5344 ALTER TABLE maintenance_tire_assignment ADD CONSTRAINT fk_maintenance_tire_assignment_tire_id_maintenance_tire_1 FOREIGN KEY (tire_id) REFERENCES maintenance_tire (id);

5345 ALTER TABLE maintenance_tire_assignment ADD CONSTRAINT fk_maintenance_tire_assignment_vehicle_id_fleet_vehicle_2 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);
```

```
5346 ALTER TABLE maintenance_downtime ADD CONSTRAINT fk_maintenance_downtime_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5347 ALTER TABLE maintenance_downtime ADD CONSTRAINT fk_maintenance_downtime_service_order_id_maintena_89dc7a01 FOREIGN KEY (service_order_id) REFERENCES maintenance_service_order (id);

5348 ALTER TABLE maintenance_downtime ADD CONSTRAINT fk_maintenance_downtime_calendar_entry_id_fleet_v_dd9edc03 FOREIGN KEY (calendar_entry_id) REFERENCES fleet_vehicle_calendar_entry (id);

5349 ALTER TABLE telematics_device ADD CONSTRAINT fk_telematics_device_provider_id_telematics_provider_1 FOREIGN KEY (provider_id) REFERENCES telematics_provider (id);

5350 ALTER TABLE telematics_vehicle_device_assignment ADD CONSTRAINT fk_telematics_vehicle_device_assignment_device_id_ce15a595 FOREIGN KEY (device_id) REFERENCES telematics_device (id);

5351 ALTER TABLE telematics_vehicle_device_assignment ADD CONSTRAINT fk_telematics_vehicle_device_assignment_vehicle_i_306d67ea FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5352 ALTER TABLE telematics_device_health_event ADD CONSTRAINT fk_telematics_device_health_event_device_id_telem_8e6cc4aa FOREIGN KEY (device_id) REFERENCES telematics_device (id);

5353 ALTER TABLE telematics_telemetry_event_index ADD CONSTRAINT fk_telematics_telemetry_event_index_device_id_tel_3df1e8c3 FOREIGN KEY (device_id) REFERENCES telematics_device (id);

5354 ALTER TABLE telematics_telemetry_event_index ADD CONSTRAINT fk_telematics_telemetry_event_index_vehicle_id_fl_e10ed6b1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5355 ALTER TABLE telematics_trip_summary ADD CONSTRAINT fk_telematics_trip_summary_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5356 ALTER TABLE telematics_trip_summary ADD CONSTRAINT fk_telematics_trip_summary_device_id_telematics_device_2 FOREIGN KEY (device_id) REFERENCES telematics_device (id);

5357 ALTER TABLE telematics_trip_summary ADD CONSTRAINT fk_telematics_trip_summary_contract_id_rental_ren_55c02804 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5358 ALTER TABLE telematics_driving_event ADD CONSTRAINT fk_telematics_driving_event_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5359 ALTER TABLE telematics_driving_event ADD CONSTRAINT fk_telematics_driving_event_device_id_telematics_device_2 FOREIGN KEY (device_id) REFERENCES telematics_device (id);

5360 ALTER TABLE telematics_driving_event ADD CONSTRAINT fk_telematics_driving_event_contract_id_rental_re_352e0bc4 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5361 ALTER TABLE telematics_driving_event ADD CONSTRAINT fk_telematics_driving_event_trip_summary_id_telem_edc7cc20 FOREIGN KEY (trip_summary_id) REFERENCES telematics_trip_summary (id);

5362 ALTER TABLE telematics_geofence_event ADD CONSTRAINT fk_telematics_geofence_event_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5363 ALTER TABLE telematics_geofence_event ADD CONSTRAINT fk_telematics_geofence_event_device_id_telematics_device_2 FOREIGN KEY (device_id) REFERENCES telematics_device (id);
```



```
5364 ALTER TABLE telematics_geofence_event ADD CONSTRAINT fk_telematics_geofence_event_geofence_id_telemati_09f4a4a4 FOREIGN KEY (geofence_id) REFERENCES telematics_geofence (id);

5365 ALTER TABLE telematics_geofence_event ADD CONSTRAINT fk_telematics_geofence_event_contract_id_rental_r_831b6d1a FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5366 ALTER TABLE telematics_vehicle_command ADD CONSTRAINT fk_telematics_vehicle_command_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5367 ALTER TABLE telematics_vehicle_command ADD CONSTRAINT fk_telematics_vehicle_command_device_id_telematic_553167d6 FOREIGN KEY (device_id) REFERENCES telematics_device (id);

5368 ALTER TABLE telematics_vehicle_command ADD CONSTRAINT fk_telematics_vehicle_command_contract_id_rental__9d1e4164 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5369 ALTER TABLE telematics_command_result ADD CONSTRAINT fk_telematics_command_result_vehicle_command_id_t_12fde95b FOREIGN KEY (vehicle_command_id) REFERENCES telematics_vehicle_command (id) ON DELETE CASCADE;

5370 ALTER TABLE loyalty_loyalty_account ADD CONSTRAINT fk_loyalty_loyalty_account_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id);

5371 ALTER TABLE loyalty_loyalty_account ADD CONSTRAINT fk_loyalty_loyalty_account_current_tier_id_loyalt_fc0c485d FOREIGN KEY (current_tier_id) REFERENCES loyalty_loyalty_tier (id);

5372 ALTER TABLE loyalty_tier_rule_version ADD CONSTRAINT fk_loyalty_tier_rule_version_loyalty_tier_id_loya_6e5f4229 FOREIGN KEY (loyalty_tier_id) REFERENCES loyalty_loyalty_tier (id) ON DELETE CASCADE;

5373 ALTER TABLE loyalty_tier_history ADD CONSTRAINT fk_loyalty_tier_history_loyalty_account_id_loyalt_31dc7dd5 FOREIGN KEY (loyalty_account_id) REFERENCES loyalty_loyalty_account (id) ON DELETE CASCADE;

5374 ALTER TABLE loyalty_tier_history ADD CONSTRAINT fk_loyalty_tier_history_loyalty_tier_id_loyalty_l_ac4642b9 FOREIGN KEY (loyalty_tier_id) REFERENCES loyalty_loyalty_tier (id);

5375 ALTER TABLE loyalty_tier_history ADD CONSTRAINT fk_loyalty_tier_history_rule_version_id_loyalty_t_92fb18ca FOREIGN KEY (rule_version_id) REFERENCES loyalty_tier_rule_version (id);

5376 ALTER TABLE loyalty_points_ledger ADD CONSTRAINT fk_loyalty_points_ledger_loyalty_account_id_loyal_75638ffa FOREIGN KEY (loyalty_account_id) REFERENCES loyalty_loyalty_account (id);

5377 ALTER TABLE loyalty_points_ledger ADD CONSTRAINT fk_loyalty_points_ledger_earning_rule_id_loyalty__0e0ef5fe FOREIGN KEY (earning_rule_id) REFERENCES loyalty_earning_rule (id);

5378 ALTER TABLE loyalty_points_ledger ADD CONSTRAINT fk_loyalty_points_ledger_redemption_rule_id_loyal_430eb7e4 FOREIGN KEY (redemption_rule_id) REFERENCES loyalty_redemption_rule (id);

5379 ALTER TABLE loyalty_points_ledger ADD CONSTRAINT fk_loyalty_points_ledger_reversal_of_entry_id_loy_0187f35d FOREIGN KEY (reversal_of_entry_id) REFERENCES loyalty_points_ledger (id);

5380 ALTER TABLE loyalty_points_lot ADD CONSTRAINT fk_loyalty_points_lot_loyalty_account_id_loyalty__2a81d62d FOREIGN KEY (loyalty_account_id) REFERENCES loyalty_loyalty_account (id);
```

```
5381 ALTER TABLE loyalty_points_lot ADD CONSTRAINT fk_loyalty_points_lot_origin_ledger_entry_id_loya_b3419dde FOREIGN KEY (origin_ledger_entry_id) REFERENCES loyalty_points_ledger (id);

5382 ALTER TABLE loyalty_redemption ADD CONSTRAINT fk_loyalty_redemption_loyalty_account_id_loyalty__12ce29ca FOREIGN KEY (loyalty_account_id) REFERENCES loyalty_loyalty_account (id);

5383 ALTER TABLE loyalty_redemption ADD CONSTRAINT fk_loyalty_redemption_reservation_id_reservation__1a2b8fbe FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id);

5384 ALTER TABLE loyalty_redemption ADD CONSTRAINT fk_loyalty_redemption_contract_id_rental_rental_contract_3 FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5385 ALTER TABLE loyalty_redemption_allocation ADD CONSTRAINT fk_loyalty_redemption_allocation_redemption_id_lo_b939e147 FOREIGN KEY (redemption_id) REFERENCES loyalty_redemption (id) ON DELETE CASCADE;

5386 ALTER TABLE loyalty_redemption_allocation ADD CONSTRAINT fk_loyalty_redemption_allocation_points_lot_id_lo_ca77ab36 FOREIGN KEY (points_lot_id) REFERENCES loyalty_points_lot (id);

5387 ALTER TABLE loyalty_benefit_entitlement ADD CONSTRAINT fk_loyalty_benefit_entitlement_loyalty_account_id_19c9ed67 FOREIGN KEY (loyalty_account_id) REFERENCES loyalty_loyalty_account (id);

5388 ALTER TABLE loyalty_benefit_entitlement ADD CONSTRAINT fk_loyalty_benefit_entitlement_benefit_id_loyalty_63e3163a FOREIGN KEY (benefit_id) REFERENCES loyalty_benefit (id);

5389 ALTER TABLE loyalty_benefit_usage ADD CONSTRAINT fk_loyalty_benefit_usage_benefit_entitlement_id_l_473b2eb8 FOREIGN KEY (benefit_entitlement_id) REFERENCES loyalty_benefit_entitlement (id);

5390 ALTER TABLE loyalty_benefit_usage ADD CONSTRAINT fk_loyalty_benefit_usage_reservation_id_reservati_ea12cae2 FOREIGN KEY (reservation_id) REFERENCES reservation_reservation (id);

5391 ALTER TABLE loyalty_benefit_usage ADD CONSTRAINT fk_loyalty_benefit_usage_contract_id_rental_renta_c45f74fd FOREIGN KEY (contract_id) REFERENCES rental_rental_contract (id);

5392 ALTER TABLE loyalty_benefit_usage ADD CONSTRAINT fk_loyalty_benefit_usage_reversal_of_usage_id_loy_161c2c87 FOREIGN KEY (reversal_of_usage_id) REFERENCES loyalty_benefit_usage (id);

5393 ALTER TABLE loyalty_points_transfer ADD CONSTRAINT fk_loyalty_points_transfer_from_account_id_loyalt_36d9a91a FOREIGN KEY (from_account_id) REFERENCES loyalty_loyalty_account (id);

5394 ALTER TABLE loyalty_points_transfer ADD CONSTRAINT fk_loyalty_points_transfer_to_account_id_loyalty__08fd9e1c FOREIGN KEY (to_account_id) REFERENCES loyalty_loyalty_account (id);

5395 ALTER TABLE loyalty_points_transfer ADD CONSTRAINT fk_loyalty_points_transfer_out_ledger_entry_id_lo_6f1855ad FOREIGN KEY (out_ledger_entry_id) REFERENCES loyalty_points_ledger (id);

5396 ALTER TABLE loyalty_points_transfer ADD CONSTRAINT fk_loyalty_points_transfer_in_ledger_entry_id_loy_f12f28fa FOREIGN KEY (in_ledger_entry_id) REFERENCES loyalty_points_ledger (id);

5397 ALTER TABLE fleet_mgmt_fleet_service_contract ADD CONSTRAINT fk_fleet_mgmt_fleet_service_contract_legal_entity_0449c228 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);
```

```
5398 ALTER TABLE fleet_mgmt_fleet_service_contract ADD CONSTRAINT fk_fleet_mgmt_fleet_service_contract_customer_acc_6cd72fad FOREIGN KEY (customer_account_id) REFERENCES
    party_customer_account (id);

5399 ALTER TABLE fleet_mgmt_fleet_service_contract ADD CONSTRAINT fk_fleet_mgmt_fleet_service_contract_corporate_ag_62ad139e FOREIGN KEY (corporate_agreement_id) REFERENCES
    corporate_corporate_agreement (id);

5400 ALTER TABLE fleet_mgmt_fleet_service_level ADD CONSTRAINT fk_fleet_mgmt_fleet_service_level_fleet_service_c_0b1cf43a FOREIGN KEY (fleet_service_contract_id) REFERENCES
    fleet_mgmt_fleet_service_contract (id) ON DELETE CASCADE;

5401 ALTER TABLE fleet_mgmt_fleet_service_level ADD CONSTRAINT fk_fleet_mgmt_fleet_service_level_unit_code_catal_ecc953d1 FOREIGN KEY (unit_code) REFERENCES catalog_unit_of_measure (
    unit_code);

5402 ALTER TABLE fleet_mgmt_managed_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_managed_vehicle_assignment_fleet_se_78391358 FOREIGN KEY (fleet_service_contract_id) REFERENCES
    fleet_mgmt_fleet_service_contract (id) ON DELETE CASCADE;

5403 ALTER TABLE fleet_mgmt_managed_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_managed_vehicle_assignment_vehicle_ca7d7e43 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5404 ALTER TABLE fleet_mgmt_managed_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_managed_vehicle_assignment_assigned_4783c88b FOREIGN KEY (assigned_driver_profile_id) REFERENCES
    party_driver_profile (id);

5405 ALTER TABLE fleet_mgmt_managed_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_managed_vehicle_assignment_cost_cen_e312d0a4 FOREIGN KEY (cost_center_id) REFERENCES
    corporate_corporate_cost_center (id);

5406 ALTER TABLE fleet_mgmt_mileage_commitment ADD CONSTRAINT fk_fleet_mgmt_mileage_commitment_fleet_service_co_68e442e1 FOREIGN KEY (fleet_service_contract_id) REFERENCES
    fleet_mgmt_fleet_service_contract (id) ON DELETE CASCADE;

5407 ALTER TABLE fleet_mgmt_mileage_commitment ADD CONSTRAINT fk_fleet_mgmt_mileage_commitment_vehicle_id_fleet_66ce1962 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5408 ALTER TABLE fleet_mgmt_telemetry_package ADD CONSTRAINT fk_fleet_mgmt_telemetry_package_fleet_service_con_f3f1712e FOREIGN KEY (fleet_service_contract_id) REFERENCES
    fleet_mgmt_fleet_service_contract (id) ON DELETE CASCADE;

5409 ALTER TABLE fleet_mgmt_replacement_entitlement ADD CONSTRAINT fk_fleet_mgmt_replacement_entitlement_fleet_servi_8f99ffc4 FOREIGN KEY (fleet_service_contract_id) REFERENCES
    fleet_mgmt_fleet_service_contract (id) ON DELETE CASCADE;

5410 ALTER TABLE fleet_mgmt_replacement_entitlement ADD CONSTRAINT fk_fleet_mgmt_replacement_entitlement_vehicle_gro_bcba57c9 FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group
    (id);

5411 ALTER TABLE fleet_mgmt_fleet_service_event ADD CONSTRAINT fk_fleet_mgmt_fleet_service_event_fleet_service_c_3b809512 FOREIGN KEY (fleet_service_contract_id) REFERENCES
    fleet_mgmt_fleet_service_contract (id);
```

```
5412 ALTER TABLE fleet_mgmt_fleet_service_event ADD CONSTRAINT fk_fleet_mgmt_fleet_service_event_vehicle_id_flee72acf7be FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5413 ALTER TABLE fleet_mgmt_subscription_plan ADD CONSTRAINT fk_fleet_mgmt_subscription_plan_vehicle_group_id__7c4c492d FOREIGN KEY (vehicle_group_id) REFERENCES catalog_vehicle_group (id);

5414 ALTER TABLE fleet_mgmt_subscription_contract ADD CONSTRAINT fk_fleet_mgmt_subscription_contract_subscription__8a13a360 FOREIGN KEY (subscription_plan_id) REFERENCES
    fleet_mgmt_subscription_plan (id);

5415 ALTER TABLE fleet_mgmt_subscription_contract ADD CONSTRAINT fk_fleet_mgmt_subscription_contract_customer_acco_ad7cb737 FOREIGN KEY (customer_account_id) REFERENCES
    party_customer_account (id);

5416 ALTER TABLE fleet_mgmt_subscription_contract ADD CONSTRAINT fk_fleet_mgmt_subscription_contract_legal_entity__27036bbf FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5417 ALTER TABLE fleet_mgmt_subscription_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_subscription_vehicle_assignment_sub_de7ead13 FOREIGN KEY (subscription_contract_id) REFERENCES
    fleet_mgmt_subscription_contract (id) ON DELETE CASCADE;

5418 ALTER TABLE fleet_mgmt_subscription_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_subscription_vehicle_assignment_veh_f9be83d1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5419 ALTER TABLE fleet_mgmt_subscription_vehicle_assignment ADD CONSTRAINT fk_fleet_mgmt_subscription_vehicle_assignment_cal_a88faa6f FOREIGN KEY (calendar_entry_id) REFERENCES
    fleet_vehicle_calendar_entry (id);

5420 ALTER TABLE used_car_disposal_candidate ADD CONSTRAINT fk_used_car_disposal_candidate_vehicle_id_fleet_vehicle_1 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5421 ALTER TABLE used_car_vehicle_valuation ADD CONSTRAINT fk_used_car_vehicle_valuation_disposal_candidate__16ac4ac3 FOREIGN KEY (disposal_candidate_id) REFERENCES
    used_car_disposal_candidate (id) ON DELETE CASCADE;

5422 ALTER TABLE used_car_refurbishment_order ADD CONSTRAINT fk_used_car_refurbishment_order_disposal_candidat_a898cea0 FOREIGN KEY (disposal_candidate_id) REFERENCES
    used_car_disposal_candidate (id);

5423 ALTER TABLE used_car_refurbishment_order ADD CONSTRAINT fk_used_car_refurbishment_order_service_order_id__5174b827 FOREIGN KEY (service_order_id) REFERENCES maintenance_service_order (
    id);

5424 ALTER TABLE used_car_refurbishment_item ADD CONSTRAINT fk_used_car_refurbishment_item_refurbishment_orde_47a9659e FOREIGN KEY (refurbishment_order_id) REFERENCES
    used_car_refurbishment_order (id) ON DELETE CASCADE;

5425 ALTER TABLE used_car_listing ADD CONSTRAINT fk_used_car_listing_disposal_candidate_id_used_ca_ff83f2ed FOREIGN KEY (disposal_candidate_id) REFERENCES used_car_disposal_candidate (id);

5426 ALTER TABLE used_car_listing ADD CONSTRAINT fk_used_car_listing_sale_channel_id_used_car_sale_5ba1c5f2 FOREIGN KEY (sale_channel_id) REFERENCES used_car_sale_channel (id);
```

```
5427 ALTER TABLE used_car_lead ADD CONSTRAINT fk_used_car_lead_listing_id_used_car_listing_1 FOREIGN KEY (listing_id) REFERENCES used_car_listing (id);

5428 ALTER TABLE used_car_lead ADD CONSTRAINT fk_used_car_lead_party_id_party_party_2 FOREIGN KEY (party_id) REFERENCES party_party (id);

5429 ALTER TABLE used_car_test_drive ADD CONSTRAINT fk_used_car_test_drive_lead_id_used_car_lead_1 FOREIGN KEY (lead_id) REFERENCES used_car_lead (id);

5430 ALTER TABLE used_car_test_drive ADD CONSTRAINT fk_used_car_test_drive_listing_id_used_car_listing_2 FOREIGN KEY (listing_id) REFERENCES used_car_listing (id);

5431 ALTER TABLE used_car_test_drive ADD CONSTRAINT fk_used_car_test_drive_driver_profile_id_party_dr_cfd433ad FOREIGN KEY (driver_profile_id) REFERENCES party_driver_profile (id);

5432 ALTER TABLE used_car_sale_order ADD CONSTRAINT fk_used_car_sale_order_legal_entity_id_org_legal_entity_1 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);

5433 ALTER TABLE used_car_sale_order ADD CONSTRAINT fk_used_car_sale_order_buyer_party_id_party_party_2 FOREIGN KEY (buyer_party_id) REFERENCES party_party (id);

5434 ALTER TABLE used_car_sale_order ADD CONSTRAINT fk_used_car_sale_order_sale_channel_id_used_car_s_74c03d06 FOREIGN KEY (sale_channel_id) REFERENCES used_car_sale_channel (id);

5435 ALTER TABLE used_car_sale_order_vehicle ADD CONSTRAINT fk_used_car_sale_order_vehicle_sale_order_id_used_def3eb45 FOREIGN KEY (sale_order_id) REFERENCES used_car_sale_order (id) ON
DELETE CASCADE;

5436 ALTER TABLE used_car_sale_order_vehicle ADD CONSTRAINT fk_used_car_sale_order_vehicle_disposal_candidate_3e572391 FOREIGN KEY (disposal_candidate_id) REFERENCES
used_car_disposal_candidate (id);

5437 ALTER TABLE used_car_sale_order_vehicle ADD CONSTRAINT fk_used_car_sale_order_vehicle_vehicle_id_fleet_vehicle_3 FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id);

5438 ALTER TABLE used_car_sale_order_vehicle ADD CONSTRAINT fk_used_car_sale_order_vehicle_listing_id_used_ca_0ecc8323 FOREIGN KEY (listing_id) REFERENCES used_car_listing (id);

5439 ALTER TABLE used_car_vehicle_transfer ADD CONSTRAINT fk_used_car_vehicle_transfer_sale_order_vehicle_i_13b3f076 FOREIGN KEY (sale_order_vehicle_id) REFERENCES
used_car_sale_order_vehicle (id);

5440 ALTER TABLE used_car_vehicle_transfer ADD CONSTRAINT fk_used_car_vehicle_transfer_seller_party_id_party_party_2 FOREIGN KEY (seller_party_id) REFERENCES party_party (id);

5441 ALTER TABLE used_car_vehicle_transfer ADD CONSTRAINT fk_used_car_vehicle_transfer_buyer_party_id_party_party_3 FOREIGN KEY (buyer_party_id) REFERENCES party_party (id);

5442 ALTER TABLE used_car_used_vehicle_warranty ADD CONSTRAINT fk_used_car_used_vehicle_warranty_sale_order_vehi_a729f4c1 FOREIGN KEY (sale_order_vehicle_id) REFERENCES
used_car_sale_order_vehicle (id) ON DELETE CASCADE;

5443 ALTER TABLE used_car_sale_document ADD CONSTRAINT fk_used_car_sale_document_sale_order_id_used_car_2ea0cf60 FOREIGN KEY (sale_order_id) REFERENCES used_car_sale_order (id) ON DELETE
CASCADE;
```

```
5444 ALTER TABLE privacy_privacy_notice_version ADD CONSTRAINT fk_privacy_privacy_notice_version_privacy_notice__ac0b556a FOREIGN KEY (privacy_notice_id) REFERENCES privacy_privacy_notice (
      id) ON DELETE CASCADE;

5445 ALTER TABLE privacy_legal_basis ADD CONSTRAINT fk_privacy_legal_basis_purpose_id_privacy_process_a07a3266 FOREIGN KEY (purpose_id) REFERENCES privacy_processing_purpose (id);

5446 ALTER TABLE privacy_consent_receipt ADD CONSTRAINT fk_privacy_consent_receipt_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id);

5447 ALTER TABLE privacy_consent_receipt ADD CONSTRAINT fk_privacy_consent_receipt_privacy_notice_version_a9f735eb FOREIGN KEY (privacy_notice_version_id) REFERENCES
      privacy_privacy_notice_version (id);

5448 ALTER TABLE privacy_consent_receipt ADD CONSTRAINT fk_privacy_consent_receipt_purpose_id_privacy_pro_cd939f31 FOREIGN KEY (purpose_id) REFERENCES privacy_processing_purpose (id);

5449 ALTER TABLE privacy_consent_receipt ADD CONSTRAINT fk_privacy_consent_receipt_channel_id_org_channel_4 FOREIGN KEY (channel_id) REFERENCES org_channel (id);

5450 ALTER TABLE privacy_data_subject_request ADD CONSTRAINT fk_privacy_data_subject_request_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id);

5451 ALTER TABLE privacy_data_subject_request ADD CONSTRAINT fk_privacy_data_subject_request_channel_id_org_channel_2 FOREIGN KEY (channel_id) REFERENCES org_channel (id);

5452 ALTER TABLE privacy_data_subject_request ADD CONSTRAINT fk_privacy_data_subject_request_identity_verifica_9067215d FOREIGN KEY (identity_verification_id) REFERENCES
      party_identity_verification (id);

5453 ALTER TABLE privacy_legal_hold ADD CONSTRAINT fk_privacy_legal_hold_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id);

5454 ALTER TABLE privacy_erasure_job ADD CONSTRAINT fk_privacy_erasure_job_data_subject_request_id_pr_35b86c5d FOREIGN KEY (data_subject_request_id) REFERENCES privacy_data_subject_request
      (id);

5455 ALTER TABLE privacy_erasure_job ADD CONSTRAINT fk_privacy_erasure_job_party_id_party_party_2 FOREIGN KEY (party_id) REFERENCES party_party (id);

5456 ALTER TABLE privacy_erasure_job ADD CONSTRAINT fk_privacy_erasure_job_blocked_by_legal_hold_id_p_fe8237f5 FOREIGN KEY (blocked_by_legal_hold_id) REFERENCES privacy_legal_hold (id);

5457 ALTER TABLE privacy_data_access_audit ADD CONSTRAINT fk_privacy_data_access_audit_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id);

5458 ALTER TABLE privacy_data_sharing_record ADD CONSTRAINT fk_privacy_data_sharing_record_party_id_party_party_1 FOREIGN KEY (party_id) REFERENCES party_party (id);

5459 ALTER TABLE privacy_data_sharing_record ADD CONSTRAINT fk_privacy_data_sharing_record_recipient_party_id_fe3eb89a FOREIGN KEY (recipient_party_id) REFERENCES party_party (id);

5460 ALTER TABLE privacy_data_sharing_record ADD CONSTRAINT fk_privacy_data_sharing_record_purpose_id_privacy_303fc290 FOREIGN KEY (purpose_id) REFERENCES privacy_processing_purpose (id);
```

```
5461 ALTER TABLE privacy_data_sharing_record ADD CONSTRAINT fk_privacy_data_sharing_record_legal_basis_id_pri_46a287ce FOREIGN KEY (legal_basis_id) REFERENCES privacy_legal_basis (id);
5462 ALTER TABLE integration_saga_step ADD CONSTRAINT fk_integration_saga_step_saga_instance_id_integra_4d884140 FOREIGN KEY (saga_instance_id) REFERENCES integration_saga_instance (id) ON DELETE CASCADE;
5463 ALTER TABLE integration_audit_event ADD CONSTRAINT fk_integration_audit_event_legal_entity_id_org_le_989ccbe0 FOREIGN KEY (legal_entity_id) REFERENCES org_legal_entity (id);
5464 ALTER TABLE integration_audit_event ADD CONSTRAINT fk_integration_audit_event_branch_id_org_branch_2 FOREIGN KEY (branch_id) REFERENCES org_branch (id);
5465 ALTER TABLE fleet_vehicle_calendar_guard ADD CONSTRAINT fk_calendar_guard_vehicle FOREIGN KEY (vehicle_id) REFERENCES fleet_vehicle (id) ON DELETE CASCADE;
5467 -- -----
```

C.4 Índices, triggers e protocolo de concorrência - linhas 5468 a 5792

```
5468 -- Secondary indexes
5469 -- -----
5470 CREATE INDEX ix_org_business_unit_parent_business_unit_id_1 ON org_business_unit (parent_business_unit_id);
5471 CREATE INDEX ix_org_branch_country_code_status_1 ON org_branch (country_code, status);
5472 CREATE INDEX ix_org_branch_airport_code_2 ON org_branch (airport_code);
5473 CREATE INDEX ix_org_branch_operator_branch_id_valid_from_1 ON org_branch_operator (branch_id, valid_from);
5474 CREATE INDEX ix_party_party_canonical_status_1 ON party_party (canonical_status);
5475 CREATE INDEX ix_party_party_identifiier_party_id_identifiier_type_1 ON party_party_identifiier (party_id, identifier_type);
5476 CREATE INDEX ix_party_contact_point_party_id_contact_type_1 ON party_contact_point (party_id, contact_type);
5477 CREATE INDEX ix_party_contact_point_value_hmac_2 ON party_contact_point (value_hmac);
5478 CREATE INDEX ix_party_party_address_party_id_usage_type_1 ON party_party_address (party_id, usage_type);
5479 CREATE INDEX ix_party_customer_account_party_id_1 ON party_customer_account (party_id);
```

```
5480 CREATE INDEX ix_party_customer_account_status_2 ON party_customer_account (status);

5481 CREATE INDEX ix_party_organization_representative_organization_673bbd10 ON party_organization_representative (organization_party_id);

5482 CREATE INDEX ix_party_organization_representative_person_party_id_2 ON party_organization_representative (person_party_id);

5483 CREATE INDEX ix_party_driver_license_driver_profile_id_expires_at_1 ON party_driver_license (driver_profile_id, expires_at);

5484 CREATE INDEX ix_party_identity_verification_party_id_verified_at_1 ON party_identity_verification (party_id, verified_at);

5485 CREATE INDEX ix_party_risk_assessment_party_id_assessed_at_1 ON party_risk_assessment (party_id, assessed_at);

5486 CREATE INDEX ix_party_customer_restriction_party_id_status_1 ON party_customer_restriction (party_id, status);

5487 CREATE INDEX ix_catalog_vehicle_variant_model_year_1 ON catalog_vehicle_variant (model_year);

5488 CREATE INDEX ix_catalog_vehicle_group_market_country_code_status_1 ON catalog_vehicle_group (market_country_code, status);

5489 CREATE INDEX ix_catalog_vehicle_group_variant_vehicle_variant__503416be ON catalog_vehicle_group_variant (vehicle_variant_id, valid_from);

5490 CREATE INDEX ix_catalog_vehicle_group_upgrade_from_group_id_priority_1 ON catalog_vehicle_group_upgrade (from_group_id, priority);

5491 CREATE INDEX ix_catalog_commercial_product_product_type_status_1 ON catalog_commercial_product (product_type, status);

5492 CREATE INDEX ix_corporate_corporate_agreement_customer_account_f75ea870 ON corporate_corporate_agreement (customer_account_id, status);

5493 CREATE INDEX ix_fleet_vehicle_current_branch_id_current_vehicle_group_id_b582c392 ON fleet_vehicle (current_branch_id, current_vehicle_group_id, current_operational_state);

5494 CREATE INDEX ix_fleet_vehicle_current_lifecycle_state_2 ON fleet_vehicle (current_lifecycle_state);

5495 CREATE INDEX ix_fleet_vehicle_registration_vehicle_id_valid_from_1 ON fleet_vehicle_registration (vehicle_id, valid_from);

5496 CREATE INDEX ix_fleet_vehicle_registration_registration_number_2 ON fleet_vehicle_registration (registration_number);

5497 CREATE INDEX ix_fleet_vehicle_group_assignment_vehicle_group_id_094e1ae6 ON fleet_vehicle_group_assignment (vehicle_group_id, valid_from);
```



```
5498 CREATE INDEX ix_fleet_vehicle_operational_state_history_vehicle_id_5c9e6ef5 ON fleet_vehicle_operational_state_history (vehicle_id, changed_at);
5499 CREATE INDEX ix_fleet_vehicle_lifecycle_history_vehicle_id_changed_at_1 ON fleet_vehicle_lifecycle_history (vehicle_id, changed_at);
5500 CREATE INDEX ix_fleet_vehicle_restriction_vehicle_id_status_1 ON fleet_vehicle_restriction (vehicle_id, status);
5501 CREATE INDEX ix_fleet_vehicle_location_history_vehicle_id_recorded_at_1 ON fleet_vehicle_location_history (vehicle_id, recorded_at);
5502 CREATE INDEX ix_fleet_vehicle_calendar_entry_vehicle_id_start__25052cfa ON fleet_vehicle_calendar_entry (vehicle_id, start_at, end_at);
5503 CREATE INDEX ix_fleet_vehicle_calendar_entry_source_type_source_id_2 ON fleet_vehicle_calendar_entry (source_type, source_id);
5504 CREATE INDEX ix_fleet_odometer_reading_vehicle_id_reading_at_1 ON fleet_odometer_reading (vehicle_id, reading_at);
5505 CREATE INDEX ix_fleet_fuel_reading_vehicle_id_reading_at_1 ON fleet_fuel_reading (vehicle_id, reading_at);
5506 CREATE INDEX ix_fleet_asset_document_vehicle_id_document_type_1 ON fleet_asset_document (vehicle_id, document_type);
5507 CREATE INDEX ix_fleet_vehicle_accessory_assignment_vehicle_id__cb56e5d9 ON fleet_vehicle_accessory_assignment (vehicle_id, start_at);
5508 CREATE INDEX ix_fleet_disposal_eligibility_vehicle_id_evaluated_at_1 ON fleet_disposal_eligibility (vehicle_id, evaluated_at);
5509 CREATE INDEX ix_pricing_rate_plan_version_rate_plan_id_valid_f_cfe91f9e ON pricing_rate_plan_version (rate_plan_id, valid_from, valid_to);
5510 CREATE INDEX ix_pricing_rate_plan_applicability_origin_branch__cea49215 ON pricing_rate_plan_applicability (origin_branch_id, vehicle_group_id, priority);
5511 CREATE INDEX ix_pricing_base_rate_rate_plan_version_id_vehicle_00ee8c12 ON pricing_base_rate (rate_plan_version_id, vehicle_group_id, origin_branch_id, valid_from);
5512 CREATE INDEX ix_pricing_one_way_rule_origin_branch_id_destinat_c15b9004 ON pricing_one_way_rule (origin_branch_id, destination_branch_id, vehicle_group_id, priority);
5513 CREATE INDEX ix_pricing_fuel_price_branch_id_fuel_type_valid_from_1 ON pricing_fuel_price (branch_id, fuel_type, valid_from);
5514 CREATE INDEX ix_pricing_coupon_redemption_coupon_id_party_id_1 ON pricing_coupon_redemption (coupon_id, party_id);
5515 CREATE INDEX ix_pricing_quote_origin_branch_id_vehicle_group_i_76eea0f3 ON pricing_quote (origin_branch_id, vehicle_group_id, planned_pickup_at);
```

```
5516 CREATE INDEX ix_pricing_quote_customer_account_id_created_at_2 ON pricing_quote (customer_account_id, created_at);

5517 CREATE INDEX ix_availability_inventory_bucket_local_business_d_b4feeb3c ON availability_inventory_bucket (local_business_date, branch_id);

5518 CREATE INDEX ix_availability_availability_hold_branch_id_vehicle_group_id_start_at_end_at ON availability_availability_hold (branch_id, vehicle_group_id, start_at, end_at);

5519 CREATE INDEX ix_availability_availability_hold_expires_at_status_2 ON availability_availability_hold (expires_at, status);

5520 CREATE INDEX ix_availability_capacity_commitment_branch_id_vehicle_group_id_start_at_end_at ON availability_capacity_commitment (branch_id, vehicle_group_id, start_at, end_at);

5521 CREATE INDEX ix_availability_capacity_commitment_source_type_source_id ON availability_capacity_commitment (source_type, source_id);

5522 CREATE INDEX ix_availability_upgrade_path_from_group_id_priority_1 ON availability_upgrade_path (from_group_id, priority);

5523 CREATE INDEX ix_availability_fleet_allotment_branch_id_vehicle_group_id_start_at ON availability_fleet_allotment (branch_id, vehicle_group_id, start_at);

5524 CREATE INDEX ix_availability_oversell_alert_status_detected_at_1 ON availability_oversell_alert (status, detected_at);

5525 CREATE INDEX ix_reservation_reservation_pickup_branch_id_planned_pickup_at_requested_vehicle_group_id ON reservation_reservation (pickup_branch_id, planned_pickup_at, requested_vehicle_group_id);

5526 CREATE INDEX ix_reservation_reservation_customer_account_id_created_at ON reservation_reservation (customer_account_id, created_at);

5527 CREATE INDEX ix_reservation_reservation_current_status_planned_pickup_at ON reservation_reservation (current_status, planned_pickup_at);

5528 CREATE INDEX ix_reservation_reservation_status_history_reservation_id_changed_at ON reservation_reservation_status_history (reservation_id, changed_at);

5529 CREATE INDEX ix_reservation_digital_pickup_eligibility_reservation_id_assessed_at ON reservation_digital_pickup_eligibility (reservation_id, assessed_at);

5530 CREATE INDEX ix_reservation_reservation_inventory_commitment_reservation_id ON reservation_reservation_inventory_commitment (reservation_id);

5531 CREATE INDEX ix_reservation_reservation_inventory_commitment_capacity_commitment_id ON reservation_reservation_inventory_commitment (capacity_commitment_id);

5532 CREATE INDEX ix_rental_rental_contract_customer_account_id_opened_at_1 ON rental_rental_contract (customer_account_id, opened_at);

5533 CREATE INDEX ix_rental_rental_contract_current_status_planned_return_at ON rental_rental_contract (current_status, planned_return_at);
```

```
5534 CREATE INDEX ix_rental_rental_contract_origin_branch_id_opened_at_3 ON rental_rental_contract (origin_branch_id, opened_at);
5535 CREATE INDEX ix_rental_contract_party_role_contract_id_role_type_1 ON rental_contract_party_role (contract_id, role_type);
5536 CREATE INDEX ix_rental_vehicle_assignment_vehicle_id_start_at_end_at_1 ON rental_vehicle_assignment (vehicle_id, start_at, end_at);
5537 CREATE INDEX ix_rental_vehicle_assignment_contract_id_status_2 ON rental_vehicle_assignment (contract_id, status);
5538 CREATE INDEX ix_rental_extension_contract_id_requested_at_1 ON rental_extension (contract_id, requested_at);
5539 CREATE INDEX ix_rental_contract_status_history_contract_id_changed_at_1 ON rental_contract_status_history (contract_id, changed_at);
5540 CREATE INDEX ix_rental_contract_document_contract_id_document_type_1 ON rental_contract_document (contract_id, document_type);
5541 CREATE INDEX ix_rental_vehicle_access_command_vehicle_id_requested_at_1 ON rental_vehicle_access_command (vehicle_id, requested_at);
5542 CREATE INDEX ix_inspection_inspection_vehicle_id_started_at_1 ON inspection_inspection (vehicle_id, started_at);
5543 CREATE INDEX ix_inspection_inspection_contract_id_inspection_type_2 ON inspection_inspection (contract_id, inspection_type);
5544 CREATE INDEX ix_inspection_inspection_media_inspection_id_captured_at_1 ON inspection_inspection_media (inspection_id, captured_at);
5545 CREATE INDEX ix_inspection_damage_record_vehicle_id_status_1 ON inspection_damage_record (vehicle_id, status);
5546 CREATE INDEX ix_billing_payment_method_token_party_id_status_1 ON billing_payment_method_token (party_id, status);
5547 CREATE INDEX ix_billing_payment_method_token_provider_fingerprint_2 ON billing_payment_method_token (provider, fingerprint);
5548 CREATE INDEX ix_billing_charge_contract_id_occurred_at_1 ON billing_charge (contract_id, occurred_at);
5549 CREATE INDEX ix_billing_charge_source_context_source_id_2 ON billing_charge (source_context, source_id);
5550 CREATE INDEX ix_billing_charge_posting_status_occurred_at_3 ON billing_charge (posting_status, occurred_at);
5551 CREATE INDEX ix_billing_invoice_customer_account_id_issue_date_1 ON billing_invoice (customer_account_id, issue_date);
```

```
5552 CREATE INDEX ix_billing_invoice_status_due_date_2 ON billing_invoice (status, due_date);

5553 CREATE INDEX ix_billing_receivable_status_due_date_1 ON billing_receivable (status, due_date);

5554 CREATE INDEX ix_billing_payment_intent_provider_provider_reference_1 ON billing_payment_intent (provider, provider_reference);

5555 CREATE INDEX ix_billing_payment_transaction_payment_intent_id_b463a099 ON billing_payment_transaction (payment_intent_id, occurred_at);

5556 CREATE INDEX ix_billing_payment_allocation_receivable_id_allocated_at_1 ON billing_payment_allocation (receivable_id, allocated_at);

5557 CREATE INDEX ix_billing_collection_action_dunning_case_id_executed_at_1 ON billing_collection_action (dunning_case_id, executed_at);

5558 CREATE INDEX ix_traffic_traffic_notice_vehicle_id_infraction_at_1 ON traffic_traffic_notice (vehicle_id, infraction_at);

5559 CREATE INDEX ix_traffic_traffic_notice_status_due_date_2 ON traffic_traffic_notice (status, due_date);

5560 CREATE INDEX ix_traffic_toll_tag_assignment_vehicle_id_start_at_1 ON traffic_toll_tag_assignment (vehicle_id, start_at);

5561 CREATE INDEX ix_traffic_toll_transaction_vehicle_id_occurred_at_1 ON traffic_toll_transaction (vehicle_id, occurred_at);

5562 CREATE INDEX ix_traffic_parking_transaction_vehicle_id_entered_at_1 ON traffic_parking_transaction (vehicle_id, entered_at);

5563 CREATE INDEX ix_claim_incident_contract_id_occurred_at_1 ON claim_incident (contract_id, occurred_at);

5564 CREATE INDEX ix_claim_incident_status_reported_at_2 ON claim_incident (status, reported_at);

5565 CREATE INDEX ix_claim_claim_cost_claim_id_incurred_at_1 ON claim_claim_cost (claim_id, incurred_at);

5566 CREATE INDEX ix_maintenance_maintenance_due_status_due_date_1 ON maintenance_maintenance_due (status, due_date);

5567 CREATE INDEX ix_maintenance_maintenance_due_vehicle_id_status_2 ON maintenance_maintenance_due (vehicle_id, status);

5568 CREATE INDEX ix_maintenance_service_order_vehicle_id_opened_at_1 ON maintenance_service_order (vehicle_id, opened_at);

5569 CREATE INDEX ix_maintenance_service_order_status_scheduled_start_at_2 ON maintenance_service_order (status, scheduled_start_at);
```

```
5570 CREATE INDEX ix_maintenance_tire_assignment_vehicle_id_positio_a894da3f ON maintenance_tire_assignment (vehicle_id, position_code, installed_at);

5571 CREATE INDEX ix_maintenance_downtime_vehicle_id_start_at_1 ON maintenance_downtime (vehicle_id, start_at);

5572 CREATE INDEX ix_telematics_device_status_last_seen_at_1 ON telematics_device (status, last_seen_at);

5573 CREATE INDEX ix_telematics_vehicle_device_assignment_vehicle_i_a60b1872 ON telematics_vehicle_device_assignment (vehicle_id, start_at);

5574 CREATE INDEX ix_telematics_device_health_event_device_id_occurred_at_1 ON telematics_device_health_event (device_id, occurred_at);

5575 CREATE INDEX ix_telematics_telemetry_event_index_vehicle_id_ev_06487c2b ON telematics_telemetry_event_index (vehicle_id, event_time);

5576 CREATE INDEX ix_telematics_telemetry_event_index_event_type_ev_0472e44c ON telematics_telemetry_event_index (event_type, event_time);

5577 CREATE INDEX ix_telematics_trip_summary_vehicle_id_trip_start_at_1 ON telematics_trip_summary (vehicle_id, trip_start_at);

5578 CREATE INDEX ix_telematics_trip_summary_contract_id_trip_start_at_2 ON telematics_trip_summary (contract_id, trip_start_at);

5579 CREATE INDEX ix_telematics_driving_event_vehicle_id_occurred_at_1 ON telematics_driving_event (vehicle_id, occurred_at);

5580 CREATE INDEX ix_telematics_driving_event_contract_id_event_type_2 ON telematics_driving_event (contract_id, event_type);

5581 CREATE INDEX ix_telematics_geofence_event_vehicle_id_occurred_at_1 ON telematics_geofence_event (vehicle_id, occurred_at);

5582 CREATE INDEX ix_loyalty_tier_history_loyalty_account_id_valid_from_1 ON loyalty_tier_history (loyalty_account_id, valid_from);

5583 CREATE INDEX ix_loyalty_points_ledger_loyalty_account_id_available_at_1 ON loyalty_points_ledger (loyalty_account_id, available_at);

5584 CREATE INDEX ix_loyalty_points_ledger_source_type_source_id_2 ON loyalty_points_ledger (source_type, source_id);

5585 CREATE INDEX ix_fleet_mgmt_managed_vehicle_assignment_vehicle__Ofacac8e ON fleet_mgmt_managed_vehicle_assignment (vehicle_id, start_at);

5586 CREATE INDEX ix_fleet_mgmt_mileage_commitment_fleet_service_co_9f1fc2d1 ON fleet_mgmt_mileage_commitment (fleet_service_contract_id, period_start);

5587 CREATE INDEX ix_fleet_mgmt_fleet_service_event_fleet_service_c_96458ea4 ON fleet_mgmt_fleet_service_event (fleet_service_contract_id, occurred_at);
```

```
5588 CREATE INDEX ix_fleet_mgmt_subscription_vehicle_assignment_veh_be4692a6 ON fleet_mgmt_subscription_vehicle_assignment (vehicle_id, start_at);
5589 CREATE INDEX ix_used_car_vehicle_valuation_disposal_candidate_d6cb4637 ON used_car_vehicle_valuation (disposal_candidate_id, valued_at);
5590 CREATE INDEX ix_used_car_listing_status_listed_at_1 ON used_car_listing (status, listed_at);
5591 CREATE INDEX ix_used_car_lead_status_next_action_at_1 ON used_car_lead (status, next_action_at);
5592 CREATE INDEX ix_privacy_consent_receipt_party_id_purpose_id_ca_56424124 ON privacy_consent_receipt (party_id, purpose_id, captured_at);
5593 CREATE INDEX ix_privacy_data_subject_request_status_due_at_1 ON privacy_data_subject_request (status, due_at);
5594 CREATE INDEX ix_privacy_legal_hold_resource_type_resource_id_1 ON privacy_legal_hold (resource_type, resource_id);
5595 CREATE INDEX ix_privacy_legal_hold_party_id_status_2 ON privacy_legal_hold (party_id, status);
5596 CREATE INDEX ix_privacy_erasure_job_status_scheduled_at_1 ON privacy_erasure_job (status, scheduled_at);
5597 CREATE INDEX ix_privacy_data_access_audit_party_id_occurred_at_1 ON privacy_data_access_audit (party_id, occurred_at);
5598 CREATE INDEX ix_privacy_data_access_audit_actor_id_occurred_at_2 ON privacy_data_access_audit (actor_id, occurred_at);
5599 CREATE INDEX ix_privacy_data_sharing_record_party_id_shared_at_1 ON privacy_data_sharing_record (party_id, shared_at);
5600 CREATE INDEX ix_integration_outbox_event_published_at_created_at_1 ON integration_outbox_event (published_at, created_at);
5601 CREATE INDEX ix_integration_outbox_event_aggregate_type_aggregate_id_2 ON integration_outbox_event (aggregate_type, aggregate_id);
5602 CREATE INDEX ix_integration_inbox_message_status_received_at_1 ON integration_inbox_message (status, received_at);
5603 CREATE INDEX ix_integration_idempotency_key_expires_at_status_1 ON integration_idempotency_key (expires_at, status);
5604 CREATE INDEX ix_integration_external_reference_resource_type_r_59e6ad58 ON integration_external_reference (resource_type, resource_id);
5605 CREATE INDEX ix_integration_external_reference_system_code_ext_200eeec ON integration_external_reference (system_code, external_id);
```

```
5606 CREATE INDEX ix_integration_audit_event_resource_type_resource_1720f547 ON integration_audit_event (resource_type, resource_id, occurred_at);
```

```
5607 CREATE INDEX ix_integration_audit_event_actor_id_occurred_at_2 ON integration_audit_event (actor_id, occurred_at);
```

```
5609 -- MySQL does not support partial indexes. These broader indexes support the
5610 -- same operational queries; status predicates are applied by the query.
5611 CREATE INDEX ix_reservation_active_pickup
5612     ON reservation_reservation (pickup_branch_id, planned_pickup_at, requested_vehicle_group_id, current_status);
5613 CREATE INDEX ix_vehicle_available_by_branch_group
5614     ON fleet_vehicle (current_branch_id, current_vehicle_group_id, current_operational_state, current_lifecycle_state);
5615 CREATE INDEX ix_contract_open_due
5616     ON rental_rental_contract (current_status, planned_return_at);
5617 CREATE INDEX ix_outbox_unpublished
5618     ON integration_outbox_event (published_at, created_at);
```

```
5620 DELIMITER $$
```

```
5622 -- Fast, non-concurrent overlap protection. Under concurrency, callers must also
5623 -- invoke sp_lock_vehicle_calendar_slot inside the same transaction before INSERT.
5624 CREATE TRIGGER trg_calendar_no_overlap_bi
5625 BEFORE INSERT ON fleet_vehicle_calendar_entry
5626 FOR EACH ROW
5627 BEGIN
5628     IF NEW.status IN ('HELD','CONFIRMED','ACTIVE','CLOSED') AND EXISTS (
5629         SELECT 1
5630         FROM fleet_vehicle_calendar_entry e
5631         WHERE e.vehicle_id = NEW.vehicle_id
5632             AND e.status IN ('HELD','CONFIRMED','ACTIVE','CLOSED')
5633             AND NEW.start_at < e.end_at
5634             AND NEW.end_at > e.start_at
5635     ) THEN
5636         SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'vehicle calendar interval overlaps an existing entry';
5637     END IF;
5638 END$$
```

```

5640 CREATE TRIGGER trg_calendar_no_overlap_bu
5641 BEFORE UPDATE ON fleet_vehicle_calendar_entry
5642 FOR EACH ROW
5643 BEGIN
5644     IF NEW.status IN ('HELD','CONFIRMED','ACTIVE','CLOSED') AND EXISTS (
5645         SELECT 1
5646         FROM fleet_vehicle_calendar_entry e
5647         WHERE e.vehicle_id = NEW.vehicle_id
5648             AND e.id <> NEW.id
5649             AND e.status IN ('HELD','CONFIRMED','ACTIVE','CLOSED')
5650             AND NEW.start_at < e.end_at
5651             AND NEW.end_at > e.start_at
5652     ) THEN
5653         SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'vehicle calendar interval overlaps an existing entry';
5654     END IF;
5655 END$$

```

```

5657 -- Safe protocol:
5658 -- START TRANSACTION;
5659 -- CALL sp_lock_vehicle_calendar_slot(:vehicle_id, :start_at, :end_at, :entry_id_or_null);
5660 -- INSERT/UPDATE fleet_vehicle_calendar_entry ...;
5661 -- COMMIT;
5662 CREATE PROCEDURE sp_lock_vehicle_calendar_slot(
5663     IN p_vehicle_id char(36),
5664     IN p_start_at datetime(6),
5665     IN p_end_at datetime(6),
5666     IN p_excluded_entry_id char(36)
5667 )
5668 BEGIN
5669     DECLARE v_lock_version bigint;

5671     IF p_end_at <= p_start_at THEN
5672         SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'calendar end must be greater than start';
5673     END IF;

```

```

5675     INSERT INTO fleet_vehicle_calendar_guard (vehicle_id, lock_version)
5676     VALUES (p_vehicle_id, 0)
5677     ON DUPLICATE KEY UPDATE lock_version = lock_version;

```

```

5679     SELECT lock_version
5680     INTO v_lock_version
5681     FROM fleet_vehicle_calendar_guard
5682     WHERE vehicle_id = p_vehicle_id
5683     FOR UPDATE;

```

```
5685     IF EXISTS (
5686         SELECT 1
5687         FROM fleet_vehicle_calendar_entry e
5688         WHERE e.vehicle_id = p_vehicle_id
5689             AND (p_excluded_entry_id IS NULL OR e.id <> p_excluded_entry_id)
5690             AND e.status IN ('HELD','CONFIRMED','ACTIVE','CLOSED')
5691             AND p_start_at < e.end_at
5692             AND p_end_at > e.start_at
5693     ) THEN
5694         SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'vehicle calendar interval overlaps an existing entry';
5695     END IF;
5696 END$$
```

```
5698 CREATE TRIGGER trg_rate_plan_period_bi
5699 BEFORE INSERT ON pricing_rate_plan_version
5700 FOR EACH ROW
5701 BEGIN
5702     IF NEW.status = 'PUBLISHED' AND EXISTS (
5703         SELECT 1
5704         FROM pricing_rate_plan_version v
5705         WHERE v.rate_plan_id = NEW.rate_plan_id
5706             AND v.status = 'PUBLISHED'
5707             AND NEW.valid_from < COALESCE(v.valid_to, '9999-12-31 23:59:59.999999')
5708             AND COALESCE(NEW.valid_to, '9999-12-31 23:59:59.999999') > v.valid_from
5709     ) THEN
5710         SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'published rate plan versions overlap';
5711     END IF;
5712 END$$
```

```
5714 CREATE TRIGGER trg_rate_plan_period_bu
5715 BEFORE UPDATE ON pricing_rate_plan_version
5716 FOR EACH ROW
5717 BEGIN
5718     IF NEW.status = 'PUBLISHED' AND EXISTS (
5719         SELECT 1
5720         FROM pricing_rate_plan_version v
5721         WHERE v.rate_plan_id = NEW.rate_plan_id
5722             AND v.id <> NEW.id
5723             AND v.status = 'PUBLISHED'
5724             AND NEW.valid_from < COALESCE(v.valid_to, '9999-12-31 23:59:59.999999')
5725             AND COALESCE(NEW.valid_to, '9999-12-31 23:59:59.999999') > v.valid_from
5726     ) THEN
5727         SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'published rate plan versions overlap';
5728     END IF;
5729 END$$
```

```
5731 CREATE TRIGGER trg_charge_protect_posted_bu
5732 BEFORE UPDATE ON billing_charge
5733 FOR EACH ROW
5734 BEGIN
5735     IF OLD.posting_status = 'POSTED' THEN
5736         SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'posted charges must be reversed, not updated';
5737     END IF;
5738 END$$

5740 CREATE TRIGGER trg_charge_protect_posted_bd
5741 BEFORE DELETE ON billing_charge
5742 FOR EACH ROW
5743 BEGIN
5744     IF OLD.posting_status = 'POSTED' THEN
5745         SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'posted charges are immutable';
5746     END IF;
5747 END$$

5749 CREATE TRIGGER trg_inspection_protect_completed_bu
5750 BEFORE UPDATE ON inspection_inspection
5751 FOR EACH ROW
5752 BEGIN
5753     IF OLD.status = 'COMPLETED' THEN
5754         SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'completed inspections must be superseded, not updated';
5755     END IF;
5756 END$$

5758 CREATE TRIGGER trg_inspection_protect_completed_bd
5759 BEFORE DELETE ON inspection_inspection
5760 FOR EACH ROW
5761 BEGIN
5762     IF OLD.status = 'COMPLETED' THEN
5763         SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'completed inspections are immutable';
5764     END IF;
5765 END$$

5767 CREATE TRIGGER trg_points_ledger_immutable_bu BEFORE UPDATE ON loyalty_points_ledger
5768 FOR EACH ROW BEGIN SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'points ledger is immutable'; END$$
5769 CREATE TRIGGER trg_points_ledger_immutable_bd BEFORE DELETE ON loyalty_points_ledger
5770 FOR EACH ROW BEGIN SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'points ledger is immutable'; END$$
```

```
5772 CREATE TRIGGER trg_payment_transaction_immutable_bu BEFORE UPDATE ON billing_payment_transaction
5773 FOR EACH ROW BEGIN SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'payment transactions are immutable'; END$$
5774 CREATE TRIGGER trg_payment_transaction_immutable_bd BEFORE DELETE ON billing_payment_transaction
5775 FOR EACH ROW BEGIN SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'payment transactions are immutable'; END$$
```

```
5777 CREATE TRIGGER trg_terms_acceptance_immutable_bu BEFORE UPDATE ON rental_contract_terms_acceptance
5778 FOR EACH ROW BEGIN SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'terms acceptance is immutable'; END$$
5779 CREATE TRIGGER trg_terms_acceptance_immutable_bd BEFORE DELETE ON rental_contract_terms_acceptance
5780 FOR EACH ROW BEGIN SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'terms acceptance is immutable'; END$$
```

```
5782 CREATE TRIGGER trg_audit_event_immutable_bu BEFORE UPDATE ON integration_audit_event
5783 FOR EACH ROW BEGIN SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'audit event is immutable'; END$$
5784 CREATE TRIGGER trg_audit_event_immutable_bd BEFORE DELETE ON integration_audit_event
5785 FOR EACH ROW BEGIN SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'audit event is immutable'; END$$
```

```
5787 CREATE TRIGGER trg_privacy_access_audit_immutable_bu BEFORE UPDATE ON privacy_data_access_audit
5788 FOR EACH ROW BEGIN SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'privacy access audit is immutable'; END$$
5789 CREATE TRIGGER trg_privacy_access_audit_immutable_bd BEFORE DELETE ON privacy_data_access_audit
5790 FOR EACH ROW BEGIN SIGNAL SQLSTATE '45000' SET MESSAGE_TEXT = 'privacy access audit is immutable'; END$$
```

```
5792 DELIMITER ;
```
