

UNIVERSIDADE FEDERAL DE GOIÁS

TEAM REFERENCE MATERIAL

2015 South America/Brazil Regional Contest

Contents

Template	3	Jacobi symbol	10
Combinatorics	3	Primitive roots	10
Binomial Coefficients	3	Discrete log	10
Pascal Triangle	3	String Algorithms	11
Log properties	4	String Hash	11
Catalan numbers	4	Prefix Function	11
Derangements	4	Manacher (Maior substring palíndromo)	11
Bell numbers	4	Suffix Array $O(n \log n)$	12
Eulerian numbers	4	Graphs	13
Number Theory	5	Hopcroft-Karp (Matching Bipartido)	13
Multiplicative Inverse	5	Euler's theorem	14
Linear diophantine equation	5	Vertex covers and independent sets	14
Chinese Remainder Theorem	5	Matrix-tree theorem	14
Extended GCD	6	Prufer code of a tree	14
Prime-counting function	6	Euler tours	14
Fast Sieve (Números primos)	7	Stable marriage problem (Lobos Stark)	15
Miller-Rabin's primality test	7	Stoer-Wagner (Corte mínimo - Fluxo)	16
Pollard- ρ (Fatorização Int.)	8	Erdos-Gallai theorem	16
Fermat primes	8	Tarjan algorithm for articulation points (Vértice)	17
Perfect numbers	8	Tarjan algorithm for brigdes (Aresta)	17
Carmichael numbers	8	Tarjan algorithm for strongly connected components	18
Number/sum of divisors	9	Floyd-Warshall (Menor caminho, todos os pares)	18
Euler's phi function (Números co-primos (Código no livro))	9	Dinic (Fluxo máximo)	19
Euler's Theorem	9	Edmonds-Karp (Fluxo máximo)	20
Wilson's Theorem	10	Gabow (Emparelhamento máximo em grafos ponderados)	21
Mobius function	10	Union Find	22
Legendre symbol	10	Kuhn-Munkres (Emparelhamento máximo em grafos ponderados bipartidos)	23
		Link Cut Tree	23

Heavy Light Decomposition (Menor ancestral comum)	24	Winding number	33
LCA / PD (Menor ancestral comum)	25	Range Tree	33
Dijkstra	25	KD Tree	34
Data structures	26	Enclosing Circle	35
AVL Tree	26	Line Sweep Applications	35
Find index with given cumulative frequency (BIT)	27	Closest Points	36
Heap	27	ISECT Primitives	37
Math	28	Misc Primitives	37
Polynomials	28	Point	37
Cycle Finding	29	Polygon Primitives	38
Romberg's Method (Integral finita)	29	Convex Hull	38
Simplex	30	Dynamic Programming	39
Matrix Exponentiation	30	Knapsack problem (Mochila)	39
Geometry	31	Longest Ascending Subsequence	39
Pick's theorem	31	Integer Partitioning	40
Line	31	Edit Distance (with path recovery)	41
Projection	31	Maximum Submatrix Sum	42
Segment-segment intersection	31	Edit distance between two strings	43
Circle-circle and circle-line intersection	32	Transpose String	47
Circle from 3 points (circumcircle)	32	Miscellaneous	49
Angular bisector	32	Subsets of a subset in $O(3^n)$	49
Counter-clockwise rotation around the origin	32	Warnsdorff's heuristic for knight's tour	49
3D rotation	32	Josephus	49
Plane equation from 3 points	32	LIS $O(n \log n)$ (Maior Seq. Crescente)	49
3D figures	33	Fraction	50
Area of a simple polygon	33		

Template

```
#include <bits/stdc++.h>

// #define FILL(X, V) memset((X), (V), sizeof(X))
// #define TI(X) __typeof((X).begin())
// #define ALL(V) V.begin(), V.end()
// #define SIZE(V) int((V).size())

// #define FOR(i, a, b) for(int i = a; i <= b; ++i)
// #define RFOR(i, b, a) for(int i = b; i >= a; --i)
// #define REP(i, N) for(int i = 0; i < N; ++i)
// #define RREP(i, N) for(int i = N-1; i >= 0; --i)
// #define FORIT(i, a) for(TI(a) i = (a).begin(); i != (a).end(); ++i)

#define pb push_back
#define mp make_pair

#define INF 0x3F3F3F3F
#define LINF 0x3F3F3F3FFFFFFFFFLL

const double EPS = 1e-9;
```

```
int SGN(double a){ return ((a > EPS) ? (1) : ((a < -EPS) ? (-1) : (0))); }
int CMP(double a, double b){ return SGN(a - b); }

typedef long long int64;
typedef unsigned long long uint64;
typedef pair<int, int> ii;

struct node{
    int a, b;
    node (int a = 0, int b = 0) : a(a), b(b) {}
};

using namespace std;

int main(int argc, char* argv[]){
    ios::sync_with_stdio(false);

    return 0;
}
```

Combinatorics

Binomial Coefficients

Number of ways to pick a multiset of size k from n elements: $\binom{n+k-1}{k}$

Number of n -tuples of non-negative integers with sum s : $\binom{s+n-1}{n-1}$, at most s : $\binom{s+n}{n}$

Number of n -tuples of positive integers with sum s : $\binom{s-1}{n-1}$

Number of lattice paths from $(0, 0)$ to (a, b) , restricted to east and north steps: $\binom{a+b}{a}$

Pascal Triangle

$$v_{r,c} = v_{r,c-1} \frac{r+1-c}{c}$$

$$x = r_0; y = 1; a_{r,c} = a_{r-1,c-1} \frac{++x}{++y}, r \geq r_0 + 2, c \geq 2$$

$$\text{Line on a Pascal Triangle: } c(n, k+1) = c(n, k) \times \frac{n-k}{k+1}$$

Log properties

$$\log(a^n) = n \times \log(a)$$

$$\log(n!) = \sum_{i=1}^n \log(i)$$

Catalan numbers

$$C_n = \frac{1}{n+1} \binom{2n}{n}. \quad C_0 = 1, \quad C_n = \sum_{i=0}^{n-1} C_i C_{n-1-i}. \quad C_{n+1} = C_n \frac{4n+2}{n+2}.$$

$$C_0, C_1, \dots = 1, 1, 2, 5, 14, 42, 132, 429, 1430, 4862, 16796, 58786, 208012, 742900, \dots$$

C_n is the number of: properly nested sequences of n pairs of parentheses; rooted ordered binary trees with $n+1$ leaves; triangulations of a convex $(n+2)$ -gon.

Derangements

Number of permutations of $n = 0, 1, 2, \dots$ elements without fixed points is 1, 0, 1, 2, 9, 44, 265, 1854, 14833, ... Recurrence: $D_n = (n-1)(D_{n-1} + D_{n-2}) = nD_{n-1} + (-1)^n$. Corollary: number of permutations with exactly k fixed points is $\binom{n}{k} D_{n-k}$.

Bell numbers

B_n is the number of partitions of n elements. $B_0, \dots = 1, 1, 2, 5, 15, 52, 203, \dots$

$$B_{n+1} = \sum_{k=0}^n \binom{n}{k} B_k = \sum_{k=1}^n S_{n,k}. \quad \text{Bell triangle: } B_r = a_{r,1} = a_{r-1,r-1}, \quad a_{r,c} = a_{r-1,c-1} + a_{r,c-1}.$$

Eulerian numbers

$E(n, k)$ is the number of permutations with exactly k descents ($i : \pi_i < \pi_{i+1}$) / ascents ($\pi_i > \pi_{i+1}$) / excedances ($\pi_i > i$) / $k+1$ weak excedances ($\pi_i \geq i$).

Formula: $E(n, k) = (k+1)E(n-1, k) + (n-k)E(n-1, k-1)$.

Number Theory

Multiplicative Inverse

```
#define MOD 1000000007LL
```

```
/* This function calculates (a^b) % MOD */
```

```
int64 fastPow(int64 a, int64 b)
```

```
{
    int64 res = 1LL;
    while (b > 0LL)
    {
        if (b & 1LL)
        {
            res *= a; res %= MOD;
        }
        a *= a; a %= MOD;
        b >>= 1;
    }
}
```

```
    }
    return res;
}

/*
    Modular Multiplicative Inverse
    Using Euler's Theorem
*/

long long InverseEuler(int64 n)
{
    return fastPow(n, MOD-2LL);
}
```

Linear diophantine equation

$ax + by = c$. Let $d = \gcd(a, b)$. A solution exists iff $d|c$. If (x_0, y_0) is any solution, then all solutions are given by $(x, y) = (x_0 + \frac{b}{d}t, y_0 - \frac{a}{d}t), t \in \mathbb{Z}$. To find some solution (x_0, y_0) , use extended GCD to solve $ax_0 + by_0 = d = \gcd(a, b)$, and multiply its solutions by $\frac{c}{d}$.

Linear diophantine equation in n variables: $a_1x_1 + \dots + a_nx_n = c$ has solutions iff $\gcd(a_1, \dots, a_n)|c$. To find some solution, let $b = \gcd(a_2, \dots, a_n)$, solve $a_1x_1 + by = c$, and iterate with $a_2x_2 + \dots = y$.

Chinese Remainder Theorem

System $x \equiv a_i \pmod{m_i}$ for $i = 1, \dots, n$ with pairwise relatively prime m_i has a unique solution modulo $M = m_1m_2\dots m_n$: $x = a_1b_1\frac{M}{m_1} + \dots + a_nb_n\frac{M}{m_n} \pmod{M}$, where b_i is modular inverse of $\frac{M}{m_i}$ modulo m_i .

System $x \equiv a \pmod{m}, x \equiv b \pmod{n}$ has solutions iff $a \equiv b \pmod{g}$, where $g = \gcd(m, n)$. The solution is unique modulo $L = \frac{mn}{g}$, and equals: $x \equiv a + T(b - a)m/g \equiv b + S(a - b)n/g \pmod{L}$, where S and T are integer solutions of $mT + nS = \gcd(m, n)$.

Extended GCD

```
//return x, y such a * x + b * y = gcd(a, b)
pair<int, int> gcd_extended(int a, int b){
    /*Use only if negative numbers are used as parameters
    if (a < 0){
        pair<int, int> p = gcd_extended(-a, b);
        p.first = -p.first;
        return p;
    }
    if (b < 0){
        pair<int, int> p = gcd_extended(a, -b);
        p.second = -p.second;
        return p;
    }
    */

    int x = 1, y = 0;
    int nx = 0, ny = 1;
```

```
    while (b){
        int q = a / b;
        x -= q * nx; swap(x, nx);
        y -= q * ny; swap(y, ny);
        a -= q * b; swap(a, b);
    }

    return mp(x, y);
}

//Reurn a inverse mod b
//gcd(a, b) must be 1
int mod_inv(int a, int b){
    return (gcd_extended(a, b).first + b) % b;
}
```

$$a^{-1}(\text{mod } n) = a^{\phi(n)-1}$$

$$n \text{ prime} \rightarrow a^{-1}(\text{mod } n) = a^{n-2}$$

Prime-counting function

$\pi(n) = |\{p \leq n : p \text{ is prime}\}|$. $n/\ln(n) < \pi(n) < 1.3n/\ln(n)$. $\pi(1000) = 168, \pi(10^6) = 78498, \pi(10^9) = 50847534$. n -th prime $\approx n \ln(n)$.

Fast Sieve (Números primos)

```
const unsigned MAX = 1000000020/60, MAX_S = sqrt(MAX/60);

unsigned w[16] = {1, 7, 11, 13, 17, 19, 23, 29, 31, 37, 41, 43, 47, 49, 53, 59};
unsigned short composite[MAX];
vector<int> primes;

void sieve(){
    unsigned mod[16][16], di[16][16], num;
    for (int i = 0; i < 16; i++)
        for (int j = 0; j < 16; j++){
            di[i][j] = (w[i]*w[j])/60;
            mod[i][j] = lower_bound(w, w + 16, (w[i]*w[j])%60) - w;
        }

    primes.push_back(2); primes.push_back(3); primes.push_back(5);
```

```
memset(composite, 0, sizeof composite);
for (unsigned i = 0; i < MAX; i++)
    for (int j = (i==0); j < 16; j++){
        if (composite[i] & (1<<j)) continue;
        primes.push_back(num = 60*i + w[j]);

        if (i > MAX_S) continue;
        for (unsigned k = i, done = false; !done; k++){
            for (int l = (k==0); l < 16 && !done; l++){
                unsigned mult = k*num + i*w[l] + di[j][l];
                if (mult >= MAX) done = true;
                else composite[mult] |= 1<<mod[j][l];
            }
        }
    }
}
```

Miller-Rabin's primality test

```
int fastpow(int base, int d, int n){
    int ret = 1;
    for (int64 pow = base; d > 0; d >>= 1, pow = (pow * pow) % n)
        if (d & 1)
            ret = (ret * pow) % n;
    return ret;
}

bool miller_rabin(int n, int base){
    if (n <= 1) return false;
    if (n % 2 == 0) return n == 2;

    int s = 0, d = n - 1;
    while (d % 2 == 0) d /= 2, ++s;

    int base_d = fastpow(base, d, n);
```

```
if (base_d == 1) return true;
int base_2r = base_d;

for (int i = 0; i < s; ++i){
    if (base_2r == 1) return false;
    if (base_2r == n - 1) return true;
    base_2r = (int64)base_2r * base_2r % n;
}

return false;
}

bool isprime(int n){
    if (n == 2 || n == 7 || n == 61) return true;
    return miller_rabin(n, 2) && miller_rabin(n, 7) && miller_rabin(n, 61);
}
```

Given $n = 2^r s + 1$ with odd s , and a random integer $1 < a < n$. If $a^s \equiv 1 \pmod{n}$ or $a^{2^j s} \equiv -1 \pmod{n}$ for some $0 \leq j \leq r - 1$, then n is a probable prime.

Pollard- ρ (Fatorização Int.)

```
int64 pollard_r, pollard_n;

int64 f(int64 val){ return (val*val + pollard_r) % pollard_n; }
int64 myabs(int64 a){ return a >= 0 ? a : -a; }

int64 pollard(int64 n){
    srand(unsigned(time(0)));
    pollard_n = n;

    int64 d = 1;
    do{
```

```
        d = 1;
        pollard_r = rand() % n;

        int64 x = 2, y = 2;
        while (d == 1)
            x = f(x), y = f(f(y)), d = __gcd(myabs(x-y), n);
    } while (d == n);

    return d;
}
```

Choose random x_1 , and let $x_{i+1} = x_i^2 \pmod n$. Test $\gcd(n, x_{2^{k+i}} - x_{2^k})$ as possible n 's factors for $k = 0, 1, \dots$. Expected time to find a factor: $O(\sqrt{m})$, where m is smallest prime power in n 's factorization. That's $O(n^{1/4})$ if you check $n = p^k$ as a special case before factorization.

Fermat primes

A Fermat prime is a prime of form $2^{2^n} + 1$. The only known Fermat primes are 3, 5, 17, 257, 65537. A number of form $2^n + 1$ is prime only if it is a Fermat prime.

Perfect numbers

$n > 1$ is called perfect if it equals sum of its proper divisors and 1. Even n is perfect iff $n = 2^{p-1}(2^p - 1)$ and $2^p - 1$ is prime (Mersenne's). No odd perfect numbers are yet found.

Carmichael numbers

A positive composite n is a Carmichael number ($a^{n-1} \equiv 1 \pmod n$ for all $a : \gcd(a, n) = 1$), iff n is square-free, and for all prime divisors p of n , $p - 1$ divides $n - 1$.

Number/sum of divisors

```
//funcao sigma
//Soma dos divisores de n
int sigma(int n){
    int ans = 1;

    for (int i = 0; primes[i] * primes[i] <= n; i++){
        if (n % primes[i] == 0){
            int v = primes[i];

            while (n % primes[i] == 0){
                v *= primes[i];
                n /= primes[i];
            }
        }
    }
}
```

$$\tau(p_1^{a_1} \dots p_k^{a_k}) = \prod_{j=1}^k (a_j + 1).$$

$$\sigma(p_1^{a_1} \dots p_k^{a_k}) = \prod_{j=1}^k \frac{p_j^{a_j+1} - 1}{p_j - 1}.$$

```
    }

    ans *= (v - 1) / (primes[i] - 1);
}

if (n > 1)
    ans *= n + 1;

return ans;
}
```

Euler's phi function (Números co-primos (Código no livro))

```
int phi(int n){
    int ans = n;

    for (int i = 0; primes[i] * primes[i] <= n; i++){
        if (n % primes[i] == 0){
            ans /= primes[i];
            ans *= primes[i] - 1;

            while(n % primes[i] == 0) n /= primes[i];
        }
    }
}
```

```
    }

    if (n > 1){
        ans /= n;
        ans *= n - 1;
    }

    return ans;
}
```

$$\phi(n) = |\{m \in \mathbb{N}, m \leq n, \gcd(m, n) = 1\}|.$$

$$\phi(mn) = \frac{\phi(m)\phi(n)\gcd(m,n)}{\phi(\gcd(m,n))}.$$

$$\phi(p^a) = p^{a-1}(p-1).$$

$$\sum_{d|n} \phi(d) = \sum_{d|n} \phi\left(\frac{n}{d}\right) = n.$$

Euler's Theorem

$$a^{\phi(n)} \equiv 1 \pmod{n}, \text{ if } \gcd(a, n) = 1.$$

Wilson's Theorem

p is prime iff $(p-1)! \equiv -1 \pmod{p}$

Mobius function

$$\mu(1) = 1.$$

$\mu(n) = 0$, if n is not square free.

$\mu(n) = (-1)^s$, if n is the product of s distinct primes.

Let f, F be functions on positive integers. If for all $n \in \mathbb{N}$, $F(n) = \sum_{d|n} f(d)$, then $f(n) = \sum_{d|n} \mu(d)F(\frac{n}{d})$, and vice versa.

$$\phi(n) = \sum_{d|n} \mu(d) \frac{n}{d}.$$

$$\sum_{d|n} \mu(d) = 1.$$

If f is multiplicative, then $\sum_{d|n} \mu(d)f(d) = \prod_{p|n} (1 - f(p))$, $\sum_{d|n} \mu(d)^2 f(d) = \prod_{p|n} (1 + f(p))$

$f[i] = 1, f[p] = -1, f[j] * = (j \% (i * i) == 0) ? 0 : -1;$

Legendre symbol

If p is an odd prime, $a \in \mathbb{Z}$, then $(\frac{a}{p})$ equals 0, if $p|a$; 1 if a is a quadratic residue modulo p ; and -1 otherwise. Euler's criterion: $(\frac{a}{p}) = a^{(\frac{p-1}{2})} \pmod{p}$.

Jacobi symbol

If $n = p_1^{a_1} \dots p_k^{a_k}$ is odd, then $(\frac{a}{n}) = \prod_{i=1}^k (\frac{a}{p_i})^{a_i}$.

Primitive roots

If the order of g modulo m ($\min n > 0 : g^n \equiv 1 \pmod{m}$) is $\phi(m)$, then g is called a primitive root. If \mathbb{Z}_m has a primitive root, then it has $\phi(\phi(m))$ distinct primitive roots. \mathbb{Z}_m has a primitive root iff m is one of $2, 4, p^k, 2p^k$, where p is an odd prime. If \mathbb{Z}_m has a primitive root g , then for all a coprime to m , there exists unique integer $i = \text{ind}_g(a)$ modulo $\phi(m)$, such that $g^i \equiv a \pmod{m}$. $\text{ind}_g(a)$ has logarithm-like properties: $\text{ind}(1) = 0$, $\text{ind}(ab) = \text{ind}(a) + \text{ind}(b)$.

If p is prime and a is not divisible by p , then congruence $x^n \equiv a \pmod{p}$ has $\gcd(n, p-1)$ solutions if $a^{(p-1)/\gcd(n, p-1)} \equiv 1 \pmod{p}$, and no solutions otherwise.

Discrete log

Find x from $a^x \equiv b \pmod{m}$. Can be solved in $O(\sqrt{m})$ time and space with a meet-in-the-middle trick. Let $n = \lceil \sqrt{m} \rceil$, and $x = ny - z$. Equation becomes $a^{ny} \equiv ba^z \pmod{m}$. Precompute all values that the RHS can take for $z = 0, 1, \dots, n-1$, and brute force y on the LHS, each time checking whether there's a corresponding value for RHS.

String Algorithms

String Hash

```
#define MAXN 10000
#define BASE 33ULL
#define VALUE(c) ((c)-'a')

typedef unsigned long long int64;

int64 h[MAXN], pw[MAXN];

int64 calc_hash(int beg, int end){
    return h[end] - h[beg]*pw[end-beg];
}
```

Prefix Function

```
void prefixfunction(string S){
    int N = SIZE(S);

    p[0] = p[1] = 0;
    FOR(i, 2, N){
        int j = p[i-1];
```

Manacher (Maior substring palíndromo)

```
void manacher(strind &ss){
    string s = "#";
    for (size_t i = 0, sz = ss.size(); i < sz; ++i){
        s += ss[i];
        s += "#";
    }

    int n = int(s.size());
    for (int i = 0; i < n; ++i) ans[i] = 0;

    int cur = 1;
    while (cur < n){

        while ((cur > ans[cur])
```

```
void init(){
    pw[0] = 1ULL;
    for (int i = 1; i < MAXN; ++i){
        pw[i] = pw[i-1]*BASE;
    }
    h[0] = 0ULL;
    for (int j = 0; s[j] != '\0'; ++j){
        h[j+1] = h[j]*BASE + VALUE(s[j]);
    }
}
```

```
while (S[i-1] != S[j]){
    if (j == 0){ j = -1; break; }
    j = p[j];
}
p[i] = ++j;
}
```

```
&& (cur+ans[cur]+1 < n)
&& (s[cur-ans[cur]-1] == s[cur+ans[cur]+1])) ans[cur]++;

int j = 1;
while ((cur+j < n) && (j < ans[cur]-ans[cur-j])){
    ans[cur+j] = ans[cur-j];
    j++;
}

if (cur+j < n)
    ans[cur+j] = ans[cur]-j;
cur += j;
}
```

Suffix Array $O(n \log n)$

```

/* O( N log N ) SA build + O( N ) LCP build, #include <cstring> :P */
#define MAXN 100000
string S;
int N, SA[MAXN], LCP[MAXN], rank[MAXN], bucket[CHAR_MAX-CHAR_MIN+1];
char bh[MAXN+1];

void buildSA( bool needLCP = false ){
    int a, c, d, e, f, h, i, j, x;
    int *cnt = LCP;
    memset( bucket, -1, sizeof(bucket) );
    for ( i = 0; i < N; i++ ){
        j = S[i] - CHAR_MIN;
        rank[i] = bucket[j];
        bucket[j] = i;
    }
    for ( a = c = 0; a <= CHAR_MAX-CHAR_MIN; a++ ){
        for( i = bucket[a]; i != -1; i=j ){
            j = rank[i]; rank[i] = c;
            bh[c++] = (i == bucket[a]);
        }
    }
    bh[N] = 1;
    for ( i = 0; i < N; i++ )
        SA[ rank[i] ] = i;
    x = 0;
    for ( h = 1; h < N; h *= 2 ){
        for ( i = 0; i < N; i++ ){
            if ( bh[i] & 1 ){
                x = i;
                cnt[x] = 0;
            }
            rank[ SA[i] ] = x;
        }
        d = N-h; e = rank[d];
        rank[d] = e + cnt[e]++;
        bh[rank[d]] |= 2;
    }
}

```

```

i = 0;
while ( i < N ){
    for ( j = i; (j == i || !(bh[j] & 1)) && j < N; j++ ){
        d = SA[j]-h;
        if ( d >= 0 ){
            e = rank[d]; rank[d] = e + cnt[e]++; bh[rank[d]] |= 2;
        }
    }
    for ( j = i; (j == i || !(bh[j] & 1)) && j < N; j++ ){
        d = SA[j]-h;
        if ( d >= 0 && (bh[rank[d]] & 2) ){
            for ( e = rank[d]+1; bh[e] == 2; e++ );
            for ( f = rank[d]+1; f < e; f++ ) bh[f] &= 1;
        }
    }
    i = j;
}

for ( i = 0; i < N; i++ ){
    SA[rank[i]] = i;
    if ( bh[i] == 2 ) bh[i] = 3;
}

if ( needLCP ){
    LCP[0] = 0;
    for ( i = 0, h = 0; i < N; i++ ){
        e = rank[i];
        if ( e > 0 ){
            j = SA[e-1];
            while ( ((i+h) < N) && ((j+h) < N) && (S[i+h] == S[j+h]) ) h++;
            LCP[e] = h;
            if ( h > 0 ) h--;
        }
    }
}
}

```

- First occurrence of string $P = firstpos(v) - |P| + 1$;
- All occurrences: same as before, but must follow inverse suffix links and don't print clones.

Graphs

Hopcroft-Karp (Matching Bipartido)

```

/* Maximum Bipartite Matching (Minimum Vertex Cover) on unweighted graph */
#define MAXN 111

int N, M; // N - # of vertexes on X, M - # of vertexes on Y
vector< int > gr[MAXN]; // gr[u] -- edges from u in X to v in Y
bool seen[MAXN];
int m[MAXN], ml[MAXN]; // with whom it's matched

int dfs(int u){
    if (u < 0) return 1;
    if (seen[u]) return 0;
    seen[u] = true;
    for (size_t i = 0, sz = gr[u].size(); i < sz; ++i) {
        if (dfs(ml[ gr[u][i] ])) {
            m[u] = gr[u][i];
            ml[ gr[u][i] ] = u;
            return 1;
        }
    }
    return 0;
}

int dfsExp(int u){
    for (int i = 0; i < N; ++i) seen[i] = false;
    return dfs(u);
}

int bipMatch(){
    for (int i = 0; i < N; ++i) m[i] = -1;
    for (int i = 0; i < M; ++i) ml[i] = -1;
    int aug, ans = 0;
    do{
        aug = 0;

```

```

        bool first = true;
        for (int i = 0; i < N; ++i) if (m[i] < 0){
            if (first) aug += dfsExp(i);
            else aug += dfs(i);
            first = false;
        }
        ans += aug;
    } while (aug);
    return ans;
}

/* needed for minium vertex cover.. */
int vx[MAXN], vy[MAXN];
void buildVC( int u ){
    seen[u] = true;
    vx[u] = 0;
    for (size_t w = 0, sz = gr[u].size(); w < sz; ++w)
        if (gr[u][w] != m[u] && vy[ gr[u][w] ] == 0){
            vy[ gr[u][w] ] = 1;
            if (!seen[ ml[ gr[u][w] ] ]) buildVC(ml[ gr[u][w] ]);
        }
}

// T ~ Unmatched L + reachable using alternating paths
// ANS .. (L \ T) U ( R intersect T )
for (int i = 0; i < N; ++i) {
    seen[i] = false;
    if (m[i] == -1) vx[i] = 0; // T -- unmatched L
    else vx[i] = 1; // L \ T -- for now...
}

for (int i = 0; i < M; ++i) vy[i] = 0; // R .. ~T -- for now..
for (int i = 0; i < N; ++i) if (vx[i] == 0 && !seen[i]) buildVC(i);

```

For any graph, if it has an even cycle, this graph is bipartite

Euler's theorem

For any planar graph, $V - E + F = 1 + C$, where V is the number of graph's vertices, E is the number of edges, F is the number of faces in graph's planar drawing, and C is the number of connected components. Corollary: $V - E + F = 2$ for a 3D polyhedron.

Vertex covers and independent sets

Let M , C , I be a max matching, a min vertex cover, and a max independent set. Then $|M| \leq |C| = N - |I|$, with equality for bipartite graphs. Complement of an MVC is always a MIS, and vice versa. Given a bipartite graph with partitions (A, B) , build a network: connect source to A , and B to sink with edges of capacities, equal to the corresponding nodes' weights, or 1 in the unweighted case. Set capacities of the original graph's edges to the infinity. Let (S, T) be a minimum $s - t$ cut. Then a maximum(-weighted) independent set is $I = (A \cap S) \cup (B \cap T)$, and a minimum(-weighted) vertex cover is $C = (A \cap T) \cup (B \cap S)$.

Matrix-tree theorem

Let matrix $T = [t_{ij}]$, where t_{ij} is the number of multiedges between i and j , for $i \neq j$, and $t_{ii} = -deg_i$. Number of spanning trees of a graph is equal to the determinant of a matrix obtained by deleting any k -th row and k -th column from T .

Prufer code of a tree

Label vertices with integers 1 to n . Repeatedly remove the leaf with the smallest label, and output its only neighbor's label, until only one edge remains. The sequence has length $n - 2$. Two isomorphic trees have the same sequence, and every sequence of integers from 1 and n corresponds to a tree. Corollary: the number of labelled trees with n vertices is n^{n-2} .

Euler tours

Euler tour in an undirected graph exists iff the graph is connected and each vertex has an even degree. Euler tour in a directed graph exists iff in-degree of each vertex equals its out-degree, and underlying undirected graph is connected. Construction:

```
doit(u):
    for each edge e = (u, v) in E, do: erase e, doit(v)
    prepend u to the list of vertices in the tour
```

Stable marriage problem (Lobos Stark)

While there is a free man m : let w be the most-preferred woman to whom he has not yet proposed, and propose m to w . If w is free, or is engaged to someone whom she prefers less than m , match m with w , else deny proposal.

```
int prefList[430][430];
int status[830]; /* status[i] contains husband/wife of i, initially -1 */
map<int, string> rev_bib;

void stableMarriage(int n){
    FOR(i, 2*n) status[i] = -1; /* 0...n mens, n...2*n women */
    queue<int> singleM;
    FOR(i, n) singleM.push(i); /* Push all single men */

    /* While there is a single men */
    while (!singleM.empty()){
        int i = singleM.front();
        singleM.pop();
        FOR(j, n){
            /* if girl is single marry her to this man */
            int singleW = prefList[i][j];
            if (status[singleW] == -1){
                status[i] = singleW; /* set this girl as wife of i */
                status[singleW] = i; /*make i as husband of this girl*/
                break;
            }
            else{
                int rank1, rank2; /* for holding priority of current */
```

```
                FOR(k, n){ /* husband and most preferable husband */
                    if (prefList[singleW][k] == status[singleW]) rank1 = k;
                    if (prefList[singleW][k] == i) rank2 = k;
                }
                /* if this girl j prefers current man i more than her present husband */
                if (rank2 < rank1){
                    status[i] = singleW; /* her wife of i */
                    int old = status[singleW];
                    status[old] = -1; /* divorce current husband */
                    singleM.push(old); /* add him to list of singles */
                    status[singleW] = i; /* set new husband for this girl */
                    break;
                }
            }
        }
    }

    FOR(i, n){
        /* print each matching */
        cout << rev_bib[i] << "_" << rev_bib[status[i]] << endl;
    }
}
```

Stoer-Wagner (Corte mínimo - Fluxo)

Start from a set A containing an arbitrary vertex. While $A \neq V$, add to A the most tightly connected vertex ($z \notin A$ such that $\sum_{x \in A} w(x, z)$ is maximized.) Store cut-of-the-phase (the cut between the last added vertex and rest of the graph), and merge the two vertices added last. Repeat until the graph is contracted to a single vertex. Minimum cut is one of the cuts-of-the-phase.

```
/* Stoer-Wagner Min Cut on undirected graph */
```

```
#define MAXV 101
```

```
int grafo[MAXV][MAXV];
```

```
// v[i] representa o vertice original do grafo correspondente
// ao i-esimo vertice do grafo da fase atual do minCut e w[i]
// tem o peso do vertice v[i]..
```

```
int v[MAXV], w[MAXV];
```

```
int A[MAXV];
```

```
int minCut(int n){
```

```
    if (n == 1) return 0;
```

```
    int i, u, x, s, t;
```

```
    int minimo;
```

```
    for (u = 1; u <= n; ++u){ v[u] = u; }
```

```
    w[0] = -1;
```

```
    minimo = INF;
```

```
    while (n > 1){
```

```
        for (u = 1; u <= n; ++u){
```

```
            A[v[u]] = 0;
```

```
            w[u] = grafo[v[1]][v[u]];
        }
```

```
        A[v[1]] = 1;
```

```
        s = v[1];
```

```
        for (u = 2; u <= n; ++u){
```

```
            // Encontra o mais fortemente conetado a A
```

```
            t = 0;
```

```
            for (x = 2; x <= n; ++x)
```

```
                if (!A[v[x]] && (w[x] > w[t]))
```

```
                    t = x;
```

```
            // adiciona ele a A
```

```
            A[v[t]] = 1;
```

```
            if (u == n){
```

```
                if (w[t] < minimo)
```

```
                    minimo = w[t];
```

```
            // Une s e t
```

```
            for (x = 1; x <= n; ++x){
```

```
                grafo[s][v[x]] += grafo[v[t]][v[x]];
                grafo[v[x]][s] = grafo[s][v[x]];
            }
```

```
            v[t] = v[n--];
```

```
            break;
```

```
        }
```

```
        s = v[t];
```

```
            // Atualiza os pesos
```

```
            for (x = 1; x <= n; ++x)
```

```
                w[x] += grafo[v[t]][v[x]];
        }
```

```
    }
    return minimo;
```

```
}
```

Erdos-Gallai theorem

A sequence of integers $\{d_1, d_2, \dots, d_n\}$, with $n - 1 \geq d_1 \geq d_2 \geq \dots \geq d_n \geq 0$ is a degree sequence of some undirected simple graph iff $\sum d_i$ is even and $d_1 + \dots + d_k \leq k(k - 1) + \sum_{i=k+1}^n \min(k, d_i)$ for all $k = 1, 2, \dots, n - 1$.

Tarjan algorithm for articulation points (Vértice)

```
#define MAXN 111

int N;

vector< int > gr[ MAXN ];
int low[MAXN], lbl[MAXN], parent[MAXN];
int dfsnum;
int rchild; // child count of the root
int root; // root of the tree
int arts; // # of critical vertexes
bool art[MAXN];

void dfs( int u ){
    lbl[u] = low[u] = dfsnum++;
```

```
    for ( size_t i = 0, sz = gr[u].size(); i < sz; i++ ){
        int v = gr[u][i];
        if ( lbl[v] == -1 ){
            parent[v] = u;
            if ( u == root ) rchild++;
            dfs( v );
            if ( u != root && low[v] >= lbl[u] && !art[u] ) art[u] = true, arts++;
            low[u] = min( low[u], low[v] );
        }
        else if( v != parent[u] ) low[u] = min( low[u], lbl[v] );
    }
    if ( u == root && rchild > 1 ) art[u] = true, arts++;
}
```

Tarjan algorithm for bridges (Aresta)

```
#define MAXN 111

int N;
vector< int > gr[MAXN];
int low[MAXN], lbl[MAXN], parent[MAXN];
int dfsnum;
vector< pair<int,int> > brid; // the bridges themselves

void dfs( int u ){
    lbl[u] = low[u] = dfsnum++;
    for ( size_t i = 0, sz = gr[u].size(); i < sz; i++ ){
        int v = gr[u][i];
        if ( lbl[v] == -1 ){
            parent[v] = u;
```

```
            dfs( v );
            if ( low[v] > lbl[u] )
                brid.push_back( make_pair(u, v) );
            low[u] = min( low[u], low[v] );

            /*
            if( low[u] > low[v] ) low[u] = low[v];
            if( low[v] == lbl[v] )
                brid.push_back( make_pair(u, v) );
            */
        }
        else if( v != parent[u] ) low[u] = min( low[u], lbl[v] );
    }
}
```

Tarjan algorithm for strongly connected components

```
#define MAXN 111

int N;

int low[MAXN], lbl[MAXN], dfsnum;
vector<int> gr[MAXN];
bool stkd[MAXN];
stack< int > scc;

void dfs( int u ){
    lbl[u] = low[u] = dfsnum++;
    scc.push( u );
    stkd[u] = true;
    int v;
```

```
for ( size_t i = 0, sz = gr[u].size(); i < sz; i++ ){
    v = gr[u][i];
    if( lbl[v] == -1 ) dfs( v );
    if( stkd[v] ) low[u] = min( low[u], low[v] );
}
if ( low[u] == lbl[u] ){ // new component found...
    while( !scc.empty() && scc.top() != u ){
        // ...with these guys
        stkd[ scc.top() ] = false;
        scc.pop();
    }
    scc.pop(); stkd[u] = false;
}
}
```

Floyd-Warshall (Menor caminho, todos os pares)

```
for (int k = 0; k < N; k++){
    for (int i = 0; i < N; i++){
        for (int j = 0; j < N; j++){
            if (graph[i][j] > graph[i][k] + graph[k][j])
```

```
graph[i][j] = graph[i][k] + graph[k][j];
        }
    }
}
```

Dinic (Fluxo máximo)

```

int last_edge[MAXV], cur_edge[MAXV], dist[MAXV];
int prev_edge[MAXE], cap[MAXE], flow[MAXE], adj[MAXE];
int nedges;

void d_init(){
    nedges = 0;
    memset(last_edge, -1, sizeof last_edge);
}

void d_edge(int v, int w, int capacity, bool r = false){
    prev_edge[nedges] = last_edge[v];
    cap[nedges] = capacity;
    adj[nedges] = w;
    flow[nedges] = 0;
    last_edge[v] = nedges++;

    if (!r) d_edge(w, v, 0, true);
}

bool d_auxflow(int source, int sink){
    queue<int> q;
    q.push(source);

    memset(dist, -1, sizeof dist);
    dist[source] = 0;
    memcpy(cur_edge, last_edge, sizeof last_edge);

    while (!q.empty()){
        int v = q.front(); q.pop();
        for (int i = last_edge[v]; i != -1; i = prev_edge[i]){
            if (cap[i] - flow[i] == 0) continue;

            if (dist[adj[i]] == -1){
                dist[adj[i]] = dist[v] + 1;
                q.push(adj[i]);
            }
        }
    }

    return false;
}

return false;
}

int d_augmenting(int v, int sink, int c){
    if (v == sink) return c;

    for (int& i = cur_edge[v]; i != -1; i = prev_edge[i]){
        if (cap[i] - flow[i] == 0 || dist[adj[i]] != dist[v] + 1)
            continue;

        int val;
        if (val = d_augmenting(adj[i], sink, min(c, cap[i] - flow[i]))){
            flow[i] += val;
            flow[i^1] -= val;
            return val;
        }
    }

    return 0;
}

int dinic(int source, int sink){
    int ret = 0;
    while (d_auxflow(source, sink)){
        int flow;
        while (flow = d_augmenting(source, sink, 0x3f3f3f3f))
            ret += flow;
    }

    return ret;
}

```

```

        if (adj[i] == sink) return true;
    }
}

return false;
}

int d_augmenting(int v, int sink, int c){
    if (v == sink) return c;

    for (int& i = cur_edge[v]; i != -1; i = prev_edge[i]){
        if (cap[i] - flow[i] == 0 || dist[adj[i]] != dist[v] + 1)
            continue;

        int val;
        if (val = d_augmenting(adj[i], sink, min(c, cap[i] - flow[i]))){
            flow[i] += val;
            flow[i^1] -= val;
            return val;
        }
    }

    return 0;
}

int dinic(int source, int sink){
    int ret = 0;
    while (d_auxflow(source, sink)){
        int flow;
        while (flow = d_augmenting(source, sink, 0x3f3f3f3f))
            ret += flow;
    }

    return ret;
}

```

Edmonds-Karp (Fluxo máximo)

```
int last_edge[MAXV], ek_visited[MAXV], ek_prev[MAXV], ek_capres[MAXV];
int prev_edge[MAXE], cap[MAXE], flow[MAXE], adj[MAXE], nedges;
```

```
void ek_init(){
    nedges = 0;
    memset(last_edge, -1, sizeof last_edge);
}
```

```
void ek_edge(int v, int w, int capacity, bool r = false){
    prev_edge[nedges] = last_edge[v];
    cap[nedges] = capacity;
    adj[nedges] = w;
    flow[nedges] = 0;
    last_edge[v] = nedges++;
    if(!r) ek_edge(w, v, 0, true);
}
```

```
queue<int> ek_q;
```

```
inline int rev(int i){ return i ^ 1; }
```

```
int ek_bfs(int src, int sink, int num_nodes){
    memset(ek_visited, 0, sizeof(int) * num_nodes);
```

```
    ek_q = queue<int>();
    ek_q.push(src);
    ek_capres[src] = 0x3f3f3f3f;
```

```
    while (!ek_q.empty()){
        int v = ek_q.front(); ek_q.pop();
        if (v == sink) return ek_capres[sink];
        ek_visited[v] = 2;
```

```
        for (int i = last_edge[v]; i != -1; i = prev_edge[i]){
            int w = adj[i], new_capres = min(cap[i] - flow[i], ek_capres[v]);
            if (new_capres <= 0) continue;
```

```
            if (!ek_visited[w]){
                ek_prev[w] = rev(i);
                ek_capres[w] = new_capres;
```

```
                ek_visited[w] = 1;
                ek_q.push(w);
```

```
            }
```

```
        }
```

```
    }
    return 0;
}
```

```
int edmonds_karp(int src, int sink, int num_nodes = MAXV){
    int ret = 0, new_flow;
```

```
    while ((new_flow = ek_bfs(src, sink, num_nodes)) > 0){
```

```
        int cur = sink;
```

```
        while (cur != src) {
```

```
            flow[ek_prev[cur]] -= new_flow;
```

```
            flow[rev(ek_prev[cur])] += new_flow;
```

```
            cur = adj[ek_prev[cur]];
```

```
        }
```

```
        ret += new_flow;
```

```
    }
```

```
    return ret;
```

```
}
```

Gabow (Emparelhamento máximo em grafos ponderados)

```
int prev_edge[MAXE], v[MAXE], w[MAXE], last_edge[MAXV];
int type[MAXV], label[MAXV], first[MAXV], mate[MAXV], nedges;
bool g_flag[MAXV], g_souter[MAXV];
```

```
void g_init(){
    nedges = 0;
    memset(last_edge, -1, sizeof last_edge);
}
```

```
void g_edge(int a, int b, bool rev = false){
    prev_edge[nedges] = last_edge[a];
    v[nedges] = a;
    w[nedges] = b;
    last_edge[a] = nedges++;

    if (!rev) return g_edge(b, a, true);
}
```

```
void g_label(int v, int join, int edge, queue<int>& outer){
    if (v == join) return;
    if (label[v] == -1) outer.push(v);

    label[v] = edge;
    type[v] = 1;
    first[v] = join;

    g_label(first[label[mate[v]]], join, edge, outer);
}
```

```
void g_augment(int _v, int _w){
    int t = mate[_v];
    mate[_v] = _w;

    if (mate[t] != _v) return;
    if (label[_v] == -1) return;

    if (type[_v] == 0){
        mate[t] = label[_v];
        g_augment(label[_v], t);
    }
    else if (type[_v] == 1){
        g_augment(v[label[_v]], w[label[_v]]);
        g_augment(w[label[_v]], v[label[_v]]);
    }
}
```

```
int gabow(int n){
    memset(mate, -1, sizeof mate);
    memset(first, -1, sizeof first);
```

```
int ret = 0;
for (int z = 0; z < n; ++z){
    if (mate[z] != -1) continue;

    memset(label, -1, sizeof label);
    memset(type, -1, sizeof type);
    memset(g_souter, 0, sizeof g_souter);
```

```
label[z] = -1; type[z] = 0;
```

```
queue<int> outer;
outer.push(z);
```

```
bool done = false;
while (!outer.empty()){
    int x = outer.front(); outer.pop();
```

```
if (g_souter[x]) continue;
g_souter[x] = true;
```

```
for (int i = last_edge[x]; i != -1; i = prev_edge[i]){
    if (mate[w[i]] == -1 && w[i] != z){
        mate[w[i]] = x;
        g_augment(x, w[i]);
        ++ret;
```

```
done = true;
break;
}
```

```
if (type[w[i]] == -1){
    int v = mate[w[i]];
    if (type[v] == -1){
        type[v] = 0;
        label[v] = x;
        outer.push(v);
```

```
first[v] = w[i];
}
continue;
}
```

```
int r = first[x], s = first[w[i]];
if (r == s) continue;
```

```
memset(g_flag, 0, sizeof g_flag);
g_flag[r] = g_flag[s] = true;
```

```

while (r != -1 || s != -1) {
    if (s != -1) swap(r, s);
    r = first[label[mate[r]]];
    if (r == -1) continue;
    if (g_flag[r]) break; g_flag[r] = true;
}

g_label(first[x], r, i, outer);
g_label(first[w[i]], r, i, outer);

```

```

for (int c = 0; c < n; ++c)
    if (type[c] != -1 && first[c] != -1 && type[first[c]] != -1)
        first[c] = r;
}
if (done) break;
}
}
return ret;
}

```

Union Find

```

struct no{
    int pai, rank;
};

typedef struct no UJoin;

UJoin pset[MAXV];

void initialize(){
    for ( int i = 0; i < V; ++i ){
        pset[i].pai = i;
        pset[i].rank = visited[i] = 0;
        dfs_parent[i] = dfs_low[i] = dfs_num[i] = 0;
        directed[i].clear(); undirected[i].clear();
    }
}

void link (int x, int y){
    if ( pset[x].rank > pset[y].rank ) pset[y].pai = x;
    else{

```

```

        pset[x].pai = y;
        if ( pset[x].rank == pset[y].rank )
            pset[y].rank = pset[y].rank + 1;
    }
}

int findSet ( int x ){
    while ( pset[x].pai != x )
        x = pset[x].pai;
    return x;
}

void unionSet ( int x, int y ){
    link ( findSet(x), findSet(y) );
}

bool isSameSet ( int x, int y ){
    return findSet(x) == findSet(y);
}

```

Kuhn-Munkres (Emparelhamento máximo em grafos ponderados bipartidos)

```
int w[MAXV][MAXV], s[MAXV], rem[MAXV], remx[MAXV];
int mx[MAXV], my[MAXV], lx[MAXV], ly[MAXV];

void add(int x, int n){
    s[x] = true;
    for (int y = 0; y < n; y++){
        if (rem[y] != -INF && rem[y] > lx[x] + ly[y] - w[x][y])
            rem[y] = lx[x] + ly[y] - w[x][y], remx[y] = x;
    }
}

int kuhn_munkres(int n){
    for (int i = 0; i < n; i++) mx[i] = my[i] = -1, lx[i] = ly[i] = 0;
    for (int i = 0; i < n; i++){
        for (int j = 0; j < n; j++){
            ly[j] = max(ly[j], w[i][j]);
        }
    }

    for (int i = 0; i < n; i++){
        memset(s, 0, sizeof s); memset(rem, 0x3f, sizeof rem);

        int st;
        for (st = 0; st < n; st++) if (mx[st] == -1){ add(st, n); break; }
        while (mx[st] == -1){
            int miny = -1;
            for (int y = 0; y < n; y++){
                if (rem[y] != -INF && (miny == -1 || rem[miny] >= rem[y]))
                    miny = y;
            }
        }
    }
}
```

```
if (rem[miny]){
    for (int x = 0; x < n; x++) if (s[x] && lx[x] == rem[miny])
        for (int y = 0, d = rem[miny]; y < n; y++){
            if (rem[y] == -INF) ly[y] += d; else rem[y] -= d;
        }
}

if (my[miny] == -1){
    int cur = miny;
    while (remx[cur] != st){
        int pmate = mx[remx[cur]];
        my[cur] = remx[cur], mx[my[cur]] = cur;
        my[pmate] = -1; cur = pmate;
    }
    my[cur] = remx[cur], mx[my[cur]] = cur;
} else add(my[miny], n), rem[miny] = -INF;
}

int ret = 0;
for (int i = 0; i < n; i++)
    ret += w[i][mx[i]];
return ret;
}
```

Link Cut Tree

```
class splay{
public:
    splay *sons[2], *up, *path_up;
    splay() : up(NULL), path_up(NULL){
        sons[0] = sons[1] = NULL;
    }

    bool is_r(splay* n) {
        return n == sons[1];
    }
};

void rotate(splay* t, bool to_l){
    splay* n = t->sons[to_l]; swap(t->path_up, n->path_up);
    t->sons[to_l] = n->sons[!to_l]; if (t->sons[to_l]) t->sons[to_l]->up = t;
    n->up = t->up; if (n->up) n->up->sons[n->up->is_r(t)] = n;
    n->sons[!to_l] = t; t->up = n;
}
```

```
void do_splay(splay* n){
    for (splay* p; (p = n->up) != NULL; )
        if (p->up == NULL)
            rotate(p, p->is_r(n));
        else{
            bool dirp = p->is_r(n), dirg = p->up->is_r(p);
            if (dirp == dirg)
                rotate(p->up, dirg), rotate(p, dirp);
            else
                rotate(p, dirp), rotate(n->up, dirg);
        }
}

struct link_cut{
    splay* vtxs;
    link_cut(int numv){ vtxs = new splay[numv]; }
    ~link_cut(){ delete[] vtxs; }
```

```

void access(splay* ov){
    for (splay *w = ov, *v = ov; w != NULL; v = w, w = w->path_up){
        do_splay(w);
        if (w->sons[1]) w->sons[1]->path_up = w, w->sons[1]->up = NULL;
        if (w != v) w->sons[1] = v, v->up = w, v->path_up = NULL;
        else w->sons[1] = NULL;
    }
    do_splay(ov);
}

splay* find(int v){
    splay* s = &vtxs[v];
    access(s); while (s->sons[0]) s = s->sons[0]; do_splay(s);
    return s;
}

void link(int parent, int son){

```

```

    access(&vtxs[son]); access(&vtxs[parent]);
    assert(vtxs[son].sons[0] == NULL);
    vtxs[son].sons[0] = &vtxs[parent];
    vtxs[parent].up = &vtxs[son];
}

void cut(int v){
    access(&vtxs[v]);
    if (vtxs[v].sons[0]) vtxs[v].sons[0]->up = NULL;
    vtxs[v].sons[0] = NULL;
}

int lca(int v, int w){
    access(&vtxs[v]); access(&vtxs[w]); do_splay(&vtxs[v]);
    if (vtxs[v].path_up == NULL) return v;
    return vtxs[v].path_up - vtxs;
}
};

```

Heavy Light Decomposition (Menor ancestral comum)

```

vector<int> gr[MAXN];

int depth[MAXN], parent[MAXN], treesz[MAXN];
int chain[MAXN], chainpos[MAXN], chainleader[MAXN];

int N, cur_chain, pos;

void explore(int u){
    int v;
    treesz[u] = 1;
    for (size_t i = 0, sz = gr[u].size(); i < sz; ++i){
        v = gr[u][i];
        if (parent[ v ] == -1){
            parent[ v ] = u;
            depth[ v ] = depth[ u ]+1;
            explore(v);
            treesz[ u ] += treesz[ v ];
        }
    }
}

void decompose(int u, bool light = true){
    if (light) {
        ++cur_chain;
        chainleader[ cur_chain ] = u;
    }

    chain[ u ] = cur_chain;

```

```

    chainpos[ u ] = pos++;

    int v, ind = -1, mx = -1;
    for ( size_t i = 0, sz = gr[u].size(); i < sz; i++ ){
        v = gr[u][i];
        if (parent[ v ] == u && (mx == -1 || treesz[mx] < treesz[v]))
            mx = v, ind = i;
    }

    if (mx != -1){
        decompose(mx, false);
    }

    for (size_t i = 0, sz = gr[u].size(); i < sz; ++i){
        v = gr[u][i];
        if (parent[ v ] == u && v != mx){
            decompose( v );
        }
    }
}

int lca(int u, int v){
    while (chain[u] != chain[v]){
        if (depth[ chainleader[chain[u]] ] < depth[ chainleader[chain[v]] ] )
            v = parent[ chainleader[ chain[v] ] ];
        else
            u = parent[ chainleader[ chain[u] ] ];
    }
}

```



```

if (depth[u] < depth[v]) return u;
return v;

```

LCA / PD (Menor ancestral comum)

```

void process(){
    int i, j;

    for (i = 0; i < N; i++)
        for (j = 0; 1 << j < N; j++)
            P[i][j] = -1;

    for (i = 0; i < N; i++)
        P[i][0] = T[i];

    for (j = 1; 1 << j < N; j++)
        for (i = 0; i < N; i++)
            if (P[i][j - 1] != -1)
                P[i][j] = P[P[i][j - 1]][j - 1];
}

int query(int p, int q){
    int tmp, log, i;

    //if p is situated on a higher level than q then we swap them
    if (L[p] < L[q])
        tmp = p, p = q, q = tmp;

```

Dijkstra

```

typedef pair<int, int> ii;

int dist[MAXV];
bool visited[MAXV];
vector<ii> grafo[MAXV];

/* Verifiquem se o grafo esta indexado de 0 ou 1,
   para nao receberem resposta errada*/

int dijkstra(int s, int t){
    for (int i = 0; i < N; ++i){
        dist[i] = INF;
        visited[i] = false;
    }
    priority_queue<ii> pq;
    pq.push( make_pair(0, s) );
    dist[s] = 0;

    ii atual;

```

```

}

```

```

//we compute the value of [log(L[p])]
for (log = 1; 1 << log <= L[p]; log++);
log--;

//we find the ancestor of node p situated on the same level
//with q using the values in P
for (i = log; i >= 0; i--)
    if (L[p] - (1 << i) >= L[q])
        p = P[p][i];

if (p == q)
    return p;

//we compute LCA(p, q) using the values in P
for (i = log; i >= 0; i--)
    if (P[p][i] != -1 && P[p][i] != P[q][i])
        p = P[p][i], q = P[q][i];

return T[p];
}

```

```

//vector<ii>::iterator it;

while (!pq.empty()){
    atual = pq.top(); pq.pop();
    int custo = -atual.first;
    int v = atual.second;
    if ( visited[v] ) continue;
    visited[v] = true;
    for (int i = 0; i < grafo[v].size(); ++i){
        ii it = grafo[v][i];
        if (dist[it.first] > custo + it.second){
            dist[it.first] = custo + it.second;
            pq.push( make_pair( -dist[it.first], it.first ) );
        }
    }
}
return dist[t];
}

```

Data structures

AVL Tree

```

struct Node{
    Node *l, *r; int h, size, key;
    Node(int k) : l(0), r(0), h(1), size(1), key(k) {}
    void u(){
        h = 1 + max(l ? l->h : 0, r ? r->h : 0);
        size = (l ? l->size : 0) + 1 + (r ? r->size : 0);
    }
};

Node *rotl(Node *x){ Node *y=x->r; x->r=y->l; y->l=x; x->u(); y->u(); return y; }
Node *rotr(Node *x){ Node *y=x->l; x->l=y->r; y->r=x; x->u(); y->u(); return y; }

Node *rebalance(Node *x) {
    x->u();
    if (x->l->h > 1 + x->r->h){

        if (x->l->l->h < x->l->r->h) x->l = rotl(x->l);
        x = rotr(x);
    }
    else if (x->r->h > 1 + x->l->h){
        if (x->r->r->h < x->r->l->h) x->r = rotr(x->r);
        x = rotl(x);
    }
    return x;
}

Node *insert(Node *x, int key){
    if (x == NULL) return new Node(key);
    if (key < x->key) x->l = insert(x->l, key); else x->r = insert(x->r, key);
    return rebalance(x);
}

```

Find index with given cumulative frequency (BIT)

```
#define MAX 10000 //bit size sample

int ft[MAX];

//range to count (must be valid)
int rsq(int a, int b){
    if ( a == 0 ){
        int sum = 0;
        for ( ; b >= 0; b = (b & (b + 1)) - 1 ){
            sum += ft[b];
        }
    }
}
```

Heap

```
struct heap{
    int heap[MAXV][2], v2n[MAXV];
    int size;

    void init(int sz) __attribute__((always_inline)){
        memset(v2n, -1, sizeof(int) * sz);
        size = 0;
    }

    void swap(int& a, int& b) __attribute__((always_inline)){
        int temp = a;
        a = b;
        b = temp;
    }

    void s(int a, int b) __attribute__((always_inline)){
        swap(v2n[heap[a][1]], v2n[heap[b][1]]);
        swap(heap[a][0], heap[b][0]);
        swap(heap[a][1], heap[b][1]);
    }

    int extract_min(){
        int ret = heap[0][1];
        s(0, --size);

        int cur = 0, next = 2;
        while (next < size){
            if (heap[next][0] > heap[next - 1][0])
                next--;
            if (heap[next][0] >= heap[cur][0])
                break;
        }
    }
}
```

```
        return sum;
    }
    else return rsq(0, b) - rsq(0, a-1);
}

//add to the k-th element value
void adjust(int n, int k, int value){
    for ( ; k <= n; k |= k + 1 )
        ft[k] += value;
}
```

```
        s(next, cur);
        cur = next;
        next = 2*cur + 2;
    }
    if (next == size && heap[next - 1][0] < heap[cur][0])
        s(next - 1, cur);

    return ret;
}

void decrease_key(int vertex, int new_value) __attribute__((always_inline)){
    if (v2n[vertex] == -1){
        v2n[vertex] = size;
        heap[size++][1] = vertex;
    }

    heap[v2n[vertex]][0] = new_value;

    int cur = v2n[vertex];
    while (cur >= 1){
        int parent = (cur - 1)/2;
        if (new_value >= heap[parent][0])
            break;

        s(cur, parent);
        cur = parent;
    }
};
```

Math

Polynomials

```
typedef complex<double> cdouble;
```

```
const double eps = 1e-9;
const double inf = 1e50;
```

```
int cmp(double a, double b){
    if(a - b > eps) return 1;
    if(b - a > eps) return -1;
    return 0;
}
```

```
int cmp(cdouble x, cdouble y = 0){
    return cmp(abs(x), abs(y));
}
```

```
const int MAX = 200;
```

```
struct poly{
    vector<cdouble> p;
    int n;

    poly(int n = 0) : n(n), p(vector<cdouble>(MAX)) {}
    poly(vector<cdouble> v) : n(v.size()), p(v) {}
}
```

```
cdouble& operator [] (int i){ return p[i]; }
```

```
//Calcula a derivada de P(x)
poly derivate(){
    poly r(n-1);
    FOR(i, 1, n) {
        r[i-1] = p[i] * cdouble(i);
    }
    return r;
}
```

```
//Divides P(x) by (x - z)
//Returns in the form Q(x) + r
pair<poly, cdouble> ruffini(cdouble z){
    if (n == 0) return MP(poly(), 0);
    poly r(n - 1);

    RFOR(i, n, 1){
        r[i - 1] = r[i] * z + p[i];
    }
}
```

```
return mp(r, r[0] * z + p[0]);
```

```
}
```

```
//Return P(x) mod (x - z)
cdouble operator % (cdouble z){
    return ruffini(z).second;
}
```

```
cdouble find_one_root(cdouble x){
    poly p0 = *this;
    poly p1 = p0.derivate();
    poly p2 = p1.derivate();
```

```
int m = 1000; //gives precision
```

```
while (m--){
    cdouble y0 = p0 % x;

    if (cmp(y0) == 0) break;
```

```
cdouble g = (p1 % x) / y0;
cdouble h = g * g - (p2 % x) - y0;
cdouble r = sqrt(cdouble(n - 1) * (h * cdouble(n) - g * g));
cdouble d1 = g + r, d2 = g - r;
cdouble a = cdouble(n) / (cmp(d1, d2) > 0 ? d1 : d2);
x -= a;
```

```
if (cmp(a) == 0) break;
}
return x;
}
```

```
vector<cdouble> roots(){
    poly q = *this;
    vector<cdouble> r;
```

```
while (q.n > 1){
    cdouble z(rand() / double(RAND_MAX), rand() / double(RAND_MAX));
    z = q.find_one_root(z);
    z = find_one_root(z);
    q = q.ruffini(z).first;
    r.PB(z);
}
return r;
}
```

```
};
```

Cycle Finding

```
//Brend cycle finding algorithm
//Retorna o tamanho do ciclo
```

```
int f(int x){
    //Returns next sequence term
}
```

```
int cycle_find(int x0){
    int pow = 1, len = 1;
    int t = x0, h = f(x0);
```

```
    while (t != h){
        if (len == pow){
            t = h;
            pow <<= 1;
            len = 0;
        }
        h = f(h);
        len++;
    }
    return len;
}
```

Romberg's Method (Integral finita)

```
long double romberg(long double a, long double b,
                    long double(*func)(long double)){
    long double approx[2][25];
    long double *cur = approx[1], *prev = approx[0];

    prev[0] = 1/2.0 * (b-a) * (func(a) + func(b));
    for(int it = 1; it < 25; ++it, swap(cur, prev)) {
        if(it > 1 && cmp(prev[it-1], prev[it-2]) == 0)
            return prev[it-1];

        cur[0] = 1/2.0 * prev[0];
```

```
        long double div = (b-a)/pow(2, it);
        for (long double sample = a + div; sample < b; sample += 2 * div)
            cur[0] += div * func(a + sample);

        for (int j = 1; j <= it; ++j)
            cur[j] = cur[j-1] + 1/(pow(4, it) - 1)*(cur[j-1] + prev[j-1]);
    }

    return prev[24];
}
```

Simplex

```
const double EPS = 1e-9;
typedef long double T;
typedef vector<T> VT;
vector<VT> A;
VT b, c, res;
VI kt, N;
int m;

void pivot(int k, int l, int e){
    int x = kt[l]; T p = A[l][e];
    REP(i, k) A[l][i] /= p; b[l] /= p; N[e] = 0;
    REP(i, m) if (i!=l) b[i] -= A[i][e]*b[l], A[i][x] = A[i][e]*-A[l][x];
    REP(j, k) if (N[j]){
        c[j] -= c[e]*A[l][j];
        REP(i, m) if (i!=l) A[i][j] -= A[i][e]*A[l][j];
    }
    kt[l] = e; N[x] = 1; c[x] = c[e]*-A[l][x];
}

VT doit(int k){
    VT res; T best;
    while (1){
        int e = -1, l = -1;
        REP(i, k) if (N[i] && c[i] > EPS){ e = i; break; }
        if (e == -1) break;
        REP(i, m) if (A[i][e]>EPS && (l == -1 || best > b[i]/A[i][e]))
```

```
        best = b[l]/A[i][e];
        if (l == -1) /*ilimitado*/ return VT();
        pivot(k, l, e);
    }
    res.resize(k, 0); REP(i, m) res[kt[i]] = b[i];
    return res;
}

VT simplex(vector<VT> &AA, VT &bb, VT &cc){
    int n = AA[0].size(), k; m = AA.size(); k = n+m+1;
    kt.resize(m); b = bb; c = cc; c.resize(n+m); A = AA;
    REP(i, m){ A[i].resize(k); A[i][n+i] = 1; A[i][k-1] = -1; kt[i] = n+i; }
    N = VI(k, 1); REP(i, m) N[kt[i]] = 0;
    int pos = min_element(ALL(b))-b.begin();
    if (b[pos] < -EPS){
        c = VT(k, 0); c[k-1] = -1; pivot(k, pos, k-1); res = doit(k);
        if (res[k-1] > EPS) /*impossivel*/ return VT();
        REP(i, m) if (kt[i] == k-1)
            REP(j, k-1) if (N[j] && (A[i][j] < -EPS || EPS < A[i][j])){
                pivot(k, i, j); break;
            }
        c = cc; c.resize(k, 0); REP(i, m) REP(j, k) if (N[j]) c[j] -= c[kt[i]]*A[i][j];
    }
    res = doit(k-1); if (!res.empty()) res.resize(n);
    return res;
}
```

Matrix Exponentiation

```
#define MAXN 111

int n;

void mult(double x[][MAXN], double y[][MAXN]) {
    double aux[n][n];
    REP(i, n) REP(j, n) aux[i][j] = 0.0;

    REP(i, n) REP(j, n) REP(k, n){
        aux[i][j] += (x[i][k] * y[k][j]);
    }

    REP(i, n) REP(j, n) x[i][j] = aux[i][j];
}
```

```
void powM(double mat[][MAXN], int ex) {
    //Inicializa com a identidade
    double res[MAXN][MAXN];
    REP(i, n) REP(j, n) res[i][j] = (i == j) ? 1.0 : 0.0;
    while(ex) {
        if(ex & 1) mult(res, mat);
        mult(mat, mat);
        ex >>= 1;
    }

    REP(i, n) REP(j, n) mat[i][j] = res[i][j];
}
```

Geometry

Pick's theorem

$I = A - B/2 + 1$, where A is the area of a lattice polygon, I is the number of lattice points inside it, and B is the number of lattice points on the boundary. Number of lattice points minus one on a line segment from $(0, 0)$ and (x, y) is $\gcd(x, y)$.

$$a \cdot b = a_x b_x + a_y b_y = |a| \cdot |b| \cdot \cos(\theta)$$

$$a \times b = a_x b_y - a_y b_x = |a| \cdot |b| \cdot \sin(\theta)$$

$$3D: a \times b = (a_y b_z - a_z b_y, a_z b_x - a_x b_z, a_x b_y - a_y b_x)$$

Line

Line $ax + by = c$ through $A(x_1, y_1)$ and $B(x_2, y_2)$: $a = y_1 - y_2$, $c = x_2 - x_1$, $c = ax_1 + by_1$.

Half-plane to the left of the directed segment AB : $ax + by \geq c$.

Normal vector: (a, b) . Direction vector: $(b, -a)$. Perpendicular line: $-bx + ay = d$.

Point of intersection of $a_1x + b_1y = c_1$ and $a_2x + b_2y = c_2$ is $\frac{1}{a_1b_2 - a_2b_1}(c_1b_2 - c_2b_1, a_1c_2 - a_2c_1)$.

Distance from line $ax + by + c = 0$ to point (x_0, y_0) is $|ax_0 + by_0 + c| / \sqrt{a^2 + b^2}$.

Distance from line AB to P (for any dimension): $\frac{|(A-P) \times (B-P)|}{|A-B|}$.

Point-line segment distance:

if $(\text{dot}(B - A, P - A) < 0)$ return $\text{dist}(A, P)$;

if $(\text{dot}(A - B, P - B) < 0)$ return $\text{dist}(B, P)$;

return $\text{fabs}(\text{cross}(P, A, B) / \text{dist}(A, B))$;

Projection

Projection of point C onto line AB is $\frac{AB \cdot AC}{AB \cdot AB} AB$.

Projection of (x_0, y_0) onto line $ax + by = c$ is $(x_0, y_0) + \frac{1}{a^2 + b^2}(ad, bd)$, where $d = c - ax_0 - by_0$.

Projection of the origin is $\frac{1}{a^2 + b^2}(ac, bc)$.

Segment-segment intersection

Two line segments intersect if one of them contains an endpoint of the other segment, or each segment straddles the line, containing the other segment (AB straddles line l if A and B are on the opposite sides of l .)

Circle-circle and circle-line intersection

```

a = x2 - x1;    b = y2 - y1;    c = [(r1^2 - x1^2 - y1^2) - (r2^2 - x2^2 - y2^2)] / 2;
d = sqrt(a^2 + b^2);
if not |r1 - r2| <= d <= |r1 + r2|, return "no solution"
if d == 0, circles are concentric, a special case
// Now intersecting circle (x1,y1,r1) with line ax+by=c
Normalize line: a /= d; b /= d; c /= d;    // d=sqrt(a^2+b^2)
e = c - a*x1 - b*y1;
h = sqrt(r1^2 - e^2);    // check if r1<e for circle-line test
return (x1, y1) + (a*e, b*e) +/- h*(-b, a);

```

Circle from 3 points (circumcircle)

Intersect two perpendicular bisectors. Line perpendicular to $ax + by = c$ has the form $-bx + ay = d$. Find d by substituting midpoint's coordinates.

Angular bisector

Angular bisector of angle ABC is line BD , where $D = \frac{BA}{|BA|} + \frac{BC}{|BC|}$.

Center of incircle of triangle ABC is at the intersection of angular bisectors, and is $\frac{a}{a+b+c}A + \frac{b}{a+b+c}B + \frac{c}{a+b+c}C$ where a, b, c are lengths of sides, opposite to vertices A, B, C . Radius = $\frac{2S}{a+b+c}$

Counter-clockwise rotation around the origin

$(x, y) \rightarrow (x \cos \phi - y \sin \phi, x \sin \phi + y \cos \phi)$.

90-degrees counter-clockwise rotation: $(x, y) \rightarrow (-y, x)$. Clockwise: $(x, y) \rightarrow (y, -x)$.

3D rotation

3D rotation by ccw angle ϕ around axis n : $r' = r \cos \phi + n(n \cdot r)(1 - \cos \phi) + (n \times r) \sin \phi$

Plane equation from 3 points

$N \cdot (x, y, z) = N \cdot A$, where N is normal: $N = (B - A) \times (C - A)$.

3D figures

Sphere: Volume $V = \frac{4}{3}\pi r^3$, surface area $S = 4\pi r^2$

$$x = \rho \sin \theta \cos \phi, y = \rho \sin \theta \sin \phi, z = \rho \cos \theta, \phi \in [-\pi, \pi], \theta \in [0, \pi]$$

Spherical section: Volume $V = \pi h^2(r - h/3)$, surface area $S = 2\pi r h$

Pyramid: Volume $V = \frac{1}{3}hS_{base}$

Cone: Volume $V = \frac{1}{3}\pi r^2 h$, lateral surface area $S = \pi r \sqrt{r^2 + h^2}$

Area of a simple polygon

$\frac{1}{2} \sum_{i=0}^{n-1} (x_i y_{i+1} - x_{i+1} y_i)$, where $x_n = x_0, y_n = y_0$. Area is negative if the boundary is oriented clockwise.

Winding number

Shoot a ray from given point in an arbitrary direction. For each intersection of ray with polygon's side, add +1 if the side crosses it counterclockwise, and -1 if clockwise.

Range Tree

```
vector<pt> pts, tree[MAXSZ];
vector<TYPE> xs;
vector<int> lnk[MAXSZ][2];

int rt_recurse(int root, int left, int right) {
    lnk[root][0].clear(); lnk[root][1].clear(); tree[root].clear();

    if(left == right) {
        vector<pt>::iterator it;
        it = lower_bound(pts.begin(), pts.end(), pt(xs[left], -INF));
        for(; it != pts.end() && cmp(it->x, xs[left]) == 0; ++it)
            tree[root].push_back(*it);
        return tree[root].size();
    }

    int mid = (left + right)/2, cl = 2*root + 1, cr = cl + 1;
    int sz1 = rt_recurse(cl, left, mid);
    int sz2 = rt_recurse(cr, mid + 1, right);

    lnk[root][0].reserve(sz1+sz2+1);
    lnk[root][1].reserve(sz1+sz2+1);
    tree[root].reserve(sz1+sz2);

    int l = 0, r = 0, llink = 0, rlink = 0; pt last;
```

```
while(l < sz1 || r < sz2) {
    if(r == sz2 || (l < sz1 && compy(tree[cl][l], tree[cr][r])))
        tree[root].push_back(last = tree[cl][l++]);
    else tree[root].push_back(last = tree[cr][r++]);

    while(llink < sz1 && compy(tree[cl][llink], last))
        ++llink;
    while(rlink < sz2 && compy(tree[cr][rlink], last))
        ++rlink;

    lnk[root][0].push_back(llink);
    lnk[root][1].push_back(rlink);
}

lnk[root][0].push_back(tree[cl].size());
lnk[root][1].push_back(tree[cr].size());

return tree[root].size();
}

void rt_build() {
    sort(pts.begin(), pts.end());
    xs.clear();
    for(int i = 0; i < pts.size(); ++i) xs.push_back(pts[i].x);
```

```

    xs.erase(unique(xs.begin(), xs.end()), xs.end());
    rt_recurse(0, 0, xs.size() - 1);
}

int rt_query(int root, int l, int r, TYPE a, TYPE b, TYPE c, TYPE d,
            int posl = -1, int posr = -1) {
    if(root == 0 && posl == -1) {
        posl = lower_bound(tree[0].begin(), tree[0].end(), pt(a, c), compy)
            - tree[0].begin();
        posr = upper_bound(tree[0].begin(), tree[0].end(), pt(b, d), compy)
            - tree[0].begin();
    }
}

```

KD Tree

```

int tree[4*MAXSZ], val[4*MAXSZ];
TYPE split[4*MAXSZ];
vector<pt> pts;

void kd_recurse(int root, int left, int right, bool x){
    if (left == right){
        tree[root] = left;
        val[root] = 1;
        return;
    }

    int mid = (right+left)/2;
    nth_element(pts.begin() + left, pts.begin() + mid,
        pts.begin() + right + 1, x ? compx : compy);
    split[root] = x ? pts[mid].x : pts[mid].y;

    kd_recurse(2*root+1, left, mid, !x);
    kd_recurse(2*root+2, mid+1, right, !x);

    val[root] = val[2*root+1] + val[2*root+2];
}

void kd_build(){
    memset(tree, -1, sizeof tree);
    kd_recurse(0, 0, pts.size() - 1, true);
}

int kd_query(int root, TYPE a, TYPE b, TYPE c, TYPE d, TYPE ca = -INF,
    TYPE cb = INF, TYPE cc = -INF, TYPE cd = INF, bool x = true){
    if (a <= ca && cb <= b && c <= cc && cd <= d)
        return val[root];

    if (tree[root] != -1)

```

```

        if(posl == posr) return 0;
        if(a <= xs[l] && xs[r] <= b)
            return posr - posl;

    int mid = (l+r)/2, ret = 0;
    if(cmp(a, xs[mid]) <= 0)
        ret += rt_query(2*root+1, l, mid, a, b, c, d,
            lnk[root][0][posl], lnk[root][0][posr]);
    if(cmp(xs[mid+1], b) <= 0)
        ret += rt_query(2*root+2, mid+1, r, a, b, c, d,
            lnk[root][1][posl], lnk[root][1][posr]);

    return ret;
}

```

```

        return a <= pts[tree[root]].x && pts[tree[root]].x <= b &&
            c <= pts[tree[root]].y && pts[tree[root]].y <= d ? val[root] : 0;

    int ret = 0;
    if (x){
        if (a <= split[root])
            ret += kd_query(2*root+1, a, b, c, d, ca, split[root], cc, cd, !x);
        if (split[root] <= b)
            ret += kd_query(2*root+2, a, b, c, d, split[root], cb, cc, cd, !x);
    }
    else{
        if (c <= split[root])
            ret += kd_query(2*root+1, a, b, c, d, ca, cb, cc, split[root], !x);
        if (split[root] <= d)
            ret += kd_query(2*root+2, a, b, c, d, ca, cb, split[root], cd, !x);
    }
    return ret;
}

pt kd_neighbor(int root, pt a, bool x){
    if (tree[root] != -1)
        return a == pts[tree[root]] ? pt(INF, INF) : pts[tree[root]];

    TYPE num = x ? a.x : a.y;
    int term = num <= split[root] ? 1 : 2;
    pt ret;

    TYPE d = norm(a - (ret = kd_neighbor(2*root + term, a, !x)));
    if ((split[root] - num)*(split[root] - num) < d){
        pt ret2 = kd_neighbor(2*root + 3 - term, a, !x);
        if (norm(a - ret2) < d)
            ret = ret2;
    }
}

```

```
return ret;
```

Enclosing Circle

```
circle enclosing_circle(vector<pt>& pts){
    srand(unsigned(time(0)));
    random_shuffle(pts.begin(), pts.end());

    circle c(pt(), -1);
    for (int i = 0; i < pts.size(); ++i){
        if (point_circle(pts[i], c)) continue;
        c = circle(pts[i], 0);
        for (int j = 0; j < i; ++j){
            if (point_circle(pts[j], c)) continue;
```

```
}
```

Line Sweep Applications

```
// using line sweep to get the minimum distance between a pair of points
template<typename T> T inline SQR( const T &a ){ return a*a; }
```

```
double min_dist(vector< pair<double,double> > &point){
    // Ordena os pontos pelo X que vai ser o eixo percorrido no line sweep
    sort(point, point+N);
    // Comeca a menor distancia com um valor grande o suficiente
    double h = 1e10;
    // Conjunto de pontos ativos, usa uma funcao que ordena eles pelo y
    set< pair<double,double>, comp > active;
    int pactive = 0;
    for (int i = 0; i < N; ++i){ // Comeca a varrer o eixo X

        // Tira os pontos que estavam no conjuntos de ativos e nao tem mais
        // chance de melhorarem a menor distancia
        while (pactive < i && point[pactive].first < point[i].first-h){
            active.erase( point[pactive] );
            pactive++;
        }

        // Limita os pontos a serem verificados numa box de interesse
        set< pair<double,double> >:: iterator lb,ub;
        lb = active.lower_bound( make_pair( -1000000, point[i].second-h) );
        ub = active.upper_bound( make_pair( +1000000, point[i].second+h) );

        // Verifica se algum dos pontos na box melhora a distancia
        while (lb != ub){
            double hh = sqrt( SQR(point[i].second-(lb->second))
                            + SQR(point[i].first-(lb->first)));
```

```
        c = circle((pts[i] + pts[j])/2, abs(pts[i] - pts[j])/2);
        for (int k = 0; k < j; ++k){
            if (point_circle(pts[k], c)) continue;
            pt center = circumcenter(pts[i], pts[j], pts[k]);
            c = circle(center, abs(center - pts[i])/2);
        }
    }
    return c;
}
```

```
        if (hh < h) h = hh;
        lb++;
    }
    // Adiciona o ponto atual no conjunto de ativos
    active.insert(point[i]);
}
return h;
}

// using line sweep to get the area of the union of rectangles O(n^2)
struct event_t{
    int ax, frm;
    char wut;
    event_t(int a = 0, int b = 0, char c = 0) : ax(a), frm(b), wut(c) {}
    bool operator < (const event_t& a) const {
        if (ax != a.ax) return ax < a.ax;
        return wut < a.wut;
    }
};

struct rect_t{
    int x1, x2, y1, y2;
    rect_t(int a = 0, int b = 0, int c = 0, int d = 0)
        : x1(a), y1(b), x2(c), y2(d) {}
};

int area(vector<rect_t> rect) {
    vector< event_t > eventx, eventy;
    for (size_t i = 0, sz = rect.size(); i < sz; ++i){
```

```

    eventx.pb(event_t(rect[i].x1, i, 0));
    eventx.pb(event_t(rect[i].x2, i, 1));
    eventy.pb(event_t(rect[i].y1, i, 0));
    eventy.pb(event_t(rect[i].y2, i, 1));
}

sort(eventx.begin(), eventx.end());
sort(eventy.begin(), eventy.end());
vector< bool > active(int(rect.size()), false);

active[eventx[0].frm] = true;

int ans = 0;
for (size_t i = 1, sz = eventx.size(); i < sz; ++i){

    int in = 0;
    int lst = 0;
    for (size_t j = 0, szz = eventy.size(); j < szz; ++j){

```

```

        if (!active[eventy[j].frm]) continue;
        if (in){
            ans += (eventy[j].ax-lst)*(eventx[i].ax-eventx[i-1].ax);
            lst = eventy[j].ax;
        }
        else lst = eventy[j].ax;

        if (eventy[j].wut) in--;
        else in++;
    }

    if (eventx[i].wut) active[eventx[i].frm] = false;
    else active[eventx[i].frm] = true;
}

return ans;
}

```

Closest Points

```

pair<pt, pt> closest_points_rec(vector<pt>& px, vector<pt>& py) {
    pair<pt, pt> ret;
    double d;

    if(px.size() <= 3) {
        double best = 1e10;
        for(int i = 0; i < px.size(); ++i)
            for(int j = i + 1; j < px.size(); ++j)
                if(dist(px[i], px[j]) < best) {
                    ret = make_pair(px[i], px[j]);
                    best = dist(px[i], px[j]);
                }

        return ret;
    }

    pt split = px[(px.size() - 1)/2];
    vector<pt> qx, qy, rx, ry;
    for(int i = 0; i < px.size(); ++i)
        if(px[i] <= split) qx.push_back(px[i]);
        else rx.push_back(px[i]);

    for(int i = 0; i < py.size(); ++i)
        if(py[i] <= split) qy.push_back(py[i]);
        else ry.push_back(py[i]);

    ret = closest_points_rec(qx, qy);
    pair<pt, pt> rans = closest_points_rec(rx, ry);
    double delta = dist(ret.first, ret.second);

```

```

    if((d = dist(rans.first, rans.second)) < delta) {
        delta = d;
        ret = rans;
    }

    vector<pt> s;
    for(int i = 0; i < py.size(); ++i)
        if(cmp(abs(py[i].x - split.x), delta) <= 0)
            s.push_back(py[i]);

    for(int i = 0; i < s.size(); ++i)
        for(int j = 1; j <= 7 && i + j < s.size(); ++j)
            if((d = dist(s[i], s[i+j])) < delta) {
                delta = d;
                ret = make_pair(s[i], s[i+j]);
            }

    return ret;
}

pair<pt, pt> closest_points(vector<pt> pts) {
    if(pts.size() == 1) return make_pair(pt(-INF, -INF), pt(INF, INF));

    sort(pts.begin(), pts.end());
    for(int i = 0; i + 1 < pts.size(); ++i)
        if(pts[i] == pts[i+1])
            return make_pair(pts[i], pts[i+1]);
}

```

```
vector<pt> py = pts;
sort(py.begin(), py.end(), compy);
```

ISECT Primitives

```
bool in_rect(pt a, pt b, pt c) {
    return sgn(c.x - min(a.x, b.x)) >= 0 && sgn(max(a.x, b.x) - c.x) >= 0 &&
        sgn(c.y - min(a.y, b.y)) >= 0 && sgn(max(a.y, b.y) - c.y) >= 0;
}
bool ps_isects(pt a, pt b, pt c) { return ccw(a,b,c) == 0 && in_rect(a,b,c); }

bool ss_isects(pt a, pt b, pt c, pt d) {
    if (ccw(a,b,c)*ccw(a,b,d) == -1 && ccw(c,d,a)*ccw(c,d,b) == -1) return true;
    return ps_isects(a, b, c) || ps_isects(a, b, d) ||
        ps_isects(c, d, a) || ps_isects(c, d, b);
}
```

Misc Primitives

```
bool point_circle(pt p, circle c) {
    return cmp(abs(p - c.c), c.r) <= 0;
}

double ps_distance(pt p, pt a, pt b) {
    p = p - a; b = b - a;
    double coef = min(max((b||p)/(b||b), TYPE(0)), TYPE(1));
    return abs(p - b*coef);
}
```

Point

```
typedef double TYPE;
const TYPE EPS = 1e-9, INF = 1e9;

inline int sgn(TYPE a) { return a > EPS ? 1 : (a < -EPS ? -1 : 0); }
inline int cmp(TYPE a, TYPE b) { return sgn(a - b); }

struct pt {
    TYPE x, y;
    pt(TYPE x = 0, TYPE y = 0) : x(x), y(y) {}

    bool operator == (pt p) { return cmp(x, p.x) == 0 && cmp(y, p.y) == 0; }
    bool operator < (pt p) const {
```

```
    return closest_points_rec(pts, py);
}
```

```
pt parametric_isect(pt p, pt v, pt q, pt w) {
    double t = ((q-p)%w)/(v%w);
    return p + v*t;
}

pt ss_isect(pt p, pt q, pt r, pt s) {
    pt isect = parametric_isect(p, q-p, r, s-r);
    if(ps_isects(p, q, isect) && ps_isects(r, s, isect)) return isect;
    return pt(1/0.0, 1/0.0);
}
```

```
pt circumcenter(pt a, pt b, pt c) {
    return parametric_isect((b+a)/2, (b-a)*I, (c+a)/2, (c-a)*I);
}

bool compy(pt a, pt b) {
    return cmp(a.y, b.y) ? cmp(a.y, b.y) < 0 : cmp(a.x, b.x) < 0;
}
bool compx(pt a, pt b) { return a < b; }
```

```
    return cmp(x, p.x) ? cmp(x, p.x) < 0 : cmp(y, p.y) < 0;
}
bool operator <= (pt p){ return *this < p || *this == p; }
TYPE operator || (pt p){ return x*p.x + y*p.y; }
TYPE operator % (pt p){ return x*p.y - y*p.x; }
pt operator ~ () { return pt(x, -y); }
pt operator + (pt p){ return pt(x + p.x, y + p.y); }
pt operator - (pt p){ return pt(x - p.x, y - p.y); }
pt operator * (pt p){ return pt(x*p.x - y*p.y, x*p.y + y*p.x); }
pt operator / (TYPE t){ return pt(x/t, y/t); }
pt operator / (pt p){ return (*this * ~p)/(p||p); }
};
```

```

const pt I = pt(0,1);

struct circle {
    pt c; TYPE r;
    circle(pt c, TYPE r) : c(c), r(r) { }
};

TYPE norm(pt a){ return a || a; }
TYPE abs(pt a){ return sqrt(a || a); }
TYPE dist(pt a, pt b){ return abs(a - b); }

```

Polygon Primitives

```

double p_signedarea(vector<pt>& pol) {
    double ret = 0;
    for(int i = 0; i < pol.size(); ++i)
        ret += pol[i] % pol[g_mod(i+1, pol.size())];
    return ret/2;
}

int point_polygon(pt p, vector<pt>& pol) {
    int n = pol.size(), count = 0;

```

Convex Hull

```

pt pivot;

bool hull_comp(pt a, pt b) {
    int turn = ccw(a, b, pivot);
    return turn == 1 || (turn == 0 && cmp(norm(a-pivot), norm(b-pivot)) < 0);
}

vector<pt> hull(vector<pt> pts) {
    if(pts.size() <= 1) return pts;
    vector<pt> ret;

    int mini = 0;
    for(int i = 1; i < pts.size(); ++i)
        if(pts[i] < pts[mini])
            mini = i;

```

```

TYPE area(pt a, pt b, pt c){ return (a-c)%(b-c); }
int ccw(pt a, pt b, pt c){ return sgn(area(a, b, c)); }
pt unit(pt a){ return a/abs(a); }
double arg(pt a){ return atan2(a.y, a.x); }
pt f_polar(TYPE mod, double ang){ return pt(mod * cos(ang), mod * sin(ang)); }
inline int g_mod(int i, int n){ if(i == n) return 0; return i; }

ostream& operator << (ostream& o, pt p) {
    return o << "(" << p.x << ", " << p.y << ")";
}

```

```

for(int i = 0; i < n; ++i) {
    int il = g_mod(i+1, n);
    if (ps_isects(pol[i], pol[il], p)) return -1;
    else if((sgn(pol[i].y - p.y) == 1) != (sgn(pol[il].y - p.y) == 1)) &&
        ccw(pol[i], p, pol[il]) == sgn(pol[i].y - pol[il].y)) ++count;
}
return count % 2;
}

```

```

pivot = pts[mini];
swap(pts[0], pts[mini]);
sort(pts.begin() + 1, pts.end(), hull_comp);

ret.push_back(pts[0]);
ret.push_back(pts[1]);
int sz = 2;

for(int i = 2; i < pts.size(); ++i) {
    while(sz >= 2 && ccw(ret[sz-2], ret[sz-1], pts[i]) <= 0)
        ret.pop_back(), --sz;
    ret.push_back(pts[i]), ++sz;
}

return ret;
}

```

Dynamic Programming

Knapsack problem (Mochila)

```
int weight[MAX], value[MAX];

int fill_sack ( int items, int maxWeight ){
    int dp[items+1][maxWeight+1];
    for ( int i = 0; i <= maxWeight; i++ ) dp[0][i] = 0;
    for ( int i = 0; i <= items; i++ ) dp[i][0] = 0;
    for ( int i = 1; i <= items; i++ )
        for ( int j = 0; j <= maxWeight; j++ ){
```

```
        dp[i][j] = dp[i-1][j]; /* If I do not take this item */
        if ( j-weight[i] >= 0 ){
            /* suppose if I take this item */
            dp[i][j] = max( dp[i][j] , dp[i-1][j-weight[i]] + value[i] );
        }
    }
    return dp[items][maxWeight];
}
```

Longest Ascending Subsequence

```
/*
    Description: Given an array of size n, asc_seq returns the length
                 of the longest ascending subsequence, as well as one
                 of the subsequences in S.
```

```
    sasc_seq returns the length of the longest strictly
    ascending subsequence.
```

```
Complexity: O(n log n)
```

```
Notes: If you want to do the same things with descending
       subsequences, just reverse the array before calling
       the routines.
```

```
*/
```

```
#include <stdio.h>
#include <stdlib.h>
#include <assert.h>
```

```
int asc_seq(int *A, int n, int *S){
    int *m, *seq, i, k, low, up, mid, start;
```

```
    m = malloc((n+1) * sizeof(int));
    seq = malloc(n * sizeof(int));
    /* assert(m && seq); */
```

```
    for (i = 0; i < n; i++) seq[i] = -1;
    m[1] = start = 0;
    for (k = i = 1; i < n; i++) {
        if (A[i] >= A[m[k]]) {
            seq[i] = m[k++];
            start = m[k] = i;
```

```
        } else if (A[i] < A[m[1]]) {
            m[1] = i;
        } else {
            /* assert(A[m[1]] <= A[c] && A[c] < A[m[k]]); */
            low = 1;
            up = k;
            while (low != up-1) {
                mid = (low+up)/2;
                if (A[m[mid]] <= A[i]) low = mid;
                else up = mid;
            }
            seq[i] = m[low];
            m[up] = i;
        }
    }
    for (i = k-1; i >= 0; i--) {
        S[i] = A[start];
        start = seq[start];
    }
    free(m); free(seq);
    return k;
}
```

```
int sasc_seq(int *A, int n, int *S){
    int *m, *seq, i, k, low, up, mid, start;
```

```
    m = malloc((n+1) * sizeof(int));
    seq = malloc(n * sizeof(int));
    /* assert(m && seq); */
```

```
    for (i = 0; i < n; i++) seq[i] = -1;
    m[1] = start = 0;
```

```

for (k = i = 1; i < n; i++) {
    if (A[i] > A[m[k]]) {
        seq[i] = m[k++];
        start = m[k] = i;
    } else if (A[i] < A[m[1]]) {
        m[1] = i;
    } else if (A[i] < A[m[k]]) {
        low = 1;
        up = k;
        while (low != up-1) {
            /* assert (A[m[h]] <= A[c] && A[c] < A[m[j]]) */
            mid = (low+up)/2;
            if (A[m[mid]] <= A[i]) low = mid;
            else up = mid;
        }
        if (A[i] > A[m[low]]) {
            seq[i] = m[low];
            m[up] = i;
        }
    }
}
for (i = k-1; i >= 0; i--) {
    S[i] = A[start];
    start = seq[start];
}
free(m); free(seq);
return k;
}

int main(void)

```

Integer Partitioning

```

/*
    Description: Template for calculating the number of ways of
                partitioning the integer N into M parts.

    Complexity: O(N^2)

    Notes: A partition of a number N is a representation of
           N as the sum of positive integers
           e.g. 5 = 1+1+1+1+1

           The number of ways of partitioning an integer N
           into M parts is equal to the number of ways of
           partitioning the number N with the largest element
           being of size M. This is best seen with a Ferres-
           Young diagram:
           Suppose N = 8, M = 3:

```

```

{
    int *A, *S, n, i, k;

    while (scanf("%d", &n) == 1 && n > 0) {
        A = malloc(n*sizeof(int));
        S = malloc(n*sizeof(int));

        /* Read in array */
        for (i = 0; i < n; i++) scanf("%d", &A[i]);

        /* Find longest ascending subsequence */
        k = asc_seq(A, n, S);
        printf("length_=%d\n", k);
        for (i = 0; i < k; i++){
            printf("%d_", S[i]);
        }
        printf("\n");

        /* Find longest strictly ascending subsequence */
        k = sasc_seq(A, n, S);
        printf("length_=%d\n", k);
        for (i = 0; i < k; i++) {
            printf("%d_", S[i]);
        }
        printf("\n");
        free(A);
        free(S);
    }
    return 0;
}

```

```

4 = * * * *
    3 = * * *
      1 = *
    3 2 2 1
    By transposition from rows to columns, this equality
    can be seen.

    P(N, M) = P(N-1, M-1) + P(N-M, M)
    P(0, M) = P(N, 0) = 0
    P(N, 1) = 1
*/

#include <stdio.h>
#include <string.h>
#define MAXN 300

```



```
#define ULL unsigned long long

ULL A[MAXN+1][MAXN+1];

void Build(){
    int i, j;

    memset(A, 0, sizeof(A));
    A[0][0] = 1;
    for(i = 1; i <= MAXN; i++){
        A[i][1] = 1;
        for(j = 2; j <= i; j++){
            A[i][j] = A[i-1][j-1] + A[i-j][j];
        }
    }
}
```

Edit Distance (with path recovery)

```
/*
    Description: Computes the edit distance for two strings. Namely
                this involves certain costs for Replacement,
                Insertions and Deletions. Given these costs, and
                two words, this program calculates the minimum cost
                way to transform the first string to the second. An
                added bonus is the PathRecovery() subroutine, which
                prints out exactly what happens step by step.

    Complexity:  $O(N^2)$  where  $N$  is the size of the larger of the two
                strings

    Notes: Some modifications need to be made in order to fix
           path recovery.
*/

#include <stdio.h>
#include <string.h>

#define MAXN 90

char move[MAXN][MAXN]; /* Type of command used */
int g[MAXN][MAXN]; /* Cost of changes */

int editDistance(char *src, char *dst, int replace, int insert, int delete){
    int i, j, l1, l2;

    l1 = strlen(src);
    l2 = strlen(dst);

    for(j = 0; j <= l1; j++){
        g[0][j] = j;
        move[0][j] = 'D';
    }
}
```

```
    }
}

int main(){
    int n, m;

    Build();
    while(scanf("%d%d", &n, &m) == 2){
        printf("Partitions_of_%d_into_%d_parts:_%llu\n", n, m, A[n][m]);
    }
    return 0;
}
```

```
for(i = 1; i <= l2; i++){
    g[i][0] = i;
    move[i][0] = 'I';

    for(j = 1; j <= l1; j++){
        g[i][j] = g[i-1][j-1]+replace;
        move[i][j] = 'R';

        if(g[i-1][j]+insert < g[i][j]){
            g[i][j] = g[i-1][j]+insert;
            move[i][j] = 'I';
        }

        if(g[i][j-1]+delete < g[i][j]){
            g[i][j] = g[i][j-1]+delete;
            move[i][j] = 'D';
        }

        if(src[j-1] == dst[i-1] && g[i-1][j-1] < g[i][j]){
            g[i][j] = g[i-1][j-1];
            move[i][j] = 'N';
        }
    }
}

return g[l2][l1];
}

int counter;
void PathRecovery(int x, int y, int *delta, char *src, char *dst){
    int ndelta;

    if(x == 0 && y == 0){
        *delta = 0;
    }
}
```

```

    return;
}
else {
    switch(move[x][y]){
        case 'R':
            PathRecovery(x-1,y-1,&ndelta,src,dst);
            *delta = ndelta;
            printf("%d_Replace_%d,%c\n", counter++, y+ndelta, dst[x-1]);
            break;
        case 'I':
            PathRecovery(x-1,y,&ndelta,src,dst);
            *delta = ndelta+1;
            printf("%d_Insert_%d,%c\n", counter++, y+ndelta+1, dst[x-1]);
            break;
        case 'D':
            PathRecovery(x,y-1,&ndelta,src,dst);
            *delta = ndelta-1;
            printf("%d_Delete_%d\n", counter++, y+ndelta);
            break;
        case 'N':
            PathRecovery(x-1,y-1,&ndelta,src,dst);
            *delta = ndelta;
            break;
    }
}

```

```

    }
}
}

int main(){
    int x, first = 1, delta;
    char s1[MAXN], s2[MAXN];

    while(fgets(s1, MAXN, stdin)){
        if(first) first = 0;
        else printf("\n");
        fgets(s2, MAXN, stdin);
        s1[strlen(s1)-1] = 0;
        s2[strlen(s2)-1] = 0;
        if(first) first = 0;
        else printf("\n");
        x = editDistance(s1, s2, 1,1,1);
        printf("%d\n", x);
        counter = 1;
        PathRecovery(strlen(s2), strlen(s1), &delta, s1, s2);
    }
    return 0;
}

```

Maximum Submatrix Sum

```

/*
    Description: Given a matrix with n rows and m columns, find
                 the rectangular submatrix with the largest sum.

    Complexity: O(n*m^2)

    Notes: This code can easily be converted to work with a
           matrix of doubles. Matricies have the coordinate (0,0) in
           the upper left corner and (n-1,m-1) in the lower right.
           Submatricies are inclusive, i.e. the submatrix
           (t=5, b=6, l=3, r=4) contains the elements:
           (5,3), (5,4), (6,3), (6,4).
           The result is not guaranteed to be unique.

*/

/* fix compile warning */

#include <stdio.h>
#define MAXN 100
#define Atype double

typedef struct {
    int top, bot, left, right;
}

```

```

    Atype sum;
} submat_t;

submat_t max_submatrix(Atype vals[MAXN][MAXN], int n, int m) {
    submat_t best, prev[MAXN][MAXN];
    int row, i, j;
    Atype sum;

    for (i = 0; i < n; i++)
        for (j = 0; j <= i; j++) prev[i][j].sum = -1;
    best.sum = vals[0][0];
    best.left = best.right = best.top = best.bot = 0;

    for (row = 0; row < n; row++) {
        for (i = 0; i < m; i++) {
            for (sum = 0, j = i; j < m; j++) {
                sum += vals[row][j];
                if (prev[i][j].sum <= 0) {
                    prev[i][j].sum = 0;
                    prev[i][j].top = row;
                }
                prev[i][j].sum += sum;
                if (prev[i][j].sum > best.sum) { /* put tie-breaking here */

```

```

        best = prev[i][j];
        best.right = j;
        best.left = i;
        best.bot = row;
    }
}
}
return best;
}

/* If you have matrices that are long and skinny (like 7x40 or 100x20)
   call this function instead of max_submatrix. If the problem can be
   solved faster by transposing the matrix, this function will
   automatically determine that and solve the problem. It's usage
   is identical to max_submatrix. */

submat_t max_submat_t(Atype mat[MAXN][MAXN], int n, int m) {
    Atype transp[MAXN][MAXN];
    int i, j, tmp;
    submat_t res;

    if (m <= n) return max_submatrix(mat, n, m);
    for (i = 0; i < n; i++)
        for (j = 0; j < n; j++) transp[j][i] = mat[i][j];
}

```

Edit distance between two strings

```

/*
 * The edit distance between two strings is determined based on
 * three possible actions:
 * 1) Change: changes one symbol in a string to match
 * a symbol in another string.
 * 2) Insert: inserts a symbol into a string at a position
 * corresponding to the same symbol in the other string.
 * 3) Delete: deletes a symbol from one string that doesn't
 * appear in the other string.
 *
 * There is a simple (very simple) example for path recovery. Should
 * you wish to implement your own, the parts of this code pertaining to
 * path recovery are centralized in the procedure path_recovery().
 *
 * This algorithm uses dynamic programming and is O(nm). In theory,
 * ie. not in this implementation, it is not necessary to store the
 * entire table, only two columns need to be stored at any given step
 * if all that is desired is to compute the edit distance. In this
 * case, it takes O(m) space. NOTE: If this is done, path recovery
 * is NOT possible.
 */

```

```

res = max_submatrix(transp, m, n);
tmp = res.top;
res.top = res.left;
res.left = tmp;
tmp = res.bot;
res.bot = res.right;
res.right = tmp;
return res;
}

int main() {
    Atype mat[100][100];
    int nrows, ncols, i, j;
    submat_t max;

    while (scanf("%d%d", &nrows, &ncols)==2) {
        for (i = 0; i < nrows; i++)
            for (j = 0; j < ncols; j++)
                scanf("%lf", &mat[i][j]);
        max = max_submatrix(mat, nrows, ncols);
        printf("(%d,%d)_(%d,%d)_has_a_sum_of_%g.\n",
            max.top, max.left, max.bot, max.right, max.sum);
    }
    return 0;
}

```

```

/* If you don't like this algorithm, another possibility is to use
 * Dijkstra's algorithm for shortest paths in the grid graph.
 *
 * Two possible edit distance configurations are coded below, and
 * the vast multitude remaining are left as an exercise for the
 * reader.
 *
 * - int edit_general(char *A, char *B, int change, int insert, int delete);
 * Specify the strings and assign weights for changing, inserting,
 * and deleting.
 *
 * - int edit_equal(char *A, char *B);
 * Specify the strings. Changing, inserting, and deleting all
 * carry unit weight.
 *
 * - int edit_no_change(char *A, char *B);
 * Specify the strings. Changing is not allowed. To represent
 * this to the algorithm, the weight of changing is set to greater
 * than the sum of insert and delete--in this case, three.
 */

```

```

#include <stdio.h>
#include <stdlib.h>
#include <assert.h>

#define INSERT 1
#define DELETE 2
#define CHANGE 3

typedef struct {
    /* Empty struct to hold a sample to return, if desired. */
    /* Note that you have to code your own Return, so that the
       format will be correct */

    int *mods; /* Stores the modifications made, in reverse order */
    int len; /* Stores the number of modifications. */
} ReturnType;

int is_insert (int **EDIT, int i, int j, int insert) {
    if (j && (EDIT[i][j] == EDIT[i][j-1] + insert)) return 1;
    return 0;
}

int is_delete (int **EDIT, int i, int j, int delete) {
    if (i && (EDIT[i][j] == EDIT[i-1][j] + delete)) return 1;
    return 0;
}

int is_change (int **EDIT, int i, int j, char *A, char *B, int change) {
    if (i && j && (A[i-1] != B[j-1]) && (EDIT[i][j] == EDIT[i-1][j-1] + change)) {
        return 1;
    }
    return 0;
}

int is_nochange (int **EDIT, int i, int j, char *A, char *B) {
    if (i && j && (A[i-1] == B[j-1]) && (EDIT[i][j] == EDIT[i-1][j-1])) return 1;
    return 0;
}

void path_recovery(int **EDIT, char *A, char *B, int change, int insert,
    int delete, ReturnType *aSample) {
    int i, j, k;

    /*
     * At this point, you have a number for changes required to
     * change from one string to the other. If you want a sample
     * returned, this is where you would specify the format.

```

```

     */
    /* In order to retrieve the path, start at EDIT[strlen(a)][strlen(b)]
     * and travel back up the graph to the start--EDIT[0][0].
     */
    /* To determine which position in the string the change (whatever)
     * is taking place is messy. Have fun. :-)
     */

    i = strlen(A);
    j = strlen(B);

    /* Fix up your storage space, if necessary */
    aSample->mods = (int *) malloc (EDIT[i][j] * sizeof(int));
    assert(aSample->mods);
    aSample->len = EDIT[i][j];
    k = EDIT[i][j] - 1; /* We'll use this to index into the
        * storage space we have. Starts from
        * the end and works back.
        */

    while (i || j || k > -1) {
        if (is_insert(EDIT, i, j, insert)) {
            /* Character B[j-1] was inserted */
            aSample->mods[k] = INSERT; k--;

            j--;
        } else if (is_delete(EDIT, i, j, delete)) {
            /* Character A[i-1] was deleted */
            aSample->mods[k] = DELETE; k--;

            i--;
        } else if (is_change(EDIT, i, j, A, B, change)) {
            /* Character A[i-1] was replaced by B[j-1] */
            aSample->mods[k] = CHANGE; k--;

            i--; j--;
        } else if (is_nochange(EDIT, i, j, A, B)) {
            /* Nothing happened */

            i--; j--;
        }
    }
}

int edit_general(char *A, char *B,
    int change, int insert, int delete, ReturnType *aSample) {
    int len_a, len_b; /* Lengths of strings A & B */
    int** EDIT; /* Array to hold path information */
    int i, j;
    int cha, ins, del;
    int number_of_changes;

```



```
printf("Delete\n");  
break;  
    case CHANGE:  
printf("Change\n");  
break;  
}
```

```
    }  
    free(aSample.mods);  
}  
  
    return 0;  
}
```

Transpose String

```
#include <stdio.h>
#include <string.h>
#include <limits.h>
#include <assert.h>

typedef enum { Insert = 1, Delete, Replace, Match, Transpose } move_t;

typedef struct {
    move_t move;
    int x,y;
} action_t;

char a[512], b[512];
int m, n;

int dist[512][512];
action_t action[512][512];

int min(int a, int b) { return a > b ? b : a; }
int min3(int a, int b, int c) { return min(a, min(b,c)); }
int min4(int a, int b, int c, int d) { return min(a, min(b, min(c,d))); }

/* returns the smallest number of moves required to transform
the substring of _a_ starting at _i_ into the substring of _b_
starting at index _j_ */

int
string_distance(int i, int j) {
    int insert_cost, delete_cost, replace_cost,
        match_cost, transpose_cost, mincost;

    if( i == m && j == n ) {
        action[i][j].move = Match;
        action[i][j].x = i; action[i][j].y = j;
        dist[i][j] = 0;
        return 0;
    } else if( i == m ) {

        /* we are at the end of the source string - we must insert */
        dist[i][j] = string_distance(i,j+1) + 1;
        action[i][j].move = Insert;
        action[i][j].x = i; action[i][j].y = j+1;
        return dist[i][j];

    } else if( j == n ) {

        /* we are at the end of the destination string - we must delete */
        dist[i][j] = string_distance(i+1,j) + 1;
        action[i][j].move = Delete;
```

```
        action[i][j].x = i+1; action[i][j].y = j;
        return dist[i][j];
    }

    /* if we already know the cost... */
    if(dist[i][j] != INT_MAX) return dist[i][j];

    insert_cost = string_distance(i,j+1) + 1;
    delete_cost = string_distance(i+1,j) + 1;
    replace_cost = string_distance(i+1,j+1) + 1;
    match_cost = a[i] == b[j] ? string_distance(i+1,j+1) : INT_MAX;
    transpose_cost = (i+1 < m && j+1 < n) && (a[i+1] == b[j] && a[i] == b[j+1])
        ? string_distance(i+2,j+2) + 1 : INT_MAX;

    mincost = min( insert_cost,
                   min(delete_cost,
                       min(replace_cost,
                           min(match_cost, transpose_cost))));

    if( match_cost == mincost ) {

        action[i][j].move = Match;
        action[i][j].x = i+1; action[i][j].y = j+1;

    } else if( replace_cost == mincost ) {

        action[i][j].move = Replace;
        action[i][j].x = i+1; action[i][j].y = j+1;

    } else if( delete_cost == mincost ) {

        action[i][j].move = Delete;
        action[i][j].x = i+1; action[i][j].y = j;

    } else if( transpose_cost == mincost ) {

        action[i][j].move = Transpose;
        action[i][j].x = i+2; action[i][j].y = j+2;
    } else {

        action[i][j].move = Insert;
        action[i][j].x = i; action[i][j].y = j+1;

    }

    dist[i][j] = mincost;

    return dist[i][j];
```

```

}

int
main () {
    int i,j,offset,p,q;

    while( fgets(a,512,stdin) != NULL ) {
        fgets(b, 512, stdin);

        /* note that we are saying the string is one character longer than
           it really is. This makes it all work out nicely. The null
           is special character that everything past it matches for free*/

        m = strlen(a);
        n = strlen(b);
        a[m-1] = '\0'; m--;
        b[n-1] = '\0'; n--;

        for( i = 0; i < m; i++ ) {
            for( j = 0; j < n; j++ ) {
                dist[i][j] = INT_MAX;
            }
        }

        printf("distance_is_%d.\n", string_distance(0,0));

        i = 0; j = 0;
        offset = 0;
        do {

```

```

            switch(action[i][j].move) {
                case Insert:
                    printf("Insert_%c_before_position_%d\n", b[j], i+offset);
                    offset++;
                    break;
                case Delete:
                    printf("Delete_%c_at_position_%d\n", a[i], i+offset);
                    offset--;
                    break;
                case Replace:
                    printf("Replace_%c_at_position_%d_with_%c\n", a[i], i+offset, b[j]);
                    break;
                case Match:
                    printf("Match_%c_at_position_%d\n", a[i], i+ offset);
                    break;
                case Transpose:
                    printf("Tranpose_%c%c_at_position_%d\n", a[i], a[i+1], i+offset);
                    break;
                default:
                    assert(!fprintf(stderr, "whoa_there.\n"));
            }
            p = i; q = j; /* watch out for simultaneous assignment! duh! */
            i = action[p][q].x; j = action[p][q].y;
        } while( i != m || j != n);

    }
    return 0;
}

```


Miscellaneous

Subsets of a subset in $O(3^n)$

```
for (int i=0; i < (1<<n); ++i){
    for (int i2 = i; i2 > 0; i2 = (i2-1) & i){
    }
}
```

Warnsdorff's heuristic for knight's tour

At each step choose a square which has the least number of valid moves that the knight can make from there.

Josephus

```
int live[MAXN];
void josephus( int n, int m ){ // n people, m-th get killed
    live[1] = 0;
    for( int i = 2; i <= n; i++ )
        live[i] = (live[i-1]+(m%i))%i;
}
```

LIS $O(n \log n)$ (Maior Seq. Crescente)

```
vector<int> lis(vector<int>& seq){
    int smallest_end[seq.size()+1], prev[seq.size()];
    smallest_end[1] = 0;

    int sz = 1;
    for (int i = 1; i < seq.size(); ++i){
        int lo = 0, hi = sz;
        while (lo < hi){
            int mid = (lo + hi + 1)/2;
            if (seq[smallest_end[mid]] <= seq[i])
                lo = mid;
            else
                hi = mid - 1;
        }
    }
```

```
        prev[i] = smallest_end[lo];
        if (lo == sz)
            smallest_end[++sz] = i;
        else if (seq[i] < seq[smallest_end[lo+1]])
            smallest_end[lo+1] = i;
    }

    vector<int> ret;
    for (int cur = smallest_end[sz]; sz > 0; cur = prev[cur], --sz)
        ret.push_back(seq[cur]);
    reverse(ret.begin(), ret.end());

    return ret;
}
```

Fraction

```

struct frac {
    long long num, den;
    frac(long long num = 0, long long den = 1) { set_val(num, den); }

    void set_val(long long _num, long long _den) {
        num = _num/__gcd(_num, _den);
        den = _den/__gcd(_num, _den);
        if(den < 0) { num *= -1; den *= -1; }
    }

    void operator+=(frac f) { set_val(num * f.num, den * f.den); }
    void operator+=(frac f) { set_val(num * f.den + f.num * den, den * f.den); }
    void operator+=(frac f) { set_val(num * f.den - f.num * den, den * f.den); }
    void operator+=(frac f) { set_val(num * f.den, den * f.num); }
};

```

```

bool operator==(frac a, frac b) { return a.num * b.den == b.num * a.den; }
bool operator!=(frac a, frac b) { return !(a == b); }
bool operator<(frac a, frac b) { return a.num * b.den < b.num * a.den; }
bool operator<=(frac a, frac b) { return (a == b) || (a < b); }
bool operator>(frac a, frac b) { return !(a <= b); }
bool operator>=(frac a, frac b) { return !(a < b); }

frac operator/(frac a, frac b) { frac ret = a; ret /= b; return ret; }
frac operator*(frac a, frac b) { frac ret = a; ret *= b; return ret; }
frac operator+(frac a, frac b) { frac ret = a; ret += b; return ret; }
frac operator-(frac a, frac b) { frac ret = a; ret -= b; return ret; }
frac operator-(frac f) { return 0 - f; }

std::ostream& operator<<(std::ostream& o, const frac f) {
    o << f.num << "/" << f.den;
    return o;
}

```