FOR ANALYSTS, ENGINEERS AND THE TEAM · 16 SEP 2026

IP Intelligence User Manual

How to find out where an IP address is and whether it is a proxy, VPN, Tor exit or bot, from the app, the API or Athena, and how to keep the daily system running.

Addresses **4,956,914** Updated **daily 07:30 UTC** proxycheck.io **80,000 queries/day**

Start here

Every IP address seen in the ad-click and website-session tables has a location and a proxy verdict. Pick whichever of these suits the job.

The app (Lovable)

Type one address, or paste up to 1,000, and read the answer. Best for looking something up, and for running the pipeline.

The API

`GET /lookup/{ip}` or `POST /lookup` for up to 1,000. Best for other systems and scripts. Asks proxycheck.io on the spot when our tables have no conclusion.

Athena

Query `ipintel_curated.ip_resolved`: one row per address. Best for reports and joining to other data. Never spends proxycheck.io queries.

The one table most people need

`ipintel_curated.ip_resolved` holds the answer to use for every address: location, proxy verdict, the vendors it rests on, and where the address was seen. The other tables hold each vendor's own answer and the working behind the verdicts.

Reading an answer

Each answer has a location part and a proxy part, and each part has a status that says how sure it is.

Location status

STATUS	MEANING	HOW MUCH TO TRUST IT
`agreed`	Two or more vendors name the same state and city	Strongest
`single_source`	Only one vendor answered, almost always IP2Location	State is usually right; treat city as approximate
`vendors_disagree`	Vendors name different places; the best-scoring vendor's answer is shown	Mostly the same state and a nearby city
`no_answer`	No vendor has a location	—

An IP location is not a home address

It places the network hub. City matches a customer's own postal address only 10–15% of the time, and state about 55–60%, for every vendor (see **Reports · Location Accuracy**). Use it for regional analysis, never as a person's address.

Proxy status

STATUS	MEANING	FLAGGED
`confirmed`	proxycheck.io answered and at least one other vendor agrees	true or false
`proxycheck_only`	proxycheck.io is the only vendor that answered	true or false
`proxycheck_overrides`	proxycheck.io answered the opposite of every other vendor, and its answer is used	true or false
`clean_by_vendors`	No proxycheck.io answer; every vendor that answered says clean	false
`flagged_unconfirmed`	A vendor flags it and nothing confirms the flag	empty
`vendors_disagree`	Vendors disagree and proxycheck.io has not answered yet	empty
`no_answer`	No vendor gave a proxy answer	empty

Empty means "no conclusion", never "clean". Every yes/no field has three states: true, false, and empty (no answer). Treating empty as false is the most common mistake; in SQL, `WHERE NOT flagged` silently drops the empty rows, so write `WHERE flagged = false` or `WHERE flagged IS NULL` on purpose.

The flags

`is_proxy`, `is_vpn`, `is_tor`, `is_datacenter`, `is_bot`, `is_compromised`, `is_scraper`, `is_anonymous`. `flagged` is true when any of the first seven is true. Two things to know:

- proxycheck.io labels most datacenter traffic as VPN. For "not an ordinary home connection" use `is_vpn OR is_proxy OR is_datacenter`.
- Only FraudLogix answers `is_bot`. No bot flag is confirmed by a second vendor.
- Many of the busiest VPN-flagged addresses are Cloudflare and Apple privacy relays used by ordinary people. Judge them on behaviour, not the flag alone.

Using the app

Once all four parts of the final Lovable prompt are applied, the app has these pages. It opens on IP Lookup.

PAGE	USE IT TO
IP Lookup · One address	See the answer for one IP, every vendor's own answer, where it was seen, and whether proxycheck.io was asked and why. **Ask proxycheck.io again** forces a fresh answer (one query). Share a lookup by copying the page link (`?ip=`).
IP Lookup · Many addresses	Paste up to 1,000 IPs or upload a CSV, look them all up at once, filter the results and **Download CSV**. Switch off "Ask proxycheck.io when needed" to answer from the tables only.
Resolved IPs	Browse and filter `ip_resolved` : by location, verdict, flag. Quick filters for "No conclusion" and "Confirmed flagged". The **proxycheck.io queue** tab lists addresses from new base-table rows that needed proxycheck.io and whether they were answered.
Tables	Browse the per-vendor tables and the two vendor scorecards.
Reports · Location Accuracy	See how often each location vendor, and our own resolved answer, names the same state, city and ZIP as customers' postal addresses, overall and by customer state.
Reports · Enrichment Coverage	See how many addresses have a proxycheck.io answer, a proxy conclusion and an agreed location, for the last 30 days and for every address, and how many rows were added each day.
Safety	See that the pipeline cannot write to production, and **Pause everything** in an emergency.
Base Tables	Add, remove, switch off or re-check the production tables IP addresses are collected from.
Daily Jobs	See each run's counts and checks, **Run now**, switch a job off, and change the daily enrichment budget. The read-only **Unified tables** card shows when `unified.ip_geo` and `unified.ip_intelligence` were last refreshed and whether that refresh passed.
proxycheck Budget	See today's queries against the 80,000 limit and whether the key works.
Vendor Sources	The registry of vendors, unchanged.

The **Reports** section of the menu sits between Tables and the pipeline pages (Safety, Base Tables, Daily Jobs, proxycheck Budget).

Reading the Location Accuracy report

The truth is the postal address of 2,105 qualified customers (full state name and 5-digit ZIP). For each vendor, and for **Our answer (resolved)**, the report counts how often the IP location matches:

- **State:** the same state name, ignoring case.
- **City:** the same city name, letters only, ignoring case. This is stricter than the vendor vote, which compares only the first word of the city.
- **ZIP:** the same first five digits.

- **State + city:** both match.

Two pools are shown. **Every address each vendor answered** gives each vendor as many tests as it can take. **Same addresses** uses only the 1,049 addresses every location vendor answered, so the vendors are compared on equal terms. The by-state table marks states with fewer than 20 tested addresses as a small sample.

VENDOR (ALL ANSWERED, 15 SEP)	TESTED	STATE	CITY	ZIP
IP2Location DB11	2,105	59.0%	14.5%	3.4%
proxycheck.io	2,105	59.7%	11.9%	5.4%
ipinfo.io	1,050	54.3%	11.1%	4.0%
ipwho.is	1,050	53.7%	10.5%	1.8%
Our answer (resolved)	2,105	62.5%	15.2%	4.1%

No vendor reaches 100%, and that is expected
A postal address is where the customer lives, not always where the connection is (mobile carriers, work networks). Use the numbers to compare vendors with each other, not as the chance a single answer is right.

Accuracy and agreement are different. "Agreement" on the vendor scorecards means how often a vendor matches the other vendors. "Accuracy" means how often a vendor matches customers' postal addresses, and is used only on the Location Accuracy page.

Reading the Enrichment Coverage report

Totals for addresses **last seen in the last 30 days** and for **all addresses**: how many proxycheck.io answered, how many have a proxy conclusion or none, and how many have an agreed location, a single-vendor location, or a disagreement or no location. Below that, rows added per day (by `created_at`), new addresses per day (by first seen), and the 30-day window broken down by last-seen day.

SNAPSHOT 15 SEP 19:00 UTC	LAST 30 DAYS	ALL ADDRESSES
Addresses	39,508	4,956,914
Answered by proxycheck.io	18,034 (45.6%)	77,710 (1.6%)
Proxy decided	30,208 (76.5%)	82.9%
Proxy undecided	9,300	848,403
Location agreed by 2+ vendors	8,443 (21.4%)	—
Location from one vendor only	21,000	—

All 9,300 undecided last-30-day addresses were last seen 16–30 Aug; from 31 Aug onward none are undecided. The 16 Sep backfill sends every remaining last-30-day address to proxycheck.io first, so after that run every address seen in the last 30 days has a proxycheck.io answer, except addresses proxycheck.io has no record of.

Using the API

Every call needs the API token in an `Authorization` header. Ask the project owner for the token, and keep it out of shared code and documents.

```
Base URL:  https://h25l6d2efgqnxqjrt6xpzjzbdq0hceyr.lambda-url.us-west-2.on.aws
Header:    Authorization: Bearer YOUR_API_TOKEN
```

One address

```
curl -H "Authorization: Bearer YOUR_API_TOKEN" \
  "https://h25l6d2efgqnxqjrt6xpzjzbdq0hceyr.lambda-url.us-west-2.on.aws/lookup/8.8.8.8"
```

Add `?refresh=true` to make proxycheck.io answer again even if it has answered before (one query).

The response, in short:

```
{
  "ip": "152.232.101.74",
  "public_address": true,
  "found": true,
  "seen_in_base_tables": true,
  "occurrences": [{"source_table": "raw.raw_tune_clicks", "first_seen": "2026-07-07",
"last_seen": "2026-07-07", ...}],
  "resolved": {
    "geo":   {"status": "agreed", "state": "California", "city": "Los Angeles",
"zip_code": "90013",
              "latitude": 34.05, "longitude": -118.24, "timezone": "-07:00",
              "decided_by": "ip2location_db11", "agreeing_vendors": ["ip2location_db11",
"proxycheck_io"]},
    "proxy": {"status": "confirmed", "flagged": true, "is_vpn": true, "is_proxy": false,
...,
              "decided_by": "proxycheck_io", "agreeing_vendors": ["fraudlogix_tune"],
"isp": "B2 Net Solutions Inc."}
  },
  "vendors": {"geo": [ ...each vendor's row... ], "proxy": [ ... ]},
  "proxycheck": {"called": false, "reason": null, "reason_code": null}
}
```


When the API asks proxycheck.io

The same rule applies to API calls and to new rows arriving in the base tables.

SITUATION	ASKED?	`REASON_CODE`
Private or reserved address (10.x, 127.x, 172.16–31.x, 192.168.x, 100.64–127.x, 224+ ...)	Never	—
proxycheck.io has already answered this address	No, unless `refresh=true`	`refresh`
Not in the IP tables	Yes	`new_address`
No vendor gave a location	Yes	`no_location`
No vendor gave a proxy answer	Yes	`no_answer`
Proxy vendors disagree	Yes	`vendors_disagree`
Flagged, nothing confirms it	Yes	`flagged_unconfirmed`
Location vendors disagree	Yes	`location_disagree`
In the tables with a location and a clean or confirmed proxy answer	No	—

A proxycheck.io answer is saved straight away, so asking about the same address again is free. The next daily proxycheck job adds it to the tables.

Browsing a table

```
GET /tables/ip-resolved?proxy_status=confirmed&flagged=true&limit=500
GET /tables/ip-resolved?state=Texas&city=Dallas
GET /tables/ip-intelligence?ip=8.8.8.8
GET /tables/proxycheck-queue?outcome=answered
```

ENDPOINT	FILTERS
`/tables/ip-resolved`	ip, geo_status, proxy_status, flagged, state, city, zip, and every flag
`/tables/ip-geo`	ip, vendor, state, city, zip
`/tables/ip-intelligence`	ip, vendor, every flag
`/tables/ip-geo-analytics`	ip, vendor, has_answer
`/tables/ip-intelligence-analytics`	ip, vendor, has_answer, flagged, is_masked_device, verdict_class
`/tables/ip-occurrences`	ip, base_table
`/tables/proxycheck-queue`	ip, reason, outcome
`/tables/vendor-overview-geo`, `/tables/vendor-overview-proxy`	none (a few rows)

Paging. `limit` is 2,000 by default and at most 5,000. For the next page pass the `next_cursor` and `query_id` from the response (fast, no new scan); `offset` also works up to 100,000. One query returns at most 50,000 rows; above that `truncated` is true, so narrow the filters or use Athena. `total` is filled in when a filter is used, or when you add `count=true`. Results are reused for up to an hour.

Reports and the unified tables

These routes only read. They need the same `Authorization: Bearer` token as every other call.

```
GET /accuracy/geo
GET /coverage
GET /publish
```

ENDPOINT	RETURNS
`/accuracy/geo`	The Location Accuracy report: per vendor and for our resolved answer, tested addresses and state, city, ZIP and state + city match rates, for both pools and by customer state. Only totals, never customer data.
`/coverage`	The Enrichment Coverage report: totals for the last 30 days and all addresses, `inserted_by_day` and `window_by_last_seen_day`.
`/publish`	The unified tables refresh: `tables`, `last_published_at`, `last_run_id`, `last_tables` and recent `runs` with their checks.

Both reports are rebuilt at the end of each daily job. Until the first rebuild, the app shows "appears after the next daily run".

Status codes

CODE	MEANING	WHAT TO DO
200	Answered. Check `proxycheck.error`: an answer can be complete from the tables even when proxycheck.io could not be asked	—
400	The request is wrong; `error` says how	Fix the request
401	Missing or wrong token	Check the `Authorization` header
404	No such endpoint	The response lists every route
502 / 504	Athena rejected the query or took too long	Retry; for bulk, send fewer addresses

Many IPs at once

`POST /lookup` answers up to 1,000 addresses in one call, usually within 20–40 seconds, with the same answers as one-at-a-time lookups.

```
curl -X POST -H "Authorization: Bearer YOUR_API_TOKEN" -H "content-type: application/json"
\
  -d '{"ips": ["8.8.8.8", "152.232.101.74", "10.0.0.1"]}' \
  "https://h25l6d2efgqnxqjrt6xpzjzbdq0hceyr.lambda-url.us-west-2.on.aws/lookup"
```

BODY FIELD	DEFAULT	MEANING
`ips`	required	1 to 1,000 IPv4 addresses; duplicates are merged
`proxycheck`	`true`	`false` answers from the tables only and never spends a query
`refresh`	`false`	`true` asks proxycheck.io again for every public address (about one query each)
`detail`	`"summary"`	`"full"` also returns every vendor's rows and the occurrences

Addresses that need proxycheck.io go to it together in one request. The response has a `proxycheck` summary (needed, asked, answered, queries reserved, any error) and one `results` entry per address with `resolved` and `proxycheck` like a single lookup.

A whole list, in Python

```
import csv, json, os, urllib.request

URL = "https://h25l6d2efgqnxqjrt6xpzjzbdq0hceyr.lambda-url.us-west-2.on.aws/lookup"
TOKEN = os.environ["IPINTEL_API_TOKEN"]          # never paste the token into the script

ips = [line.strip() for line in open("ips.txt") if line.strip()]
rows = []
for i in range(0, len(ips), 1000):               # 1,000 per request
    body = json.dumps({"ips": ips[i:i + 1000], "proxycheck": True}).encode()
    req = urllib.request.Request(URL, data=body, method="POST",
                                 headers={"Authorization": "Bearer " + TOKEN, "content-
type": "application/json"})
    reply = json.loads(urllib.request.urlopen(req, timeout=120).read())
    if reply["proxycheck"]["error"]:
        print("note:", reply["proxycheck"]["error"])
    for r in reply["results"]:
        g, p = r["resolved"]["geo"], r["resolved"]["proxy"]
        rows.append([r["ip"], g["state"], g["city"], g["zip_code"], g["status"],
                     p["flagged"], p["is_vpn"], p["is_proxy"], p["status"], p["isp"]])

with open("ip_answers.csv", "w", newline="") as f:
    csv.writer(f).writerows([["ip", "state", "city", "zip", "geo_status",
                              "flagged", "is_vpn", "is_proxy", "proxy_status", "isp"]] +
rows)
```

Budget for bulk lookups
API lookups share the daily proxycheck.io limit with the pipeline. 30,000 queries a day are always kept free for lookups, all day and after the 22:00 UTC top-up; the pipeline never spends them. When the limit is reached, the call still answers from the tables and says so in `proxycheck.error`. For lists of addresses that are already in the tables, set `"proxycheck": false` or use Athena.

Using Athena

Everything is in the `ipintel_curated` database. Queries that filter on `ip_address` read only a few megabytes.

```
-- The answer for a list of addresses
SELECT ip_address, state, city, zip_code, geo_status, flagged, is_vpn, is_proxy,
is_datacenter,
       proxy_status, isp, proxycheck_risk_score, last_seen
FROM ipintel_curated.ip_resolved
WHERE ip_address IN ('8.8.8.8', '152.232.101.74');

-- Join to your own data: sessions with the IP verdict
SELECT s.session_date, s.session_ip, r.state, r.flagged, r.proxy_status
FROM unified.unified_session_summary s
LEFT JOIN ipintel_curated.ip_resolved r ON r.ip_address = s.session_ip
WHERE s.session_date = date '2026-09-10';

-- Addresses with no conclusion yet
SELECT proxy_status, count(*) FROM ipintel_curated.ip_resolved
WHERE proxy_status IN ('no_answer', 'vendors_disagree', 'flagged_unconfirmed') GROUP BY 1;
```

All tables, and dozens more ready-made queries, are in `ATHENA_REVIEW_QUERIES_LIVE.md` in the project folder. Every timestamp is UTC as `YYYY-MM-DDTHH:MM:SSZ`.

Please use your own workgroup for reading
The `ipintel` and `ipintel_etl` workgroups belong to the API and the daily jobs. Reading the tables from your usual workgroup is fine; writing to `ipintel_curated` is reserved for the pipeline.

The `unified` copies. `unified.ip_geo` and `unified.ip_intelligence` are copies of the same tables in `ipintel_curated`, refreshed after each successful proxycheck.io run for

another team's API. They can lag by up to a day and no longer hold the removed benchmark vendors. For your own queries, use `ipintel_curated`.

How fresh the data is

The tables update once a day in the early morning (UTC). An address that first appears after 07:30 is in the tables the next morning; look it up through the API if you need it sooner.

WHEN (UTC)	WHAT HAPPENS
every 6 h, :06	New ad clicks land in `raw.raw_tune_clicks` (their own job)
~06:21	`unified.unified_session_summary` is rewritten (their own job)
07:30	**Daily load:** new addresses get every free vendor's answer; all tables, scorecards and `ip_resolved` refresh
straight after	**proxycheck.io:** addresses from new rows that need it go first, then the daily backfill; together up to 50,000
after proxycheck.io	**Unified tables refreshed:** if every check passed, `unified.ip_geo` and `unified.ip_intelligence` are replaced with fresh copies of the `ipintel_curated` tables
end of each job	**Reports rebuilt:** Location Accuracy and Enrichment Coverage
10:00	Backfill start if the daily load did not start it
22:00	**Top-up:** finishes the 50,000 enrichment budget if the morning run stopped early; never uses the 30,000 kept for lookups
Sun 03:00	Weekly table maintenance
any time	API lookups

The proxycheck.io budget

The plan allows 80,000 queries a day. Since 15 Sep 13:00 UTC, at the owner's request, 50,000 go to enrichment and 30,000 are always kept free for API lookups. A shared counter reserves every query before it is sent, so nothing can go over the limit.

USE	QUERIES	NOTES
Enrichment: addresses from new base-table rows, then the daily backfill	up to 50,000	Queued addresses count inside the 50,000 and no longer borrow from the lookup reserve
API lookups (one or bulk)	30,000 kept free	1 query per address, 2 reserved for a single lookup; lookups can use anything left of the 80,000
22:00 top-up	rest of the 50,000	Only runs batches if the morning run stopped early; never touches the 30,000

What the backfill sends first

1. Addresses queued from new base-table rows.
2. Addresses first seen today.
3. Every address seen in the base tables in the last 30 days that proxycheck.io has not answered, even if the other vendors agree it is clean. proxycheck.io confirms the proxy answer and adds a second vote on location.
4. Addresses with no conclusion (`no_answer`, `vendors_disagree`, `flagged_unconfirmed`): seen in the last 90 days first, then by kind of no-conclusion and most recently seen.

For 16 Sep the backfill picked 49,504 addresses: the first 20,597 are every remaining address from the last 30 days (8,719 with no answer and 11,878 clean by vendors), then 28,907 older addresses with no answer, seen 31–90 days ago.

The **Edit** budget on Daily Jobs changes only the enrichment share, up to 50,000 (the 80,000 limit minus the 30,000 lookup reserve). An address that is both proxy and VPN is charged twice by proxycheck.io; about 1% extra is reserved for that. The **proxycheck Budget** page shows our counter and proxycheck.io's own, which runs a few minutes behind.

Alert emails

Alerts come from the `ipintel-alerts` topic. Most say exactly what failed; the run log on the Daily Jobs page has the detail.

EMAIL ABOUT	MEANING	WHAT TO DO
proxycheck use passed 90%	Expected most days once the top-up has run	Nothing
A job failed / an assertion failed	A daily run stopped; nothing half-written is kept, and the next run picks up the same work	Read the run's message; press Run now after fixing the cause
No run for 26 hours	The daily load has not finished	Check the schedule is on and the pipeline is not paused
Hand-over in the dead-letter queue	A long proxycheck run could not start its next copy	Press Run now on the proxycheck job; saved answers are not lost
proxycheck rejected the key	The key in Secrets Manager (`ipintel/proxycheck-paid`) is wrong or the plan lapsed	Renew the plan or update the secret, then Run now
Paused: safety check failed	The pipeline saw a way to write to production and stopped itself	Contact the project owner; do not resume until the check passes
A base table has not been written for 30 hours	Its own production job has not delivered new rows	Tell the owner of that table
Weekly maintenance failed	Table compaction did not finish	Nothing urgent; it retries next week

Common tasks

Stop everything now

1. Open **Safety** and press **Pause everything**.
2. Give a reason. Both jobs and every proxycheck.io call stop; nothing is deleted.
3. Press **Resume** when ready. Resume is refused while a safety check is failing.

Collect addresses from another table

1. Open **Base Tables** and press **Add base table**.
2. Pick the database, table, IP column and seen-at column from the lists.
3. Save. The table is checked immediately; fix anything listed under problems. The next daily load reads it. The pipeline only reads base tables, never writes to them.

Get today's new addresses in now instead of tomorrow

1. Open **Daily Jobs** and press **Run now** on Free sources.
2. When it finishes it starts the proxycheck job for any addresses that need it.

Change how much the backfill spends

1. Open **Daily Jobs**, proxycheck card, **Edit** the daily budget (at most 50,000; the other 30,000 stay free for lookups).

Check whether the last 30 days are enriched

1. Open **Reports · Enrichment Coverage** (or call `GET /coverage`).
2. In the last-30-days column, read **answered by proxycheck.io** and **proxy undecided**. The by-last-seen-day table shows which days still have undecided addresses.

Compare vendor accuracy by state

1. Open **Reports · Location Accuracy** (or call `GET /accuracy/geo`).
2. Pick the **Same addresses** pool for a fair comparison, then open the by-state table. Ignore states marked small sample (fewer than 20 tested).

Check the unified tables were refreshed

1. Open **Daily Jobs** and read the **Unified tables** card, or call `GET /publish`.
2. `last_published_at` should be today, after the proxycheck run. The latest run lists its checks and the row count of each table.

Force a fresh proxycheck.io answer for one address

1. On **IP Lookup** press **Ask proxycheck.io again**, or call `/lookup/{ip}?refresh=true`.

Look up a list and download it

1. On **IP Lookup**, choose **Many addresses**, paste up to 1,000, press Look up, then **Download CSV**.
2. For more than 1,000, split the list, or use the Python example above.

Troubleshooting

WHAT YOU SEE	WHY	FIX
An address I know is new is not in Athena	It arrived after today's 07:30 load	Use the API, or Run now on Free sources
`proxycheck.error` : daily limit reached	Today's 80,000 are used	The answer from the tables is still returned; try again after midnight UTC
`proxycheck.error` : the pipeline is paused	Someone pressed Pause everything	Resume on the Safety page
`flagged` is empty	No conclusion yet	It is in the backfill queue; or look it up to ask proxycheck.io now
A private address has no answer	No vendor has records for private or reserved ranges	Expected
A bulk call returns 504	Too slow for one call	Send 500 addresses per call instead
A page says "not available yet"	The app calls an endpoint the API does not have	Re-apply the final Lovable prompt
No new session addresses for days	`unified_session_summary` is not being rewritten by its own job. On 15 Sep its newest sessions were from 11 Sep; it was rewritten at 14:20 UTC that day, so the 16 Sep 07:30 load should pick up 12–15 Sep	Check new addresses per day on Enrichment Coverage; if it stalls again, tell that table's owner
A report page says "appears after the next daily run"	The report file has not been built yet	Wait for the next daily job, or press Run now on Free sources
The Unified tables card shows a failed refresh	A check failed while building or swapping the copy. The unified tables keep their previous copy; if the swap had started, the previous files are put back automatically	Nothing urgent; the next successful proxycheck run tries again. Tell an engineer if it fails two days running
`unified.ip_intelligence` is behind `ipintel_curated`	It is refreshed only after a proxycheck run that passes every check	Use `ipintel_curated` , or check `GET /publish`

Glossary

`base table`

A production table IP addresses are collected from: `raw.raw_tune_clicks` (ad clicks) and `unified.unified_session_summary` (website sessions). Only ever

	read.
vendor	A source that answers questions about an address: IP2Location DB11, IP2Proxy PX12, FraudLogix, ipinfo.io, ipwho.is, proxycheck.io.
resolved answer	The one answer to use, worked out from every vendor's answer by fixed rules. In `ip_resolved` and in every lookup.
no conclusion	No vendor answered, vendors disagree, or a flag has nothing confirming it.
backfill	The daily job that asks proxycheck.io about addresses that have no proxycheck.io answer yet: today's and the last 30 days' addresses first, then no-conclusion addresses.
top-up	The 22:00 UTC run that finishes the 50,000 enrichment budget if the morning run stopped early. It never uses the 30,000 kept for lookups.
enrichment	Spending proxycheck.io queries on addresses from the base tables (queue and backfill), as opposed to API lookups.
enrichment coverage	How many addresses have a proxycheck.io answer, a proxy conclusion and an agreed location. The Enrichment Coverage report.
agreement	How often a vendor matches the other vendors. Used on the vendor scorecards.
accuracy	How often a vendor's location matches customers' postal addresses. Used only on the Location Accuracy report.
publish	Refreshing `unified.ip_geo` and `unified.ip_intelligence` with checked copies of the `ipintel_curated` tables, after each proxycheck run that passes.
queue	`proxycheck_queue`: addresses from new base-table rows that need proxycheck.io, sent before the backfill.
privacy relay	A service (Apple iCloud Private Relay, Cloudflare WARP) that hides a user's address behind a shared one. Shows as VPN.
residential proxy	A home connection used to route other people's traffic, often a compromised device. Shows as proxy on a home ISP.
UTC	Coordinated Universal Time. 07:30 UTC is 00:30 Pacific daylight time and 13:00 India time.

For how the system is built, every decision and its evidence, see the IP Intelligence System Guide. Requirement-by-requirement proof: `IP_PROJECT_VERIFICATION.md`.