NXT WAVE

WELCOME

CCBP 4.0

21st Century Skills

Nested Conditional Statements

Recap

Remainder

To find remainder, we use

Modulus Operator(%)

Code


```
print(6 % 3)
```

Output

```
0
```

Recap

Exponent



To calculate a power `b`,

we use


Exponent Operator(**)

Code


```
a ** b
```

Agenda for Today's Session


Nested Conditional Statements




Nested Conditions




Nested Conditions




Nested Conditions




Nested Conditions




Nested Conditions




Nested Conditions




Nested Conditions




Nested Conditions




Nested Conditions



Nested Conditions



Nested Conditions



We can also write nested conditions in Else block

Question

Write a program to print

the greatest among the three numbers

Input

```
3
2
1
```

Output

```
3
```

Question

Input / Output Format

Input Format

- First line will contain an integer
- Second line will contain an integer
- Third line will contain an integer

Input

```
3
2
4
```

Output

```
4
```

Question

Input / Output Format

Output Format

Print the greatest number among the three inputs





Possible Mistakes

Code

```
a = int(input())
b = int(input())
c = int(input())
is_a_greatest = (a > b) and (a > c)
if is_a_greatest:
    print(a)
else:
    is_b_greatest = (b > c)
if is_b_greatest:
    print(b)
else:
    print(c)
```



Missing indentation of nested conditional block

Code

Possible Mistakes

Code

```
a = int(input())
b = int(input())
c = int(input())
is_a_greatest = (a > b) and (a > c)
if is_a_greatest:
    print(a)
else:
    is_b_greatest = (b > c)
if is_b_greatest:
    print(b)
else:
    print(c)
```

Input

```
3
2
1
```

Output

```
NameError:
name 'is_b_greatest'
is not defined
```

NXT WAVE

Code

Possible Mistakes

Code

```
a = int(input())
b = int(input())
c = int(input())
is_a_greatest = (a > b) and (a > c)
if is_a_greatest:
    print(a)
else:
    is_b_greatest = (b > c)
if is_b_greatest:
    print(b)
else:
    print(c)
```

Input

```
2
3
1
```

Output


```
3
```

NXT WAVE


Elif Statement

```
if condition A:
    Block 1
elif condition B:
    Block 2
else:
    Block 3
```


Elif Statement




Elif Statement




Elif Statement



Elif Statement



Elif Statement



Multiple Elif Statements

```
if condition A:
    Block 1
elif condition B:
    Block 2
elif condition C:
    Block 3
else:
    Block 4
```

We can add
any number of `elif` blocks
after `if` block

Multiple Elif Statements

Optional Else Block

```
if condition A:
        Block 1
elif condition B:
        Block 2
elif condition C:
        Block 3
```

`else` block is not compulsory after `if` - `elif` blocks

Common Mistake

```
if condition A:
    Block 1
elif condition B:
    Block 2
else:
    Block 3
elif condition C:
    Block 4
```

Cannot write an `elif` blocks after `else` block

Question

Write a program that checks whether the given number is divisible by 10 or by 5 or neither

Input

```
10
```

Output

```
Divisible by 10
```

Question

Input / Output Format

Input Format

First line will contain an integer

Input

```
9
```

Output

```
Not Divisible by 10 or 5
```

Question

Input / Output Format

Output Format

If divisible by 10

- print "**Divisible by 10**"

If divisible by 5, but not 10

- print "**Divisible by 5**".

In all other cases,

- print "**Not Divisible by 10 or 5**"

Input

```
5
```

Output

```
Divisible by 5
```

Key Takeaways

- Nested Conditions
- If-Elif-Else



Next Session


Loops

Practice



Step - 1

Checking System Requirements



Feedback



NXT WAVE

THANK YOU

NXT WAVE

ALL THE BEST