

VetNutri MP

Veterinary nutrition manager

User guide — desktop version

From first steps to the first prescription

Application version: 3.3.18

Screenshots were taken on a demonstration database, with the French interface. The animals, owners and values shown are fictitious.

November 2026

Contents

1 Before you start **3**
1.1 What you will be able to do . . . 3
1.2 The workflow at a glance . . . 3
1.3 How to read this guide . . . 3

2 Installation and first launch **4**
2.1 Install the data . . . 4
2.2 Accept the terms of use . . . 4
2.3 Enter the application . . . 5

3 The main screen **6**

4 Worked example: Filou's ration, step by step **7**
4.1 Step 1 — Create the record . . . 7
4.2 Step 2 — Open the animal's record . . . 8
4.3 Step 3 — Enter the consultation . . . 8
4.4 Step 4 — Choose the reference . . . 10
4.5 Step 5 — Build the ration . . . 11
4.6 Step 6 — Read the analysis . . . 12
4.6.1 Interpreting the result . . . 12
4.7 Step 7 — Adjust the ration . . . 13
4.7.1 Quick adjustment . . . 13
4.7.2 Multi-nutrient adjustment . . . 13
4.7.3 Viewing the ration as a chart . . . 14
4.8 Step 8 — Prepare the prescription . . . 15
4.9 Summary of the case . . . 16

5 Understanding the calculations **16**
5.1 The calculation weight . . . 17
5.2 From weight to energy requirement . . . 17
5.3 Energy supplied by foods . . . 17
5.4 The energy balance . . . 18
5.5 Intakes . . . 18
5.6 Warnings . . . 18

6 Going further with rations **18**
6.1 Several rations in one consultation . . . 18
6.2 Monitoring graphs . . . 19
6.3 Sending a record . . . 20

7 Special cases **20**

7.1 A herd 20
7.2 Multi-ration exploration 21

8 Managing data **22**
8.1 The food database 22
8.2 Calculation data 24

9 Settings **26**
9.1 Preferences: to do right after installation 26
9.2 Interface 27
9.3 Import, export and Excel 28
9.4 Recipes 29
9.5 Administration 30
9.6 Backups 30
9.7 Cross analysis 31

A Frequently asked questions **32**

B Glossary **33**

C Quick reference: a consultation in ten moves **33**

1 Before you start

1.1 What you will be able to do

By the end of this guide, you will be able to:

- create an animal record and save a consultation;
- choose the nutritional reference suited to the animal;
- build a ration, read its analysis and adjust it;
- prepare a prescription and a report for the owner.

The core of the guide is a worked example followed from start to finish (section 4): Filou, an overweight Labrador. Reproduce it once on your computer: it is the quickest way to get to grips with the application.

1.2 The workflow at a glance

Every ration formulation follows the same six steps. Each one builds on the previous one: the ration belongs to a consultation, and the analysis compares the ration with the requirements calculated for that consultation.




Figure 1: The formulation workflow in VetNutri MP.

1.3 How to read this guide

- Interface labels are written **like this**, as they appear in the English interface.
- A few screens are not translated yet: their labels appear in French, followed by their meaning, for example **Troupeau entier** (*whole herd*).
- The screenshots show the French interface; the buttons and their positions are the same in English.
- On the screenshots, the markers ❶ ❷ ❸ refer to the explanations that follow the figure.
- Four kinds of boxes help you understand and check:

Key point

The essentials to remember.

Why?

The nutritional reasoning behind what the application does.

What you should see

The expected result on screen. If you see something else, read the step again.

Caution

An irreversible action or a common mistake.

VetNutri MP is a decision-support tool. It replaces neither the clinical examination nor the veterinarian's judgement; the veterinarian remains responsible for the data entered and the rations prescribed. Data is stored on your computer and is only sent elsewhere if you export or share it.

2 Installation and first launch

On the very first start, the application database is empty. Three one-off actions make it ready to use.

2.1 Install the data

1. Start VetNutri MP. A **Data update** window opens.
2. Click **Install update**. Installation takes about a minute.




Figure 2: Data installation offered at first launch.

Why?

The built-in data contains the food database, the requirement references and the advice library. Without it, you could neither choose a reference nor build a ration. The same window reappears when a new version brings more recent data; **Later** postpones the installation.

2.2 Accept the terms of use

3. At the bottom of the welcome screen, click **Read and accept terms**.
4. Read the terms, then click **I accept terms**.




Figure 3: Terms of use.

2.3 Enter the application

5. Click **Continue**.



Figure 4: Welcome screen, ready to use.

1 Database status: number of foods, references and advice items. 2 **Continue** opens the applica-

tion. ③ **Restore a backup** reloads a backup (section 9.6). ④ **Exam mode** is used for supervised exam sessions.

What you should see

The box reads **Complete database**, with more than 11,000 foods. On later launches, simply click **Continue**.

Key point

The interface language is chosen on this welcome screen (**Language**).

3 The main screen

The main screen is the list of animals. Everything starts from here.




Figure 5: The animal list and its controls.

1. **Food list**: browse and edit the food database (section 8.1).
2. **Calculation data**: equations, bibliography, references, advice (section 8.2).
3. **Exploration multiration** (*multi-ration exploration*): calculate rations in series (section 7.2). This button only appears when the feature is enabled.
4. **Quick Import**: import animal records.
5. Search by ID, name, owner or breed.
6. Filter by species.
7. Sorting and advanced filters.
8. The arrow opens the animal's record; the red bin deletes it.
9. + creates a new record.
10. Application settings (section 9).

4 Worked example: Filou's ration, step by step

The case

Filou is a 7-year-old intact male Labrador retriever. He weighs 32 kg and his body condition score (BCS) is 7/9: he is overweight. The goal is gradual weight loss with a commercial low-calorie food.
We will create his record, save the consultation, build the ration, correct it using the analysis, then prepare the prescription.

4.1 Step 1 — Create the record

Goal: record Filou's identity.

1. In the animal list, click + at the bottom right.
2. Leave **Dossier : Individu** (*record: individual*) selected.
3. Enter the **ID** (for example the clinic's file number), the **Name** and the **Owner**.
4. Choose the **Species** (*Dog*), then enter the **Breed**, the **Birth date** and the **Sex**.
5. Confirm with the tick button at the bottom right.




Figure 6: The form for creating an individual.

Why?

The species matters: it filters the references and growth curves on offer. Sex and birth date are used for the growth curves and to calculate age. For a group of animals, choose **Troupeau** (*herd*) instead (section 7.1).

4.2 Step 2 — Open the animal's record

Goal: find the working tabs.

In the list, click the arrow on Filou's row. The record opens on the **Identification** tab.



Figure 7: The animal's record.

1. Name, species and ID of the open animal.
2. **Identification**: the information entered in step 1.
3. **Consultations**: consultation history (step 3).
4. **Rations**: building and analysing rations (steps 5 to 7).
5. **Graph** and **Food Graph**: weight monitoring and comparisons (section 6.2).
6. **Prescription**: documents for the owner (step 8).
7. **Export animal** and **Share online**: send the record.
8. **Back** to the animal list.
9. Edit or delete the record.

4.3 Step 3 — Enter the consultation

Goal: describe Filou's condition today.

1. Open the **Consultations** tab, then click + at the bottom right.
2. Check the **Date** 1 and enter the **Weight** 2: 32.
3. Click the three dots of the **Body condition score** 3 and choose *7/9 — Overweight* (figure 9).
4. Read the ideal weight **Estimation** 5: 26.67 kg. If you accept it, enter it in **Ideal weight (kg)** 4.
5. Enter the **Objective** 6: *gradual weight loss*. If needed, add **Keywords** 7 (conditions, context) and an observation.

Do not confirm yet: the reference still has to be chosen (step 4).




Figure 8: Entering the consultation.

8 The tick button saves the consultation (step 4).




Figure 9: Choosing the body condition score out of 9.

Why?

The ideal weight is the weight on which requirements are calculated. For an overweight animal, calculating requirements on the current weight would maintain the excess weight.

- The **Estimation** is a suggestion calculated from weight and BCS (section 5).
- It is only used if you copy it into **Ideal weight (kg)**. Otherwise, calculations use the current weight.

4.4 Step 4 — Choose the reference

Goal: tell the application which requirements to compare the ration with.

1. Scroll the form down to **Nutritional references**.
2. In **General reference**, click the three dots: the list of references for the species opens.
3. Type a few letters in the search box (1) if the list is long, then click the row you want (3): here *Adulte >25kg* (adult over 25 kg).
4. If the animal has a disease to take into account, add it under **Complementary references**.
5. Confirm the consultation with the tick button.




Figure 10: Choosing the general reference.

(2) The number of references matching the search.

Why?

The reference holds the requirements (minimum, optimum, maximum) of each nutrient for one type of animal, as well as the energy requirement equation. It is the yardstick the ration is compared with: a wrong reference gives a wrong analysis, even with a good ration. The **Energy adjustment coefficients** K1 to K5, further down the form, adjust the energy requirement (activity, neutering, environment…).

Caution

A consultation without a general reference cannot be saved: the application shows **Missing information**.

What you should see

The consultation appears in the list with its date, the weight and **Rations: 1**. The application has created a first, empty ration: the "current ration".

4.5 Step 5 — Build the ration

Goal: put a food in the ration and set its amount.

1. Open the **Rations** tab. In the **Ration foods** panel, click **+**.
2. Type a name, a brand or an ingredient (1): here *satiety*. Narrow down if needed with the filters (2) (type, indications, species, database).
3. Click a food in the list (3): its details appear on the right (4) (brand, species, indications, ingredients, composition). Check that it is a dog food.
4. Click the round **+** button (5): the food is added with an amount of 100 g. The **+R** button (6) adds it to a new ration instead.
5. Go back to the ration with the arrow at the top left.




Figure 11: Searching for and adding a food.

To set the amount, click the pencil on the food's row, enter the amount in grams (here 380) and confirm with **OK**.

4.6 Step 6 — Read the analysis

Goal: find out whether the ration meets Filou's requirements.

With 380 g of the food, the **Rations** tab looks like this.




Figure 12: Analysis of the 380 g ration.

1. **Metabolic values**: weight, ideal weight, metabolic weight, standard energy requirement (BEE) and energy requirement (BE).
2. **Coefficients** K1 to K5 and the adjustment coefficient. The pencil edits them.
3. **Energy balance**: energy supplied, requirement coverage, observed K and calculated K. **This is the first figure to look at.**
4. The consultation's rations.
5. The foods of the selected ration and the adjustment tools.
6. **INTAKES**: each nutrient, expressed in the reference's unit (here "per 1000 kcal").
7. Expression unit, nutrients shown, PDF export, card or chart view.
8. Nutrients by family. A warning icon flags a deviation from the reference.

Interpreting the result

Energy coverage is only 56 %: 380 g supply 971 kcal/day for a requirement of 1749 kcal/day. Almost every nutrient is flagged as deficient.

Why?

Intakes are related to the animal's energy requirement, not to the energy of the ration (section 5). As long as the ration does not meet the energy requirement, every intake looks low. **So always correct energy first**, then look at the other nutrients.

4.7 Step 7 — Adjust the ration

Goal: reach an energy coverage close to 100 %.

Quick adjustment

In the **Ration foods** panel, click the **Quick multi-nutrient adjustment** icon (the scales, to the left of the book and the +). The amounts are recalculated to meet the energy requirement.




Figure 13: The same ration after quick adjustment.

What you should see

1 Coverage rises to 99 % and the observed K to 0.99. 2 The amount rises to 675 g. 3 The deficiency warnings disappear; small red arrows now flag a few intakes above the optimum maximum (calcium, phosphorus, vitamin A).

Why?

Exceeding the optimum is not necessarily a problem: hover over the icon to read the threshold involved and judge it clinically. For weight loss, energy is set through the ideal weight and the K coefficients, not by feeding less than the calculated ration: otherwise the other nutrients become insufficient.

Multi-nutrient adjustment

The neighbouring icon opens the full tool, useful when the ration combines several foods.




Figure 14: Multi-nutrient adjustment.

1. Quick actions: lock or unlock all amounts, automatic adjustment, reset.
2. For each food, the **Target nutrient** it must cover.
3. The padlock freezes a food's amount.
4. The target level for each target nutrient (minimum, optimum…).
5. The share of the energy requirement covered by complete foods, when the ration combines a complete food and supplements.
6. **Preview** without changing anything, **Adjust**, **Equal quantity (Sanalio)**, or **Constraint-based adjustment (min/max)**, which tries to respect all the reference's bounds at once.

Viewing the ration as a chart

The **Cards** / **Bullet** switch of the **INTAKES** panel shows the composition of the ration, where the energy comes from and, for each nutrient, a bar compared with the reference's thresholds. **Click for more details** opens the detail of a nutrient.




Figure 15: Ration analysis in chart view.

4.8 Step 8 — Prepare the prescription

Goal: give the owner a clear ration and advice.

1. Open the **Prescription** tab.
2. Tick the ration or rations to prescribe (1).
3. Add advice from the library or write a **New section** (2).
4. Fill in the report (3): history, clinical examination, key nutritional factor, additional text.
5. Use the buttons at the bottom (4): **Copy report** (to paste into your practice software), **Preview report**, **Prévisualiser l'ordonnance** (*preview the prescription*).




Figure 16: Preparing the prescription and the report.

Key point

The practitioner's details printed on the prescription are entered once and for all in **Settings** > **Preferences** (section 9).

4.9 Summary of the case

Step	Where	Result for Filou
1. Record	List, +	male Labrador, born in 2019
3. Consultation	**Consultations**	32 kg, BCS 7/9, estimated ideal weight 26.67 kg
4. Reference	consultation form	*Adulte >25kg*
5. Ration	**Rations**, +	a low-calorie food, 380 g
6. Analysis	**Rations**	56 % coverage, apparent deficiencies
7. Adjustment	quick adjustment	675 g, 99 % coverage
8. Prescription	**Prescription**	ration ticked, report, printing

Key point

At a follow-up visit, do not edit the previous consultation: create a new one, or duplicate the previous one with the copy icon. The weight and ration history then stays readable in the graphs.

5 Understanding the calculations

This section explains the figures shown in the **Rations** tab, using Filou's values.

5.1 The calculation weight

Requirements are calculated on the **ideal weight** if it has been entered, otherwise on the current weight. The estimate offered in the consultation assumes that each BCS point above 5 corresponds to 10 % excess weight:

$$\text{estimated ideal weight} = \frac{\text{weight} \times 100}{100 + (\text{BCS} - 5) \times 10} \qquad \text{Filou: } \frac{32 \times 100}{120} = 26.67 \text{ kg}$$

5.2 From weight to energy requirement

1. The **metabolic weight** reflects the fact that requirements do not increase in proportion to weight:
$$W_{\text{met}} = W^{0.75} \qquad \text{Filou: } 32^{0.75} = 13.45 \text{ kg}^{0.75}$$
2. The **standard energy requirement** (BEE) applies the reference's equation. For the reference in the example:
$$\text{BEE} = 130 \times W^{0.75} = 130 \times 13.45 = 1749 \text{ kcal/day}$$
3. The **calculated K** is the product of coefficients K1 to K5 and of the adjustment coefficient. The **energy requirement** (BE) follows from it, increased where relevant by the energy required by disease references:
$$\text{BE} = \text{BEE} \times K \text{ (+ energy from complementary references)}$$

Key point

In the example, the ideal weight was not copied over: calculations use 32 kg. With 26.67 kg, the BEE would drop to $130 \times 26.67^{0.75} \approx 1525$ kcal/day.

5.3 Energy supplied by foods

A food's energy comes from, in this order:

1. the value entered for the species in the food's record;
2. otherwise the reference's energy density equation: for dogs, the equation for commercial foods (complete or complementary foods), otherwise the Atwater equation (raw foods).

The dog commercial-food equation takes fibre into account:

$$\text{ME (kcal/100 g)} = \left(5.7\,P + 9.4\,L + 4.1\,(\text{NFE} + C)\right) \times \frac{91.2 - 1.43\,\dfrac{100\,C}{100 - H}}{100} - 1.04\,P$$

where P is protein, L fat, C crude fibre and H moisture, in %.

- If crude fibre is not entered, **total dietary fibre** is used instead.
- If nitrogen-free extract (NFE) is not entered, it is calculated: $100 - P - H - C - \text{ash} - L$. The estimated crude fibre is subtracted, so that fibre is not counted twice.

Example: a puppy milk with 33 % protein, 39 % fat, 19.5 % NFE, 3 % moisture and 0.5 % total fibre supplies 541.7 kcal/100 g, i.e. 1083 kcal for 200 g.

5.4 The energy balance

$$\text{Coverage} = \frac{\text{energy supplied}}{\text{BE}} \qquad K_{\text{observed}} = \frac{\text{energy supplied}}{\text{BEE}}$$

With 675 g: 1725/1749 = 99 % and $K_{\text{observed}} = 0.99$. The observed K shows which coefficient the ration actually applies; compare it with the calculated K.

5.5 Intakes

Intakes are expressed in the reference's unit. In "per 1000 kcal", the daily intake is related to the **standard energy requirement** (BEE), not to the energy of the ration:

$$\text{intake (g/1000 kcal)} = \frac{\text{daily intake (g/day)}}{\text{BEE (kcal/day)}} \times 1000$$

Since the reference's thresholds are expressed the same way, the comparison amounts to comparing the daily intake with the animal's daily requirement. Filou, with 675 g of a food containing 30 % protein: 202.5/1749 × 1000 = 116 g/1000 kcal.

Key point

If the ration only covers half of the energy requirement, every intake is half of what it would be with the right amount. Hence the rule: **energy first**.

5.6 Warnings

Message (on hovering over the icon)	Meaning
Deficiency: intake below the minimum	below the reference's minimum threshold.
Deficiency: intake below the optimal minimum	above the minimum, but below the optimum.
Excess: intake above the optimal maximum	above the optimum (red arrow).
Incomplete information	the composition of at least one food does not give this nutrient: the actual intake may be higher.

The **Analyses and Ratios** section gives the K/Na, Ca/P, omega-6/omega-3 and Zn/Cu ratios, calculated on the whole ration and rounded to two decimals (Ca/P = 1.1 / 0.8 = 1.38).

6 Going further with rations

6.1 Several rations in one consultation

A consultation can hold the owner's current ration and one or more proposals, to compare them.

- **+** in the **Consultation rations** panel adds a ration; the icon next to it reuses a ration from a previous consultation.
- On each ration: add a step to the progressive plan (food transition), duplicate, edit, delete.
- In **Ration foods**: save the ration as a recipe, copy it, open the saved recipes.

6.2 Monitoring graphs

The **Graph** tab offers four views: **Weight evolution**, **Energy distribution**, **Energy density of rations** and **Ration nutrients**.



Figure 17: Weight evolution and reference curves.

The weight view plots each weighing against age. Below the graph, the **Weight history** lets you add a weighing and set a weight-loss target (minimum and maximum loss in % per week).

Why?

The reference curve offered by default matches the animal's sex and weight class. That class is set, in this order:

1. by the expected adult weight, for a puppy (variable AW of the consultation);
2. otherwise by the ideal weight, entered or estimated from the BCS;
3. otherwise by the latest weight.

An overweight animal is therefore not placed in too high a class. The button above the graph lets you choose another curve.

In the ration views, each ration has a number, repeated in the legend below the graph: 1, 2… for the rations of the first consultation, 101, 102… for the next one. Two options control the display:

- **Consultation actuelle uniquement** (*current consultation only*) limits the graph to the consultation on display;
- **Aire des possibilités et sommes** (*area of possibilities and sums*) outlines the rations of each consultation (orange for current rations, blue for proposals) and adds their mean weighted by the coefficients, marked Σ. Ration numbers do not change.

The **Food Graph** tab compares foods with each other: add them with + in the list on the left, then click **View graphic analysis**.




Figure 18: Selecting foods to compare.

6.3 Sending a record

From the record's left-hand menu:

- **Export animal** saves the complete record (consultations, rations, foods used) to a file that can be imported on another computer;
- **Share online** sends the record through an online service.

7 Special cases

7.1 A herd

When to use it? To work out a ration for a whole facility or group of animals: a kennel, a cattery, a batch of farm animals.

When creating the record, choose **Troupeau / groupe d'animaux** (*herd / group of animals*). A herd has no species, breed or sex of its own: it is described by groups of individuals (name, headcount, mean weight, species, breed, sex). It can mix several species.




Figure 19: Creating a herd of twelve individuals.

A herd record works like an individual's, with three differences.

- In the consultation, the **État du troupeau** (*herd status*) replaces the weight, BCS, reference and K: for each group, enter headcount, mean weight, BCS, reference (for the group's species) and K.
- Rations are entered as amounts for the whole herd.
- In the **Rations** tab, a panel chooses what is analysed. **Troupeau entier** (*whole herd*) compares the total intake with the sum of the requirements. Selecting a group shows the ration of one individual of that group, in proportion to the requirements, analysed with the group's reference.

7.2 Multi-ration exploration

When to use it? To prepare standard rations, for example for a whole range of weights, rather than a ration for one specific animal.

First enable it in **Settings** > **Administration** > **Activer l'analyse multiration** (*enable multi-ration analysis*); the **Exploration multiration** (*multi-ration exploration*) button then appears in the animal list.




Figure 20: Setting up a multi-ration exploration.

1. Choose the species and tick one or more general references.
2. Define the grid: weight (from, to, step) and K coefficient (from, to, step). The number of scenarios is shown.
3. In the **Ingredients** tab, build the lists of foods supplying protein, fibre, calcium, omega-6, salt and energy. The adjustment follows this order.
4. Click **Calculer toutes les rations** (*calculate all rations*). Clicking a cell of the map shows its rations, which can be opened in the usual analysis to edit and export them.

The **Enregistrées** (*saved*) tab keeps named configurations; results are recalculated each time they are opened.

8 Managing data

8.1 The food database

Food list (main screen) shows the whole database, with the same filters as the food search of a ration. The pencil edits a food, the bin deletes it, + creates one.




Figure 21: Food list.

A food record has three tabs: **General information** (name, brand, range, database, price, packaging, type), **Nutritional Composition** and **Bibliography**. Save with **Save**.




Figure 22: Editing a food.

Key point

An incomplete composition produces “Incomplete information” warnings in the analysis. For a food you create, enter at least energy, macronutrients, calcium and phosphorus.

8.2 Calculation data

The **Calculation data** button gives access to the elements the calculations rely on. They ship with the application. Edit them with care: any change alters the analyses of every consultation that uses them.

Tab	Content
Equations	formulas for energy requirement, metabolic weight and energy density (for example `130*BW^0.75`)
Bibliography	references supporting the requirement references and food values
Calculation systems	the requirement references: by species, life stage or disease
Custom advice	advice library reused in the prescription




Figure 23: Nutritional references (Calculation systems tab).




Figure 24: Equations.




Figure 25: Bibliography.




Figure 26: The advice library.

9 Settings

The gear icon on the main screen opens the settings, in six tabs.

Tab	Purpose
Interface	interface size (50 to 200 %); access to **Cross analysis**
Preferences	practitioner's details for the prescription; unit used to express requirements, by species
Import/Export	data exchange (animals, foods, recipes, equations, references, advice)
Excel	export and import of foods as Excel-compatible CSV
Recipes	recipes saved from rations
Administration	multi-ration, re-import of the initial data, backups, VetNutri 2 import, maintenance

9.1 Preferences: to do right after installation

Enter your details (name, registration number, address, phone, e-mail), printed on the prescription, then click **Enregistrer** (*save*). The **Expression des besoins par espèce** (*requirement expression by species*) section sets the unit in which requirements are expressed (for example "per 1000 kcal").




Figure 27: Preferences.

9.2 Interface




Figure 28: Interface size.

9.3 Import, export and Excel

The **Import/Export** tab exports and imports data in API format, with advanced selection, and imports foods, animals or nutritional references (`.vbnr.json`).

In a references file, each requirement states its unit: per Mcal (per 1000 kcal), per kg of body weight, per kg of metabolic weight, as an absolute value or as a ratio. A requirement whose unit is not recognised (for example “DM”) is not imported: it is listed in the import report, so that you can correct the file.




Figure 29: Data import and export.

The **Excel** tab exports and imports foods as CSV: semicolon separator, UTF-8 encoding, one header row, one column per nutrient with the unit in the header. A preview lets you check the data before confirming the import.




Figure 30: Excel export and import of foods.

9.4 Recipes




Figure 31: Saved recipes.

9.5 Administration




Figure 32: Database administration.

Caution

The red **Clear ... database** buttons permanently delete the foods, animals, references, equations or bibliographies. Make a backup before using them.

9.6 Backups

Administration > **Manage backups** lists the backups with their date, content and size. **Nouvelle sauvegarde** (*new backup*) creates one; on each row, one icon restores it and another deletes it.




Figure 33: Managing backups.

Key point

Make a backup before any major operation: bulk import, clearing a database, changing computer. From time to time, copy a backup off the computer.

9.7 Cross analysis

When to use it? To compare many consultations: tutorials, case series, exams.

Filter by species, keywords, exam ID or exercise ID, select the consultations, then open the analysis or the grading.




Figure 34: Cross analysis.

A Frequently asked questions

I cannot save the consultation.
The **General reference** is missing. Choose a reference in the **Nutritional references** section of the form.

No reference appears in the list.
Check the animal's species: only references for its species are offered. Also check that the data has been installed (welcome screen).

Every nutrient is deficient.
Look at the energy coverage: if it is far from 100 %, adjust the amount first (section 5).

The energy requirement looks too high for an overweight animal.
Calculations use the current weight as long as the ideal weight is not entered. Copy the estimate, or your own value, into **Ideal weight (kg)**.

The growth curve does not match my puppy.
Enter its expected adult weight (variable AW) in the consultation, or choose another curve with the button above the graph.

The multi-ration exploration button does not appear.
Enable it in **Settings** > **Administration**.

The energy of a high-fibre food looks low.
When crude fibre is not entered, total dietary fibre, often much higher, is used in its place in the equation (section 5). Enter the crude fibre in the food's record if you know it.

A food is missing from the database.
Create it from the **Food list**, or directly from the food search of a ration (+ at the top right).

B Glossary

Term	Definition
BCS	Body condition score, from 1 (very thin) to 9 (very obese); 4 and 5 are ideal.
BE	The animal's energy requirement: BEE × K, plus energy related to diseases.
BEE	Standard energy requirement, calculated by the reference's equation (kcal/day).
Coverage	Share of the BE supplied by the ration (%).
Crude fibre	Fibre fraction used by the energy equation; total dietary fibre if missing.
Current ration	First ration of a consultation, often what the animal already eats.
Herd	Record describing a group of animals by groups of individuals.
Ideal weight	Weight on which requirements are calculated; the current weight if missing.
K, K1 to K5	Coefficients that adjust the energy requirement (activity, neutering…).
Metabolic weight	Weight raised to the power 0.75 ($kg^{0.75}$).
NFE	Nitrogen-free extract (digestible carbohydrates), in %; calculated by difference if missing.
Observed K	Energy supplied divided by the BEE: the coefficient actually applied.
Reference	Set of requirements (minimum, optimum, maximum) for one type of animal.

C Quick reference: a consultation in ten moves

1. Animal list: **+**, or the arrow of an existing animal.
2. **Consultations**: **+**, or copy the previous consultation.
3. Weight and BCS.
4. Ideal weight: copy the estimate or enter your own value.
5. General reference, plus complementary ones for a disease; confirm.
6. **Rations**: **+** in **Ration foods**, search, add.
7. Read the energy balance.
8. Quick adjustment, or multi-nutrient adjustment.
9. Review the warnings nutrient by nutrient.
10. **Prescription**: tick the ration, add advice and report, print.