

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000000	10.0.1.1	10.0.1.2	TCP	74	35458 → 8080 [SYN] Seq=0 Win=29200 Len=0
MSS=1460 SACK_PERM=1 TSval=96461 TSecr=0 WS=512						
Frame 1: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)						
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2						
Transmission Control Protocol, Src Port: 35458, Dst Port: 8080, Seq: 0, Len: 0						
2	0.002467151	10.0.1.2	10.0.1.1	TCP	74	8080 → 35458 [SYN, ACK] Seq=0 Ack=1
Win=28960 Len=0 MSS=1460 SACK_PERM=1 TSval=96462 TSecr=96461 WS=512						
Frame 2: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)						
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1						
Transmission Control Protocol, Src Port: 8080, Dst Port: 35458, Seq: 0, Ack: 1, Len: 0						
3	0.002480949	10.0.1.1	10.0.1.2	TCP	66	35458 → 8080 [ACK] Seq=1 Ack=1 Win=29696
Len=0 TSval=96463 TSecr=96462						
Frame 3: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)						
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2						
Transmission Control Protocol, Src Port: 35458, Dst Port: 8080, Seq: 1, Ack: 1, Len: 0						
4	0.002608908	10.0.1.1	10.0.1.2	TCP	100	35458 → 8080 [PSH, ACK] Seq=1 Ack=1
Win=29696 Len=34 TSval=96463 TSecr=96462 [TCP segment of a reassembled PDU]						
Frame 4: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)						
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2						
Transmission Control Protocol, Src Port: 35458, Dst Port: 8080, Seq: 1, Ack: 1, Len: 34						
5	0.004389270	10.0.1.2	10.0.1.1	TCP	66	8080 → 35458 [ACK] Seq=1 Ack=35 Win=29184
Len=0 TSval=96463 TSecr=96463						
Frame 5: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)						
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1						
Transmission Control Protocol, Src Port: 8080, Dst Port: 35458, Seq: 1, Ack: 35, Len: 0						
6	0.004399041	10.0.1.2	10.0.1.1	HTTP	87	HTTP/1.1 200 OK
Frame 6: 87 bytes on wire (696 bits), 87 bytes captured (696 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)						
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1						
Transmission Control Protocol, Src Port: 8080, Dst Port: 35458, Seq: 1, Ack: 35, Len: 21						
Hypertext Transfer Protocol						
7	0.004408944	10.0.1.2	10.0.1.1	TCP	66	8080 → 35458 [FIN, ACK] Seq=22 Ack=35
Win=29184 Len=0 TSval=96463 TSecr=96463						
Frame 7: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)						
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1						
Transmission Control Protocol, Src Port: 8080, Dst Port: 35458, Seq: 22, Ack: 35, Len: 0						
8	0.004413706	10.0.1.1	10.0.1.2	TCP	66	35458 → 8080 [ACK] Seq=35 Ack=22 Win=29696
Len=0 TSval=96463 TSecr=96463						
Frame 8: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)						
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2						
Transmission Control Protocol, Src Port: 35458, Dst Port: 8080, Seq: 35, Ack: 22, Len: 0						
9	0.004554827	10.0.1.1	10.0.1.2	TCP	66	35458 → 8080 [FIN, ACK] Seq=35 Ack=23
Win=29696 Len=0 TSval=96463 TSecr=96463						
Frame 9: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)						
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2						
Transmission Control Protocol, Src Port: 35458, Dst Port: 8080, Seq: 35, Ack: 23, Len: 0						
10	0.005036540	10.0.1.1	10.0.1.2	TCP	74	35460 → 8080 [SYN] Seq=0 Win=29200 Len=0
MSS=1460 SACK_PERM=1 TSval=96463 TSecr=0 WS=512						
Frame 10: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)						
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2						
Transmission Control Protocol, Src Port: 35460, Dst Port: 8080, Seq: 0, Len: 0						
11	0.006387378	10.0.1.2	10.0.1.1	TCP	66	8080 → 35458 [ACK] Seq=23 Ack=36 Win=29184
Len=0 TSval=96463 TSecr=96463						
Frame 11: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)						
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1						
Transmission Control Protocol, Src Port: 8080, Dst Port: 35458, Seq: 23, Ack: 36, Len: 0						
12	0.006858850	10.0.1.2	10.0.1.1	TCP	74	8080 → 35460 [SYN, ACK] Seq=0 Ack=1
Win=28960 Len=0 MSS=1460 SACK_PERM=1 TSval=96464 TSecr=96463 WS=512						
Frame 12: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)						
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1						
Transmission Control Protocol, Src Port: 8080, Dst Port: 35460, Seq: 0, Ack: 1, Len: 0						
13	0.006866126	10.0.1.1	10.0.1.2	TCP	66	35460 → 8080 [ACK] Seq=1 Ack=1 Win=29696
Len=0 TSval=96464 TSecr=96464						
Frame 13: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)						
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2						
Transmission Control Protocol, Src Port: 35460, Dst Port: 8080, Seq: 1, Ack: 1, Len: 0						
14	0.006995752	10.0.1.1	10.0.1.2	TCP	100	35460 → 8080 [PSH, ACK] Seq=1 Ack=1
Win=29696 Len=34 TSval=96464 TSecr=96464 [TCP segment of a reassembled PDU]						
Frame 14: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface 0						
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)						
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2						

```
Transmission Control Protocol, Src Port: 35460, Dst Port: 8080, Seq: 1, Ack: 1, Len: 34
No.    Time          Source          Destination      Protocol Length Info
 15 0.007904877    10.0.1.2       10.0.1.1        TCP              66      8080 → 35460 [ACK] Seq=1 Ack=35 Win=29184
Len=0 TSval=96464 TSecr=96464
Frame 15: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35460, Seq: 1, Ack: 35, Len: 0
No.    Time          Source          Destination      Protocol Length Info
 16 0.008369066    10.0.1.2       10.0.1.1        HTTP             87      HTTP/1.1 200 OK
Frame 16: 87 bytes on wire (696 bits), 87 bytes captured (696 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35460, Seq: 1, Ack: 35, Len: 21
Hypertext Transfer Protocol
No.    Time          Source          Destination      Protocol Length Info
 17 0.008379586    10.0.1.2       10.0.1.1        TCP              66      8080 → 35460 [FIN, ACK] Seq=22 Ack=35
Win=29184 Len=0 TSval=96464 TSecr=96464
Frame 17: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35460, Seq: 22, Ack: 35, Len: 0
No.    Time          Source          Destination      Protocol Length Info
 18 0.008385044    10.0.1.1       10.0.1.2        TCP              66      35460 → 8080 [ACK] Seq=35 Ack=22 Win=29696
Len=0 TSval=96464 TSecr=96464
Frame 18: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35460, Dst Port: 8080, Seq: 35, Ack: 22, Len: 0
No.    Time          Source          Destination      Protocol Length Info
 19 0.008440167    10.0.1.1       10.0.1.2        TCP              66      35460 → 8080 [FIN, ACK] Seq=35 Ack=23
Win=29696 Len=0 TSval=96464 TSecr=96464
Frame 19: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35460, Dst Port: 8080, Seq: 35, Ack: 23, Len: 0
No.    Time          Source          Destination      Protocol Length Info
 20 0.008471009    10.0.1.1       10.0.1.2        TCP              74      35462 → 8080 [SYN] Seq=0 Win=29200 Len=0
MSS=1460 SACK_PERM=1 TSval=96464 TSecr=0 WS=512
Frame 20: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35462, Dst Port: 8080, Seq: 0, Len: 0
No.    Time          Source          Destination      Protocol Length Info
 21 0.009940761    10.0.1.2       10.0.1.1        TCP              66      8080 → 35460 [ACK] Seq=23 Ack=36 Win=29184
Len=0 TSval=96464 TSecr=96464
Frame 21: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35460, Seq: 23, Ack: 36, Len: 0
No.    Time          Source          Destination      Protocol Length Info
 22 0.010363214    10.0.1.2       10.0.1.1        TCP              74      8080 → 35462 [SYN, ACK] Seq=0 Ack=1
Win=28960 Len=0 MSS=1460 SACK_PERM=1 TSval=96464 TSecr=96464 WS=512
Frame 22: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35462, Seq: 0, Ack: 1, Len: 0
No.    Time          Source          Destination      Protocol Length Info
 23 0.010373496    10.0.1.1       10.0.1.2        TCP              66      35462 → 8080 [ACK] Seq=1 Ack=1 Win=29696
Len=0 TSval=96464 TSecr=96464
Frame 23: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35462, Dst Port: 8080, Seq: 1, Ack: 1, Len: 0
No.    Time          Source          Destination      Protocol Length Info
 24 0.010652110    10.0.1.1       10.0.1.2        TCP              100     35462 → 8080 [PSH, ACK] Seq=1 Ack=1
Win=29696 Len=34 TSval=96465 TSecr=96464 [TCP segment of a reassembled PDU]
Frame 24: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35462, Dst Port: 8080, Seq: 1, Ack: 1, Len: 34
No.    Time          Source          Destination      Protocol Length Info
 25 0.012247202    10.0.1.2       10.0.1.1        TCP              66      8080 → 35462 [ACK] Seq=1 Ack=35 Win=29184
Len=0 TSval=96465 TSecr=96465
Frame 25: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35462, Seq: 1, Ack: 35, Len: 0
No.    Time          Source          Destination      Protocol Length Info
 26 0.012256351    10.0.1.2       10.0.1.1        HTTP             87      HTTP/1.1 200 OK
Frame 26: 87 bytes on wire (696 bits), 87 bytes captured (696 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35462, Seq: 1, Ack: 35, Len: 21
Hypertext Transfer Protocol
No.    Time          Source          Destination      Protocol Length Info
 27 0.012260840    10.0.1.2       10.0.1.1        TCP              66      8080 → 35462 [FIN, ACK] Seq=22 Ack=35
Win=29184 Len=0 TSval=96465 TSecr=96465
Frame 27: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35462, Seq: 22, Ack: 35, Len: 0
No.    Time          Source          Destination      Protocol Length Info
 28 0.012265378    10.0.1.1       10.0.1.2        TCP              66      35462 → 8080 [ACK] Seq=35 Ack=22 Win=29696
Len=0 TSval=96465 TSecr=96465
Frame 28: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
```

Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35462, Dst Port: 8080, Seq: 35, Ack: 22, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
29	0.012316535	10.0.1.1	10.0.1.2	TCP	66	35462 → 8080 [FIN, ACK] Seq=35 Ack=23

Win=29696 Len=0 TSval=96465 TSecr=96465
Frame 29: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35462, Dst Port: 8080, Seq: 35, Ack: 23, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
30	0.012352741	10.0.1.1	10.0.1.2	TCP	74	35464 → 8080 [SYN] Seq=0 Win=29200 Len=0

MSS=1460 SACK_PERM=1 TSval=96465 TSecr=0 WS=512
Frame 30: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35464, Dst Port: 8080, Seq: 0, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
31	0.013536377	10.0.1.2	10.0.1.1	TCP	66	8080 → 35462 [ACK] Seq=23 Ack=36 Win=29184

Len=0 TSval=96465 TSecr=96465
Frame 31: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35462, Seq: 23, Ack: 36, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
32	0.013547081	10.0.1.2	10.0.1.1	TCP	74	8080 → 35464 [SYN, ACK] Seq=0 Ack=1

Win=28960 Len=0 MSS=1460 SACK_PERM=1 TSval=96465 TSecr=96465 WS=512
Frame 32: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35464, Seq: 0, Ack: 1, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
33	0.013551684	10.0.1.1	10.0.1.2	TCP	66	35464 → 8080 [ACK] Seq=1 Ack=1 Win=29696

Len=0 TSval=96465 TSecr=96465
Frame 33: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35464, Dst Port: 8080, Seq: 1, Ack: 1, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
34	0.013675638	10.0.1.1	10.0.1.2	TCP	100	35464 → 8080 [PSH, ACK] Seq=1 Ack=1

Win=29696 Len=34 TSval=96465 TSecr=96465 [TCP segment of a reassembled PDU]
Frame 34: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35464, Dst Port: 8080, Seq: 1, Ack: 1, Len: 34

No.	Time	Source	Destination	Protocol	Length	Info
35	0.014746859	10.0.1.2	10.0.1.1	TCP	66	8080 → 35464 [ACK] Seq=1 Ack=35 Win=29184

Len=0 TSval=96465 TSecr=96465
Frame 35: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35464, Seq: 1, Ack: 35, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
36	0.015209104	10.0.1.2	10.0.1.1	HTTP	87	HTTP/1.1 200 OK

Frame 36: 87 bytes on wire (696 bits), 87 bytes captured (696 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35464, Seq: 1, Ack: 35, Len: 21
Hypertext Transfer Protocol

No.	Time	Source	Destination	Protocol	Length	Info
37	0.015218000	10.0.1.2	10.0.1.1	TCP	66	8080 → 35464 [FIN, ACK] Seq=22 Ack=35

Win=29184 Len=0 TSval=96465 TSecr=96465
Frame 37: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35464, Seq: 22, Ack: 35, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
38	0.015222858	10.0.1.1	10.0.1.2	TCP	66	35464 → 8080 [ACK] Seq=35 Ack=22 Win=29696

Len=0 TSval=96466 TSecr=96465
Frame 38: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35464, Dst Port: 8080, Seq: 35, Ack: 22, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
39	0.015269910	10.0.1.1	10.0.1.2	TCP	66	35464 → 8080 [FIN, ACK] Seq=35 Ack=23

Win=29696 Len=0 TSval=96466 TSecr=96465
Frame 39: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35464, Dst Port: 8080, Seq: 35, Ack: 23, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
40	0.015304682	10.0.1.1	10.0.1.2	TCP	74	35466 → 8080 [SYN] Seq=0 Win=29200 Len=0

MSS=1460 SACK_PERM=1 TSval=96466 TSecr=0 WS=512
Frame 40: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35466, Dst Port: 8080, Seq: 0, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
41	0.016720882	10.0.1.2	10.0.1.1	TCP	66	8080 → 35464 [ACK] Seq=23 Ack=36 Win=29184

Len=0 TSval=96466 TSecr=96466
Frame 41: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35464, Seq: 23, Ack: 36, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
42	0.016735257	10.0.1.2	10.0.1.1	TCP	74	8080 → 35466 [SYN, ACK] Seq=0 Ack=1

Win=28960 Len=0 MSS=1460 SACK_PERM=1 TSval=96466 TSecr=96466 WS=512
Frame 42: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0

Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35466, Seq: 0, Ack: 1, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
43	0.016742432	10.0.1.1	10.0.1.2	TCP	66	35466 → 8080 [ACK] Seq=1 Ack=1 Win=29696

Len=0 TSval=96466 TSecr=96466
Frame 43: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35466, Dst Port: 8080, Seq: 1, Ack: 1, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
44	0.016893123	10.0.1.1	10.0.1.2	TCP	100	35466 → 8080 [PSH, ACK] Seq=1 Ack=1

Win=29696 Len=34 TSval=96466 TSecr=96466 [TCP segment of a reassembled PDU]
Frame 44: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35466, Dst Port: 8080, Seq: 1, Ack: 1, Len: 34

No.	Time	Source	Destination	Protocol	Length	Info
45	0.018585258	10.0.1.2	10.0.1.1	TCP	66	8080 → 35466 [ACK] Seq=1 Ack=35 Win=29184

Len=0 TSval=96466 TSecr=96466
Frame 45: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35466, Seq: 1, Ack: 35, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
46	0.018596077	10.0.1.2	10.0.1.1	HTTP	87	HTTP/1.1 200 OK

Frame 46: 87 bytes on wire (696 bits), 87 bytes captured (696 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35466, Seq: 1, Ack: 35, Len: 21
Hypertext Transfer Protocol

No.	Time	Source	Destination	Protocol	Length	Info
47	0.018600956	10.0.1.2	10.0.1.1	TCP	66	8080 → 35466 [FIN, ACK] Seq=22 Ack=35

Win=29184 Len=0 TSval=96466 TSecr=96466
Frame 47: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35466, Seq: 22, Ack: 35, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
48	0.018605774	10.0.1.1	10.0.1.2	TCP	66	35466 → 8080 [ACK] Seq=35 Ack=22 Win=29696

Len=0 TSval=96467 TSecr=96466
Frame 48: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35466, Dst Port: 8080, Seq: 35, Ack: 22, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
49	0.018672122	10.0.1.1	10.0.1.2	TCP	66	35466 → 8080 [FIN, ACK] Seq=35 Ack=23

Win=29696 Len=0 TSval=96467 TSecr=96466
Frame 49: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35466, Dst Port: 8080, Seq: 35, Ack: 23, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
50	0.018704121	10.0.1.1	10.0.1.2	TCP	74	35468 → 8080 [SYN] Seq=0 Win=29200 Len=0

MSS=1460 SACK_PERM=1 TSval=96467 TSecr=0 WS=512
Frame 50: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35468, Dst Port: 8080, Seq: 0, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
51	0.019859724	10.0.1.2	10.0.1.1	TCP	66	8080 → 35466 [ACK] Seq=23 Ack=36 Win=29184

Len=0 TSval=96467 TSecr=96467
Frame 51: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35466, Seq: 23, Ack: 36, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
52	0.019870643	10.0.1.2	10.0.1.1	TCP	74	8080 → 35468 [SYN, ACK] Seq=0 Ack=1

Win=28960 Len=0 MSS=1460 SACK_PERM=1 TSval=96467 TSecr=96467 WS=512
Frame 52: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35468, Seq: 0, Ack: 1, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
53	0.019875651	10.0.1.1	10.0.1.2	TCP	66	35468 → 8080 [ACK] Seq=1 Ack=1 Win=29696

Len=0 TSval=96467 TSecr=96467
Frame 53: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35468, Dst Port: 8080, Seq: 1, Ack: 1, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
54	0.019884126	10.0.1.1	10.0.1.2	TCP	100	35468 → 8080 [PSH, ACK] Seq=1 Ack=1

Win=29696 Len=34 TSval=96467 TSecr=96467 [TCP segment of a reassembled PDU]
Frame 54: 100 bytes on wire (800 bits), 100 bytes captured (800 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35468, Dst Port: 8080, Seq: 1, Ack: 1, Len: 34

No.	Time	Source	Destination	Protocol	Length	Info
55	0.020943946	10.0.1.2	10.0.1.1	TCP	66	8080 → 35468 [ACK] Seq=1 Ack=35 Win=29184

Len=0 TSval=96467 TSecr=96467
Frame 55: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35468, Seq: 1, Ack: 35, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
56	0.021421968	10.0.1.2	10.0.1.1	HTTP	87	HTTP/1.1 200 OK

Frame 56: 87 bytes on wire (696 bits), 87 bytes captured (696 bits) on interface 0

Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35468, Seq: 1, Ack: 35, Len: 21
Hypertext Transfer Protocol

No.	Time	Source	Destination	Protocol	Length	Info
57	0.021429515	10.0.1.1	10.0.1.2	TCP	66	35468 → 8080 [ACK] Seq=35 Ack=22 Win=29696

Len=0 TSval=96467 TSecr=96467
Frame 57: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35468, Dst Port: 8080, Seq: 35, Ack: 22, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
58	0.021475234	10.0.1.1	10.0.1.2	TCP	66	35468 → 8080 [FIN, ACK] Seq=35 Ack=22

Win=29696 Len=0 TSval=96467 TSecr=96467
Frame 58: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35468, Dst Port: 8080, Seq: 35, Ack: 22, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
59	0.022920717	10.0.1.2	10.0.1.1	TCP	66	8080 → 35468 [FIN, ACK] Seq=22 Ack=35

Win=29184 Len=0 TSval=96467 TSecr=96467
Frame 59: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35468, Seq: 22, Ack: 35, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
60	0.022926167	10.0.1.1	10.0.1.2	TCP	66	35468 → 8080 [ACK] Seq=36 Ack=23 Win=29696

Len=0 TSval=96468 TSecr=96467
Frame 60: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:02 (00:00:00:00:01:02)
Internet Protocol Version 4, Src: 10.0.1.1, Dst: 10.0.1.2
Transmission Control Protocol, Src Port: 35468, Dst Port: 8080, Seq: 36, Ack: 23, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
61	0.023708661	10.0.1.2	10.0.1.1	TCP	66	8080 → 35468 [ACK] Seq=23 Ack=36 Win=29184

Len=0 TSval=96468 TSecr=96467
Frame 61: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: 00:00:00_00:01:01 (00:00:00:00:01:01)
Internet Protocol Version 4, Src: 10.0.1.2, Dst: 10.0.1.1
Transmission Control Protocol, Src Port: 8080, Dst Port: 35468, Seq: 23, Ack: 36, Len: 0

No.	Time	Source	Destination	Protocol	Length	Info
62	44.542620873	fe80::200:ff:fe00:101	ff02::fb	MDNS	107	Standard query 0x0000 PTR _ipps._tcp.local, "QM" question PTR _ipp._tcp.local, "QM" question

Frame 62: 107 bytes on wire (856 bits), 107 bytes captured (856 bits) on interface 0
Ethernet II, Src: 00:00:00_00:01:01 (00:00:00:00:01:01), Dst: IPv6mcast_fb (33:33:00:00:00:fb)
Internet Protocol Version 6, Src: fe80::200:ff:fe00:101, Dst: ff02::fb
User Datagram Protocol, Src Port: 5353, Dst Port: 5353
Multicast Domain Name System (query)