
MODULE 3

Web Services (GET)




Web Services and APIs

- Web services provide a standard means of interoperating between different software applications, running on a variety of platforms and/or frameworks.
- An API (Application Programming Interface) is a set of features and rules that exist inside a software program (the application) enabling interaction with it through software

HTTP and HTTPS

- HTTP: Hypertext transfer protocol
 - How browsers and servers communicate with each other
 - Defines a simple request/response protocol



Key Elements of the Response Stream

- HTTP Status code
 - 1xx Informational
 - 2xx Success (200 OK)
 - 3xx Redirect (301 Moved Permanently)
 - 4xx Client Error (400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found)
 - 5xx Server Error (500 Internal Server Error, 501 Not Implemented)

Creating and Consuming

- **Creating** a web service is simply exposing methods and properties from classes
- Consuming a web service is calling those APIs and getting the data.

Response Data

 JSON (JavaScript Object Notation) is a lightweight data-interchange format.


```
"id": 1,
"name": "Aloft Cleveland",
"address": {
    "id": "69006b81-7f58-4acc-a10e-f9f87affae5f",
    "address": "1111 W 10th St",
    "address2": "",
    "city": "Cleveland",
    "state": "Ohio",
    "zip": "44113"
},
"stars": 3,
"roomsAvailable": 48,
"costPerNight": 274,
"coverImage": "aloft-cleveland.webp"
}
```

Asynchronous Programming

• Our programs: Synchronous



Asynchronous Programming



Axios

- Promise based HTTP client for the browser and node.js
- Another Framework that makes async a little easier

Getting Axios in Vue.js

- Need to add package:
 - npm install axios
- Need to import the code
 - Import axios from 'axios'
- That's it!

Axios Syntax

```
axios.get('/user?ID=12345')
 .then(function (response) {
  // handle success
  console.log(response);
 })
 .catch(function (error) {
  // handle error
  console.log(error);
 })
```

```
axios.post('/user', {
  firstName: 'Fred',
  lastName: 'Flintstone'
 .then(function (response) {
  console.log(response);
 .catch(function (error) {
  console.log(error);
 });
```

Promises, promises.

- I promise I will return!
- Three states:
 - Pending: initial state, neither fulfilled nor rejected.
 - Fulfilled: meaning that the asynchronous operation completed successfully.
 - Rejected: meaning that the asynchronous operation failed.
- Use .then() to access functions when promise returns
- Use .catch() for errors



LET'S CODE!





WHAT QUESTIONS DO YOU HAVE?





Reading for tonight:

Web Services POST



