

STRING DIAGRAMS FOR TEXT

VINCENT WANG-MAŚCIANICA

ST. CATHERINE'S COLLEGE
THE UNIVERSITY OF OXFORD
DEPARTMENT OF COMPUTER SCIENCE

Contents

1 Continuous relations for semantics			5	
	1.0.1	A text-circuit analysis of temporal anaphora	5	
2	Bibliograp	hy	9	(Acknowledgements will go in a margin note here.)


1

Continuous relations for semantics


We want to reason formally with and about pictorial iconic representations, of the sort one might draw to solve a problem in elementary geometry stated in words, involving topological concepts such as touching and inside. To do this in string diagrams, I introduce and investigate the category of continuous relations, ContRel.

1.0.1 A text-circuit analysis of temporal anaphora


Definition 1.0.1.




Hybrid event (Open set with endpoints)




Perfective: $t_{EV} \subseteq t_{TOP}$ (Event time contained within topic time)




Imperfective: $t_{\text{TOP}} \subset t_{\text{EV}}$ (Episodic time contained within habitual event time)



Progressive: $t_{\text{TOP}} \subset t_{\text{EV}}$ (Event is ongoing throughout topic time)



 $\mbox{Terminative: } t_{\rm EV} < t_{\rm TOP}^0$ (Event will have been completed by the topic time)



Example 1.0.2.

8 v.w.

táan uya'aliko'obe' jach	(3)
everyone was saying NON-PERFECTIVE WRT. (1,2)	
ts'uyu'ubiko'ob ti' ràadyoe'	(4)
(they) <u>had heard</u> on the radio TERMINATIVE WRT. (1,2)	
<u>túun tàal</u> le siklòono'.	(5)
the cyclone was coming. (4) NON-PERFECTIVE WRT. (5)	

2 Bibliography