# In [7]:

```
#Add rollno and marks {name:mark} for n number of students through keyboard in a diction
 2
 3
 4
   import operator
   n=int(input("Enter no of records"))
 5
 6
7
   for i in range(1,n+1):
8
        name= input("Enter name %d"%(i))
9
        mark=int(input("Enter mark %d"%(i)))
10
        d[name]=mark
        print(d)
11
12 | sorted_a= sorted(d.items(), key=operator.itemgetter(0),reverse=True)
   print(sorted_a)
    ◀
                                                                                               \triangleright
```

```
Enter no of records2
Enter name 1vinod
Enter mark 1100
{'vinod': 100}
Enter name 2vin
Enter mark 21000
{'vinod': 100, 'vin': 1000}
[('vinod', 100), ('vin', 1000)]
```

# In [8]:

```
1
   #Add name and salary {name:salary} for n number of employees through keyboard in a dict
 2
 3
   import operator
 5
   n=int(input("Enter no of records"))
   d=\{\}
 7
   for i in range(1,n+1):
8
       name= input("Enter name %d"%(i))
9
       mark=int(input("Enter salary %d"%(i)))
10
       d[name]=mark
        print(d)
11
12
   sorted_a= sorted(d.items(), key=operator.itemgetter(0),reverse=False)
   print(sorted a)
```

```
Enter no of records2
Enter name 1vin
Enter salary 11000
{'vin': 1000}
Enter name 2vi
Enter salary 2100
{'vin': 1000, 'vi': 100}
[('vi', 100), ('vin', 1000)]
```

#### In [10]:

```
#Add name and salary {name:salary} for n number of employees through keyboard in a dict
 2
   import operator
4
   n=int(input("Enter no of records"))
 5
   d=\{\}
   for i in range(1,n+1):
 7
       name= input("Enter name %d"%(i))
 8
       mark=int(input("Enter salary %d"%(i)))
9
       d[name]=mark
       print(d)
10
11
   sorted_a= sorted(d.items(), key=operator.itemgetter(1),reverse=False)
12
   print(sorted a)
   print("max=%d"%sum(d.values()))
13
14 print("max=%d"%max(d.values()))
15 print("min=%d"%min(d.values()))
16 print("avg=%d"%(sum(d.values())/2))
```

```
Enter no of records2
Enter name 1vin
Enter salary 112548
{'vin': 12548}
Enter name 2vino
Enter salary 2118
{'vin': 12548, 'vino': 118}
[('vino', 118), ('vin', 12548)]
max=12666
max=12548
min=118
avg=6333
```

# In [12]:

```
#Add name and salary {name:salary} for n number of employees through keyboard in a dict
2
 3
   import operator
   n=int(input("Enter no of records"))
 5
   d={}
 6
   for i in range(1,n+1):
7
       name= input("Enter name %d"%(i))
8
       sal=int(input("Enter salary %d"%(i)))
9
       if (sal >2000 and sal< 4000):
10
           d[name]=sal
11
   print(d)
```

```
Enter no of records2
Enter name 1vvgh
Enter salary 153242
Enter name 2kbhjb
Enter salary 2353
{}
```

#### In [13]:

```
#Python program to convert a 3 digit number into words
 2
 3
   def convert_to_words(num):
 4
       1 = len(num);
 5
       if (1 == 0):
 6
           print("empty string");
 7
           return;
 8
9
       if (1 > 4):
10
           print("Length more than 4 is not supported");
11
       12
13
                       "eight", "nine"];
14
       15
16
17
                    "nineteen"];
18
       19
20
                       "ninety"];
21
       tens_power = ["hundred", "thousand"];
22
       print(num, ":", end = " ");
23
24
       if (1 == 1):
25
           print(single_digits[ord(num[0]) - '0']);
26
           return;
27
       x = 0;
28
       while (x < len(num)):</pre>
29
           if (1 >= 3):
              if (ord(num[x]) - 48 != 0):
30
                  print(single_digits[ord(num[x]) - 48],
31
                                           end = " ");
32
33
                  print(tens_power[1 - 3], end = " ");
34
35
              1 -= 1;
36
           else:
37
              if (ord(num[x]) - 48 == 1):
                  sum = (ord(num[x]) - 48 +
38
39
                         ord(num[x]) - 48);
                  print(two digits[sum]);
40
41
                  return;
42
              elif (ord(num[x]) - 48 == 2 and
43
                    ord(num[x + 1]) - 48 == 0):
                  print("twenty");
44
45
                  return;
46
              else:
47
                  i = ord(num[x]) - 48;
48
                  if(i > 0):
49
                      print(tens_multiple[i], end = " ");
50
                  else:
51
                      print("", end = "");
52
                  x += 1;
53
                  if(ord(num[x]) - 48 != 0):
54
                      print(single digits[ord(num[x]) - 48]);
55
           x += 1;
   convert_to_words("523");
56
57
   convert_to_words("898");
```

```
523 : five hundred twenty three
898 : eight hundred ninety eight
```

## In [16]:

```
#python Program to count the total number of charaters (except blank space) in a text f

input_file = input("Enter File name : ")
file_txt = open(input_file)
text = file_txt.read()
charc = 0
for i in text:
    if(i != " " and i != "\n" ):
        charc += 1

print ("total num of characters: ",charc);
```

Enter File name : Untitled7.ipynb total num of characters: 6954

# In [17]:

```
#Python Program to print all the numbers present in a text file with its total number of
 2
 3 input_file = input("Enter File name : ")
 4
   file_txt = open(input_file)
   text = file_txt.read()
 6
   W = []
 7
   d = dict()
   for line in text:
 8
 9
        line = line.strip()
        if(line.isdigit()):
10
11
               w.append(line)
12
   for j in w:
13
          if j in d:
14
            d[j] = d[j] + 1
15
          else:
16
                d[j] = 1
17
   for key in list(d.keys()):
18
        print(key, ":", d[key])
```

Enter File name : Untitled7.ipynb

```
7 : 1
2 : 37
1 : 178
0 : 300
8 : 25
5 : 13
4 : 25
6 : 8
3 : 74
9 : 3
```

### In [18]:

```
#Python Program to append the contents of one file to another file by getting the both

aname1 = input("Enter file to be read from: ")

aname2 = input("Enter file to be appended to: ")

fin = open(name1, "r")

data2 = fin.read()

fin.close()

fout = open(name2, "a")

fout.write(data2)

fout.close()
```

Enter file to be read from: Untitled7.ipynb Enter file to be appended to: Untitled8.ipynb

#### In [19]:

```
#Python Program to count the number of blank spaces in a text file.
 2
 3
 4
   fname = input("Enter file name: ")
   with open(fname, 'r') as f:
 7
        for line in f:
 8
 9
            words = line.split()
            for i in words:
10
11
                for letter in i:
                    if(letter.isspace):
12
13
                        k=k+1
14
   print("Occurrences of blank spaces:")
15
   print(k)
```

Enter file name: Untitled7.ipynb Occurrences of blank spaces: 7230

### In [20]:

```
#Python Program to read a file and capitalize the first letter of every word in the fil
 2
 3 fname = input("Enter file name: ")
    with open(fname, 'r') as f:
    with open("out.txt", "w") as f1:
 5
         for line in f:
 6
 7
             l=line.title()
             f1.write(1)
 8
 9 file2=open("out.txt",'r')
    line=file2.readline()
    while(line!=""):
11
         print(line)
12
         line=file2.readline()
13
14 | file2.close()
Enter file name: Untitled7.ipynb
 "Cells": [
  {
   "Cell_Type": "Code",
   "Execution_Count": 7,
   "Metadata": {},
   "Outputs": [
    {
     "Name": "Stdout",
In [ ]:
 1
```