

Business Rule Document



Material Master Data Cleansing & Enrichment

1. Cleansing Rules

- 1.1. If the Part number is unable to be validated in the web source, then cleansing will be done based on the input description parsed to the respective attribute values as per **CLIENT** approved Taxonomy.
- 1.2. The values from the input description that are not parsed to a specific taxonomy attribute approved by **Client** will be parsed to the "Additional Information" column.
- 1.3. The words which are not fitting to any of the output fields will be populated to **UNUSED TEXT** column. The data populated in UNUSED TEXT will not be standardized. Prospecta will not prefer to use the unused text in the Additional information as these are mostly irrelevant and junk data. However, Prospecta shall send a clarification to confirm the unused text if it needs to be included in the Additional Information.
- 1.4. The Items with Tag#, Drawing Details, MSDS number, Equipment model & Serial number will be populated to **REFERENCE TEXT** column and the same will be included in the Additional Information.
- 1.5. UOM will be included along with the attribute value. Example: VOLTAGE:450**V** or Diameter:50**MM**
- 1.6. Items that do not have a part number or manufacturer name will be sent to **CLIENT** for more information. Prospecta will cleanse the data using the currently available input data if **CLIENT** is unable to give information.

2. Enrichment Rules

- 2.1 Prospecta is committed to enhance all the materials that provide confirmed part and model numbers that can be verified from the web sources.
- 2.2 To achieve record enrichment, Prospecta will need the material Manufacturer Part Number and Manufacturer name, or the Vendor Part Number and Vendor name.
- 2.3 Prospecta will source the material information with the following priority.
 - Manufacturer Website
 - Major Vendor Website – e.g. Grainger, Fastenal, Motion Industries, Applied, McMaster etc.
- 2.4 The value in the online source will take precedence over the value in the input description if there is a discrepancy between the data in the web source and the information in the input description. Such records will be marked in the Prospecta Remarks/Comments section.

Business Rule Document



Material Master Data Cleansing & Enrichment

3. Insufficient Data

- 3.1. Prospecta will send **clarification** to **Client** for further information on items with insufficient data. Record types with insufficient data are those in which Prospecta is unable to recognize a valid noun due to absence of sufficient information.
- 3.2. If we are facing a lack of MFR details, we need to raise **clarification**.
- 3.3. If there is the same MFR and multiple MPNs, we need to raise **clarification**.

4. Manufacturers and Suppliers

- 4.1. Manufacturer Name and Manufacturer Part Number will be extracted into separate fields.
 - 4.1.1.1. To minimize the Potential duplication, Company extensions such as INC, LTD, LLC etc. will be cleaned up as per standard.
 - 4.1.1.2. Extensions with country name (unless they are part of the name itself) will be cleaned up.
 - 4.1.1.2.1. Example: SKF USA INC will be standardized as SKF
 - 4.1.1.2.2. Example: Canadian Blower will be retained
 - 4.1.1.3. Manufacturer providing two different Part Numbers for same material then both the manufacturer part number will be captured as Manufacturer part number 1 and 2. Prospecta will send the **clarification** to **CLIENT**.
 - 4.1.1.4. If input have more than one model number for Blended or Spare material then, the same records will be flagged and populated in Reference Text.
- 4.2. Vendor/Supplier Name and Part Number
 - 4.2.1. Vendor or supplier name and part number will be populated in separate columns. and the same details will not be included in the long text.
 - 7.2.2 If Prospecta obtaining the data from the specified supplier and an input data only contains vendor information without manufacturer information, Prospecta will fill in the Manufacturer Name and Part Number as provided on the Supplier Website after the proper validation.

Business Rule Document

Material Master Data Cleansing & Enrichment

5. Taxonomy

5.1. Data Input

5.1.1. Prospecta intends to utilize the proposed standard (PIDX) material master taxonomy for any future establishment of new classes, subject to **Client's** approval.

5.2. Material Taxonomy

5.2.1. Prospecta will leverage Standard (PIDX) Noun-Modifier schema. It is based on the reduced property model to ensure clean descriptions with a relatively higher percent fill rates for the property set. Prospecta will use Prospecta Data Dictionary to cleanse and enrich the data.

5.2.2. Prospecta will send clarification where Description only contains Nouns with few details without a much information.

5.2.3. The attribute values in the descriptions will follow the same sequence as expressed in the taxonomy.

5.2.4. If values in the description found in the datasheets are not assignable to any specific attribute, then such values will be entered in the '**ADDITIONAL INFORMATION**' attribute. The additional information attribute will be positioned in the end of the item description.

6. Description Format

6.1. Generation of Short Description for Material Master

6.1.1. *A short description will be generated using the following guidelines.*

6.1.1.1. *Maximum Length to be 40 characters.*

6.1.1.2. *The Classification (Noun) and Sub-classification (Modifiers) are separated by COMMA.*

6.1.1.3. *The Sub-classification (Modifiers) and Attribute Values are separated by COMMA.*

6.1.1.4. *The attribute values are separated by COMMA.*

6.1.1.5. *Generated using the following logic: <NOUN>,< MODIFIER>,<attribute values1>,<attribute values2>..... All the attribute values will be listed here based on sequence. The UOM (Unit of Measurement will be listed as per **Client** approved UOM standards).*

6.1.1.6. *The sequence of the attributes is in the same priority order as defined by Taxonomy agreed with **CLIENT**.*

6.1.1.7. *If an attribute does not have any value, then the next filled attribute value will be taken. However, the next attribute value will not be able to fulfil the 40-character limit (exceeds 40) then the next filled attribute value has been added in the short description and henceforth.*

6.1.1.8. *No space will be given before or after delimiter.*

6.1.1.9. *Modifiers and attribute values will be abbreviated using **Client approved abbreviation** list.*

6.1.1.10. *The limit of 40 char is to the nearest complete attribute value.*

Example:

TIE,CBL,LKG,2.5MM,99MM,1.5-22MM BNDL

Business Rule Document

Material Master Data Cleansing & Enrichment

6.2. Generation of Long Description for Material Master

6.2.1. Long description is an unabbreviated text field and is a concatenation of the Classification (Noun), Sub-classification (Modifiers) and of all the attributes.

6.2.1.1. Long description is generated using the following guidelines.

6.2.1.2. The Classification (Noun) and Sub-classification (Modifiers) are separated by COMMA.

6.2.1.3. Each Attribute will be separated by carriage return and the Noun and Modifier will be together on the first line.

Example:

TIE,CABLE
TYPE: LOCKING
WIDTH: 2.5MM
LENGTH: 99MM
DIAMETER RANGE: 1.5-22MM BUNDLE
TENSILE RATING: 11LB MINIMUM
MATERIAL: WEATHER RESISTANT POLYPROPYLENE
COLOUR: BLACK
FEATURE: CHEMICAL AND ULTRAVIOLET RESISTANT
ADDITIONAL FEATURES: TYPE1: PREMIUM
THICKNESS: 1.1MM
TEMPERATURE RATING: -76 TO 239DEG F
LOW THREADING FOR CE
FOR INDOOR, OUTDOOR
PACKAGE TYPE: PK
PACKAGE SIZE: 100
BRAND: PAN-TY

7. UNSPSC

7.1. Prospecta will follow the standard UNSPSC codification rules.

7.2. Prospecta will use UNSPSC Version 23

7.3. Prospecta will assign the commodity level UNSPSC code to all the materials wherever possible and the same details can be utilized for the External material group data in the SAP Basic Data 1.

7.4. Wherever it is not possible to assign Commodity level (4th level) the best fitting UNSPSC level will be assigned (3rd (Class) or 2nd (Family) level).

Business Rule Document



Material Master Data Cleansing & Enrichment

8. Standards

8.1. Abbreviations

8.1.1. Prospecta will use its **CLIENT** approved standard abbreviation master.

8.2. UOM

8.2.1. Prospecta will use its **CLIENT** approved standard UOM abbreviation list.

9. Other Standards

9.1. The descriptions will be submitted using Capital Letters

The standards recommend conversion to fractions will not be followed. All the measurements will remain as they are listed in the input data. Fractions and decimals will remain in their respective formats, without any rounding or changes applied.

Metric values will not be replaced with imperial values and imperial values will not be replaced with metric values. All the measurements will remain in the original measurement scale found in the TC descriptions.

9.2. Trailing Metric values will not be replaced with imperial values and imperial values will not be replaced with metric values. All the measurements will remain in the original measurement scale found in the TC descriptions. zeros for the decimal values will not be removed and will keep as per input data.

10. General Business Rules

10.1. Clean up multi spaces and special characters like *, `°, μ , ^ etc. All symbols visible on the standard keyboard will be allowed in the short text.

10.2. For the Pressure Rating characteristics, **symbol #** will be removed.

10.3. All the Application specific, Plant specific or **CLIENT** specific information like **Job #, Work Order #, BOM #**, will be moved to Reference Text. Tag number will remain in Long text.

10.4. All information related to end equipment name, make, model, part number, etc. will be updated under Additional Information in the last preference, like after-product information.

10.5. All supplemental information related to the End Equipment or Material such as Drawing #, Item #, , , , Catalog #, Serial # will be populated under Reference Text in the last preference.

10.6. If information regarding material characteristics is available in Manufacturer Name or Manufacturer Part Number column then it should be populated under the respective field.

10.7. Material **Brand or Trade** name will be populated in Additional Information field for all classes.

10.8. Any word or value not captured in any of the output field or any redundant word available in input. will be moved to **Unused Text** and the same junk data will not be included in the long text.

10.9. If a material Modifier could not be identified, it will be maintained as a Blank.

Business Rule Document

Material Master Data Cleansing & Enrichment

- 10.10. Wherever Material accessories values (values starting from Comes With) are given, they will be captured in Additional Information
- 10.11. Space will not be added between value and UOM Ex: Size values will be captured as **12x15x1"**
- 10.12. Wherever possible, labels will be added to the characteristic values as per Prospecta standard practice.
Ex: ID12xOD15xTHK1"
- 10.13. When multiple dimensions are combined in a characteristic such as SIZE, there are specific practices for building them:
- 10.13.1. When all the dimensions described share the same UOM, but are not labeled with what they each represent, separate them with "x", without spaces in between them. The UOM should appear last, without space. Example: 34x54x122MM
- 10.13.2. When all the dimensions described share the same UOM, and are labeled with what they each represent, have the descriptor follow the dimension (no more than a 2-character descriptor) separate them with "x", with spaces between the value and the descriptor, but a no space between each term. The UOM should appear last, without space. Example: LG34xWD54xHT122MM
- 10.13.3. When one or more dimensions in the combined value have different UOMs.
Example: 34MMx1.5CMx2.25"
- 10.13.4. When one or more dimensions in the combined value have different UOMs and are labeled with what they each represent, have the descriptor follow the dimension (no more than a 2-character descriptor) separate them with "x", without spaces between the value and the descriptor and the UOM should appear last in each term, without separated by a space.
Example: LG34CMxWD54INxHT122MM
- 10.14. Labels will be added to the characteristic values as per given example: ID12xOD15xTHK1" in cases where we have SIZE attribute. If ID, OD, THK are separate Attributes, same shall not have labels or suffixes. Same values as example, **could be 12IN, 15IN and 1IN for ID, OD and THK** respectively.
- 10.15. If there is a mismatch between the source UOM and the target UOM, the value will be converted to the target UOM, and the source value and UOM Prospecta will flag such records in the Prospecta Remarks/Comments column. Prospecta will send clarification for the same conflict items.

11. Deliverables

- 11.1. Data Transformation File in agreed upon delivery format.
- 11.1.1. Cleansed/Enriched/Clarification records clearly identified in Status column.
- 11.1.2. Description generated in separate columns.