20 ft DRY CONTAINER



Internal Dimension

Length:	5,897 mm	19 ft 4.17in
Width:	2,348 mm	7 ft 8.44in
Height:	2,385 mm	7 ft 9.90in

Door Opening

Width:	2,337 mm	7 ft 8.01in
Height:	2,272 mm	7 ft 5.45in

Weight

Max Gross:	24,000 kg (30,480 kg)	52,910 lb (67,200 lb)
Tare:	2,290 mm	5,050 lb
Max Payload:	21,710 mm (28,190 kg)	47,860 lb (62,150 lb)

Load Capacity

33.0 m2 (1,166 ft2)

40 ft DRY CONTAINER



Internal Dimension

Length:	5,897 mm	19 ft 4.17in
Width:	2,348 mm	7 ft 8.44in
Height:	2,385 mm	7 ft 9.90in

Door Opening

Width:	2,337 mm	7 ft 8.01in
Height:	2,272 mm	7 ft 5.45in

Weight

Max Gross:	24,000 mm (30,480 kg)	52,910 lb (67,200 lb)
Tare:	2,290 mm	5,050 lb
Max Payload:	21,710 mm (28,190 kg)	47,860 lb (62,150 lb)

Load Capacity

33.0 m2 1,166 ft2

40 ft DRY CONTAINER



Internal Dimension

Length:	12,031 mm	39 ft - 5.66 in
Width:	2,348 mm	7 ft 8.44in
Height:	2,690 mm	8 ft - 9.91 in

Door Opening

Width:	2,337 mm	7 ft 8.01in
Height:	2,577 mm	8 ft - 5.46 in

Weight

Max Gross:	30,480 kg	67,200 lb	
Tare:	3,990 kg	8,800 lb	
Max Payload:	26,490 kg	58,400 lb	

Load Capacity

76.0 m2 2,684 ft2

20 ft FLAT RACK CONTAINERS



Internal Dimension

Length:	5,897 mm	19 ft 4.17 in
Width:	2,018 mm	6 ft 7.45 in
Height:	2,097 mm	6 ft 9.77 in

Weight

Max Gross:	30,480 kg	67,200 lb
Tare:	2,720 kg	6,000 lb
Max Pavload:	27.760 ka	61.200 lb

Load Capacity

25.0 m2 882 ft2

40 ft FLAT RACK CONTAINER



Internal Dimension

Length:	11,986 mm	39 ft 3.89 in
Width:	2,236 mm	7 ft 4.03 in
Height:	1,968 mm	7 ft 5.48 in

Weight

Max Gross:	45,000 kg	99,210 lb
Tare:	5,850 kg	12,900 lb
Max Payload:	39,150 kg	86,310 lb

Load Capacity

52.7 m2 1,860 ft2

20 ft OPEN TOP CONTAINER



Internal Dimension

Length:	5,898 mm	19 ft 4.21 in
Width:	2,346 mm	7 ft 8.36 in
Height:	2,381 mm	7 ft 9.74 in

Door Opening

Width:	2,338 mm	7 ft 8.05 in
Height:	2,244 mm	7 ft 4.35 in

Weight

Max Gross:	24,000 kg	52,910 lb
Tare:	2,450 kg	5,400 lb
Max Pavload:	21.550 ka	47.510 lb

Load Capacity

32.6 m2 1,150 m2

40 ft OPEN TOP CONTAINER



Internal Dimension

Length:	12,022 mm	39 ft 5.31 in
Width:	2,346 mm	7 ft 8.36 in
Height:	2,381 mm	7 ft 9.74 in

Door Opening

Width:	2,338 mm	7 ft 8.05 in
Height:	2,244 mm	7 ft 4.35 in

Weight

Max Gross:	30,480 kg	67,200 lb	
Tare:	4,020 kg	8,860 lb	
Max Payload:	26,460 kg	58,340 lb	

Load Capacity

66.4 m2 2,345 m2

20 ft REFRIGERATED CONTAINERS



Internal Dimension

Length:	5,455 mm	17 ft 10.76in
Width:	2,290 mm	7 ft 6.16in
Height:	2,262 mm	7 ft 5.06in

Door Opening

Width:	2,290 mm	7 ft 6.16in
Height:	2,227 mm	7 ft 3.68in

Weight

Max Gross:	24,000 kg	52,910 lb
Tare:	2,960 kg	6,530 lb
Max Payload:	21,040 kg	46,380 lb

Load Capacity

28.3 m2 998 ft2

40 ft REFRIGERATED CONTAINERS



Internal Dimension

Length:	11,554 mm	39 ft - 10.88in
Width:	2,286 mm	7 ft - 6.00 in
Height:	2,216 mm	7 ft - 3.24 in

Door Opening

Width:	2,337 mm	7 ft 8.01in
Height:	2.272 mm	7 ft 5.45in

Weight

Max Gross:	30,480 kg	67,200 lb
Tare:	4,240 kg	9,350 lb
Max Pavload:	26,240 kg	57,850 lb

Load Capacity

58.5 m2 2,066 ft2

40 ftHIGH CUBE REFRIGERATED CONTAINERS



Internal Dimension

Length:	11,585 mm	39 ft - 0.00 in
Width:	2,290 mm	7 ft - 6.16 in
Height:	2,527 mm	8 ft - 3.49 in

Door Opening

Width:	2,290 mm	7 ft - 6.16 in
Height:	2.491 mm	8 ft - 2.10 in

Weight

30,480 kg (32,500 kg)	67,200 lb (71,650 lb)
4,110 kg	9,060 lb
26,370 kg	58,140 lb
	(32,500 kg) 4,110 kg

Load Capacity

67.0 m2 2,366 ft2