M/s.Dali and Samir Engg Pvt Ltd -Shoolagiri Plan Press Shop Performance Report

S No	Press Spec	Process	Part Name	Standard Strokes/ Shift (8hr)	Per Hr Stroke (Nos)
1	600T Hyd	FORMING	OUTER C	480	60
		TOTAL			
2	500T				
		TOTAL			
3	350-1	BLANKING	OUTER C	960	120
		TOTAL			
4	350T -2				
		TOTAL			
5	300T	PIERCING	INNER C	960	120
		TOTAL			
6	200T	CROPPING	7001 SURGE PART	960	120
		PIERCING	2501,2601 SUMP	960	120
		BLANKING	185L EC	1440	180
		TOTAL			
6	200T	DRAW	7001 SURGE PART	1152	144
		COLLER	185L SHELL	720	90
		PUMP FORMING	BS6 90L SHELL	960	120
		RIB FORMING	BS6 90L SHELL	1440	180
		BLANKING	185L EC	1440	180
		PIERCING	AL CONTI FLANGE	1920	240
		TOTAL			
		TRIMMING	7001 SURGE PART	960	120
		COLLER	185L SHELL	960	120
		FORMING	CONTI EC	1600	200

7	160T	PIERCING	185L EC	1440	180
		COLLER	2601 2501 SHELL.	960	120
		COLLER	8401,8501 SHELL	960	120
		TOTAL			
8	110T	PIERCING	7001 SURGE PART	960	120
		PIERCING	AIR TANK 35L SHELL	1152	144
		PIERCING	AIR TANK 35L SHELL	1152	144
		DRAW	AL CONTI FLANGE	3200	400
		TOTAL			
9	100T	PIERCING	CONTI EC	2880	360
		TOTAL			
10	PRESS BRAKE				
		TOTAL			
11	SHEARING M/C	SHEARING	AL CONTI FLANGE	2880	360
		TOTAL			
12	75T	SIZZING	CONTI SHELL	1440	180
		SIZZING	CONTI 50L SHELL	1440	180
		BLANKING	AIR CLEANER BRKT	2880	360
		TOTAL			
Total Strokes Plan vs Actual and Production %					

			Report Date : 02/09/2025					
			Prodn Date : 01/09/2025					
Std. Strokes (Nos)	Actual Strokes		Production Efficiency (%)	Reason for losses mins	Reason for losses	Manpower		Remarks
	Time (In Hrs)	Strokes (Nos)				Operator	Helper	
510	8.5	470	92	0		1	0	
510		**470**						
							.	
0		**0**						
480	4	400	83	30	material moment delay			Op Name : Mr.Halak
480		**400**						
Machine Breakdown								
0		**0**						
312	2.6	270	87					
312		**270**						
300	2.5	270	90			1	0	
420	3.5	370	88	10	manpower dealy	1	3	
1080	6	1000	93			1	2	
								Op Name : Mr.Ranjan
1800		**1640**						
72	0.5	70	97			1	1	
90	1	64	71			1	3	
240	2	150	63	20	material moment delay	1	2	
360	2	300	83			1	2	Op Name :Mr. Santhosh
720	4	600	83			1	2	
600	2.5	510	85			1	0	
2082		**1694**						
96	0.8	70	73			1	1	
120	1	64	53	30	material moment delay	1	2	
1100	5.5	950	86			1	1	Op Name :

360	2	300	83			1	1	Op Name : Mr.Nano
144	1.2	120	83			1	3	
144	1.2	120	83			1	3	
1964		**1624**						
300	2.5	270	90			1	1	Op Name : Mr.Mukesh
317	2.2	276	87			1	1	
317	2.2	276	87			1	1	
3000	7.5	2500	83			1	1	
3934		**3322**						
1080	3	800	74			1	0	Mr.krishana kumar
1080		**800**						
0		**0**						
2880	8	2500	87			1	3	Mr.Nano
2880		**2500**						
360	2	268	74	30	no manpower	1	1	OP Name: Mr.Mallik
180	1	150	83	30	manpower dealy	1	0	
1440	4	1300	90			1	0	
1980		**1718**				`		
17022		**14438**	**85%**			**MANPOWER =14/16**		

M/s.Dali and Samir Engg Pvt Ltd -Shoolagiri Plan Press Shop Performance Report

S No	Press Spec	Process	Part Name	Standard Strokes/ Shift (8hr)	Per Hr Stroke (Nos)
1	600T Hyd				
		TOTAL			
2	500T				
		TOTAL			
3	350-1	BLANKING	OUTER C	960	120
		TOTAL			
4	350T -2				
		TOTAL			
5	300T				
		TOTAL			
6	200T	TRIMMING	AL CONTI FLANGE	2400	300
		COLLER	0401&3902 SHELL	1152	144
		PIERCING	OUTER C	1440	180
		FORMING	8401 EC	1440	180
		FORMING	0401 EC	1440	180
		TOTAL			
6	200T	PIERCING	AL CONTI FLANGE	2400	300
		SUMP PIERCING	0401 SHELL	960	120
		SINGLE HOLE PIERCING	OUTER C	1440	180
		BLANKING	0401 EC	1440	180
		TOTAL			
7	160T	ID TRIMMING	AL CONTI FLANGE	2400	300
		BLANKING	BRKT DISCHARGE	2880	360
		NECK PIERCING	BS6 90L SHELL	1600	200
		FORMING	CONTI EC	2400	300
		TOTAL			

8	110T	DRAW	AL CONTI FLANGE	2880	360
		PIERCING	BRKT DISCHARGE	2880	360
		FORMING	BRKT DISCHARGE	2880	360
		BLANKING	CONTI EC	3600	450
		TOTAL			
9	100T	PIERCING	CONTI EC	2880	360
		TOTAL			
10	PRESS BRAKE				
		TOTAL			
11	SHEARING M/C	SHEARING	AL CONTI FLANGE	2880	360
		SHEARING	CONTI EC	2880	360
		TOTAL			
12	75T	FORMING	BS4 L BRKT	1440	180
		TRIMMING	BRKT DISCHARGE	1440	180
		TOTAL			
Total Strokes Plan vs Actual and Production %					

			Report Date : 03/09/2025					
			Prodn Date : 02/09/2025					
Std. Strokes (Nos)	Actual Strokes		Production Efficiency (%)	Reason for losses mins	Reason for losses	Manpower		Remarks
	Time (In Hrs)	Strokes (Nos)				Operator	Helper	
0		**0**						
0		**0**						
960	8	872	91			1	1	Op Name : Mr.Halak
960		**872**						
Machine Breakdown								
0		**0**						
0		**0**						
750	2.5	615	82			1	1	Op Name : Mr.Ranjan
72	0.5	60	83			1	3	
540	3	420	78			1	2	
450	2.5	400	89			1	1	
540	3	500	93			1	1	
2352		**1995**						
750	2.5	615	82			1	1	Op Name :Mr. Santhosh
180	1.5	160	89			1	3	
360	2	300	83			1	1	
900	5	800	89			1	2	
2190		**1875**						
750	2.5	615	82			1	1	Op Name : Mr.Nano
900	2.5	718	80			1	1	
200	1	180	90			1	1	
1800	6	1400	78			1	1	
3650		**2913**						

720	2	600	83			1	1	Op Name : Mr.Mukesh
900	2.5	718	80			1	1	
540	1.5	510	94			1	1	
2700	6	2440	90			1	1	
4860		**4268**						
1260	3.5	1000	79			1	0	Mr.krishana kumar
1260		**1000**						
0		**0**						
720	2	600	83			1	3	Mr.Nano
1260	3.5	1072	85			1	3	
1980		**1672**						
450	2.5	1000	222			1	1	OP Name: Mr.Mallik
810	4.5	718	89			1	0	
1260		**1718**				`		
18512		**16313**	**88%**			**MANPOWER =15/16**		

M/s.Dali and Samir Engg Pvt Ltd -Shoolagiri Plan Press Shop Performance Report

S No	Press Spec	Process	Part Name	Standard Strokes/ Shift (8hr)	Per Hr Stroke (Nos)
1	600T Hyd	FORMING	INNER C	480	60
		TOTAL			
2	500T				
		TOTAL			
3	350-1	BLANKING	INNER C	960	120
		TOTAL			
4	350T -2				
		TOTAL			
5	300T	FORMING	INNER SPRT BRKT	960	120
		PIERCING	INNER C	960	120
		TOTAL			
6	200T	FORMING	CONTI 50L PUMP	1920	240
		FORMING	CONTI SHELL PUMP	1920	240
		RESTRIKE	INNER C	1152	144
		L BENDING	INNER C	1152	144
		COLLER	185L,4101,4901,4601,380	960	120
		BLANKING	VERTICAL STIFFNER	3600	450
		TOTAL			
6	200T	BLANKING	INNER SUPPORT BRKT	3600	450
		PUMP PIERCING	CONTI SHELL	1920	240
		SUMP PIERCING	4901&6401&4101 SHELL	960	120
		SENSOR PIERCING	4101 SHELL	1152	144
		TRIMMING	AL LOCK PLATE	1920	240
		TOTAL			
7	160T	FORMING	CONTI EC	2880	360
		RIB FORMING	CONTI SHELL	2880	360
		NECK PIERCING	4901&6401&4101 SHELL	960	120
		DRAW	AL LOCK PLATE	2400	300

		TOTAL			
8	110T	PUMP PIERCING	50L SHELL	1600	200
		NECK PIERCING	50L SHELL	1600	200
		BAYONED FORMING	4901&4101 SHELL	960	120
		SENSOR PIERCING	4901&3801&6401 SHELL	960	120
		DRAIN HOLE PIERCING	BS6 90L SHELL	1600	200
		SIZZING	BS6 90L SHELL	1600	200
		PIERCING	AL LOCK PLATE	2400	300
		TOTAL			
9	100T	PIERCING	CONTI EC	2880	360
		TOTAL			
10	PRESS BRAKE	JOGGLING	3801&4101&6401&4901	1440	180
		TOTAL			
11	SHEARING M/C	SHEARING	50L& CONTI SHELL	1440	180
		SHEARING	CAL STIFFNER&AL LOCK P	1440	180
		TOTAL			
12	75T	SIZZING	50L SHELL	1600	200
		SIZZING	CONTI SHELL	1600	200
		TOTAL			
Total Strokes Plan vs Actual and Production %					

			Report Date : 04/09/2025					
			Prodn Date : 03/09/2025					
Std. Strokes (Nos)	Actual Strokes		Production Efficiency (%)	Reason for losses mins	Reason for losses	Manpower		Remarks
	Time (In Hrs)	Strokes (Nos)				Operator	Helper	
240	4	224	93			1	0	
240		**224**						
							.	
0		**0**						
240	2	200	83			1	1	Op Name : Mr.Halak
240		**200**						
Machine Breakdown								
0		**0**						
420	3.5	380	90			1	0	
240	2	224	93			1	0	
660		**604**						
600	2.5	512	85	20	NO MANPOWER	1	1	Op Name : Mr.Ranjan
600	2.5	508	85			1	1	
288	2	224	78			1	2	
288	2	224	78	10	METERIAL MOVEMENT	1	1	
240	2	203	85			1	1	
1350	3	1200	89			1	2	
3366		**2871**						
1800	4	1685	94			1	2	Op Name :Mr. Santhosh
600	2.5	508	85			1	1	
300	2.5	243	81	10	METERIAL MOVEMENT	1	3	
72	0.5	60	83			1	3	
600	2.5	500	83			1	1	
3372		**2996**						
1440	4	1150	80			1	1	Op Name : Mr.Nano
1260	3.5	1016	81			1	1	
300	2.5	243	81			1	1	
750	2.5	600	80			1	1	

3750		**3009**						
300	1.5	254	85			1	1	Op Name : Mr.Mukesh
300	1.5	254	85			1	1	
240	2	205	85			1	3	
360	3	292	81	20	METERIAL MOVEMENT	1	3	
200	1	180	90			1	1	
200	1	180	90			1	1	
600	2	500	83			1	0	
2200		**1865**						
1260	3.5	1000	79			1	0	Mr.krishana kumar
1260		**1000**						
450	2.5	352	78					
0		**352**						
900	5	762	85			1	3	Mr.Nano
1350	7.5	1220	90			1	3	
2250		**1982**						
300	1.5	254	85			1	0	OP Name: Mr.Mallik
600	3	508	85			1	0	
900		**762**				`		
18238		**15865**	**87%**			**MANPOWER =16/16**		

M/s.Dali and Samir Engg Pvt Ltd -Shoolagiri Plan Press Shop Performance Report

S No	Press Spec	Process	Part Name	Standard Strokes/ Shift (8hr)	Per Hr Stroke (Nos)
1	600T Hyd	FORMING	INNER C	480	60
		TOTAL			
2	500T				
		TOTAL			
3	350-1	BLANKING	INNER C	960	120
		TOTAL			
4	350T -2				
		TOTAL			
5	300T				
		TOTAL			
6	200T	BLANKING	VERTICAL STIFFNER	3600	450
		PIERCING	3801 BUFFLE	1600	200
		COLLER	0401 SHELL	1152	144
		COLLER	3801&4101&8601 SHELL	720	90
		COLLER	185L SHELL	1152	144
		BAYONED FORMING	0401&8401 SHELL	960	120
		TOTAL			
6	200T	TRIMMING	AL LOCK PLATE	2400	300
		DRAW	7001 SURGE PART	1309	164
		COLLER	2601 SHELL	1152	144
		SINGLE HOLE PIERCING	OUTER C	1152	144
		TOTAL			
7	160T	DRAW	AL LOCK PLATE	2880	360
		FORMING	ITEM16	1152	144
		FORMING	CONTI EC	2400	300

		TOTAL			
8	110T	PIERCING	AL LOCK PLATE	2400	300
		FORMING	ISUZU NECK FUEL FLAP S	1440	180
		FORMING	ISUZU CONE	2057	257
		BLANKING	CONTI EC	3600	450
		TOTAL			
9	100T	PIERCING	CONTI EC	2880	360
		TOTAL			
10	PRESS BRAKE	JOGGLING	0401&8401 SHELL	1440	180
		TOTAL			
11	SHEARING M/C	SHEARING	AL LOCK PLATE	2400	300
		SHEARING	7001 SURGE PART	1440	180
		TOTAL			
12	75T	BLANKING	ISUZU HARNESS CLAMP	2400	300
		FORMING	ISUZU HARNESS CLAMP	1600	200
		PIERCING	185L BUFFLE	1600	200
		TOTAL			
Total Strokes Plan vs Actual and Production %					

			Report Date : 05/09/2025					
			Prodn Date : 04/09/2025					
Std. Strokes (Nos)	Actual Strokes		Production Efficiency (%)	Reason for losses mins	Reason for losses	Manpower		Remarks
	Time (In Hrs)	Strokes (Nos)				Operator	Helper	
240	4	200	83			1	0	
240		**200**						
							.	
0		**0**						
480	4	400	83			1	1	Op Name : Mr.Halak
480		**400**						
Machine Breakdown								
0		**0**						
0		**0**						
1575	3.5	1300	83			1	2	Op Name : Mr.Ranjan
300	1.5	270	90			1	1	
72	0.5	60	83			1	2	
135	1.5	115	85	20	METERIAL MOVEMENT	1	1	
72	0.5	64	89			1	1	
360	3	283	79			1	2	
2514		**2092**						
1800	6	1480	82			1	1	Op Name :Mr. Santhosh
245	1.5	200	81			1	1	
72	0.5	60	83			1	3	
216	1.5	150	69			1	1	
2333		**1890**						
1980	5.5	1720	87			1	1	Op Name : Mr.Nano
144	1	113	78			1	1	
1650	5.5	1500	91			1	1	

3774		**3333**						
750	2.5	652	87			1	1	Op Name : Mr.Mukesh
270	1.5	200	74			1	1	
643	2.5	574	89			1	3	
2250	5	1974	88			1	1	
3913		**3400**						
1260	3.5	1000	79			1	0	Mr.krishana kumar
1260		**1000**						
360	2	283	79					
0		**283**						
2100	7	2000	95			1	3	Mr.Nano
450	2.5	400	89			1	3	
2550		**2400**						
1500	5	1200	80			1	0	OP Name: Mr.Mallik
600	3	500	83			1	0	
200	1	175	88			1	0	
2300		**1875**				`		
19364		**16873**	**87%**			**MANPOWER =16/16**		

M/s.Dali and Samir Engg Pvt Ltd -Shoolagiri Plan Press Shop Performance Report

S No	Press Spec	Process	Part Name	Standard Strokes/ Shift (8hr)	Per Hr Stroke (Nos)
1	600T Hyd				
		TOTAL			
2	500T				
		TOTAL			
3	350-1	BLANKING	INNER C	960	120
		TOTAL			
4	350T -2				
		TOTAL			
5	300T				
		TOTAL			
6	200T	SUMP FORMING	0401&8401 SHELL	960	120
		NECK PIERCING	8401 SHELL	1152	144
		L BENDING	INNER C	1440	180
		PIERCING	0401 BUFFLE	1440	180
		FORMING	0401 EC	1600	200
		TOTAL			
6	200T	RESTRIKING	INNER C	1440	180
		NECK PIERCING	0401 SHELL	960	120
		CROPPING	7001 SURGE PART	1440	180
		HOLE PIERCING	7001 SURGE PART	1440	180
		PIERCING	AL CONTI FLANGE	2400	300
		TOTAL			
7	160T	FORMING	CONTI EC	2400	300
		TRIMMING	7001 SURGE PART	1440	180
		TRIMMING	AL CONTI FLANGE	2400	300

		TOTAL			
8	110T	SENSOR PIERCING	0401&8401 SHELL	960	120
		SUMP PIERCING	0401&8401 SHELL	960	120
		COLLER	2501&2601&8401 SHELL	720	90
		ID TRIMMING	AL CONTI FLANGE	2400	300
		TOTAL			
9	100T	PIERCING	CONTI EC	2880	360
		TOTAL			
10	PRESS BRAKE				
		TOTAL			
11	SHEARING M/C	SHEARING	INNER C&1*220*	1440	180
		SHEARING	AL LOCK PLATE	3600	450
		SHEARING	50L SHELL	1440	180
		TOTAL			
12	75T	BLANKING	ISUZU CLIP FUEL LINE	2400	300
		TOTAL			
Total Strokes Plan vs Actual and Production %					

			Report Date : 06/09/2025					
			Prodn Date : 05/09/2025					
Std. Strokes (Nos)	Actual Strokes		Production Efficiency (%)	Reason for losses mins	Reason for losses	Manpower		Remarks
	Time (In Hrs)	Strokes (Nos)				Operator	Helper	
0		**0**						
0		**0**						
360	3	300	83			1	1	Op Name : Mr.Halak
360		**300**						
Machine Breakdown								
0		**0**						
0		**0**						
360	3	283	79			1	2	Op Name : Mr.Ranjan
144	1	123	85			1	1	
360	2	300	83			1	2	
180	1	132	73	15	METERIAL MOVEMENT	1	1	
300	1.5	280	93			1	1	
1344		**1118**						
360	2	300	83			1	1	Op Name :Mr. Santhosh
180	1.5	160	89			1	1	
270	1.5	210	78			1	1	
270	1.5	210	78			1	1	
1350	4.5	1200	89			1	0	
2430		**2080**						
600	2	474	79			1	1	Op Name : Mr.Nano
270	1.5	210	78			1	1	
2250	7.5	2000	89			1	1	

3120		**2684**						
360	3	283	79			1	1	Op Name : Mr.Mukesh
360	3	283	79			1	1	
135	1.5	120	89			1	3	
1350	4.5	1200	89			1	1	
2205		**1886**						
1260	3.5	1000	79			1	0	Mr.krishana kumar
1260		**1000**						
0		**0**						
450	2.5	350	78			1	3	Mr.Nano
3600	8	3000	83			1	3	
270	1.5	220	81					
4320		**3570**						
1800	6	1400	78			1	0	OP Name: Mr.Mallik
1800		**1400**				`		
16839		**14038**	**83%**			**MANPOWER =14/16**		

M/s.Dali and Samir Engg Pvt Ltd -Shoolagiri Plan Press Shop Performance Report

S No	Press Spec	Process	Part Name	Standard Strokes/ Shift (8hr)	Per Hr Stroke (Nos)
1	600T Hyd	FORMING	INNER C	480	60
		TOTAL			
2	500T				
		TOTAL			
3	350-1	BLANKING	INNER C	960	120
		TOTAL			
4	350T -2				
		TOTAL			
5	300T				
		TOTAL			
6	200T	FORMING	INNER SUP BRKT	1600	200
		TRIMMING	WATTY	1600	200
		PUMP FORMING	CONTI SHELL	1600	200
		RIB FORMING	CONTI SHELL	2400	300
		BLANKING	AIR TANK EC	2400	300
		TOTAL			
6	200T	DRAW	WATTY	1440	180
		COLLER	185L SHELL	720	90
		HOLE PIERCING	OUTER C	1440	180
		SINGLE HOLE PIERCING	OUTER C	1440	180
		PUMP PIERCING	CONTI SHELL	1440	180
		COLLER	0401 SHELL	720	90
		PUMP FORMING	50L SHELL	1600	200
		PUMP PIERCING	50L SHELL	1440	180
		TOTAL			
7	160T	HOLE PIERCING	30L AIR TANK SHELL	1440	180
		HOLE PIERCING	50L AIR TANK SHELL	1440	180
		FORMING	CONTI EC	2400	300
		NECK PIERCING	50L SHELL	1440	180

		TOTAL			
8	110T	NECK PIERCING	BS4 90L SHELL	960	120
		DRAIN HOLE PIERCING	BS4 90L SHELL	960	120
		BLANKING	CONTI EC	3600	450
		NECK PIERCING	BS4 90L SHELL	960	120
		COLLER	BS4 90L SHELL	960	120
		JOGGLING	30L AIR TANK SHELL	1440	180
		TOTAL			
9	100T	PIERCING	CONTI EC	2880	360
		TOTAL			
10	PRESS BRAKE				
		TOTAL			
11	SHEARING M/C	SHEARING	CONTI EC	1800	225
		SHEARING	WATTY	1800	225
		SHEARING	CONTI SHELL	1440	180
		TOTAL			
12	75T	SIZZING	50L SHELL	1440	180
		1ST FORMING	ISUZU CLIP FUEL LINE	1800	225
		2ND FORMING	ISUZU CLIP FUEL LINE	1440	180
		TOTAL			
Total Strokes Plan vs Actual and Production %					

			Report Date : 08/09/2025					
			Prodn Date : 06/09/2025					
Std. Strokes (Nos)	Actual Strokes		Production Efficiency (%)	Reason for losses mins	Reason for losses	Manpower		Remarks
	Time (In Hrs)	Strokes (Nos)				Operator	Helper	
300	5	250	83					
300		**250**						
							.	
0		**0**						
360	3	300	83			1	1	Op Name : Mr.Halak
360		**300**						
Machine Breakdown								
0		**0**						
0		**0**						
700	3.5	600	86			1	1	Op Name : Mr.Ranjan
600	3	560	93			1	1	
300	1.5	236	79	10	MATERIAL MOVEMENT	1	1	
600	2	472	79			1	1	
600	2	500	83			1	1	
2800		**2368**						
630	3.5	560	89			1	1	Op Name :Mr. Santhosh
90	1	78	87			1	3	
90	0.5	75	83			1	1	
90	0.5	75	83			1	1	
270	1.5	236	87			1	0	
90	1	80	89			1	3	
500	2.5	440	88			1	1	
270	1.5	220	81			1	1	
2030		**1764**						
360	2	290	81	20	MATERIAL MOVEMENT	1	1	Op Name : Mr.Nano
180	1	140	78			1	1	
2250	7.5	1700	76			1	1	
270	1.5	220	81			1	1	

3060		**2350**						
60	0.5	50	83			1	1	Op Name : Mr.Mukesh
120	1	110	92			1	1	
2700	6	2300	85			1	1	
60	0.5	57	95			1	1	
60	0.5	57	95			1	1	
360	2	290	81			1	1	
3360		**2864**						
1260	3.5	1000	79			1	0	Mr.krishana kumar
1260		**1000**						
0		**0**						
1238	5.5	1072	87			1	3	Mr.Nano
675	3	560	83			1	3	
270	1.5	236	87					
2183		**1868**						
270	1.5	220	81			1	0	OP Name: Mr.Mallik
1125	5	1000	89					
630	3.5	500	79					
2025		**1720**				`		
17378		**14484**	**83%**			**MANPOWER =16/16**		

M/s.Dali and Samir Engg Pvt Ltd -Shoolagiri Plan Press Shop Performance Report

S No	Press Spec	Process	Part Name	Standard Strokes/ Shift (8hr)	Per Hr Stroke (Nos)
1	600T Hyd	FORMING	OUTER C	480	60
		DRAW	2901 OIL SUMP	240	30
		TOTAL			
2	500T				
		TOTAL			
3	350-1	BLANKING	INNER C	960	120
		TOTAL			
4	350T -2				
		TOTAL			
5	300T				
		TOTAL			
6	200T	HOLE PIERCING	OUTER C	1440	180
		1ST DRAW	AIR TANK EC	1600	200
		VIPPING	5L PURGE TANK	1600	200
		NECK PIERCING&COLLER	5L PURGE TANK	1600	200
		BLANKING	AIR TANK EC	1600	200
		TOTAL			
6	200T	SINGLE HOLE PIERCING	OUTER C	1440	180
		PIERCING	3801 BUFFLE	1440	180
		PUMP FORMING	CONTI SHELL	1440	180
		FLANGE	5L PURGE TANK	1440	180
		FORMING	185L EC	1440	180
		TOTAL			
7	160T	NECK PIERCING	3801 SHELL	960	120
		NECK PIERCING	185L SHELL	960	120
		COLLER	3801&4901&185L SHELL	720	90
		RIB FORMING	CONTI SHELL	1600	200
		2ND FORMING	FRONT HEATER	1600	200
		PIERCING	AL LOCK PLATE	1600	200

		TOTAL			
8	110T	SENSOR PIERCING	3801 SHELL	960	120
		BLANKING	FRONT HEATER	2400	300
		1ST FORMING	FRONT HEATER	1920	240
		FORMING	VOLVO BRKT	576	72
		COLLER	2601 SHELL	1152	144
		COLLER	185L SHELL	1152	144
		PIERCING	FRONT HEATER	1920	240
		TOTAL			
9	100T	PIERCING	CONTI EC	2880	360
		TOTAL			
10	PRESS BRAKE	JOGGLING	3801&4901&185L SHELL	960	120
		TOTAL			
11	SHEARING M/C	SHEARING	CONTI SHELL	1440	180
		SHEARING	0L SHELL&FRONT HEATE	1440	180
		SHEARING	INNER C	1440	180
		TOTAL			
12	75T	PIERCING	185L EC	960	120
		FORMING	ISUZU HARNESS CLAMP	1440	180
		2ND FORMING	ISUZU CLIP FUEL LINE	1440	180
		TOTAL			
Total Strokes Plan vs Actual and Production %					

			Report Date : 09/09/2025					
			Prodn Date : 08/09/2025					
Std. Strokes (Nos)	Actual Strokes		Production Efficiency (%)	Reason for losses mins	Reason for losses	Manpower		Remarks
	Time (In Hrs)	Strokes (Nos)				Operator	Helper	
420	7	350	83			1	0	
45	1.5	40	89			1	1	
465		**390**						
							.	
0		**0**						
600	5	500	83			1	1	Op Name : Mr.Halak
600		**500**						
Machine Breakdown								
0		**0**						
0		**0**						
540	3	415	77			1	1	Op Name : Mr.Ranjan
900	4.5	800	89			1	1	
500	2.5	414	83	10	MATERIAL MOVEMENT	1	1	
500	2.5	415	83			1	1	
1000	5	917	92			1	1	
3440		**2961**						
540	3	415	77			1	1	Op Name :Mr. Santhosh
180	1	170	94			1	3	
360	2	300	83			1	1	
270	1.5	192	71	20	PART ISSUE	1	1	
450	2.5	400	89			1	0	
1800		**1477**						
240	2	204	85	10	MATERIAL MOVEMENT	1	3	Op Name : Mr.Nano
180	1.5	162	90			1	3	
180	2	154	86			1	3	
700	3.5	600	86			1	1	
700	3.5	600	86			1	1	
700	3.5	600	86			1	0	

2700		**2320**						
120	1	102	85			1	3	Op Name : Mr.Mukesh
750	2.5	600	80			1	1	
720	3	600	83			1	1	
72	1	60	83			1	2	
72	0.5	60	83			1	3	
72	0.5	64	89			1	3	
360	1.5	300	83			1	0	
2166		**1786**						
1260	3.5	1000	79			1	0	Mr.krishana kumar
1260		**1000**						
540	4.5	476	88			1	3	
0		**476**						
360	2	300	83			1	3	Mr.Nano
450	2.5	400	89			1	3	
360	2	270	75			1	1	
1170		**970**						
60	0.5	50	83			1	0	OP Name: Mr.Mallik
720	4	600	83					
810	4.5	700	86					
1590		**1350**				`		
15191		**13230**	**87%**			**MANPOWER =16/16**		

M/s.Dali and Samir Engg Pvt Ltd -Shoolagiri Plan Press Shop Performance Report

S No	Press Spec	Process	Part Name	Standard Strokes/ Shift (8hr)	Per Hr Stroke (Nos)
1	600T Hyd	DRAW 2	2901 OIL SUMP	240	30
		TOTAL			
2	500T				
		TOTAL			
3	350-1	BLANKING	INNER C	960	120
		TOTAL			
4	350T -2				
		TOTAL			
5	300T	PIERCING	INNER C	960	120
		TOTAL			
6	200T	BYONET PIRCING	2501,2601 SHELL	960	120
		RESTRIKE	INNER C	1440	180
		PIERCING	3801 BUFFLE	1440	180
		COLLER	4901,2801, SHELL	720	90
		DRAW	3.4L PURGE TANK	1600	200
		DRAW	BS690L EC	1600	200
		TOTAL			
6	200T	PUMP FORMING	CONTI SHELL	1440	180
		L BENDING	INNER C	1440	180
		PUMP FORMING	50L SHELL	1440	180
		PUMP PIRCING	50L SHELL	1440	180
		BLANKING	0401 END COVER	1440	180
		PIERCING	AIR TANK EC	1800	225
		TOTAL			
7	160T	BLANKING	LHD AXLE PEDAL	1440	180
		1ST FORMING	LHD AXLE PEDAL	1440	180
		BLANKING	3.4L PURGE TANK	1920	240
		BLANKING	3.4L PURGE TANK	1920	240
		FORMING	CONTI EC	1440	180

		TOTAL			
8	110T	PIERCING	AL LOCK PLATE	2400	300
		BLANKING	CONTI EC	4114	514
		PIERCING	0401 END COVER BUFFEI	1152	144
		NECK PIERCING	50L SHELL	1440	180
		TRIMMING	CONTI FLANGE	2400	300
		TOTAL			
9	100T	PIERCING	CONTI EC	2880	360
		TOTAL			
10	PRESS BRAKE	JOGGLING	3801&4901&185L SHELL	960	120
		TOTAL			
11	SHEARING M/C	SHEARING	CONTI SHELL	1440	180
		SHEARING	0L SHELL&FRONT HEATEI	1440	180
		SHEARING	INNER C	1440	180
		TOTAL			
12	75T				
		SIZZING	CONTI SHELL	1440	180
		SIZZING	50L SHELL	1440	180
		TOTAL			
Total Strokes Plan vs Actual and Production %					

			Report Date : 10/09/2025					
			Prodn Date : 09/09/2025					
Std. Strokes (Nos)	Actual Strokes		Production Efficiency (%)	Reason for losses mins	Reason for losses	Manpower		Remarks
	Time (In Hrs)	Strokes (Nos)				Operator	Helper	
45	1.5	40	89			1	1	
45		**40**						
							.	
0		**0**						
600	5	500	83			1	1	Op Name : Mr.Halak
600		**500**						
Machine Breakdown								
0		**0**						
360	3	280	78					
360		**280**						
420	3.5	346	82			1	3	Op Name : Mr.Ranjan
360	2	280	78			1	0	
180	1	132	73	10	MATERIAL MOVEMENT	1	1	
90	1	54	60			1	3	
700	3.5	600	86			1	1	
700	3.5	600	86			1	1	
2450		**2012**						
360	2	300	83			1	1	Op Name :Mr. Santhosh
360	2	280	78	20	MATERIAL MOVEMENT	1	0	
630	3.5	564	90			1	1	
360	2	282	78			1	1	
270	1.5	200	74			1	2	
563	2.5	500	89			1	0	
2543		**2126**						
270	1.5	238	88	10	MATERIAL MOVEMENT	1	2	Op Name : Mr.Nano
270	1.5	238	88			1	0	
1080	4.5	1050	97	10	MATERIAL MOVEMENT	1	1	
720	3	628	87			1	1	
270	1.5	200	74			1	0	

2610		**2354**						
600	2	455	76			1	0	Op Name : Mr.Mukesh
2314	4.5	2000	86			1	1	
144	1	100	69			1	1	
360	2	282	78			1	1	
1350	4.5	1100	81			1	0	
4768		**3937**						
1260	3.5	1000	79			1	0	Mr.krishana kumar
1260		**1000**						
540	4.5	476	88			1	3	
0		**476**						
360	2	300	83			1	3	Mr.Nano
450	2.5	400	89			1	3	
360	2	270	75			1	1	
1170		**970**						
								OP Name: Mr.Mallik
540	3	400	74					
180	1	100	56					
720		**500**				`		
16526		**14195**	**86%**			**MANPOWER =16/16**		

M/s.Dali and Samir Engg Pvt Ltd -Shoolagiri Plan Press Shop Performance Report

S No	Press Spec	Process	Part Name	Standard Strokes/ Shift (8hr)	Per Hr Stroke (Nos)
1	600T Hyd	SUMP FORMING	2501,2601 SHELL	360	45
		TOTAL			
2	500T				
		TOTAL			
3	350-1	BLANKING	OUTER C	960	120
		TOTAL			
4	350T -2				
		TOTAL			
5	300T				
		TOTAL			
6	200T	DRAW	3.4L PURGE TANK	1440	180
		BLANKING	VERTICAL STIFFNER	2880	360
		FORMING	0401 END COVER	1440	180
		TOTAL			
6	200T	BLANKING	0401 END COVER	1440	180
		2ND DRAW	AIR TANK EC	1440	180
		3RD DRAW	AIR TANK EC	1440	180
		PIERCING	3801 BUFFLE	1440	180
		DRAW	7001 SURGE PART	1152	144
		TRIMMING	BS6 90L EC	1800	225
		TOTAL			
7	160T	FORMING	CONTI EC	2057	257
		NECK PIERCING	1102 SHELL	720	90
		COLLER	1102&2501 SHELL	960	120
		RIB FORMING	CONTI SHELL	1600	200

		TOTAL			
8	110T	PIERCING	AL LOCK PLATE	2400	300
		PIERCING	AL CONTI FLANGE	2400	300
		BAYONED FORMING	1102&7001 SHELL	720	90
		SUMP FORMING	1102&7001 SHELL	720	90
		SUMP PIERCING	1102&7001 SHELL	720	90
		SENSOR PIERCING	1102 SHELL	720	90
		PUMP FORMING	CONTI SHELL	1600	200
		TOTAL			
9	100T	PIERCING	CONTI EC	2880	360
		TOTAL			
10	PRESS BRAKE	JOGGLING	2501&2601&1102&7001	960	120
		TOTAL			
11	SHEARING M/C	SHEARING	CONTI SHELL	1440	180
		SHEARING	1*160*1250	1440	180
		TOTAL			
12	75T	SIZZING	50L SHELL	1440	180
		TOTAL			
Total Strokes Plan vs Actual and Production %					

			Report Date : 11/09/2025					
			Prodn Date :10/09/2025					
Std. Strokes (Nos)	Actual Strokes		Production Efficiency (%)	Reason for losses mins	Reason for losses	Manpower		Remarks
	Time (In Hrs)	Strokes (Nos)				Operator	Helper	
450	10	360	80			1	1	
450		**360**						
							.	
0		**0**						
360	3	300	83			1	1	Op Name : Mr.Halak
360		**300**						
Machine Breakdown								
0		**0**						
0		**0**						
450	2.5	400	89			1	3	Op Name : Mr.Ranjan
3060	8.5	2750	90	20	MATERIAL MOVEMENT	1	0	
270	1.5	243	90			1	1	
3780		**3393**						
990	5.5	890	90			1	1	Op Name :Mr. Santhosh
180	1	152	84			1	1	
180	1	152	84			1	1	
540	3	420	78			1	1	
144	1	110	76			1	1	
675	3	600	89			1	1	
2709		**2324**						
1543	6	1400	91	20	MATERIAL MOVEMENT	1	1	Op Name : Mr.Nano
45	0.5	37	82	20	MATERIAL MOVEMENT	1	3	
120	1	97	81			1	3	
500	2.5	396	79			1	1	

2208		**1930**						
750	2.5	645	86			1	1	Op Name : Mr.Mukesh
1350	4.5	1120	83			1	1	
90	1	77	86			1	3	
90	1	77	86			1	3	
90	1	77	86			1	3	
45	0.5	37	82			1	3	
400	2	350	88			1	1	
2815		**2383**						
1260	3.5	1000	79			1	0	Mr.krishana kumar
1260		**1000**						
540	4.5	437	81			1	3	
0		**437**						
450	2.5	380	84			1	3	Mr.Nano
360	2	300	83			1	3	
810		**680**						
270	1.5	186	69			1	1	OP Name: Mr.Mallik
270		**186**				`		
14662		**12993**	**89%**			**MANPOWER =16/16**		

M/s.Dali and Samir Engg Pvt Ltd -Shoolagiri Plan Press Shop Performance Report

S No	Press Spec	Process	Part Name	Standard Strokes/ Shift (8hr)	Per Hr Stroke (Nos)
1	600T Hyd	FORMING	OUTER C	576	72
		FORMING	OUTER C	576	72
		TOTAL			
2	500T				
		TOTAL			
3	350-1	BLANKING	OUTER C	1440	180
		TOTAL			
4	350T -2				
		TOTAL			
5	300T				
		TOTAL			
6	200T	FORMING	0401 END COVER	1440	180
		PIERCING	OUTER C	960	120
		COLLER	7001,0401 SHELL	960	120
		COLLER	2601	960	120
		TRIMMING	7001 SURGE PART	1440	180
		TOTAL			
6	200T	DRAW	7001 SURGE PART	1309	164
		PUMP PIRCING	CONTI SHELL	1440	180
		PIERCING	OUTER C	1152	144
		2ND DRAW	AIR TANK	1600	200
		TOTAL			
7	160T	RIB FORMING	CONTI SHELL	1600	200
		PIERCING	AL LOCK PLATE	1920	240
		PIERCING	AL LOCK PLATE	1920	240

		TOTAL			
8	110T	PUMP FORMING	CONTI SHELL	1600	200
		PIERCING	8401,0401 BUFFEL	1440	180
		SUMP PIERCING	2601&2501 SHELL	960	120
		PIERCING	AL LOCK PLATE	1920	240
		SUMP PIERCING	1102&7001 SHELL	720	90
		SENSOR PIERCING	1102 SHELL	720	90
		PUMP FORMING	CONTI SHELL	1600	200
		TOTAL			
9	100T	PIERCING	CONTI EC	2880	360
		TOTAL			
10	PRESS BRAKE				
		TOTAL			
11	SHEARING M/C	SHEARING	CONTI SHELL	1440	180
		SHEARING	50L SHELL	1440	180
		SHEARING	AL LOCK PLATE	2880	360
		TOTAL			
12	75T	SIZZING	50L SHELL	1440	180
		TOTAL			
Total Strokes Plan vs Actual and Production %					

			Report Date : 11/09/2025					
			Prodn Date :10/09/2025					
Std. Strokes (Nos)	Actual Strokes		Production Efficiency (%)	Reason for losses mins	Reason for losses	Manpower		Remarks
	Time (In Hrs)	Strokes (Nos)				Operator	Helper	
432	6	385	89			1	0	
180	2.5	150	83			1	0	
612		**535**						
							.	
0		**0**						
1440	8	1200	83			1	1	Op Name : Mr.Halak
1440		**1200**						
Machine Breakdown								
0		**0**						
0		**0**						
900	5	783	87			1	1	Op Name : Mr.Ranjan
240	2	210	88	20	MATERIAL MOVEMENT	1	0	
120	1	89	74			1	3	
60	0.5	30	50			1	3	
810	4.5	710	88			1	0	
2130		**1822**						
655	4	600	92			1	1	Op Name :Mr. Santhosh
540	3	478	89			1	1	
288	2	210	73	10		1	1	
800	4	740	93			1	1	
2283		**2028**						
700	3.5	568	81			1	1	Op Name : Mr.Nano
1440	6	1290	90	20	MATERIAL MOVEMENT	1	0	
1440	6	1200	83			1	0	

3580		**3058**						
200	1	140	70			1	1	Op Name : Mr.Mukesh
540	3	472	87	20	MATERIAL MOVEMENT	1	3	
480	4	369	77			1	3	
1440	6	1200	83			1	1	
90	1	77	86			1	3	
45	0.5	37	82			1	3	
400	2	350	88			1	1	
3195		**2645**						
1080	3	800	74			1	0	Mr.krishana kumar
1080		**800**						
0		**0**						
450	2.5	380	84			1	3	Mr.Nano
360	2	258	72			1	3	
1440	4	1200	83					
2250		**1838**						
540	3	478	89			1	1	OP Name: Mr.Mallik
540		**478**				`		
17110		**14404**	**84%**			**MANPOWER =16/16**		

M/s.Dali and Samir Engg Pvt Ltd -Shoolagiri Plan Press Shop Performance Report

S No	Press Spec	Process	Part Name	Standard Strokes/ Shift (8hr)	Per Hr Stroke (Nos)
1	600T Hyd	FORMING	INNER C	576	72
		TOTAL			
2	500T				
		TOTAL			
3	350-1				
		TOTAL			
4	350T -2				
		TOTAL			
5	300T				
		TOTAL			
6	200T	TRIMMING	7001 SURGE PART	1600	200
		BLANKING	INNER SUPRT BRKT	2880	360
		SIZZING	3.4L PURGE TANK	1440	180
		TOTAL			
6	200T	RESTRIKE	INNER C	1152	144
		L BENDING	INNER C	1152	144
		FORMING	3801,0401, BOYONT	720	90
		COLLER	3801,8401 SHELL	720	90
		COLLER	2601,SHELL	720	90
		PUMP FORMING	50L SHELL	960	120
		TOTAL			
7	160T	TRIMMING 2	AL LOCK PLATE	2400	300
		PIERCING	7001 SURGE PART	2400	300
		FORMING	INNER SUPRT BRKT	1440	180
		FORMING	CONTI EC	1440	180

		TOTAL			
8	110T	PIERCING	AL LOCK PLATE	1920	240
		PIERCING	3.4L PURGE TANK	2400	300
		BLANKING	CONTI EC	2880	360
		TOTAL			
9	100T	PIERCING	CONTI EC	2880	360
		TOTAL			
10	PRESS BRAKE				
		TOTAL			
11	SHEARING M/C	SHEARING	CONTI EC	1440	180
		SHEARING	AL CONTI FLANGE	2880	360
		TOTAL			
12	75T	SIZZING	ENG MTG GUSSET	2880	360
		SIZZING	AL WATTY	1440	180
		TOTAL			
Total Strokes Plan vs Actual and Production %					

			Report Date : 12/09/2025					
			Prodn Date :11/09/2025					
Std. Strokes (Nos)	Actual Strokes		Production Efficiency (%)	Reason for losses mins	Reason for losses	Manpower		Remarks
	Time (In Hrs)	Strokes (Nos)				Operator	Helper	
468	6.5	420	90	20	MATERIAL MOVEMENT	1	0	
468		**420**						
							.	
0		**0**						
							1	Op Name : Mr.Halak
0		**0**						
Machine Breakdown								
0		**0**						
0		**0**						
800	4	710	89	10	MANPOWER DELAY	1	1	
1440	4	1210	84	20	MATERIAL MOVEMENT	1	2	
720	4	600	83			1	0	
								Op Name : Mr.Ranjan
2960		**2520**						
288	2	210	73			1	1	
288	2	210	73			1	1	
315	3.5	263	83	20	MATERIAL MOVEMENT	1	3	
135	1.5	110	81			1	3	
90	1	54	60			1	3	Op Name :Mr. Santhosh
300	2.5	250	83	20	MATERIAL MOVEMENT			
1416		**1097**						
150	0.5	100	67			1	0	
900	3	710	79	20	MATERIAL MOVEMENT	1	0	
720	4	610	85			1	0	
360	2	300	83			1	0	Op Name : Mr.Nano

2130		**1720**						
120	0.5	100	83			1	0	Op Name : Mr.Mukesh
1200	4	1050	88	20	MATERIAL MOVEMENT	1	0	
2880	8	2500	87	20	MATERIAL MOVEMENT	1	1	
4200		**3650**						
1260	3.5	1000	79			1	0	Mr.krishana kumar
1260		**1000**						
0		**0**						
720	4	520	72			1	1	Mr.Nano
1620	4.5	1500	93			1	3	
2340		**2020**						
1800	5	1520	84			1	0	OP Name: Mr.Mallik
360	2	300	83			1	0	
2160		**1820**				`		
16934		**14247**	**84%**			**MANPOWER =16/16**		

M/s.Dali and Samir Engg Pvt Ltd -Shoolagiri Plan Press Shop Performance Report

S No	Press Spec	Process	Part Name	Standard Strokes/ Shift (8hr)	Per Hr Stroke (Nos)
1	600T Hyd	FORMING	OUTER C	576	72
		TOTAL			
2	500T				
		TOTAL			
3	350-1	BLANKING	INNER C	960	120
		TOTAL			
4	350T -2				
		TOTAL			
5	300T				
		TOTAL			
6	200T	PIERCING	OUTER C	1440	180
		SUMP FORMING	0401&8401 SHELL	960	120
		SUMP PIERCING	0401&8401 SHELL	960	120
		SENSOR PIERCING	0401 SHELL	960	120
		RIB FORMING	CONTI SHELL	1800	225
		TOTAL			
6	200T	PUMP PIERCING	50L SHELL	1600	200
		SINGLE HOLE PIERCING	OUTER C	1440	180
		PUMP FORMING	CONTI SHELL	1800	225
		SIZZING	BS6 9L EC	1800	225
		ID TRIM	AL CONTI FLANGE	2400	300
		TOTAL			
7	160T	FORMING	CONTI EC	2880	360
		TRIMMING	AL CONTI FLANGE	2400	300

		TOTAL			
8	110T	BLANKING	CONTI EC	3200	400
		DRAW	AL CONTI FLANGE	2400	300
		PIERCING	AL CONTI FLANGE	2880	360
		TOTAL			
9	100T	PIERCING	CONTI EC	2880	360
		TOTAL			
10	PRESS BRAKE				
		TOTAL			
11	SHEARING M/C	SHEARING	CONTI SHELL	1440	180
		TOTAL			
12	75T	SIZZING	AL WATTY	1440	180
		TOTAL			
Total Strokes Plan vs Actual and Production %					

			Report Date : 15/09/2025					
			Prodn Date :13/09/2025					
Std. Strokes (Nos)	Actual Strokes		Production Efficiency (%)	Reason for losses mins	Reason for losses	Manpower		Remarks
	Time (In Hrs)	Strokes (Nos)				Operator	Helper	
648	9	570	88			1	0	
648		**570**						
							.	
0		**0**						
480	4	400	83				1	Op Name : Mr.Halak
480		**400**						
Machine Breakdown								
0		**0**						
0		**0**						
180	1	141	78	10	MANPOWER DELAY	1	1	Op Name : Mr.Ranjan
360	3	283	79			1	3	
360	3	283	79	20	MATERIAL MOVEMENT	1	3	
180	1.5	160	89			1	3	
338	1.5	290	86			1	1	
1418		**1157**						
300	1.5	254	85			1	1	Op Name :Mr. Santhosh
180	1	141	78	20	MATERIAL MOVEMENT	1	1	
900	4	800	89			1	1	
675	3	600	89			1	1	
1200	4	1000	83			1	1	
3255		**2795**						
2880	8	2655	92			1	0	Op Name : Mr.Nano
1500	5	1200	80			1	0	

4380		**3855**						
1000	2.5	878	88			1	0	Op Name : Mr.Mukesh
2400	8	2200	92	15	MATERIAL MOVEMENT	1	0	
1080	3	1000	93	20	MATERIAL MOVEMENT	1	1	
4480		**4078**						
1260	3.5	1000	79			1	0	Mr.krishana kumar
1260		**1000**						
0		**0**						
810	4.5	660	81			1	1	Mr.Nano
810		**660**						
360	2	260	72			1	0	OP Name: Mr.Mallik
						1	0	
360		**260**				`		
17091		**14775**	**86%**			**MANPOWER =16/16**		

M/s.Dali and Samir Engg Pvt Ltd -Shoolagiri Plan Press Shop Performance Report

S No	Press Spec	Process	Part Name	Standard Strokes/ Shift (8hr)	Per Hr Stroke (Nos)
1	600T Hyd	FORMING	REINFORCEMENT BRKT	960	120
		DRAW	5L PURGE TANK	720	90
		TOTAL			
2	500T				
		TOTAL			
3	350-1	BLANKING	INNER C	960	120
		TOTAL			
4	350T -2				
		TOTAL			
5	300T	PIERCING	INNER C	960	120
		TOTAL			
6	200T	RIB FORMING	CONTI SHELL	1800	225
		RESTRIKE	INNER C	960	120
		RESTRIKE	INNER C	960	120
		PIERCING	OUTER C	960	120
		TOTAL			
6	200T	ID TRIM	AL CONTI FLANGE	2400	300
		PUMP FORMING	CONTI SHELL	1440	180
		PIERCING	3801 SENSOR	960	120
		COLLER	3801 SHELL	960	120
		PIERCING	3801 EC	1440	180
		PIERCING	OUTER C	1440	180
		TOTAL			
Total Strokes Plan vs Actual and Production %					

			Report Date : 16/09/2025					
			Prodn Date :15/09/2025					
Std. Strokes (Nos)	Actual Strokes		Production Efficiency (%)	Reason for losses mins	Reason for losses	Manpower		Remarks
	Time (In Hrs)	Strokes (Nos)				Operator	Helper	
660	5.5	600	91			1	0	
180	2	150	83			1	0	
840		**750**						
							.	
0		**0**						
960	8	900	94				1	Op Name : Mr.Halak
960		**900**						
Machine Breakdown								
0		**0**						
240	2	200	83					
240		**200**						
338	1.5	1142	338			1	1	Op Name : Mr.Ranjan
300	2.5	275	92			1	1	
300	2.5	275	92	20	MATERIAL MOVEMENT	1	1	
360	3	300	83	10	MATERIAL MOVEMENT	1	1	
1298		**1992**						
360	1.2	310	86			1	1	Op Name :Mr. Santhosh
720	4	700	97	20	MATERIAL MOVEMENT	1	1	
120	1	102	85			1	3	
120	1	45	38			1	3	
450	2.5	350	78			1	2	
180	1	150	83			1	1	
1950		**1657**						
#REF!		**#REF!**	**#REF!**			**MANPOWER =16/16**		