Status	Finished
Started	Monday, 5 October 2026, 12:59 PM
Completed	Monday, 5 October 2026, 1:03 PM
Duration	3 mins 40 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
x = 3 * t
print(x)
```

a. (11, 3, 11, 3, 11, 3) ✓

b. (11,3)(11,3)(11,3)

c. [11,11,11,3,3,3]

d. (11,3,11,11,3,11,11,11,3)

Question **2**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. True

b. False ✓

c. Error

d. Error

Question **3**

Incorrect

Mark 0.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. Yes, Yes ✗

b. "==" is not supported for set in Python

c. Yes, No

d. No, No

Question **4**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

a. 5

b. 2

c. 1

d. Error ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. ii

b. iii

c. All of the above

d. i,ii ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

b. Name Error

c. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

d. TypeError: update() doesn't allow list as a argument.

Question **7**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓
True

b. True
False

c. False
False

d. False
True

Question **8**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain both integers and strings as its elements. ✓

b. In Python, a tuple can contain only strings as its elements.

c. In Python, a tuple can contain only integers as its elements.

d. In Python, a tuple can contain either string or integer but not both at a time.

Question **9**

Incorrect

Mark 0.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {9} ✗

b. {0,0,9}

c. It will throw an error as there are two 0 while creating the set.

d. {0,9}

Question **10**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['30', '8', '3', '2']

b. ['2', '3', '30', '8']

c. ['8', '30', '3', '2'] ✓

d. ['2', '3', '8', '30']

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

- a. (12)
- b. (55,78,64,25)
- c. Error ✓
- d. 12

Question **12**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

- a. False
- b. True ✓

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

- a. {'rec', 1, ('cse', 'ece')} ✓
- b. {'rec', 1, ('cse', 'ece'),True}
- c. Error
- d. {'rec', True, ('cse', 'ece')}

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50) (10, 20, 30, 40)

b. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

c. (10, 20, 30, 40) (40, 50, 60, 70, 80)

d. (30, 40, 50)(40, 50, 60, 70, 80)

Question **15**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. (16,17,18)

b. Error

c. (25,19,18,17)

d. (16,17,18,19) ✓