

Tab 1

EVENTFORCE MANAGEMENT SYSTEM- SALESFORCE IMPLEMENTATION

Business Name: "EventForce Management System"

Objectives:

The primary objective of building the EventForce Management System is to create a comprehensive CRM platform that digitizes and automates event management operations for Event Planner Solutions. This system aims to streamline client bookings, venue reservations, vendor coordination, and feedback collection while providing real-time visibility into event operations. By implementing this Salesforce solution, the business will achieve better customer relationship management through centralized data, automated workflows, and improved collaboration among event coordinators, vendor managers, and clients. The CRM will deliver significant business value by reducing manual processes by 60%, improving booking efficiency by 40%, enhancing client satisfaction through timely communications, and providing data-driven insights for business growth through integrated reporting and analytics.

Phase 1: Requirement Analysis & Planning

Build an EventForce Management System in Salesforce to help event planners manage client bookings, vendor coordination, venue reservations, and feedback collection — all within a single CRM platform. The system automates key processes such as event scheduling, cancellation approvals, and client reminders, while providing real-time visibility through reports and dashboards.

Functional Scope :

- Custom objects (Event, Client, Vendor, Venue, Feedback, and Event Vendor (Junction Object)).
- Relationship modeling: Lookup, Master-Detail, and Many-to-Many (Event ↔ Vendor).
- Automation using Flows for reminders, feedback notifications, and approval updates.
- Validation Rules and Formula Fields to ensure accurate data entry and event budget calculation.

- Approval Processes for event cancellation requests with email alerts to coordinators and clients.
- Profiles, Roles, and Permission Sets to manage user-level access and security.
- Reports and Dashboards for event summary, vendor performance, and upcoming event insights.

Stakeholder Mapping :

- Clients: Request event services, provide feedback, and view event updates.
- Event Coordinators: Manage event scheduling, client communication, and approval workflows.
- Vendors: Handle assigned event services like catering, decor, and logistics.
- Venue Managers: Manage venue availability and reservations.
- Event Administrators: Oversee system operations, security, and data monitoring.

Execution Roadmap :

1. Object & Field Setup – Creation of Event, Client, Vendor, Venue, Feedback, and Event Vendor objects.
2. Automation Flows – Implement record-triggered flows for event reminders and approvals.
3. Validation Rules & Formula Fields – Enforce data accuracy and budget calculations.
4. Profiles, Roles, and Permission Sets – Configure user access and record visibility.
5. Approval Process – Automate event cancellation request workflow with notifications.
6. Apex Classes & Triggers – Update venue availability and prevent double bookings.
7. Reports & Dashboards – Create analytics for upcoming events and performance insights.

Phase 2 : Backend Development & Configurations

The Backend & Configuration phase built the core functional engine of the EventForce Management System. Using a combination of Salesforce Flows, Apex logic, and Security

configurations, this phase focused on developing the system's automation backbone to manage events, clients, vendors, venues, and feedback efficiently.

Declarative tools such as Record-Triggered Flows, Validation Rules, Formula Fields, and Approval Processes were used extensively to automate booking confirmations, reminders, and cancellation approvals. Meanwhile, Apex Classes and Triggers handled advanced business logic like venue availability updates and preventing double bookings, ensuring operational accuracy and scalability.

The phase also included implementing Profiles, Roles, Permission Sets, and Sharing Rules to define user-level access, maintaining data integrity and security across all modules. Altogether, this phase transformed the EventForce application from a static structure into a dynamic, automated, and secure CRM system capable of handling real-world event management workflows.

Milestone 1 : Salesforce Account

What Is Salesforce ?

Salesforce is your customer success platform, designed to help you sell, service, market, analyze, and connect with your customers. Salesforce has everything you need to run your business from anywhere. Using standard products and features, you can manage relationships with prospects and customers, collaborate and engage with employees and partners, and store your data securely in the cloud.

Activity 1: Creating Developer Account

Creating a developer org in salesforce.


1. Go to <https://developer.salesforce.com/signup>
2. On the sign up form, enter the following details :
 - First name & Last name
 - Email
 - Role : Developer
 - Company : College Name
 - County : India
 - Postal Code : pin code

- Username : should be a combination of your name and company

This need not be an actual email id, you can give anything in the format :

username@organization.com

Click on sign me up after filling these.



Build enterprise-quality apps fast to bring your ideas to life

Build apps fast with drag and drop tools
Customize your data model with clicks
Go further with Apex code
Integrate with anything using powerful APIs
Stay protected with enterprise-grade security
Customize UI with clicks or any leading-edge web framework

Sign up for your Salesforce Developer Edition
A full-featured copy of the Platform, for free

Complete the form to start your free trial. Our team will be in touch to help you make the most of your trial.

First Name*
Your first name

Last Name*
Your last name

Email*
Your email address

Role*
Your job role

Company*
Company Name

Country/Region*
Country/Region

Postal Code*
Your postal code


Username*
jane@company.sandbox
Your username must be in the form of an email address (it does not have to be real). It must be unique and cannot be associated with another Salesforce login credential. [Read more about username recommendations.](#)

☐ I agree to the Main Services Agreement – Developer Services and Salesforce Program Agreement.


Sign me up

Activity 2: Account Activation

1. Go to the inbox of the email that you used while signing up. Click on the verify account to activate your account. The email may take 5-10mins.



2. Click on Verify Account
3. Give a password and answer a security question and click on change password.
4. Then you will redirect to your salesforce setup page.



Data Architecture :

Created Custom objects:

1. Event__c
(Fields: Event Name, Event Date, Event Type, Event Status, Event Budget)
2. Client__c
(Fields: Client Name, Email, Phone, Address, Country, City)
3. Vendor__c
(Fields: Vendor Name, Email, Phone, Service Type, Status)
4. Venue__c
(Fields: Venue Name, Address, Location (URL), Capacity, Availability Status)
5. Feedback__c
(Fields: Feedback ID (Auto Number), Rating, Comments)
6. EventVendor__c (Junction Object)

(Links Event ↔ Vendor for Many-to-Many relationship)

Relationships:

Relationship	Type
Event → Client	Lookup
Event → Venue	Lookup
Feedback → Event	Lookup
Feedback → Client	Lookup
EventVendor → Event	Master-Detail
EventVendor → Vendor	Master-Detail

Steps to Implement :

Milestone 2- Object:

What is an object?

Salesforce objects are database tables that permit you to store data that is specific to an organization. It consists of fields (columns) and records (rows).

In This Application We Use 5 Custom Objects:



1. Event
2. Client
3. Vendor
4. Venue

5.Feedback

Activity 1: Create Event Object

To create a custom object, follow these steps:

1. From setup click on object manager.
2. Click create, select custom object.

Custom Object Definition Edit [Save] [Save & Now] [Cancel]

Custom Object Information ⓘ Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account

Description

Context Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window
☐ Open a window using a Visualforce page

Content Name

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name Example: Account Name

Data Type Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

6. Select the data type as "Text".


SETUP
New Custom Object

☒ Allow Reports
☒ Allow Activities
☒ Track Field History
☐ Allow in Chatter Groups
☐ Enable Licensing [i](#)

Object Classification
 When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)
☒ Allow Sharing
☒ Allow Bulk API Access
☒ Allow Streaming API Access

Deployment Status
☐ In Development
☒ Deployed

Search Status
 When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)
☒ Allow Search

Object Creation Options (Available only when custom object is first created)
☒ Add Notes and Attachments related list to default page layout
☐ Launch New Custom Tab Wizard after saving this custom object

Save
 Save & New
 Cancel

7. In the Optional Features section, select Allow Reports, Allow Activities and Track Field History.

8. In the Deployment Status section, ensure Deployed is selected.

9. In the Search Status section, select Allow Search.

10. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout.

11. Leave everything else as is, and click Save.

Activity 2: Create Client Object

1. Click on the gear icon and then select Setup.
2. Click on the object manager tab just beside the home tab.
3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.
- a. On the Custom Object Definition page, create the object as follows:
 - b. Label: Client
 - c. Plural Label: Clients
 - d. Record Name: Client Name
 - e. Select the data type as "Text".
 - f. Check the Allow Reports checkbox
 - g. Check the Allow Search checkbox
 - h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout
 - i. Click Save.

Activity 3: Create Vendor Object

1. Click on the gear icon and then select Setup.
2. Click on the object manager tab just beside the home tab.
3. After the above steps, have a look on the extreme right you will find a Create

Dropdown click on that and select Custom Object.

- a. On the Custom Object Definition page, create the object as follows:
- b. Label: Vendor
- c. Plural Label: Vendors
- d. Record Name: Vendor Name
- e. Select the data type as "Text".
- f. Check the Allow Reports checkbox
- g. Check the Allow Search checkbox
- h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout
- i. Click Save.

Activity 4: Create Venue Object

1. Click on the gear icon and then select Setup.
2. Click on the object manager tab just beside the home tab.
3. After the above steps, have a look on the extreme right you will find a Create

Dropdown click on that and select Custom Object.

- a. On the Custom Object Definition page, create the object as follows:
- b. Label: Venue

- c. Plural Label: Venues
- d. Record Name: Venue Name
- e. Select the data type as "Text".
- f. Check the Allow Reports checkbox
- g. Check the Allow Search checkbox
- h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout
- i. Click Save.

Activity 5: Create Feedback Object

- 1. Click on the gear icon and then select Setup.
- 2. Click on the object manager tab just beside the home tab.
- 3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.
- a. On the Custom Object Definition page, create the object as follows:
 - b. Label: Feedback
 - c. Plural Label: Feedbacks
 - d. Record Name: Feedback
 - e. Select the data type as "Auto Number".
 - f. Under display format enter "F-{0000}"

- g. Enter starting number as 0
- h. Check the Allow Reports checkbox.
- i. Check the Allow Search checkbox.
- j. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout.
- k. Click Save.

Milestone 3 - Tabs

Tab:

Tabs in Salesforce help users view the information at a glance. It displays the data of objects and other web content in the application.

Standard Object Tabs:

Standard object tabs display data related to standard objects.


Custom Object Tabs:

Custom object tabs display data related to custom objects. These tabs look and function just like standard tabs.


Activity 1: Creating a Custom Tab(Event)

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.



2. Under custom object tabs, click New.



The screenshot shows the Salesforce Setup interface. On the left is a navigation menu with options like Setup Home, Service Setup Assistant, Commerce Setup Assistant, Hyperforce Assistant, Release Updates, Lightning Experience Transition Assistant, Salesforce Mobile App, Lightning Usage, Optimizer, Sales Cloud Everywhere, ADMINISTRATION (Users, Data, Email), and PLATFORM TOOLS (Subscription Management, Apps, Feature Collection). The main content area is titled 'New Custom Object Tab' and is part of a 3-step wizard. Step 1, 'Enter the Details', is active. It prompts the user to 'Choose the custom object for this new custom tab. Fill in other details.' Below this, there's a section for 'New Custom Object Tab' with a red 'Required Information' indicator. It asks the user to 'Select an existing custom object or create a new custom object now.' The 'Object' dropdown is set to '--None--' and the 'Tab Style' is set to a default icon. There's also an optional section for 'Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.' with a 'Splash Page Custom Link' dropdown set to '--None--'. At the bottom, there's a 'Description' field and 'Next' and 'Cancel' buttons.

3. For Object, select Event

4. For Tab Style, select any icon.

5. Leave all defaults as is. Click Next, Next, and Save.

Activity 2: Creating a Custom Tab(Client)

Creation of Client tab:

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.

2. Under custom object tabs, click New.

3. For Object, select Client.

4. For Tab Style, select any icon.

5. Leave all defaults as is. Click Next, Next, and Save.

Activity 3: Creating a Custom Tab(Vendor)

Creation of Vendor tab:

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.
2. Under custom object tabs, click New.
3. For Object, select Vendor.
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

Activity 4: Creating a Custom Tab(Venue)

Creation of Venue tab:

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.
2. Under custom object tabs, click New.
3. For Object, select Venue.
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

Activity 5: Creating a Custom Tab(Feedback)

Creation of Feedback tab:

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.
2. Under custom object tabs, click New.
3. For Object, select Feedback.
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

Milestone 4 – Fields and Relationship:

What are fields ?

Fields in Salesforce represent what the columns represent in relational databases. It can store data values which are required for a particular object in a record.


There are 2 types of fields in salesforce:

- **Standard fields:** There are four standard fields in every custom object that are Created By, Last Modified By, Owner, and the field created at the time of the creation of an object. These fields cannot be deleted or edited and they are always required. For standard objects, the fields which are present by default in them and cannot be deleted from standard objects are standard fields.
- **Custom fields:** The Custom fields which are added by the administrator/developer to meet the business requirements of any organization. They may or may not be required.

Activity 1: Creation of fields for the Event object:

1. Click the gear icon and select Setup. This launches Setup in a new tab.
2. Click the Object Manager tab next to Home.
3. Select Event
4. Select Fields & Relationships from the left navigation, and click New
5. From the sidebar, click Fields & Relationships. Notice that there are already some fields there.

Those are the standard fields.



The screenshot shows the Salesforce Setup interface. The top navigation bar includes the Setup icon, Home, and Object Manager. The main content area is titled 'Event' and shows the 'Fields & Relationships' section. The left sidebar lists various setup options, with 'Fields & Relationships' highlighted. The main table displays the following fields:

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Event Name	Name	Text(80)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓

Click New to create a custom field. Tip: Before creating a new field, do a quick search to make sure a similar one doesn't already exist.

6. Choose the data type as Picklist, click next

SETUP > OBJECT MANAGER

Event

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules

☐ Date/Time
☐ Email
☐ Geolocation
☐ Number
☐ Percent
☐ Phone
☒ **Picklist**
☐ Picklist (Multi-Select)
☐ Text
☐ Text Area
☐ Text Area (Long)
☐ Text Area (Rich)
☐ Text (Encrypted) [i](#)
☐ Time
☐ URL
☐ Address

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in encrypted form.

Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.

Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.

Allows users to enter a street, city, state/province, zip/postal code, and country, or to search for an address with an external tool. When a user selects an address using the tool, the street, city, state/province, zip/postal code, and country are populated.

Next
Cancel

7. For Field Label, “**Event Type**”

8. Select Enter values, with each value separated by a new line and Enter The following Values:

- Wedding
- Corporate
- Birthday
- Anniversary
- Festival
- Concert
- Other

Event

New Custom Field

Help for this Page [?](#)

Step 2. Enter the details

Step 2 of 4

Previous Next Cancel

Field Label

Values

☐ Use global picklist value set

☒ Enter values, with each value separated by a new line

☐ Display values alphabetically, not in the order entered

☐ Use first value as default value [i](#)

☒ Restrict picklist to the values defined in the value set [i](#)

Field Name

Description

9. Click next,next and save.

Now let's create the other fields following the above Activity1 steps ,we must choose the data types of the fields carefully.

1.Select the Date as the Data Type, then click Next.


For Field Label, “**Event Date**”,Click Next, Next, then Save & New.

2. Select the Picklist as the Data Type, then click Next. For Field Label “**Event Status**”,Select The Enter values, with each value separated by a new line and Enter The Values:

- Planned
- Confirmed
- Completed
- Pending Cancellation
- Canceled
- Rejected

Create Formula Field For Event Budget in a Event object:

1. Select Data type as “Formula” and click Next.



SETUP > OBJECT MANAGER

Event

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Event

New Custom Field

Step 1. Choose the field type

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected

☐ Auto Number

☒ **Formula**

☐ Roll-Up Summary

☐ Lookup Relationship

Select one of the data types below.

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

Step 1

Next Cancel

2. Enter field label Event Budget.
3. Select formula return type Currency, Click Next.

Event
New Custom Field

Step 2. Choose output type Step 2 of 5

Field Label Field Name

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity

Formula Return Type

☐ None Selected Select one of the data types below.

☐ Checkbox Calculate a boolean value
Example: `TODAY() > CloseDate`

☒ **Currency** Calculate a dollar or other currency amount and automatically format the field as a currency amount.
Example: `Gross Margin = Amount - Cost_c`

☐ Date Calculate a date, for example, by adding or subtracting days to other dates.
Example: `Reminder Date = CloseDate - 7`

☐ Date/Time Calculate a date/time, for example, by adding a number of hours or days to another date/time.
Example: `Next = NOW() + 1`

☐ Number Calculate a numeric value.
Example: `Fahrenheit = 1.8 * Celsius_c + 32`

[Previous](#) [Next](#) [Cancel](#)

4. Create and insert formula:

```
CASE(
  TEXT(Event_Type__c),
  "Wedding", 50000,
  "Corporate", 30000,
  "Birthday", 10000,
  "Anniversary", 20000,
  "Festival", 60000,
  "Concert", 40000,
  "Other", 15000,
  0
)
```

5. Check the syntax.

Simple Formula **Advanced Formula**

Insert Field Use Formula Assistant Insert Operator

Event Budget (Currency) =

```
CASE (
  TEXT( Event_Type__c ),
  "Wedding", 50000,
  "Corporate", 30000,
  "Birthday", 10000,
  "Anniversary", 20000,
  "Festival", 60000,
  "Concert", 40000,
  "Other", 15000,
  0
)
```

Functions
-- All Function Categories --
ABS
ACOS
ADDMONTHS
AND
ASCII
ASIN
[Insert Selected Function](#)

Check Syntax No syntax errors in merge fields or functions. (Compiled size: 478 characters)

6. Click Next, Next, then Save.

Activity 2: Creation of fields for the Client object:

1. Select the Email as the Data Type, then click Next.

For Field Label, “**Email**”, Click Next, Next, then Save & New.

2. Select the Phone as the Data Type, then click Next.

For Field Label, “**Phone**”, Click Next, Next, then Save.

3. Select the Text area as the Data Type, then click Next.

For Field Label, “**Address**”, Click Next, Next, then Save.

4. Select the Picklist as the Data Type, then click Next. For Field Label “**Country**”, Select The Enter values, with each value separated by a new line and Enter The Values:

- India
- Philippines
- Saudi Arabia
- USA
- Switzerland
- Thailand
- Maldives
- Dubai
- Sri Lanka
- Bangkok
- Singapore
- Myanmar
- France
- Nepal

5. Click Save.

6. Select the Picklist as the Data Type, then click Next. For Field Label “**City**”, Select The Enter values, with each value separated by a new line and Enter The Values:

- Hyderabad
- Mumbai
- Delhi
- Bangalore
- Chennai
- Alaminos
- Angeles City
- Palayan
- Quezon City
- San Juan
- Riyadh
- Jeddah
- Tayma
- Dammam
- Medina
- New York
- Los Angeles
- Chicago
- Houston
- Columbus
- Geneva
- Basel
- Lausanne
- Bern

- Lucerne

7. Click Save.

Activity 3: Creation of fields for the Vendor object:

1. Select the Multi Select Picklist as the Data Type, then click Next. For Field Label “**Service Type**”, Select Enter values, with each value separated by a new line and Enter The Values:

- Catering
- Decor
- Photography
- Videography
- Lighting
- Stage Setup
- Makeup Artist
- DJ/Music
- Transportation
- Hosting/Anchor

2. Select the Email as the Data Type, then click Next.

For Field Label, “**Email**”, Click Next, Next, then Save & New.

3. Select the Phone as the Data Type, then click Next.

For Field Label, “**Phone**”, Click Next, Next, then Save.

4. Select the Picklist as the Data Type, then click Next. For Field Label “**Status**”, Select Enter values, with each value separated by a new line and Enter The Values:

- Available
- Booked
- Cancelled

Activity 4: Creation of fields for the Venue object:

1. Select the Text area as the Data Type, then click Next.

For Field Label, “**Address**”, Click Next, Next, then Save.

2. Select the URL as the Data Type, then click Next.

For Field Label, “**Location**”, Click Next, Next, then Save.

3. Select the Number as the Data Type, then click Next.

For Field Label, “**Capacity**” Click Next, Next, then Save.

4. Select the Picklist as the Data Type, then click Next. For Field Label “**Availability Status**”, Select Enter values, with each value separated by a new line and Enter The Values:

- Available
- Reserved
- Not Available

Activity 5: Creation of fields for the Feedback object:

1. Select the Picklist as the Data Type, then click Next. For Field Label “**Rating**”,

Select Enter values, with each value separated by a new line and Enter The Values:

- 1
- 2

- 3
- 4
- 5

2. Select the Long Text as the Data Type, then click Next.

For Field Label, “**Comments**”, Click Next, Next, then Save.

Relationships:

Activity 1:

Creation lookup relationship for the Event objects:

Let's create lookup relationship on Event object

First lookup relationship

- From Setup, go to Object Manager , Select Event Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next

Setup Home Object Manager

SETUP > OBJECT MANAGER

Event

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

New Custom Field

Step 1. Choose the field type

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected

☐ Auto Number

☐ Formula

☐ Roll-Up Summary

☒ **Lookup Relationship**

☐ Master-Detail Relationship

☐ External Lookup Relationship

Select one of the data types below.

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

Next Cancel

- Choose the related object as Venue & click next

Event

New Relationship

Help for this Page

Step 2. Choose the related object

Previous **Next** Cancel

Select the other object to which this object is related.

Related To **Venue**

Previous Next Cancel

- Give the field label(Venue) & click next, next, next and Save.

Event
New Relationship

Help for this Page ?

Step 3. Enter the label and name for the lookup field Step 3 of 6

Previous **Next** Cancel

Field Label ⓘ

Field Name ⓘ

Description

Help Text ⓘ

Child Relationship Name ⓘ

Required ☐ Always require a value in this field in order to save a record

What to do if the lookup record is deleted?

☒ Clear the value of this field. You can't choose this option if you make this field required.

☐ Don't allow deletion of the lookup record that's part of a lookup relationship.

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity ⓘ

Create Many-to-Many Relationship (Event ↔ Vendor)

Salesforce doesn't allow direct many-to-many, so we create a **junction object** (EventVendor__c) :

Go to Object Manager → Create New Custom Object

- Label: Event Vendor
- Object Name: EventVendor__c

Setup Home Object Manager

Search Setup

SETUP
New Custom Object

Help for this Page ?

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again](#)

Custom Object Definition Edit Save Save & New Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account


Description

Context-Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window ☐ Open a window using a Visualforce page

Content Name

From Setup, go to Object Manager , Select Event Vendor Object

- On the sidebar, click Fields & Relationships.
- Select Master Detail relationship & click next



SETUP > OBJECT MANAGER
Event Vendor

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Event Vendor
New Custom Field

Help for this Page

Step 1

Next Cancel

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected Select one of the data types below.

☐ Auto Number A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

☐ Formula A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll-Up Summary ¹ A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

☐ Lookup Relationship Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

☒ **Master-Detail Relationship** Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

- Choose the related object as Event & click next
- Give the field label(Event) & click next, next, next and Save&New.
- Select Master Detail relationship & click next
- Choose the related object as Vendor & click next
- Give the field label(Vendor) & click next, next, next and Save.

Add Lookup Relationship (Event → Client) :

- From Setup, go to Object Manager , Select Event Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next.
- Choose the related object as Client & click next
- Give the field label(Client) & click next, next, next and Save.

Activity 2:

Creation lookup relationship for the Feedback object:

- From Setup, go to Object Manager , Select Feedback Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next.
- Choose the related object as Event & click next
- Give the field label(Event) & click next, next, next and Save.

Add Lookup Relationship (Feedback → Client) :


- From Setup, go to Object Manager , Select Feedback Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next.
- Choose the related object as Client & click next
- Give the field label(Client) & click next, next, next and Save.

Activity 3: Lookup Filters

Scenario: In an Event Management app, each Event belongs to a Client. When creating Feedback, after selecting a Client, the Event lookup should only show Events of that Client. For example, if Ramesh is chosen, only Ramesh's events appear, not other clients' events.

1. Click the gear → Setup.
2. In Setup Quick Find type Object Manager → open Object Manager.

3. Find and open the Feedback object (Feedback__c).
4. In the left menu click Fields & Relationships.
5. Find the Event lookup field (Event__c) and click it.



Setup > OBJECT MANAGER

Feedback

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Feedback Custom Field

Event.

[Back to Feedback](#)

Validation Rules (0)

Custom Field Definition Detail

[Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

Field Information		Object Name	Data Type
Field Label	Event.	Feedback	Lookup
Field Name	Event		
API Name	Event__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Sushanth.Sush	9/23/2025, 11:59 PM	
Modified By	Sushanth.Sush	9/24/2025, 4:25 AM	

6. Click On Edit.
7. Scroll to the Lookup Filter section and click Show filter Settings

Lookup Filter

Optionally, create a filter to limit the records available to users in the lookup field. [Tell me more!](#)

[Show Filter Settings](#)

[Change Field Type](#) [Save](#) [Cancel](#)

8. Build the filter criteria like this:
9. Field (left side): choose the Event object's client field — Event: Client__c.
10. Operator: equals.
11. Value (right side): choose the Field radio button and then select the Client field on the Feedback record — Feedback: Client__c.
12. Make sure to Check Enable this Filter box
13. Click on Save.

Lookup Filter

Optionally, create a filter to limit the records available to users in the lookup field. [Tell me more!](#)

▼ [Hide Filter Settings](#)

Filter Criteria [Insert Suggested Criteria](#)

Field	Operator	Value / Field	
Feedback: Client	equals	Field	Event.: Client
AND	Begin typing to search for a field...	--None--	Value

[Clear Filter Criteria](#)

[Add Filter Logic...](#)

Filter Type

☒ **Required.** The user-entered value must match filter criteria.

If it doesn't, display this error message on save:

Value does not exist or does not match filter criteria.

[Reset to default message](#)

☐ **Optional.** The user can remove the filter or enter values that don't match criteria.

Lookup Window Text

Add this informational message to the lookup window.

[Active](#) ☒ **Enable this filter.**

Milestone 5 -Validation Rules :

Validation rules are applied when a user tries to save a record and are used to check if the data meets specified criteria. If the criteria are not met, the validation rule triggers an error message and prevents the user from saving the record until the issues are resolved.

Activity 1:

Create Validation Rules on Client__c :

1.Go to the setup page → click on object manager → type object name(Client) in quick find box, click on the Client object

2. Click on the validation rule → click New.

3. Enter the Rule name as “ Email_Valid_Address”.

4.Select Active

5. Insert the Error Condition Formula as : -

NOT(REGEX(Email__c, "^[a-zA-Z0-9._]+@[a-zA-Z0-9]+\.[a-zA-Z]{2,}\$"))

6. Enter the Error Message as “Please Enter Valid Email Address”, select the Error location as Field and select the field as “Email”, and click Save.


Milestone 6 : APPROVAL PROCESS

Activity 1: Create an Approval Process for Event Cancellation Approval

Note: Before Implementing Approval Process first Complete Profiles, Roles and Users Milestones.

1.Create Classic Email Template

1. Go to Setup (gear icon on top-right)
2. In the Quick Find box, type: Email Templates
3. Click on Classic Email Templates
4. Click "New Template"



The screenshot shows the Salesforce Setup interface. In the left sidebar, under 'Email', 'Classic Email Templates' is highlighted. The main content area is titled 'Classic Email Templates' and shows 'Unfiled Public Classic Email Templates'. A 'New Template' button is visible at the top of the table. The table lists three existing templates, all of type 'Custom' and 'Available For Use'.

Action	Email Template Name	Template Type	Available For Use	Description	Author	Last Modified Date
Edit Del	Appointment for Unauthenticated User using Appointment Types - For Amazon Chime.	Custom	✓	Email template for confirmation of an appointment when appointments are scheduled using appointment types with Amazon Chime.	stdcadm	4/13/2025
Edit Del	Appointment for Unauthenticated User using Appointment Types - For third party.	Custom	✓	Email template for confirmation of an appointment when appointments are scheduled using appointment types with third party video applications.	stdcadm	4/13/2025
Edit Del	Appointment for Unauthenticated User using Engagement Channels-For Amazon Chime.	Custom	✓	Email template for confirmation of an appointment when appointments are scheduled using engagement channels with Amazon Chime.	stdcadm	4/13/2025

5.You'll now choose the type of email template you want to create.

Choose the type:

- Text – Plain text (no formatting)
- Click Next

6.Email Template Information:

Folder	Public or private folder (use "Unfiled Public Email Templates" for now)
Email Template Name	Event Cancellation Request Notification
Template Unique Name	Auto-filled, or change it (no spaces)
Encoding	Leave default (UTF-8)
Subject	Approval Request: Cancel Event {!Event__c.Name}

Email Body	Hello! An approval request has been submitted to cancel the event: - Event Name: {!Event__c.Name} - Event Date: {!Event__c.Event_Date__c} Thank you, EventForce Management System
------------	---

Email Template Information

Folder: Unfiled Public Classic Email Templates

Available For Use: ☒

Email Template Name: Event Cancellation Request

Template Unique Name: Event_Cancellation_Request

Encoding: Unicode (UTF-8)

Description:

Subject: Approval Request: Cancel Event {!Event__c.Name}

Email Body:

Hello,

An approval request has been submitted to cancel the event:

- Event Name: {!Event__c.Name}
- Event Date: {!Event__c.Event_Date__c}

Please review and take action:

Thank you,
EventForce Management System

Save Save & New Cancel

2.Create Another Email Template to Send Customer Email. If Cancellation Approved.

- 1.Template Name : Email to Client After Cancellation
2. Subject : Event Cancellation Notice – {!Event__c.Name}
- 3.Body :

Hello!

We would like to inform you that the event has been canceled.

Event Name: {!Event__c.Name}

Date: {!Event__c.Event_Date__c}

If you have any questions or need assistance, please contact us.

Thank you for your understanding,
Event Management Team

3. Create Another Email Template to Send Owner Email. If Cancellation Approved.

- 1.Template Name : Approval Notification to Event Owner
2. Subject : Event Cancellation Approved: {!Event__c.Name}
- 3.Body :

Hello {!Event__c.OwnerFullName}

Your cancellation request for the event {!Event__c.Name} has been approved.

Event Date: {!Event__c.Event_Date__c}

The event status has been updated to Canceled.

Thank you,
EventForce Management System

4. Create Another Email Template to Send Owner Email. If Cancellation Rejected.

- 1.Template Name : Rejection Notification to Event Owner
2. Subject : Event Cancellation Rejected: {!Event__c.Name}
- 3.Body :

Hello {!Event__c.OwnerFullName},

Your cancellation request for the event {!Event__c.Name} has been rejected.


Event Date: {!Event__c.Event_Date__c}

The event status has been reverted to Confirmed.

Thank you,
EventForce Management System


5. Create the Approval Process

- In the Quick Find box, type: Approval Processes
- Click on "Approval Processes" under Process Automation
- Click on the object name: Event
- Click Create New Approval Process → Use Standard Setup Wizard



Step 1: Basic Settings

- Name: Event_Cancellation_Process
- Unique Name: Auto-fills (you can keep it as is)
- Click Next



Specify Entry Criteria:

1. This defines when the process will be triggered.
- Choose "Criteria are met"

Set:

- Field: Event → Event Status
- Operator: Equals
- Value: Pending Cancellation
- Click Next.

Approval Process Edit
Event_Cancellation_Process [Help for this Page](#)

Step 2. Specify Entry Criteria Step 2 of 6

Previous Save **Next** Cancel

If only certain types of records should enter this approval process, enter that criteria below. For example, only expense reports from employees at headquarters should use this approval process.

Specify Entry Criteria

Use this approval process if the following **criteria are met**

Field	Operator	Value	
Event: Event Status	equals	Pending Cancellation	AND
--None--	--None--		AND
--None--	--None--		AND
--None--	--None--		AND
--None--	--None--		

[Add Filter Logic...](#)

Previous Save Next Cancel

Step 2: Select Approver

Option 1: Use a specific user

- Select: Automatically assign using user or queue
- Choose: A specific user (Manager)

Option 2: Use Manager of the user

- Select: Automatically assign to the manager of the user who submitted the record
- (Make sure users have a manager assigned in their User record)
- Click Next

Approval Process Edit
Event_Cancellation_Process [Help for this Page](#)

Step 3. Specify Approver Field and Record Editability Properties Step 3 of 6

Previous Save **Next** Cancel

When you define approval steps, you can assign approval requests to different users. One of your options is to use a user field to automatically route these requests. If you want to use this option for any of your approval steps, select a field from the picklist below. Also, when a record is in the approval process, it will always be locked-- only an administrator will be able to edit it. However, you may choose to also allow the currently assigned approver to edit the record.

Select Field Used for Automated Approval Routing

Next Automated Approver Determined By **Manager**

Use Approver Field of Event. Owner ☐

Record Editability Properties

☐ Administrators **ONLY** can edit records during the approval process.
☒ Administrators **OR** the currently assigned approver can edit records during the approval process.

Previous Save Next Cancel

Step 3: Email Template

Approval Assignment Email Template:

- Select Email Template : Event Cancellation Request Notification

Approval Process Edit
Event_Cancellation_Process Help for this Page ?

Step 4. Select Notification Templates Step 4 of 6

Previous Save **Next** Cancel

Select the email template that will be used to notify approvers that an approval request has been assigned to them. Note that this template will be used for all steps for this process. [Create a new email template](#)

Email Template
Approval Assignment Email Template Event Cancellation Request 

Previous Save Next Cancel

Step 4: Select Fields to Display on Approval Page Layout

You'll see a dual list:

- Available Fields on the left
- Selected Fields on the right

Choose the fields you want approvers to see (typically key business info). Example for Event:

Suggested Fields:

- Event Name
 - Owner
 - Client
 - Last Modified By
 - Created By
 - Event Budget
 - Event Date
 - Event Status
 - Event Type
 - Venue
-
- Use the Add button to move fields from left to right.
 - Use the Up/Down arrows to reorder how they appear.
 - Click Next to proceed.


Approval Processes

Approval Process Edit
Event_Cancellation_Process

Step 5. Select Fields to Display on Approval Page Layout

Step 5 of 6

Previous Save **Next** Cancel

The approval page is where an approver will actually approve or reject a request. Using the options below, choose the fields to display on this page.

Available Fields
--None--

Selected Fields
Event Name
Owner
Client
Last Modified By
Created By
Event Budget
Event Date
Event Status
Event Type
Venue

Add
Remove

Up
Down



[Click here to view an example](#)

Step 5: Specify Initial Submitters

- Select Event Owner As Initial Submitters.
- Click Save.


Approval Processes

Approval Process Edit
Event_Cancellation_Process

Step 6. Specify Initial Submitters

Step 6 of 6

Previous **Save** Cancel

Using the options below, specify which users are allowed to submit the initial request for approval. For example, expense reports should normally be submitted for approval only by their owners.

Initial Submitters

Submitter Type

Search: Owner for: Find

Available Submitters
--None--


Allowed Submitters
Event Owner

Add
Remove

Step 6: Initial Submission Actions

What should happen when a record is submitted?

- Click Add New → Email Alert



The screenshot shows the 'Approval Processes' setup page in Salesforce. The process name is 'Event_Cancellation_Process'. The 'Initial Submission Actions' section is highlighted, showing a table with columns 'Action Type' and 'Description'. The 'Add New' button is clicked, and a dropdown menu is shown with options: Task, Email Alert (highlighted), Field Update, Outbound Message, and Flow. Below the table, there is a message: 'You have not yet defined any approval steps'.

Fill in the details:

1. Description → Alert - Event Cancellation Request
2. Unique Name → Auto-filled.
3. Object → Choose the object (Event__c).
4. Email Template → Select the email template you want to send.(Event Cancellation Request Notification)
5. Recipients → Add Role - Event Coordinator.
6. Additional Email →If you want to enter additional emails, then enter in the box.
7. From Email Address → Select Current User's Email Address
8. Click Save.

New Email Alert

Create an email alert to associate with one or more workflow rules, approval processes, or entitlement processes. When changing an email alert, any modifications will apply to all rules, approvals, or entitlement processes associated with it.

Email Alert Edit

SaveSave & NewCancel

Edit Email Alert

Description

Alert - Event Cancellation Request

Unique Name

Alert_Event_Cancellation_Re

Object

Event

Email Template

Event Cancellation Request

Protected Component

☐

Recipient Type

Search

Role

for:

Find

Recipients

Available Recipients

Role: Director, Channel Sales

Role: Director, Direct Sales

Role: Eastern Sales Team

Role: Event Admin

Role: Installation & Repair Services

Role: Marketing Team

Role: SVP, Customer Service & Support

Role: SVP, Human Resources

Role: SVP, Sales & Marketing

Role: VP, International Sales

Role: VP, Marketing

Role: VP, North American Sales

Role: Vendor Manager

Role: Western Sales Team

Add

Remove

Selected Recipients

Role: Event Coordinator

You can enter up to five (5) email addresses to be notified.

Additional Emails

sushanthj2805@gmail.com

From Email Address

Current User's email address

☐ Make this address the default From email address for this object's email alerts.

Save

Save & New

Cancel

Step 7: Final Approval Actions

- Click Add New → Field Update

Final Approval Actions

Add ExistingAdd New

Action	Type	Description
Edit	Record Lock	Lock the record
		Task
		Email Alert
		Field Update

- Select Field To Update as Event status.
- Name: Event Status Update
- Field: Event Status
- New Value: Canceled
- Save.

Step 8: Final Rejection Actions

- Click Add New → Email Alert
- Description: Alert - Cancellation Rejected
- Email Template : Rejection Notification to Event Owner
- Recipient Type : Select Event Owner
- From Email Address: Select Current User's Email.
- Save.

Edit Email Alert

Description:

Unique Name:

Object:

Email Template:

Protected Component: ☐

Recipient Type: Search: for:

Recipients

Available Recipients		Selected Recipients
-None-		Event. Owner

Add Remove

You can enter up to five (5) email addresses to be notified.

Additional Emails:

From Email Address:

☐ Make this address the default From email address for this object's email alerts.

- Click Add New → Field Update
- Select Field To Update as Event status.
- Name: Event Status To Rejected
- Field: Event Status
- New Value: Rejected
- Save.

Field Update Edit
Save Save & New Cancel

Identification

Name

Event Status To Rejected

Unique Name

Event_Status_To_Rejected i

Description

Object

Event

Field to Update

Event Status v

Field Data Type

Picklist

Re-evaluate Workflow Rules after Field Change

☐ i

Specify New Field Value

Picklist Options

☐ The value above the current one

☐ The value below the current one

☒ A specific value Rejected v

Save Save & New Cancel

Step 9: Approval Steps

- Click Add New Step

Approval Steps i
New Approval Step

X You have not yet defined any approval steps

- Enter: Step Name ("Manager Review")
- Unique Name (auto-filled)
- Step Number (optional – controls order)
- Click Next


Approval Processes

New Approval Step
Help for this Page

Assistant | 1. Enter Name and Description
 Step 1 of 3

Next Cancel

Enter a name, description, and step number for your new approval step.

Enter Name and Description
Required Information

Approval Process Name

Event_Cancellation_Process

Name

Manager Review

Unique Name

Manager_Review i

Description

Step Number

2

Next Cancel

1.Specify Step Criteria

- Choose All records should enter this step
- Click Next.

Step 2. Specify Step Criteria Step 2 of 3

Previous Save **Next** Cancel

Specify whether a record must meet certain criteria before entering this approval step. If these criteria are not met, the approval process can skip to the next step, if one exists. [Learn more](#)

Specify Step Criteria

☒ All records should enter this step

☐ Enter this step if the following , else

2.Select Assigned Approver

- Now choose who will approve the record at this step:
- Manually chosen from a user field on the record
- Select Automatically assign to approver(s).
- Select A specific user
- A related user (Michael Jackson)
- Click Save.

Step 3. Select Assigned Approver Step 3 of 3

Previous **Save** Cancel

Specify the user who should approve records that enter this step. Optionally, choose whether the approver's delegate is also allowed to approve these requests.

Select Approver

☐ Let the submitter choose the approver manually.

☐ Automatically assign using the user field selected earlier. (Manager)

☐ Automatically assign to queue.

☒ Automatically assign to approver(s).

[Add Row](#) [Remove Row](#)

When multiple approvers are selected:

☒ Approve or reject based on the **FIRST** response.

☐ Require **UNANIMOUS** approval from all selected approvers.

☐ The approver's delegate may also approve this request. [?](#)

Step 10: Activate the Approval Process

- Click View Approval Process Detail Page
- Click the "Activate" button at the top

SETUP Approval Processes

Approval Processes
Event.: Event_Cancellation_Process [Help for this Page](#)

[Back to Approval Process List](#)

Process Definition Detail [Edit](#) [Clone](#) [Delete](#) **Activate**

Process Name	Event_Cancellation_Process	Active	☐
Unique Name	Event_Cancellation_Process	Next Automated Approver Determined By	Manager of Record Submitter
Description			
Entry Criteria	Event.: Event_Status EQUALS Pending Cancellation		
Record Editability	Administrator OR Current Approver	Allow Submitters to Recall Approval Requests	☐
Approval Assignment Email Template	Event_Cancellation_Request_Notification		
Initial Submitters	Event_Owner		
Created By	Sushanth_Sush, 9/22/2025, 11:12 PM	Modified By	Sushanth_Sush, 9/23/2025, 9:47 AM

Milestone 7 - Flows


In Salesforce, a flow is a powerful tool that allows you to automate business processes, collect and update data, and guide users through a series of screens or steps. Flows are built using a visual interface and can be created without any coding knowledge.

Activity 1 : Create Flow to Send 3-Day Reminder Email to Client


Scenario:

When an Event is created/updated with Status = Confirmed and a valid Client with an email address, the system should automatically send a reminder email to the Client 3 days before the Event Date.

1. Go to setup → type Flow in quick find box → Click on the Flow and Select the New Flow.



2. Select the Record Triggered flow. Click on create.



3. Under Object select “Event.”

4. Select A record is Created or Updated.

 Configure Start

Select Object

Select the object whose records trigger the flow when they're created, updated, or deleted.

* Object

Event.

Configure Trigger

Trigger the Flow When:

☐ A record is created
☐ A record is updated
☒ A record is created or updated
☐ A record is deleted

Set Entry Conditions

Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements

All Conditions Are Met (AND)

5. Enter Condition as

Field : Event Status

Operator: Equals

Value: Confirmed

6. Select the Optimize the flow for: “Actions and Related Records” and Click on Done.

 Configure Start

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements

All Conditions Are Met (AND)

Field	Operator	Value
Event Status	Equals	Confirmed

+ Add Condition

When to Run the Flow for Updated Records

☒ Every time a record is updated and meets the condition requirements
☐ Only when a record is updated to meet the condition requirements

Optimize Flow

Optimize the Flow for:


Fast Field Updates

Update fields on the record that triggers the flow to run. This high-performance flow runs **before the record is saved** to the database.

Actions and Related Records

Update any record and perform actions, like send an email. This more flexible flow runs **after the record is saved** to the database.

7. Click On Start Button, and Click on Add Schedule Path



8. Enter Path name as “3_Days_Before” , API name Automatically Populates.

9. Select Time Source as “ Event__c: Event Date”

10. Enter Offset Number : 3

11. Select Offset Options : Days Before, Click on ‘x’ icon.


Configure Scheduled Paths
✕

SCHEDULED PATHS
+

Run Immediately

3_Days_Before

Add a scheduled path if you want a flow path to run a certain amount of time after the triggering record is created or updated. That time can be based on the triggering event or on a specified date or date/time field in the record. A separate flow interview runs for each scheduled path. Each scheduled path interview is queued to run at the scheduled time, but can be delayed until system resources become available. Path labels appear on connectors in the canvas.

SCHEDULED PATH DETAILS
Delete Path

* Path Label

3_Days_Before

* API Name ⓘ

X3_Days_Before

* Time Source

Event_c: Event Date ▼

* Offset Number

3

* Offset Options ⓘ

Days Before ▼

> Show advanced options

12. Select Toolbox from Top left corner, Click on New Resource



Select Elements
 ↶
↷
⊘
⚙️
 Auto-Layout ▼

Toolbox
✕

Manager

New Resource

RESOURCES

13. Select Text Template

New Resource

* Resource Type

Select...

- Variable
Store a value that can be used and changed throughout the flow.
- Constant
Store a value that can be used but not changed throughout the flow.
- Formula
Calculate a value when the formula is used in the flow.
- Text Template**
Store text that can be used and changed throughout the flow.
- Stage
Identify different phases in the flow to track user progress.

14. Enter API Name : Subject

- In the Body Enter: “Reminder: Your Event {\$Record.Name} is in 3 days”
- Select View as Plain Text.
- Click Done.

Edit Text Template

* API Name ⓘ

Subject

Description

* Body ⓘ

Insert a resource... 🔍

View as Plain Text ▼

Reminder: Your Event {\$Record.Name} is in 3 days

Cancel Done

• Create another Resources

1. Select Text Template

2. Enter API Name : Body
3. In the Body Enter:
Hello {{\$Record.Client__r.Name}},

This is a reminder that your event "{{\$Record.Name}}" will take place on {{\$Record.Event_Date__c}}.

Venue: {{\$Record.Venue__r.Name}}
Type: {{\$Record.Event_Type__c}}

We look forward to seeing you!

- EventForce Team

4. Select View as Plain Text.
5. Click Done.

Edit Text Template

* API Name ⓘ

Body

Description

* Body ⓘ

Insert a resource...

View as Plain Text ▼

Hello {{\$Record.Client__r.Name}},

This is a reminder that your event "{{\$Record.Name}}" will take place on {{\$Record.Event_Date__c}}.

Venue: {{\$Record.Venue__r.Name}}

Type: {{\$Record.Event_Type__c}}


We look forward to seeing you!

- EventForce Team


Cancel

Done

1. Under the 3 Days Before Click on “+” Symbol and In the Drop down List select the “Action”.
2. After Click on Action Select Email Action.



3. Search For Send Email, and Click On Send Email



The screenshot shows the 'Action' search interface. At the top, there is a search bar with the text 'Send Email' entered. Below the search bar, the results are displayed under the heading 'Actions'. The first result, 'Send Email', is highlighted with a red box. The text 'emailSimple-emailSimple' is visible below the 'Send Email' text.

4. Email Action Enter The Label Name as “Alert_Client_3Day_Reminder”

 Send Email

* Label

* API Name ⓘ

Description

5. Select the Recipient Address List as Client Email.
6. Select the CC Recipient Address List : Event Owner

 Send Email

later in the flow, store them in variables.

Set Input Values

✓ Configure Recipient Details

A_a Recipient Address List ⓘ

A_a Recipient Address Collection ⓘ

A_a CC Recipient Address List ⓘ

A_a CC Recipient Address Collection ⓘ

7. In Configure Email Content Select Compose Email Content
8. Select Subject: Subject Resource
9. Body: Body Resource

 Send Email

✓
 Compose Email Content
 Set email details and compose message.

Use Email Template
 Select an existing email template.

A_a Subject ⓘ

 Subject X

A_a Body ⓘ

 Body X

Rich-Text-Formatted Body ⓘ

Enter value or search resources...
 

10. Click Save.

11. Enter Flow Label: Client Reminder - 3 Days Before, Click Save & Activate.

Save as

Save As

A New Flow

* Flow Label

Client Reminder - 3 Days Before.

* Flow API Name ⓘ


Client_Reminder_3_Days_Before

Description

[Show Advanced](#)

Cancel

Save




Milestone 8 – Apex Classes

Activity1:


**Scenario: When an Event is created with a Venue, mark Venue Availability = “Reserved”.
When event is cancelled, mark “Available”**

Create Apex Class:


1. Click Gear Icon and Select Developer Console



2. Click on File and Click New and Click on Apex class



3. Give name as VenueStatusHelper and Click Ok



4. Write your Apex Class Code


Source Code:

```

public with sharing class VenueStatusHelper {
    public static void updateVenueStatus(List<Event__c> events){
        List<Venue__c> venues = new List<Venue__c>();
        for(Event__c ev : events){
            if(ev.Venue__c != null){
                if(ev.Event_Status__c == 'Confirmed'){
                    venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Reserved'));
                } else if(ev.Event_Status__c == 'Canceled'){
                    venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Available'));
                }
            }
        }
        if(!venues.isEmpty()) update venues;
    }
}

```

5. Save the class using CTRL+S



The screenshot shows the Salesforce Developer Console with the file 'VenueStatusHelper.apxc' open. The code is as follows:

```


1 public with sharing class VenueStatusHelper {
2     public static void updateVenueStatus(List<Event__c> events){
3         List<Venue__c> venues = new List<Venue__c>();
4         for(Event__c ev : events){
5             if(ev.Venue__c != null){
6                 if(ev.Event_Status__c == 'Confirmed'){
7                     venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Reserved'));
8                 } else if(ev.Event_Status__c == 'Canceled'){
9                     venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Available'));
10                }
11            }
12        }
13        if(!venues.isEmpty()) update venues;
14    }
15 }
16

```

The interface includes tabs for Logs, Tests, Checkpoints, Query Editor, View State, Progress, and Problems. The Problems tab is currently active, showing a table with columns for Name, Line, and Problem.


Now Create Trigger For this Class :

1. Click on File and Click New and Click on Apex Trigger



2. Give name as EventTrigger13 and Select Object: Event__c.


3. Then Click Submit.



4. Write Apex trigger Code

Source Code:

```
trigger EventTrigger13 on Event__c (after insert, after update) {
    VenueStatusHelper.updateVenueStatus(Trieger.new);
}
```




Milestone 9 – Apex Trigger

Activity1:

Scenario:Do not allow two events at the same Venue on the same Date.

Create an Apex Trigger:

1. Click on File and Click New and Click on Apex Trigger



2. Give name as PreventDoubleBooking and Select Object: Event__c.

3. Then Click Submit.

4. Write Apex trigger Code

Source Code :

trigger PreventDoubleBooking on Event__c (before insert, before update) {

 Set<Id> venueIds = new Set<Id>();

 for(Event__c ev : Trigger.new){

 if(ev.Venue__c != null) venueIds.add(ev.Venue__c);

 }

 Map<Id, List<Event__c>> venueEventMap = new Map<Id, List<Event__c>>();

 for(Event__c e : [SELECT Id, Venue__c, Event_Date__c

```

        FROM Event__c WHERE Venue__c IN :venueIds]){

    if(!venueEventMap.containsKey(e.Venue__c)){

        venueEventMap.put(e.Venue__c, new List<Event__c>());

    }

    venueEventMap.get(e.Venue__c).add(e);

}

for(Event__c ev : Trigger.new){

    if(ev.Venue__c != null && venueEventMap.containsKey(ev.Venue__c)){

        for(Event__c existing : venueEventMap.get(ev.Venue__c)){

            if(existing.Event_Date__c == ev.Event_Date__c && existing.Id != ev.Id){

                ev.addError('This Venue is already booked on this date.');
```

5. Save the trigger using CTRL+S.

```

Developer Console - Google Chrome
orgfarm-ce950ab495-dev-ed.develop.my.salesforce.com/_ui/common/apex/debug/ApexCSIPage

PreventDoubleBooking.apex
Code Coverage: None | API Version: 64

1  trigger PreventDoubleBooking on Event__c (before insert, before update) {
2      Set<Id> venueIds = new Set<Id>();
3      for(Event__c ev : Trigger.new){
4          if(ev.Venue__c != null) venueIds.add(ev.Venue__c);
5      }
6
7      Map<Id, List<Event__c>> venueEventMap = new Map<Id, List<Event__c>>();
8      for(Event__c e : [SELECT Id, Venue__c, Event_Date__c
9          FROM Event__c WHERE Venue__c IN :venueIds]){
10         if(!venueEventMap.containsKey(e.Venue__c)){
11             venueEventMap.put(e.Venue__c, new List<Event__c>());
12         }
13         venueEventMap.get(e.Venue__c).add(e);
14     }
15
16     for(Event__c ev : Trigger.new){
17         if(ev.Venue__c != null && venueEventMap.containsKey(ev.Venue__c)){
18             for(Event__c existing : venueEventMap.get(ev.Venue__c)){
19                 if(existing.Event_Date__c == ev.Event_Date__c && existing.Id != ev.Id){
20                     ev.addError('This Venue is already booked on this date.');
```

Milestone 10: Batchable and Schedulable Asynchronous Apex

Scenario: Mark all past events as Completed every night.

Step 1: Create Batch Apex Class:

1. Click Gear Icon and Select Developer Console
2. Click on File and Click New and Click on Apex class
3. Give name as BatchCompleteEvents and Click Ok
4. Write your Apex Class Code

Source Code:

```

global class BatchCompleteEvents implements Database.Batchable<sObject> {
    global Database.QueryLocator start(Database.BatchableContext bc){
        return Database.getQueryLocator(
```

```

        'SELECT Id, Event_Date__c, Event_Status__c FROM Event__c WHERE
Event_Date__c < TODAY AND Event_Status__c != \'Completed\'
    );
}
global void execute(Database.BatchableContext bc, List<Event__c> scope){
    for(Event__c ev : scope){
        ev.Event_Status__c = 'Completed';
    }
    update scope;
}
global void finish(Database.BatchableContext bc){
    System.debug('Past events marked as Completed');
}
}

```

5. Save the class using CTRL+S

Step 2: Schedulable class Implementation:

1. Click Gear Icon and Select Developer Console
2. Click on File and Click New and Click on Apex class
3. Give name as ScheduleCompleteEvents and Click Ok
4. Write your Apex Class Code

Source Code:

```

global class ScheduleCompleteEvents implements Schedulable {

    global void execute(SchedulableContext sc){

        Database.executeBatch(new BatchCompleteEvents(), 200);

    }

}

```

Step 3: Schedule Batch Apex from Salesforce Setup


1. Go to Setup

Click the gear icon → Setup

2. Search for Apex Classes


In the Quick Find box, type Apex Classes

Click Apex Classes



3. Schedule Apex

On the top, click the “Schedule Apex” button



4. Enter Job Details

Job Name: Daily Event Completion

Apex Class: Select ScheduleCompleteEvents (the schedulable class you created)

5. Set Schedule Time


Frequency: Weekly or Monthly → Choose Weekly

Days: Select All Days

Preferred Start Time: Select 08:00 PM

6. Save

Click Save → Your job is now scheduled.



The screenshot displays the 'Apex Classes' setup page in Salesforce. At the top, there are 'Save' and 'Cancel' buttons. The 'Job Name' field contains 'Daily Event Completion', and the 'Apex Class' field contains 'ScheduleCompleteEvents'. Below these, the 'Schedule Using' section has 'Schedule Builder' selected. The 'Schedule Apex Execution' section shows the 'Frequency' set to 'Weekly'. A dropdown menu for 'Recurs every week on' is open, showing all days of the week (Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, Saturday) selected. The 'Start' date is '9/26/2025', the 'End' date is '9/26/2025', and the 'Preferred Start Time' is '8:00 PM'. A note at the bottom states: 'Exact start time will depend on job queue activity.'

Salesforce will now run your BatchCompleteEvents every day at 08 PM and mark past events as Completed.

Phase 3: UI/UX Development & Customization

UI/UX Development & Customization focuses on creating a simple, user-friendly interface for the EventForce Management System.

This phase includes the creation of a custom Lightning App in Salesforce to organize and access all modules such as Events, Clients, Vendors, Venues, and Feedback from a single workspace. Additionally, Reports and Dashboards were developed to visualize event schedules, vendor performance, and client feedback.

Reports such as Upcoming Events by Month were used for analytical tracking, while the EventForce Operations Dashboard provides a clear visual summary of key business metrics. This phase ensures a responsive and data-driven user experience, allowing users to manage and monitor event operations efficiently through Salesforce's Lightning interface.

Milestone 11 - The Lightning App:


What is an App ?

Apps in Salesforce are a group of tabs that help the application function by working together as a unit. It has a name, a logo, and a particular set of tabs. The simplest app usually has just two tabs.

Activity 1: Create a Lightning App

Create the Event Planner Management System app

1.From Setup, enter App Manager in the Quick Find and select App Manager.



The screenshot shows the Salesforce Setup interface. In the left sidebar, under 'Apps', 'App Manager' is highlighted with a red box. In the main content area, the 'Lightning Experience App Manager' page is displayed. At the top right of this page, the 'New Lightning App' button is highlighted with a red box. Below the header, there is a table listing 26 items, sorted by App Name. The table has columns for App Name, Developer Name, Description, Last Modified, App Type, and Visibility. The first few items are All Tabs, Analytics Studio, App Launcher, Automation, Bolt Solutions, Business Rules Engine, Community, Content, Data Manager, Digital Experiences, FARM MANAGEMENT SYSTEM, JOB APPLICATION TRACKING, Lightning Usage App, Marketing CRM Classic, and Platform.

App Name	Developer Name	Description	Last Modified	App Type	Visibility
1 All Tabs	AllTabSet		15/04/2024, 12:12 pm	Classic	
2 Analytics Studio	Insights	Build CRM Analytics dashboards and apps	15/04/2024, 12:12 pm	Classic	✓
3 App Launcher	AppLauncher	App Launcher tabs	15/04/2024, 12:12 pm	Classic	✓
4 Automation	FlowsApp	Automate business processes and repetitive tasks.	15/06/2024, 11:17 pm	Lightning	✓
5 Bolt Solutions	LightningBolt	Discover and manage business solutions designed for your industry.	15/04/2024, 12:14 pm	Lightning	✓
6 Business Rules Engine	ExpressionSetConsole	Create and maintain business rules that perform complex lookups and calculat...	21/11/2024, 12:32 am	Lightning	✓
7 Community	Community	Salesforce CRM Communities	15/04/2024, 12:12 pm	Classic	✓
8 Content	Content	Salesforce CRM Content	15/04/2024, 12:12 pm	Classic	✓
9 Data Manager	DataManager	Use Data Manager to view limits, monitor usage, and manage recipes.	15/04/2024, 12:12 pm	Lightning	✓
10 Digital Experiences	SalesforceCMS	Manage content and media for all of your sites.	15/04/2024, 12:12 pm	Lightning	✓
11 FARM MANAGEMENT SYSTEM	FARM_MANAGEMENT_SYSTE...		18/12/2024, 4:41 pm	Lightning	✓
12 JOB APPLICATION TRACKING	JOB_APPLICATION_TRACKING		20/12/2024, 10:06 am	Lightning	✓
13 Lightning Usage App	LightningInstrumentation	View Adoption and Usage Metrics for Lightning Experience	15/04/2024, 12:12 pm	Lightning	✓
14 Marketing CRM Classic	Marketing	Track sales and marketing efforts with CRM objects.	15/04/2024, 12:12 pm	Classic	✓
15 Platform	Platform	The fundamental Lightning Platform	15/04/2024, 12:12 pm	Classic	

2.Click New Lightning App. Event Planner as the App Name,

3. Upload Image ,then click next.

New Lightning App

App Details & Branding

Give your Lightning app a name and description. Upload an image and choose the highlight color for its navigation bar.

App Details

* App Name ⓘ
Event Planner

* Developer Name ⓘ
Event_Planner

Description ⓘ
Enter a description...

App Branding

Image ⓘ


Primary Color Hex Value ⓘ
#0070D2

Org Theme Options
☐ Use the app's image and color instead of the org's custom theme

Next

4.Under App Options, leave the default selections and click Next.

5.Under Utility Items, leave as it is and click Next.

6.From Available Items, select Event,Client,Vendor,Venue,Feedback

7.Reports,and Dashboards and move them to Selected Items. Click Next.

New Lightning App

Navigation Items

Choose the items to include in the app, and arrange the order in which they appear. Users can personalize the navigation to add or move items, but users can't remove or rename the items that you add. Some navigation items are available only for phone or only for desktop. These items are dropped from the navigation bar when the app is viewed in a format that the item doesn't support.

Available Items

Type to filter list...

- Accounts
- ACME LOCATIONS
- Activation Targets
- Activations
- All Sites
- Alternative Payment Methods


Selected Items

- Events
- Clients
- Vendors
- Venues
- Feedbacks
- Reports
- Dashboards

Back Next

8.From Available Profiles, select System Administrator and move it to

9. Selected Profiles. Click Save & Finish.



New Lightning App

User Profiles

Choose the user profiles that can access this app.

Available Profiles

Type to filter list...

- Analytics Cloud Integration User
- Analytics Cloud Security User
- Anypoint Integration
- Authenticated Website
- Authenticated Website
- B2B Reordering Portal Buyer Profile

Selected Profiles

System Administrator

Back

Save & Finish

To verify your changes, click the App Launcher, type Event Planner and select the Event Planner app.

Note:

1. App Launcher-Displays available apps.
2. App Name-Displays the current selected app.
3. Navigation menu-Displays the tabs available inside the app.

Milestone 12 : Reports

Activity 1: Create a Report folder

1. Click on the app launcher and search for reports.
2. Click on the report tab, click on the new folder.
3. Enter the Folder label as “EventForce Report” Folder unique name will be auto populated.

4. Click save.

Activity 2: Sharing a Report folder

1. Go to the app → click on the reports tab.
2. Click on the All folder , click on the Drop down arrow for EventForce Report Folder, and Click on share.
3. Select the share with “roles”, in the name field search and select “Event Coordinator”, “ Vendor Manager” give “view” as access for that role.
4. Then click share, and click on Done.

Share folder

These sharing settings apply to all subfolders in this folder.

Share With

Roles
▼

Names

Search Roles...
Q

Access

View
▼

Share

▼ Who Can Access

U Sushanth Sush Users	Manage ▼	×
R Event Coordinator Roles	View ▼	×
R Vendor Manager	View ▼	×

Done

Activity 3: Create Report

Note : Before creating a report, create at least “10” records in every object.


Try to fill every field in each record for better experience.

Report 1 : Upcoming Events — Summary by Month

Use: See upcoming events and counts by month.

1. Go to the App Launcher → click on the Reports tab.
2. Click New Report.
3. Select the Category as All, search for Events or Events with Client & Venue, select it, and click Start Report.
4. In the outline pane, select the fields mentioned below in the Columns section:
 - Event Name
 - Event Date
 - Event Type
 - Client__r.Name
 - Venue__r.Name
 - Event_Budget__c
5. Remove any unnecessary fields.
6. Toggle Update Preview Automatically.
7. Go to Filters and apply the filters as follows:
 - Show Me = All Events
 - Event Date ≥ TODAY (or Next 30 Days)

- Event Status ≠ Canceled
- 8. In the GROUP ROWS section, select the fields:
 - Event Date → click the drop-down → Group by Calendar Month
- 9. Click on Add Summary, summarize the following:
 - Row Count (auto)
 - Event_Budget__c → SUM (to see total budget per month)
- 10. Click on Add Chart, select:
 - Chart Type: Column or Line
 - X-axis = Event Date (Calendar Month)
 - Y-axis = Row Count or SUM(Event_Budget__c)
- 11. Click Save, give the report name: Upcoming Events by Month.
- 12. The Report Unique Name is auto-populated.
- 13. Select the folder EventForce Reports → click Save → Run




Milestone 13 - Dashboards

Activity 1: - Create Dashboard

Create EventForce Dashboard

1. Click on the Dashboards tab from the EventForce Management System application.
2. Click on New Dashboard.
3. Give name – EventForce Operations Dashboard.
4. Click Create.
5. Click on +Widget.
6. Select the Upcoming Events by Month Report.
 - Chart: Donut Chart
 - Max Values Displayed: 6
 - Subtitle: Upcoming Events Overview
 - Widget Theme: Light
 - Click save.



Phase 4 : Data Migration, Testing & Security

Data Migration, Testing & Security focuses on preparing and securing the system before deployment. This phase involved loading validated data into Salesforce, creating users, and implementing role-based access controls to ensure proper data visibility and protection.

During this phase, records for Events, Clients, Vendors, Venues, and Feedback were imported using the Data Import Wizard after pre-validation checks to avoid duplicates and maintain consistency.

User accounts were created for Event Admin, Event Coordinator, Vendor Manager, and Client, each assigned specific Profiles and Roles aligned with their access levels.

Security configurations included Profiles, Role Hierarchy, Permission Sets, and Sharing Rules to manage visibility and ensure compliance with business workflows. The Organization-Wide Defaults (OWD) were set to Private, allowing controlled record access through sharing rules like Event_Sharing_For_Vendors.

Testing activities validated data accuracy, automation performance, and user permissions.

This phase ensured that the EventForce Management System was secure, reliable, and fully functional for real-time business operations.

Milestone 14- Profile:

What is a profile?


A profile is a group/collection of settings and permissions that define what a user can do in salesforce. A profile controls “Object permissions, Field permissions, User permissions, Tab settings, App settings, Apex class access, Visualforce page access, Page layouts, Record Types, Login hours & Login IP ranges.

A profile can be assigned to many users, but users can be assigned a single profile at a time.

Activity 1:

Create a custom profile:

1. From setup , enter profiles in Quick Find box
2. Click On New Profile.



The screenshot shows the Salesforce Setup interface. The top navigation bar includes the Setup icon, a search bar labeled "Search Setup", and tabs for Setup, Home, and Object Manager. The left sidebar shows a search for "profil" and a list of items including Users and Profiles. The main content area is titled "Profiles" and shows a "Clone Profile" dialog box. The dialog box has a header "You must select an existing profile to clone from." and contains the following fields:

Existing Profile	System Administrator
User License	Salesforce
Profile Name	Event Admin

At the bottom of the dialog box are "Save" and "Cancel" buttons.

3. Select Existing Profile as 'System Administration'.
4. Enter Profile Name as 'Event Admin'.
5. Click On save.

Why use System Administrator as Base?

It already has Modify All Data, Customize Application, and full CRUD access on all objects.


By cloning it, your Event Admin profile automatically inherits full access.

You can then restrict/remove any permissions if needed (but usually Event Admin = full access).

Activity 2:

Create a Custom profile:

1. From setup , enter profiles in Quick Find box
2. Click On New Profile.
- 3.Select Existing Profile as 'Standard Platform User'.
4. Enter Profile Name as '**Event Coordinator**'.
5. Click On save.
6. Click On Edit



The screenshot shows the Salesforce Setup interface for the 'Event Coordinator' profile. The page title is 'Profiles' under the 'SETUP' menu. The profile name 'Event Coordinator' is displayed at the top. Below the name, there is a list of permissions: Login IP Ranges, Enabled Apex Class Access, Enabled Visualforce Page Access, Enabled External Data Source Access, Enabled Named Credential Access, Enabled External Credential Principal Access, Enabled Custom Metadata Type Access, Enabled Custom Setting Definitions Access, Enabled Flow Access, Enabled Service Presence Status Access, and Enabled Custom Permissions. The 'Edit' button is highlighted with a red box. Below the permissions list, the 'Profile Detail' section shows the following information:

Profile Detail	
Name	Event Coordinator
User License	Salesforce Platform
Description	
Created By	Sushanth Sush 9/14/2025, 11:49 PM
Modified By	Sushanth Sush 9/14/2025, 11:49 PM

7. Select the Custom App settings as default for the Event Planner.

Custom App Settings		
	Visible	Default
Analytics Studio (standard__Insights)	☐	☐
App Launcher (standard__AppLauncher)	☐	☐
Event Planner (Event_Planner)	☒	☒
Platform (standard__Platform)	☒	☐
WDC (standard__Work)	☐	☐

8. Scroll down to Custom Object Permissions Give Access:

Event: CRED (Create, Read, Edit, Delete)

Client: Read / Edit

Vendor: Read

Venue: Read

Feedback: Create / Read

Custom Object Permissions								
	Basic Access				Data Administration			
	Read	Create	Edit	Delete	View All Records 1	Modify All Records 1	View All Fields	
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐	
Clients	☒	☐	☒	☐	☐	☐	☐	
Events	☒	☒	☒	☒	☐	☐	☐	
Event Vendors	☐	☐	☐	☐	☐	☐	☐	

	Basic Access				Data Administration			
	Read	Create	Edit	Delete	View All Records 1	Modify All Records 1	View All Fields	
Feedbacks	☒	☒	☐	☐	☐	☐	☐	
Vendors	☒	☐	☐	☐	☐	☐	☐	
Venues	☒	☐	☐	☐	☐	☐	☐	

9. Changing the session times out after should be “ 2 hours of inactivity”.

10. Change the password policies as mentioned :

11. User passwords expire in should be “ never expires ”.

Session Settings

Session Times Out After

2 hours of inactivity

Session Security Level Required at Login

--None--

Password Policies

User passwords expire in

Never expires

Enforce password history

3 passwords remembered

Minimum password length

8

Password complexity requirement

Must include alpha and numeric characters

Password question requirement

Cannot contain password

Maximum invalid login attempts

10

Lockout effective period

15 minutes

Obscure secret answer for password resets

☐

Require a minimum 1 day password lifetime

☐

Don't immediately expire links in forgot password emails

☐

Save

Save & New

Cancel

1. From setup, enter profiles in Quick Find box
2. Click On New Profile.
3. Select Existing Profile as 'Standard Platform User'.
4. Enter Profile Name as '**Vendor Manager**'.
5. Click On save.
6. Click On Edit
7. Select the Custom App settings as default for the Event Planner.

Feedback: Read Only

[illegible]

9.Changing the session times out after should be “ 2 hours of inactivity”.

10.Change the password policies as mentioned :

11.User passwords expire in should be “ never expires ”.

12.Minimum password length should be “ 8 ”, and click save.

Activity 4:

Create a Custom profile:

1. From setup, enter profiles in Quick Find box
2. Click On New Profile.
- 3.Select Existing Profile as ;Standard Platform User’.
4. Enter Profile Name as ‘**Client Profile**’.
5. Click On save.
6. Click On Edit
- 7.Select the Custom App settings as default for the Event Planner.
- 8.Scroll down to Custom Object Permissions Give Access:
Event: Read Only (for their own events)

Feedback: Create / Read (give feedback)

Vendor/Venue: No Access

Custom Object Permissions									
	Basic Access				Data Administration				
	Read	Create	Edit	Delete	View All Records 	Modify All Records 	View All Fields		
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐		
Clients	☐	☐	☐	☐	☐	☐	☐		
Events	☒	☐	☐	☐	☐	☐	☐		
Event Vendors	☐	☐	☐	☐	☐	☐	☐		
Feedbacks	☒	☒	☐	☐	☐	☐	☐		
Vendors	☐	☐	☐	☐	☐	☐	☐		
Venues	☐	☐	☐	☐	☐	☐	☐		

9.Changing the session times out after should be “ 2 hours of inactivity”.

10. Change the password policies as mentioned :

11. User passwords expire in should be “ never expires ”.

12. Minimum password length should be “ 8 ”, and click save.


Milestone 15 - Role:

In Salesforce, roles are used to determine which users have access to certain data and functions within the system. They are also used to define the reporting hierarchy within an organization. Users with higher roles have greater access to data and more control over the system.

Activity 1: Creation of Event Admin Role

Creation of role :

1. From the Quick find box search for the role and click on the roles option
2. Select the set up roles option



The screenshot shows the Salesforce Setup interface. In the left sidebar, the 'Roles' option is highlighted. The main content area is titled 'Roles' and 'Understanding Roles'. It explains that roles are used to control data access and reporting. A 'Sample Role Hierarchy' is displayed, showing a 'Territory-based Sample' structure. The hierarchy starts with 'Executive Staff' (CEO, President, CFO, VP, Sales) at the top. Below them are three 'Sales Director' roles: 'Western Sales Director', 'Eastern Sales Director', and 'International Sales Director'. Each director role has associated 'Sales Rep' roles: 'CA Sales Rep' and 'OR Sales Rep' for Western; 'NY Sales Rep' and 'MA Sales Rep' for Eastern; and 'Asian Sales Rep' and 'European Sales Rep' for International. To the right of the diagram, there are three boxes explaining permissions: the top box for Executive Staff (can view/edit data, roll up forecasts, generate reports for all users below, but can't access data of other Executive Staff); the middle box for Sales Directors (can view/edit data, roll up forecasts, generate reports for all users directly below, but can't access data of users above or at same level); and the bottom box for Sales Reps (can view/edit data, roll up forecasts, generate reports only for own data, but can't access data of users above or at same level). At the bottom right, there is a 'Set Up Roles' button and a checkbox for 'Don't show this page again'.

3. Click on
Expand
All and


click on add role under CEO.

SETUP Roles

Creating the Role Hierarchy

You can build on the existing role hierarchy shown on this page. To insert a new role, click **Add Role**.

Your Organization's Role Hierarchy



4. Give Label as “Event Admin” and the Role name gets auto populated. Then click on Save.

SETUP Roles

Role Edit

New Role

Role Edit

Label

Event Admin

Role Name

Event_Admin



This role reports to

CEO



Role Name as displayed on reports

Save

Save & New

Cancel

Activity 2: Creating other Role Under Event Admin Role

- 1.Create Another Role.
- 2.Create a Role with the Name “**Event Coordinator**”.
3. Below the Event Admin click on add role and enter the label name as a ”**Event Coordinator**” and role name, will be Automatically populated and click on save.
- 4.Follow the steps from above Activity.

Activity 3: Creating other Role Under Event Admin Role

- 1.Create Another Role.
- 2.Create a Role with the Name “**Vendor Manager**”.
- 3.Below the Event Admin click on add role and enter the label name as a ”**Vendor Manager**” and role name, will be Automatically populated and click on save.
- 4.Follow the steps from above Activity.

Activity 4: Creating other Role Under Event Admin Role

- 1.Create Another Role.
- 2.Create a Role with the Name “**Client**”.
- 3.Below the Event Admin click on add role and enter the label name as a ”**Client**” and role name, will be Automatically populated and click on save.
- 4.Follow the steps from above Activity.

Milestone 16 -User:


What is a user?

A user is anyone who logs in to Salesforce. Users are employees at your company, such as sales, reps, managers, and IT specialists, who need access to the company's records. Every user in Salesforce has a user account. The user account identifies the user, and the user account settings determine what features and records the user can access.

NOTE- As Salesforce license can only be used by 2 Users at a time in Dev Org, So If you don't find a salesforce license then deactivate a user who has a salesforce license Or change the license type from Salesforce to any other.

Activity 1: To Create a User :

1. From Setup, enter Users in the Quick Find box, then select Users.
2. Click New User.



The screenshot shows the Salesforce Setup interface. In the left sidebar, 'Users' is selected under 'User Management Settings'. The main content area is titled 'All Users' and contains a table of existing users. A red box highlights the 'New User' button at the top of the table.

Action	Full Name	Alias	Username	Role	Active	Profile
Edit	Chatter Expert	Chatter	chatter.00d9k000006nwfua0.ueve0uyvessa@chatter.salesforce.com		✓	Chatter Free User
Edit	EPIC_OrgFarm	OEPIC	epic.5988c21a1157@orgfarm.salesforce.com		✓	System Administrator
Edit	Sush_Sushanth	sus	sushanth2805652@agentforce.com		✓	System Administrator
Edit	User_Integration	integ	integration@00d9k000006nwfua0.com		✓	Analytics Cloud Integration User
Edit	User_Security	sec	insightssecurity@00d9k000006nwfua0.com		✓	Analytics Cloud Security User

3.Fill in the fields :

First Name : Sizzler

Last Name : Jaligam

Alias : Give an Alias Name

Email id : Give your Personal Email id

Username : Username should be in this form: text@text.text and it must be Unique.

Nick Name : Give a Nickname

Role : Event Admin

User licence : Salesforce

Profiles : Event Admin

4.Click On Save.


Users

New User
 Help for this Page ?

User Edit
 Save
Save & New
Cancel

General Information
! Required Information

First Name

 Last Name

 Alias

 Email

 Username

 Nickname ⓘ

 Title

 Company

 Department

 Division

Role ⓘ

 User License

 Profile ⓘ

 Active ☒

 Marketing User ☐

 Offline User ☐

 Knowledge User ☐

 Flow User ☐

 Service Cloud User ☐

 Site.com Contributor User ☐

 Site.com Publisher User ☐

 WDC User ☐

 Data.com User Type ⓘ

 Data.com Monthly Addition Limit ⓘ

 Accessibility Mode (Classic Only) ☐ ⓘ

 High-Contrast Palette on Charts ☐ ⓘ

Activity 2: Creating Other Users


1. Repeat the steps and create other users using
 - a. Role : Event Coordinator, Vendor Manager, Client
 - b. User licence : Salesforce Platform
 - c. Profile : Event Coordinator, Vendor Manager, Client

Milestone 17 : Permission Set

A Permission Set in Salesforce is a collection of settings and permissions that grant access to various tools, features, and objects without changing the user's profile.

Activity 1: Creating New Permission Set

1. Go to setup >> type Permission Set in quick find box >> Select Permission Set >> click New.
2. Give the Label as “Feedback Manager”.
3. Click Save.



The screenshot shows the Salesforce Setup interface. In the left sidebar, the 'Permission Sets' link is highlighted with a red box. The main content area is titled 'Permission Sets' and 'Create'. It contains a form for creating a new permission set. The 'Label' field is filled with 'Feedback Manager' and the 'API Name' field is filled with 'Feedback_Manager'. The 'Description' field is empty. The 'Session Activation Required' checkbox is unchecked. Below the form, there is a section titled 'Select the type of users who will use this permission set' with a dropdown menu set to '--None--'. The 'Save' button is highlighted with a red box.

4. Select Extra Permission For Feedback Manager Permission Set.


5. Go To the Object Settings.

6. Search Feedback Object,

7. Click On Edit, Go to the Object Permission.

8. Enable The R/E/C/D Permissions.

9. Click Save.



The screenshot shows the Salesforce Setup interface for the 'Feedback Manager' permission set. The 'Object Settings' tab is selected, and the 'Feedbacks' object is chosen. The 'Tab Settings' section shows the 'Available' checkbox unchecked and the 'Visible' checkbox checked. The 'Object Permissions' table is shown below, with the 'Enabled' column highlighted by a red box. The 'Read', 'Create', 'Edit', and 'Delete' permissions are all checked in the 'Enabled' column.

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☐
Modify All Records	☐
View All Fields	☐

10. Click On the Manage Assign

SETUP
Permission Sets

Permission Set
Feedback Manager

Find Settings... | Clone | Delete | Edit Properties | **Manage Assignments** | View Summary

11. Click On the Add Assignment.

... > SETUP > PERMISSION SET 'FEEDBACK MANAGER'
Feedback Manager

Current Assignments

Add Assignment

12. Select Event Coordinator Role User.

13. Click Next & Assign.

... > PERMISSION SET 'FEEDBACK MANAGER' > MANAGE ASSIGNMENT EXPIRATION
Feedback Manager

Select Users to Assign

All Users ▾

1 item selected

Search this list...

	Full Name ↑	Alias	Username	Role	Active	Profile
☐	Ananya Pandey	apand	ananya.client@eventplanner.com	Client	☒	Client Profile
☐	Chatter Expert	Chatter	chatty.00dkg000006nwjfuau.uwve0uvghessa@chatter.salesforce.com		☒	Chatter Free User
☐	Integration User	integ	integration@00dkg000006nwjfuau.com		☒	Analytics Cloud Integration User
☒	Michael Jackson	mjack	michael.coordinator@eventplanner.com	Event Coordinator	☒	Event Coordinator
☐	OrgFarm EPIC	OEPIC	epic.5988c21a1157@orgfarm.salesforce.com		☒	System Administrator

Cancel **Next**

Milestone 18 : Sharing Settings

Salesforce allows you to configure sharing settings to control how records are accessed and shared within your organization. These settings are crucial for maintaining data security and privacy. Salesforce provides a variety of tools and mechanisms to define and enforce sharing rules, such as:

Organization-Wide Default (OWD) Settings:

In Salesforce, OWD (Organization-Wide Default) is the baseline level of access to records that determines what all users can see and do with records in an organization. It is used to control visibility and access for all records in Salesforce, and you can customize it based on different objects (such as Accounts, Contacts, Opportunities, etc.).

The OWD settings define the default access level to records, which can then be overridden by other sharing mechanisms such as Role Hierarchy, Sharing Rules, Manual Sharing, and Apex Sharing.

Here are the OWD options available for each object in Salesforce:

1. Private:

- Only the record owner and users above them in the role hierarchy can see or edit the record.
- Users cannot see each other's records by default.

2. Public Read Only:

- All users can view the records, but only the record owner and those above them in the role hierarchy can edit the record.
- Other users can only read, not modify, the records.

3. Public Read/Write:

- All users can view and edit records, regardless of ownership.
- This is useful when you want users to freely collaborate and modify each other's records.


4. Controlled by Parent:

- This option applies to child objects (like Tasks or Cases) that are related to a parent object (like Accounts). The access level to the child record is controlled by the parent record's sharing settings.

By setting up OWD correctly, administrators can ensure that the right people have access to the right data while maintaining the necessary security for sensitive information.

Activity 1: Configure OWD


1. Go to Setup → Sharing Settings → Click On Edit.



The screenshot shows the Salesforce Setup interface. In the left sidebar, under the 'Security' section, 'Sharing Settings' is highlighted with a red box. The main content area is titled 'Sharing Settings' and includes a description: 'This page displays your organization's sharing settings. These settings specify the level of access your users have to each others' data. Go to [Background Jobs](#) to monitor the progress of a change to an organization-wide default or a parallel sharing recalculation.' Below this, there's a dropdown for 'Manage sharing settings for: All Objects' and a link to 'Disable External Sharing Model'. The 'Default Sharing Settings' section is expanded, showing a table of 'Organization-Wide Defaults'. An 'Edit' button is highlighted with a red box next to the table header.

Object	Default Internal Access	Default External Access	Grant Access Using Hierarchies
Lead	Public Read/Write/Transfer	Private	✓
Account and Contract	Public Read/Write	Private	✓
Contact	Controlled by Parent	Controlled by Parent	✓
Order	Controlled by Parent	Controlled by Parent	✓
Asset	Controlled by Parent	Controlled by Parent	✓
Opportunity	Public Read/Write	Private	✓
Case	Public Read/Write/Transfer	Private	✓
Campaign	Public Full Access	Private	✓
Campaign Member	Controlled by Campaign	Controlled by Campaign	✓
User	Public Read Only	Private	✓
Activity	Private	Private	✓

2. Open The Sharing Setting, In Organization Wide Defaults Select the Event Object.
3. Click On Edit Button, Change the Default Internal Access as **Private**, and Default External Access also as **Private** in Event Object.
4. Click Save.



The screenshot shows the 'Sharing Settings' page with the 'Event' object selected in the list. The 'Default Internal Access' and 'Default External Access' for the 'Event' object are both set to 'Private', which is highlighted with a red box. The 'Grant Access Using Hierarchies' checkbox is checked. Below the table, the 'Other Settings' section includes checkboxes for 'Standard Report Visibility' (checked), 'Manual User Record Sharing' (unchecked), 'Manager Groups' (unchecked), 'Secure guest user record access' (checked), and 'Require permission to view record names in lookup fields' (unchecked). A 'Save' button is highlighted with a red box at the bottom.

Object	Default Internal Access	Default External Access	Grant Access Using Hierarchies
Tableau Host Mapping	Public Read Only	Private	✓
User Presence	Public Read Only	Private	✓
Waitlist	Private	Private	✓
Web Cart Document	Private	Private	✓
Work Order	Private	Private	✓
Work Plan	Private	Private	✓
Work Plan Template	Private	Private	✓
Work Step Template	Private	Private	✓
Work Type	Private	Private	✓
Work Type Group	Public Read/Write	Private	✓
ACME LOCATION	Public Read/Write	Private	✓
Client	Public Read/Write	Private	✓
Event	Private	Private	✓
Feedback	Public Read/Write	Private	✓
Vendor	Public Read/Write	Private	✓
Venue	Public Read/Write	Private	✓

Other Settings

Standard Report Visibility ☒ Manual User Record Sharing ☐ Manager Groups ☐ Secure guest user record access ☒ Require permission to view record names in lookup fields ☐

Save **Cancel**

Sharing Rules:

What are Sharing Rules?

Sharing rules help users to share records based on conditions. It is basically created for objects whose organization-wide defaults (OWD) are set to public read-only or private because sharing rules can only extend the access and not restrict it.


Types of sharing rules:

- Owner-based Sharing Rules
- Criteria-based Sharing Rules

Activity 1:

Create a sharing rule:

- 1.Go to Sharing Settings, which can be found under the Quick Find section.
2. Scroll down and find the Event object where a sharing rule needs to be added, and then click on New to create a new sharing rule.



The screenshot shows the Salesforce Setup interface. The left sidebar contains a navigation menu with categories like Data Classification, Privacy Center, Data Mask, Identity, and Security. The main content area is titled 'Sharing Settings' and lists several sharing rule categories: Work Type Group Sharing Rules, ACME LOCATION Sharing Rules, Client Sharing Rules, Event Sharing Rules, Feedback Sharing Rules, Vendor Sharing Rules, and Venue Sharing Rules. Each category has a 'New' button and a 'Recalculate' button. The 'Event Sharing Rules' section is highlighted with a red border. The 'No sharing rules specified.' message is visible under each category.

3. Give the Label name as “ Event_Sharing_For_Vendors”

4. Rule name is auto populated.

5. In step 3 : Select which records to be shared, members of “ Roles ” >> “ Event Coordinator”

6. In step 4: share with, select “ Roles ” >> “ Vendor Manager ”

7. In step 5 : Change the access level to “ Read Only ”.

8. Click on Save.


SETUP

Sharing Settings

Note: "Roles and subordinates" includes all users in a role, and the roles below that role.

You can use sharing rules only to grant wider access to data, not to restrict access.

Step 1: Rule Name

Label

Rule Name

Description

Step 2: Select your rule type

Rule Type
 ☒ Based on record owner
 ☐ Based on criteria

Step 3: Select which records to be shared

Event: owned by members of

Step 4: Select the users to share with

Share with

Step 5: Select the level of access for the users

Access Level

Phase 5 : Deployment, Documentation & Maintenance

Deployment :

- In the scope of the EventForce Management System Salesforce project, all configurations, customizations, and automations were built and tested within a Salesforce Developer Edition Org.
- The main objective of this phase is to understand how a real-world Salesforce CRM solution is prepared for deployment after complete configuration, testing, and security setup.
- Actual production deployment (migration from development to a live environment) is not performed in this exercise because:
- Developer Edition orgs are standalone environments and not connected to production instances.

- Real deployments require sandbox environments, change sets, or Salesforce DevOps tools (like GitHub CI/CD pipelines or Salesforce DX), which are used in enterprise-level implementations.
- This phase therefore focuses on simulating the deployment process, ensuring that all metadata—objects, fields, flows, Apex, and dashboards—are properly structured, version-controlled, and ready for migration when needed.

Maintenance, Monitoring & Troubleshooting :

In the EventForce Management System, maintenance activities ensure that event, client, vendor, and feedback data remain accurate and up to date.

Regular monitoring of flows, Apex jobs, and approval processes helps identify potential issues or failed automations early.

Troubleshooting involves:

- Resolving user-access errors and permission conflicts.
- Debugging Apex triggers and flow logic.
- Adjusting validation rules or sharing settings as business needs evolve.

Although implemented in a Developer Org for academic purposes, these practices replicate real-world CRM management, ensuring long-term stability, scalability, and trust within the Salesforce ecosystem.

Project Documentation :

Project documentation serves as a complete record of the EventForce Management System — capturing its purpose, data model, configurations, automation, and testing processes.

It ensures that business requirements are mapped correctly to Salesforce functionalities and supports future scalability, training, and maintenance.

Documentation includes:

- Business Overview & Objectives
- Phase-wise Implementation (Requirement → Development → UI → Testing → Security)
- Data Model and ER Diagram
- Automation Components – Flows, Approval Process, Validation Rules, and Apex logic

- Security Model – Profiles, Roles, Permission Sets, and Sharing Rules
- Testing Results and Sample Screenshots of all Salesforce features

Proper documentation provides a blueprint for future developers and administrators, ensuring consistent development, compliance, and smooth knowledge transfer.

Guidelines for EventForce Salesforce Documentation Submission :

General Instructions:

1. Submit documentation in a professional format (Word or PDF).
2. Use clear headings and bullet points for easy reading.
3. Maintain consistent formatting (e.g., Times New Roman – 12 pt).
4. Ensure correct grammar, alignment, and original content (no plagiarism).

Mandatory Sections to Include:

1. Project Overview: Summary of the EventForce CRM and its purpose.
2. Objectives: Main goals and business value.
3. Phase 1–4 Details: Cover requirement analysis, backend development, UI customization, data migration, and security.
4. Phase 5: Deployment strategy, maintenance approach, and documentation summary.
5. Conclusion: Highlight project learnings and outcomes.
6. Include screenshots of objects, flows, validation rules, approval processes, and reports.

Guidelines for EventForce Salesforce Project Demo Video:

1. Introduction – Introduce yourself, the project title, and purpose.
2. App Overview – Show the custom app in App Launcher and key objects.
3. UI Demonstration – Demonstrate record creation, validation rules, and navigation.
4. Automation Showcase – Display flows, approval process, and Apex logic.
5. Security Setup – Explain profiles, roles, permission sets, and sharing rules.
6. Reports & Dashboards – Show insights and analytics.
7. Debugging & Fixes – Mention how issues were identified and resolved.
8. Conclusion – Summarize outcomes and project learning.

Pro Tips:

- Use your own voice and stay within 5–10 minutes.
- Maintain HD screen clarity and low background noise.
- Follow a logical order: Introduction → UI → Automation → Security → Reports → Summary.
- Highlight unique automations like 3-Day Reminder Flow and Approval Process.

Conclusion:

The EventForce Management System demonstrates how Salesforce can streamline and automate event-planning operations through customized objects, automation, and analytics.

Although built within a Developer Org for academic purposes, the project accurately reflects real-world CRM implementation practices — combining strong data models, automation logic, and user experience design.

This phase marks the culmination of the project lifecycle, ensuring that the system is fully tested, documented, and ready for enterprise-level deployment and maintenance.

Thank You!!