

Home x pattern_pgm_using_LPS x New tab x +

http://localhost:8888/notebooks/gen-a762Fpattern_lopping.ipynb ☆ ... Search

jupyter pattern_pgm_using_LPS Last Checkpoint: 6 hours ago Trusted

File Edit View Run Kernel Settings Help

JupyterLab Python 3 (ipykernel)

```
[8]: for i in range(1,6):
      for j in range(0,i):
          print('i', end= ' ')
          print()
```

```
i
i i
i i i
i i i i
i i i i i
```

```
[14]: for i in range(1,6):
      for j in range(0,i):
          print(chr(j+65), end= ' ')
          print()
```

```
A
A B
A B C
A B C D
A B C D E
```

```
[18]: for i in 'KIMI ANTONELLI':
      print(i, ord(i), bin(ord(i)))
```

```
K 75 0b1001011
I 73 0b1001001
M 77 0b1001101
I 73 0b1001001
32 0b1000000
A 65 0b1000001
N 78 0b1001110
T 84 0b1010100
O 79 0b1001111
N 78 0b1001110
5 52 0b110100101
```

29°C Sunny 6:40 AM 6/3/2026

Home x pattern_pgm_using_LPS x New tab x +

http://localhost:8888/notebooks/gen-a762Fpattern_lopping.ipynb

jupyter pattern_pgm_using_LPS Last Checkpoint: 6 hours ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
A B C
A B C D
A B C D E

[18]: for i in 'KZMI ANTONELLI':
      print(i, ord(i), bin(ord(i)))

K 75 0b1001011
I 73 0b1001001
M 77 0b1001101
I 73 0b1001001
32 0b1000000
A 65 0b1000001
N 78 0b1001110
T 84 0b1010100
O 79 0b1001111
N 78 0b1001110
E 69 0b1000101
L 76 0b1001100
L 76 0b1001100
I 73 0b1001001

[19]: for i in 'CARLOS SAINZ':
      print(i, '-->', ord(i), bin(ord(i)))

C --> 67 0b1000011
A --> 65 0b1000001
R --> 82 0b1010010
L --> 76 0b1001100
O --> 79 0b1001111
S --> 83 0b1010011
--> 32 0b1000000
S --> 83 0b1010011
A --> 65 0b1000001
I --> 73 0b1001001
N --> 78 0b1001110
Z --> 90 0b1011010

[20]: for i in 'CHARLES LECLERC':
```

29°C Sunny

Search

ENG IN 6:40 AM 6/3/2026

Home x pattern_pgm_using_LPS x New tab x +

http://localhost:8888/notebooks/gen-aP62Fpattern_lopping.ipynb ☆ ... Search

jupyter pattern_pgm_using_LPS Last Checkpoint: 6 hours ago Trusted

File Edit View Run Kernel Settings Help

JupyterLab Python 3 (ipykernel)

```
[20]: for i in 'CHARLES LECLERC':  
      print(i, '-->', ord(i), bin(ord(i)))  
  
C --> 67 0b1000011  
H --> 72 0b1001000  
A --> 65 0b1000001  
R --> 82 0b1010010  
L --> 76 0b1001100  
E --> 69 0b1000101  
S --> 83 0b1010011  
--> 32 0b1000000  
L --> 76 0b1001100  
E --> 69 0b1000101  
C --> 67 0b1000011  
L --> 76 0b1001100  
A --> 65 0b1000001  
R --> 82 0b1010010  
C --> 67 0b1000011  
  
[28]: for i in 'ISAAC HADJAR':  
      print(i, '-->', ord(i), bin(ord(i)))  
  
I --> 73 0b1001001  
S --> 83 0b1010011  
A --> 65 0b1000001  
A --> 65 0b1000001  
C --> 67 0b1000011  
--> 32 0b1000000  
H --> 72 0b1001000  
A --> 65 0b1000001  
D --> 68 0b1000100  
J --> 74 0b1001010  
A --> 65 0b1000001  
R --> 82 0b1010010  
  
[30]: for i in 'LINDBLAD':  
      print(i, '-->', ord(i), bin(ord(i)))  
  
L --> 76 0b1001100
```

29°C Sunny Search 6:40 AM 6/3/2026

Home x pattern_pgm_using_LPS x New tab x +

http://localhost:8888/notebooks/gen-a762Fpattern_lopping.ipynb ☆ ... 🔍 Search

jupyter pattern_pgm_using_LPS Last Checkpoint: 6 hours ago Trusted

File Edit View Run Kernel Settings Help

JupyterLab Python 3 (ipykernel)

```
[30]: for i in 'LIMBLAD':
      print(i, '-->', ord(i), bin(ord(i)))

L --> 76 0b1001100
I --> 73 0b1001001
N --> 78 0b1001110
D --> 68 0b1000100
B --> 66 0b1000010
L --> 76 0b1001100
A --> 65 0b1000001
D --> 68 0b1000100

[39]: for i in range(6,0,-1):
      for j in range(0,i):
          print(i, end=' ')
          print()

6 6 6 6 6 6
5 5 5 5 5
4 4 4 4
3 3 3
2 2
1

[43]: for i in range(6,0,-1):
      for j in range(0,i):
          print(j, end=' ')
          print()

0 1 2 3 4 5
0 1 2 3 4
0 1 2 3
0 1 2
0 1
0

[44]: for i in range(6,0,-1):
      for j in range(0,i):
```

29°C Sunny

Search

ENG IN 6:40 AM 6/3/2026

Home x pattern_pgm_using_LPS x New tab x +

http://localhost:8888/notebooks/gen-a762Fpattern_lopping.ipynb ☆ ... 🔍 Search

jupyter pattern_pgm_using_LPS Last Checkpoint: 6 hours ago Trusted

File Edit View Run Kernel Settings Help

+ ✂ 📄 📄 ▶ ⏏ 🔍 ▶ ▶ Code ▾

JupyterLab Python 3 (ipykernel)

```
[39]: for i in range(6,0,-1):
      for j in range(0,i):
          print(i, end=' ')
          print()

6 6 6 6 6 6
5 5 5 5 5
4 4 4 4
3 3 3
2 2
1

[43]: for i in range(6,0,-1):
      for j in range(0,i):
          print(j, end=' ')
          print()

0 1 2 3 4 5
0 1 2 3 4
0 1 2 3
0 1 2
0 1
0

[44]: for i in range(6,0,-1):
      for j in range(0,i):
          print(chr(i+64), end=' ')
          print()

F F F F F
E E E E
D D D D
C C C
B B
A

[50]: for i in range(7,0,-1):
      for j in range(0,i):
```

29°C Sunny

Search

6:43 AM 6/3/2026

Homepattern_pgm_using_LPSNew tab

http://localhost:8888/notebooks/gen-a#62Fpattern_lopping.ipynb

jupyter pattern_pgm_using_LPS Last Checkpoint: 6 hours ago

File Edit View Run Kernel Settings Help

JupyterLab Python 3 (ipykernel)

A

[50]:

```
for i in range(7,0,-1):
    for j in range(0,i):
        print(chr(j+65), end= ' ')
    print()

A B C D E F G
A B C D E F
A B C D E
A B C D
A B C
A B
A
```

[51]:

```
for i in range(6,0,-1):
    for j in range(0,i):
        print(chr(i+64+32), end= ' ')
    print()

f f f f f
e e e e
d d d d
c c c
b b
a
```

[52]:

```
for i in range(6,0,-1):
    for j in range(0,i):
        print(chr(j+65+32), end= ' ')
    print()

a b c d e f
a b c d e
a b c d
a b c
a b
a
```

29°C Sunny

Search

ENG IN 6:44 AM 6/3/2026