



USER MANUAL

Load

Run web apps offline on iPad. Build, edit, package, share — all in your browser.

1. What is Load?

Load is an offline-first **Progressive Web App suite** built to run on iPad Safari. It lets you import any single-file or zipped web app, run it in an embedded preview, edit its code, manage assets, design book covers, export to PDF / EPUB / standalone HTML, and route through 17 free AI providers for image generation, editing, and chat — all without sending anything to a server unless you choose to.

Tagline: Work offline. Built for iPad. Free forever.

2. Install Load on your iPad

1. Open Safari on your iPad and visit <https://dssorit.github.io/ancient-covenant-scrolls/load/>
2. Tap the **Share** icon (square with arrow up) in Safari's address bar
3. Scroll down → tap **Add to Home Screen**
4. Tap **Add** in the upper-right
5. The Load icon appears on your home screen — tap to launch

Storage tip: when iOS asks about persistent storage, allow it. Otherwise Safari may evict your imported apps under memory pressure.

3. Top-bar navigation

Every screen has the same four-button top bar:

Button	Opens
 Home	The splash screen with Resume / Open Library / Import buttons
 Library	All apps you've imported, with tap-to-open tiles
 Import	Bring in a new web app from a file, zip, or URL
 Settings	Theme, fonts, audio, AI keys, debug, force-refresh

4. Importing a web app

From any screen, tap **Import**:

4.1 Single HTML file

1. Tap the **HTML** card
2. Pick a `.html` file from Files / iCloud / AirDrop / email
3. Load reads it and adds it to your Library — done

Best for: standalone offline apps like `Load-Standalone.html` , `Attain-Standalone.html` .

4.2 ZIP package

1. Tap the **ZIP** card
2. Pick a `.zip` containing an `index.html` at the root
3. Load extracts it, inlines all assets, injects a runtime shim that intercepts fetches and serves from the bundle
4. The app appears in your Library

Best for: packaged PWAs like `Load-PWA.zip` , `Attain-PWA.zip` , `Study-PWA.zip` .

4.3 Multi-file folder

Select multiple files from Files (an `index.html` + its assets) and pass them all in. Load finds the HTML and inlines the other files automatically.

4.4 Video / audio

Pick a video or audio file and Load wraps it in a player UI you can replay from your Library.

5. The Library

Every imported app gets a tile in the Library showing its name, custom icon, last-opened time, and reading-time totals.

- **Tap a tile** → opens the app in Load's embedded preview iframe
- **Long-press** → context menu with View, Notes, Folder, Share, Edit, Add to Home, Rename, Delete
- **Sort and filter** from the Library top bar

6. Workspace tiles — the toolbox

From any open app, tap the workspace icon to access these tools:

Tile	What it does
 Import	Same as the top-bar Import — pull in a new app
 Library	Switch to a different app in your Library
 Recent	Quick-pick from recently opened apps
 Live Preview	See the active app rendered in a side panel while editing
 Code Editor	Edit the active app's HTML / CSS / JS in a syntax-highlighted editor with light, dark, and cream themes
 Prose Editor	Re-edit a manuscript or book in a clean writing view, no HTML knowledge needed

 Cover Designer	Generate or upload a book cover image; AI-assisted layouts
 Video Editor	Edit videos — crop, trim, layer audio, add stickers
 Asset Doctor	Scan the app for broken images, missing fonts, fix-it suggestions
 File Tree	Browse the app's bundled files — view text, preview images, search
 Manifest	View and edit the PWA <code>manifest.json</code> — name, icons, theme
 Service Worker	View and edit the offline <code>sw.js</code>
 AI Copilot	Slash-command helper: <code>/explain</code> , <code>/fix</code> , <code>/optimize</code> , <code>/plan</code> , <code>/analyze</code>
 Image Prompt	Multi-provider AI image studio (see Section 8)
 Export EPUB	Download the active app as an EPUB book
 Export PDF	Download the active app as a PDF
 Standalone HTML	Single-file HTML with everything inlined — distribute anywhere
 PWA / ZIP	A re-packaged PWA zip suitable for re-import
 App Package	Build a polished package with cover, manifest, and icons attached

7. Image Prompt — the AI image studio

Tap the  **Image Prompt** tile to open the multi-provider AI image suite.

7.1 First-time setup

1. Tap the **Set Up Free** banner
2. Pick a free chat provider (Puter is no-key default; Gemini, OpenRouter, Cerebras, HF Mistral are free with a free key)
3. Optional: paste an HF token for image gen + image editing (HF SDXL inpainting, Real-ESRGAN, GFPGAN, CodeFormer)

4. Tap **Save & Start**

7.2 Free-tier providers (17 image models)

1. Pollinations Flux — sharp photoreal default, no key
2. Pollinations classic — fast fallback, no key
3. Hugging Face cascade — SDXL / SD-1.5 / FLUX (HF token)
4. Cloudflare AI — FLUX-schnell (CF account + token)
5. Together AI — FLUX-schnell-Free
6. AI Horde anonymous — slow, truly free
7. Google Imagen / Gemini 2.5 Flash Image — free with Gemini key
8. DeepAI
9. Pollinations Turbo
10. AI Horde SDXL
11. Cloudflare SDXL-Lightning
12. HF SDXL-Turbo
13. SiliconFlow — FLUX.1 Kontext img2img edit (opt-in, free-entry credits)
14. Real-ESRGAN (HF) — upscale
15. GFPGAN (HF) — face restoration
16. CodeFormer (HF) — face restoration alt
17. Local SD — A1111-compatible companion machine (advanced)

7.3 Generate an image

1. Type your prompt in the text box at the bottom — *"a woman on a boat at sunset"*
2. Tap ↑ Send
3. Wait 5-30s; the chain falls back through providers if one fails
4. Tap the result image to enlarge / save / share

7.4 Edit an existing image (Manual Mask painter)

1. Tap the 📁 upload icon, pick a photo
2. Tap 🖌️ to open the Mask Painter (full-screen)
3. Paint over the area you want changed (brush size slider; eraser; clear)
4. Tap **Done** — the button shows 🖌️✓

5. Type the edit, e.g. "add sunglasses" / "remove this"

6. Tap ↑ Send — only the masked region changes

Verified working: v17e0 sunglasses test passed end-to-end on iPad Safari.

7.5 Multi-turn refinement

Every result becomes the next-turn input automatically. Toggle the  **Scene** pill on for strict scene preservation across turns. Toggle off to start fresh.

7.6 Test Keys diagnostic

Settings →  **Key Health** → **Test Keys**. Every saved key shows masked (hf_****abcd) with a status icon:  Ready ·  Missing ·  Invalid ·  Text-only ·  Rate limited ·  Network blocked.

7.7 Output Receipts (audit log)

Settings →  **Output Receipts**. Last 20 image tasks with provider, prompt, seed, consistency mode, similarity score. The audit trail when a result looks wrong.

8. Settings

Theme	Dark / Light / Cream / High-contrast
Font	Atkinson Hyperlegible (default), OpenDyslexic, system
Font size	Adjust in Settings or via the topbar A– / A+ buttons
Audio	Default voice, speed, pitch for built-in TTS
AI Keys	Per-provider API keys; never sent anywhere except the provider you assigned them to
Force Refresh	Wipes Service Worker caches and reloads — use if a build seems stuck

9. Tips for everyday use

- **It's offline-first:** after first install, every imported app works without internet
- **Reading timer:** Library tracks how long you've spent in each app
- **Reading position:** Load auto-saves your scroll position per app
- **Voice reader:** tap any text in an open app to start TTS playback
- **Long-press tiles** for the full action menu
- **Backups:** Import → Export → PWA/ZIP creates a portable backup

10. Troubleshooting

Problem	Fix
Importing a zip just shows code	Make sure you used Import inside Load — opening a zip from iOS Files just unpacks it. Pick the ZIP card in Import.
App stuck on stale build	Settings → Force Refresh. Or remove from Home Screen and re-add.
iCloud sync not showing imports	Library is local to the device. Use Export → Standalone HTML to share manually.
Image gen says "All providers failed"	Open Test Keys to check which keys are saved. With no keys, only no-key Pollinations and AI Horde anonymous are available.

Appendix A — Build plan summary (post-v17e9)

Comprehensive multi-source build plan that drives the Image Prompt feature, distilled into a single roadmap.

Hard rules in code

- Never send image-editing requests to text-only models (HF Mistral / OpenRouter / Cerebras blocked from images at three layers)
- Never claim an edit succeeded unless an actual image file/blob/URL is returned

- Edits route to img2img / inpainting only; no silent text-to-image fallback for edits
- Capability-based routing — every provider has explicit flags
- Every provider call has a hard timeout (45/60/120 s) with AbortController
- Loading state always clears in `finally{}`
- Cache strings only go forward, never backward
- Surgical revert only — never blanket reset
- No iPad-side WASM or large-model loads without a strict memory test first

Shipped to code (v17dn through v17e9)

- 17 image providers with capability flags
- 6 chat providers with text-only locks
- runImageTask facade · ADD_OBJECT auto-placement · Manual Mask painter · Output Receipts · Test Keys · Scene Lock 1000-char preservation · withTimeout · capability gates · skipped-reasons surfaced · debug line · sharpening post-step · export-prompt fallback · Editor Tools / Mask Tools section

Open roadmap

1. Background removal (PARKED — both attempts crashed iPad)
2. rembg via Transformers.js + WebGPU
3. More Jimp ops (resize / crop / flip / compose)
4. Output Verification (vision diff + auto-retry)
5. Identity Lock (face embedding via IP-Adapter / InstantID)
6. Structured prompt-rewrite layer
7. Character Cards UI
8. 3-mode toggle UI (strict / moderate / loose)
9. Add / Remove / Merge images explicit flows
10. Lottie loading animations
11. Voice-driven editing (Web Speech)
12. Verse → Scene · Image → Verse · Visualize as I read · One-tap Make a Book Cover
13. Curated style library · GFPGAN/CodeFormer wiring · Real-ESRGAN routing · SiliconFlow verification · HF Spaces connector
14. Cohesive icon set across ACR / Attain / Attain Jr / Study

15. App Store readiness (NSFW / watermark / privacy / vault)
16. Image → Video (5 tiers — basic motion · SVD · AnimateDiff · Talking Avatar · Effects)
17. Batch edits
18. Tier-4 backlog (timeline / multi-language / wallpaper / daily inspiration / alt-text / offline queue / style translation)
19. Polish backlog (A/B compare / history gallery / cache / auto-enhance / prompt enhance / camera roll / share-target / recipe / health UI)