

- (1)ENIAC（Electronic Numerical Integrator And Computer，电子数字积分计算机）[出处:P1]
- (2)电子管 [出处:P1]
- (3)晶体管 [出处:P1]
- (4)集成电路 [出处:P1]
- (5)微处理器 [出处:P2]
- (6)精简指令系统计算机 RISC（如 1985 年推出的 MIPS 机）[出处:P2]
- (7)复杂指令系统计算机 CISC（如 1978 年推出的 SPARC）[出处:P2]
- (8)IC 设计 [出处:P2]
- (9)IC 制造 [出处:P2]
- (10)IC 封测 [出处:P2]
- (11)光刻 [出处:P2]
- (12)栅极 [出处:P3]
- (13)存储程序 [出处:P4]
- (14)程序控制 [出处:P4]
- (15)存储器 [出处:P4]
- (16)控制器 [出处:P4]
- (17)运算器 [出处:P4]
- (18)公共 [出处:P7]
- (19)数据线 [出处:P7]
- (20)单 [出处:P5]
- (21)一 [出处:P7]
- (22)多 [出处:P7]
- (23)逻辑门 [出处:P9]
- (24)微代码 [出处:P9]
- (25)指令集架构 [出处:P9]
- (26)汇编 [出处:P9]
- (27)最高 [出处:P25]
- (28)最低 [出处:P25]
- (29)均匀 [出处:P25]
- (30) 2^{-n} [出处:P26]
- (31)阶码 [出处:P26]
- (32)精度 [出处:P26]
- (33)最小值 [出处:P26]
- (34)下溢 [出处:P26]
- (35)机器 0 [出处:P26]
- (36)发现 [出处:P42]
- (37)纠正 [出处:P42]
- (38)冗余 [出处:P42]
- (39)码距 [出处:P43]
- (40)4 [出处:P47]
- (41)2 [出处:P47]
- (42)1 [出处:P47]
- (43)模 2 [出处:P49]
- (44)循环 [出处:P51]

(45)行波 [出处:P65]
(46)先行 [出处:P65]
(47)生成 [出处:P67]
(48)传递 [出处:P67]
(49)局部性 [出处:P97]
(50)速度 [出处:P97]
(51)容量 [出处:P97]
(52)金字塔 [出处:P97]
(53)易失 [出处:P96]
(54)负载 [出处:P101]
(55)双稳态 [出处:P101]
(56)行 [出处:P103]
(57)列 [出处:P103]
(58)电荷 [出处:P106]
(59)预充 [出处:P107]
(60)访问 [出处:P107]
(61)信号检测 [出处:P107]
(62)数据恢复 [出处:P107]
(63)再生放大电路 [出处:P106]
(64)行 [出处:P107]
(65)计数器 [出处:P107]
(66)刷新周期 [出处:P108]
(67)内存争用 [出处:P108]
(68)死区 [出处:P108]
(69)分散 [出处:P108]
(70)异步 [出处:P108]
(71)开关 [出处:P110]
(72)熔丝 [出处:P111]
(73)一 [出处:P111]
(74)浮栅型 [出处:P111]
(75)紫外线 [出处:P111]
(76)某一 [出处:P112]
(77)非易失性 [出处:P112]
(78)单体多字 [出处:P119]
(79)交叉 [出处:P121]
(80) $m\tau$ [出处:P121]
(81)流水线 [出处:P121]
(82)时间 [出处:P122]
(83)空间 [出处:P122]
(84)载入 [出处:P124]
(85)一致 [出处:P124]
(86)写回 [出处:P124]
(87)写分配 [出处:P124]

- (88)全相联 [出处:P128]
- (89)CAM [出处:P126]
- (90)块冲突 [出处:P130]
- (91)组相联 [出处:P126]
- (92)LRU [出处:P135]
- (93)按需加载 [出处:P138]
- (94)转换表 [出处:P138]
- (95)缺页 [出处:P138]
- (96)异常处理程序 [出处:P138]
- (97)物理地址 [出处:P139]
- (98)辅存地址 [出处:P139]
- (99)对应 [出处:P139]
- (100)MMU [出处:P139]