

Expediente Clinico Digital - Web Form

Design Document / PRD - Spec Vault Intake Edition v1.1

Source of truth: Historial_clinico_corto_small.pdf (T.F. Naxielly Z. Franco Ascencio, fisioterapeuta). This document converts the 5-page paper clinical record into an implementation-ready web form specification. Approx. 110 total inputs consolidated into 6 reusable components across a 5-step wizard.

1. Actors and Roles

Primary user: the physiotherapist (single operator), filling the form chairside on a tablet or desktop. No patient-facing access in v1. No multi-user auth required in v1; a single therapist login is acceptable. Records belong to patients; one patient has many expedientes over time (one per intake), and each expediente owns many treatment plan sessions.

2. Global Constraints (hard rules)

#	Constraint
GC-1	Stack: zero-dependency PHP 8 + MySQL on Apache (LAMP), vanilla JS frontend. No bundlers, no frontend frameworks. Same architectural family as the quantix/iacase stack: PHP class-based AJAX responders returning JSON.
GC-2	Wrap and extend, never rewrite: if integrated into an existing project workspace, do not modify existing API surfaces.
GC-3	All form labels in Spanish, mirroring the paper record exactly. This is a legal clinical document; label fidelity is mandatory. Code, comments and docs in English.
GC-4	Validation warns, never blocks. Only field 'Nombre' is required. Therapists routinely skip fields; the form must save partial records.
GC-5	Autosave: draft persisted on every step change and on field blur. localStorage first (instant), server sync via AJAX (durable). Clinical settings guarantee interruptions.
GC-6	Every Si/No pair is a three-state segmented toggle (Si / No / unset). Two checkboxes like the paper form is forbidden - it allows contradictory states.
GC-7	Computed fields are read-only in the UI and recomputed server-side on save: Edad, Total marcha, Total general.
GC-8	Touch-first: minimum 44px touch targets, works on a 10-inch tablet in portrait.
GC-9	UI theme: clean clinical palette; primary accent may follow the therapist brand pink/coral from the paper form. No hardcoded magic colors - CSS variables.

3. Data Entities

Entity	Purpose	Key fields
patient	Person master record	id, nombre, ocupacion, fecha_nacimiento, sexo, estado_civil, domicilio, tel, cel, familiar_responsable, familiar_tel, familiar_cel, created_at
expediente	One clinical intake per patient visit-cycle; owns everything below	id, patient_id, status (draft/complete), eva_dolor (0-10, nullable), notas_generales, notas_plan, created_at, updated_at
antecedente	One row per Si/No item (17 fixed items across two groups)	id, expediente_id, grupo (patologico/no_patologico), item_key, valor (si/no/null), especificacion
exploracion	Physical exam + functional assessment (1:1 with expediente)	estatura_cm, peso_kg, fc, fr, ta, arcos_movimiento, fuerza_muscular, marcha_descriptiva, reflejos, sensibilidad, lenguaje_orientacion, otros
cicatriz	Surgical scar block (0..1 per expediente)	presenta (bool), sitio, queloides, retractor, abierta, con_adherencia, hipertrofica (each si/no/null)

Entity	Purpose	Key fields
padecimiento	Current condition narrative (1:1)	motivo_consulta, inicio, evolucion, estudios, tratamientos_previos
problema	Identified problems, 8 fixed rows	id, expediente_id, item_key, severidad (leve/moderado/severo/na/null), nota
plan_sesion	Treatment plan rows, dynamic 1..N	id, expediente_id, fecha, indicaciones, orden
marcha	Gait observation flags + Tinetti gait scores (1:1)	libre..otros (6 bools), otros_espec, observaciones, 10 scored criteria fields, total_balance_manual, computed totals

4. Screen Sequence: 5-Step Wizard

Persistent elements on every step: progress bar (step names, not numbers), patient name header once known, autosave status indicator ('Guardado hace Xs'), Prev/Next navigation, and a jump-to-step menu. Steps never gate on validity (GC-4).

STEP 1 - Datos del Paciente (12 inputs)

Field (label exactly as shown)	Type	Behavior
Nombre	text	Required. Autofocus.
Ocupacion	text	
Fecha de nacimiento	date picker	
Edad	computed read-only	Derived from fecha de nacimiento. If birthdate empty, becomes an editable number input.
Sexo	select	Femenino / Masculino / Otro
E. Civil	select	Soltero(a) / Casado(a) / Union libre / Divorciado(a) / Viudo(a)
Domicilio	text long	
Tel / Cel	tel x2	10-digit MX mask, non-blocking
Familiar responsable	text	
Tel / Cel (familiar)	tel x2	Same mask

STEP 2 - Antecedentes (17 ToggleWithSpec items)

Component ToggleWithSpec: label + segmented [Si | No] toggle; selecting Si reveals an inline 'Especificaciones' text input with slide animation; selecting No hides and clears it; unset by default.

Group A - Antecedentes Patologicos y Heredofamiliares (11 items): Diabetes, Alergia, HTA, Cancer, Marcapasos, En. Reumaticas, Encames, Accidentes, Cardiopatias, Cirugias, Fracturas.

Group B - Antecedentes No Patologicos y Salud (6 items): Tabaquismo, Alcoholismo, Drogas, Actividad Fisica, Embarazo, Hijos (spec placeholder: 'Cuantos?').

Clinical safety rule: Marcapasos = Si or Embarazo = Si renders a persistent WarningBadge ('Contraindicacion posible: verificar modalidades de electroterapia / agentes fisicos') visible on Step 2 and echoed in the Step 4 plan header. Badge is informational, never blocking.

STEP 3 - Exploracion y Valoracion (34 inputs)

3a. Exploracion Fisica

Field	Type	Notes
Estatura (cm)	number	DECISION D-1 applied: paper form's Talla and Estatura merged into single Estatura in cm. Override: if therapist confirms Talla is a distinct measure (e.g. talla sentado), add it back as its own numeric field.
Peso (kg)	number	
F/C	number	unit hint: lpm
F/R	number	unit hint: rpm
T/A	masked text	pattern ####/### mmHg
Arcos de movimiento	textarea	
Fuerza Muscular	textarea	placeholder hint: escala Daniels 0-5

Field	Type	Notes
Marcha (descriptiva)	textarea	Free text; structured gait scoring lives in Step 5.

3b. Valoracion Funcional: four textareas - Reflejos, Sensibilidad, Lenguaje/orientacion, Otros.

3c. Cicatriz Quirurgica: master toggle 'Presenta cicatriz quirurgica?' collapsed by default. When Si: Sitio (text) plus five INDEPENDENT Si/No toggles - Queloide, Retractil, Abierta, Con adherencia, Hipertrofica. A scar can be several at once; a radio group is forbidden here.

3d. Padecimiento Actual: five generous textareas - Motivo de consulta, Inicio, Evolucion, Estudios, Tratamientos previos.

3e. Valoracion Dolor (EVA): slider 0-10, step 1, large thumb. Live feedback: emoji face + color band matching the paper scale (0 gris 'Sin dolor', 2 azul 'Dolor leve', 4 amarillo 'Dolor moderado', 6 verde 'Dolor severo', 8 negro 'Dolor muy severo', 10 rojo 'Maximo dolor'). Stored as integer; null until the user touches it - zero is a real answer, not a default.

3f. Problemas Identificados: 8 fixed rows - Dolor, Edema, Limitacion articular, Contractura, Supuracion, Infeccion, Inmovilizacion, Ayuda para marcha. DECISION D-3 applied: each row gets a severity select (Leve / Moderado / Severo / No aplica) plus an optional short note input. Override: replace with a single free-text 'Valoracion' input per row to mirror the paper exactly.

STEP 4 - Plan de Tratamiento (dynamic)

Repeatable row component: Fecha (date) + Indicaciones (frecuencia y duracion) (textarea) + delete button. '+ Agregar sesion' appends a row; start with one empty row; rows keep an explicit orden field for stable sorting. The paper form's 7 rows are a paper limitation, not a spec. Below the rows: 'Notas' - one large textarea (the big notes box from paper page 3). If a clinical WarningBadge is active (Step 2 rule), it is echoed above the plan rows.

STEP 5 - Marcha y Analisis de Marcha (Tinetti gait)

5a. Marcha / Deambulacion: six independent checkboxes (not exclusive - Claudicante and Con ayuda can coexist): Libre, Claudicante, Con ayuda, Espasticas, Ataxica, Otros. 'Otros' checked reveals a small spec input. One shared 'Observaciones' textarea for the whole block.

5b. Analisis de Marcha: ten ScoredRadioGroup criteria, one selection each, score value visible next to each option, totals recomputed live and read-only:

Criterion (label in Spanish per paper)	Options and scores
Inicio de la marcha	Duda, vacila o multiples intentos (0) / No vacilante (1)
Paso - pie derecho, longitud	No sobrepasa al izquierdo en balanceo (0) / Sobrepasa al izquierdo (1)
Paso - pie derecho, altura	No se levanta completamente del suelo (0) / Se levanta completamente (1)
Paso - pie izquierdo, longitud	No sobrepasa al derecho en balanceo (0) / Sobrepasa al derecho (1)
Paso - pie izquierdo, altura	No se levanta completamente del suelo (0) / Se levanta completamente (1)
Simetria del paso	Longitud derecha e izquierda diferente (0) / Pasos iguales en longitud (1)
Continuidad de los pasos	Para o hay discontinuidad (0) / Pasos continuos (1)
Trayectoria	Marcada desviacion (0) / Desviacion moderada, media o utiliza ayudas (1) / Derecho sin ayudas (2)
Tronco	Marcado balanceo o utiliza ayudas (0) / No balanceo pero flexion de rodillas, espalda o brazos en extension (1) / No balanceo ni flexion ni ayudas (2)
Postura en la marcha	Talones separados (0) / Talones casi se tocan al caminar (1)

Resultados: Total marcha = computed sum, maximum 12 (standard Tinetti gait subscale - matches the paper).

DECISION D-2 applied: 'Total' (balance subscale) is a MANUAL number input (0-16) labeled 'Total equilibrio (manual)', because the paper record contains no balance section yet its results table expects one. Total general = Total marcha + Total equilibrio, computed, max 28. Override options: hide the balance row entirely, or add the full Tinetti balance section as a future phase (out of scope for v1).

5. Reusable Component Registry

Component	Instances	Contract
ToggleWithSpec	17	Si/No/unset segmented control; Si reveals spec input; No clears it; emits {valor, especificacion}.
ScoredRadioGroup	10	Radio list with per-option score; emits integer; feeds live total recompute.
RepeatableRow	1	Add/remove/reorder plan sessions; min 1 visible row; stable orden.
PainSlider	1	0-10 slider, face+color feedback, null-until-touched semantics.
ComputedField	3	Edad, Total marcha, Total general; read-only, client compute + server recompute on save.
WarningBadge	2	Marcapasos, Embarazo contraindication notices; informational only.

6. Delivery Phases (dependencies explicit)

#	Phase	Stance	Depends on	Scope and acceptance criteria
01	Schema + shell + Step 1	build	-	MySQL migrations for all Section 3 entities; PHP JSON responders (create/load/save expediente draft); wizard shell with progress bar; Step 1 complete with Edad autocompute. ACCEPT: a draft can be created, filled with patient data, saved, reloaded.
02	ToggleWithSpec + Step 2	build	01	Component built once, instantiated 17 times from a config array (item_key, label, grupo). WarningBadge wired for Marcapasos/Embarazo. ACCEPT: toggles persist tri-state correctly; Si reveals spec; badges appear and survive reload.
03	Step 3 full	build	01	Exploracion fisica, valoracion funcional, cicatriz collapsible block, padecimiento textareas, PainSlider (null-until-touched), problemas grid with severity selects. ACCEPT: EVA null vs 0 distinguished in DB; cicatriz sub-fields cleared when master toggle = No.
04	Step 4 plan rows	build	01	RepeatableRow with add/remove/reorder + notas. ACCEPT: 1..N rows persist with stable order; deleting middle row keeps order; empty rows not saved.
05	Step 5 gait + scoring	build	01	Checkbox block + 10 ScoredRadioGroups + manual balance input + computed totals (client and server recompute must agree). ACCEPT: Total marcha maxes at 12; Total general = marcha + manual balance; totals correct after partial scoring.
06	Autosave + resilience	harden	02-05	localStorage draft mirror, server sync on blur/step-change, conflict rule last-write-wins with timestamp display, offline banner. ACCEPT: kill the tab mid-entry, reopen, nothing typed is lost.
07	QA dual verdict	debug	06	Pinche Viejito Necio QA Framework: functional pass (every field persists and reloads byte-exact) AND zero-friction usability pass on tablet (no dead taps, no scroll traps, badge visibility). ACCEPT: both verdicts pass; punch list emptied.

7. Resolved Decisions (defaults applied; override before Phase 01 if wrong)

ID	Decision	Default applied	Override path
D-1	Talla vs Estatura duplicated on paper	Merged into single Estatura (cm)	Add Talla back as separate numeric field if therapist confirms distinct meaning.
D-2	Tinetti 'Total' has no source section on paper	Manual input 'Total equilibrio (manual)' 0-16	Hide the row, or build full Tinetti balance section as new phase.
D-3	Problemas identificados valuation format	Severity select + optional note	Single free-text per row to mirror paper exactly.
D-4	Layout pattern	5-step wizard (tablet-first)	Single-scroll with sticky section nav.

8. Out of Scope (v1)

Multi-therapist auth and roles; patient portal; PDF export of the completed expediente (natural v2); Tinetti balance section UI; appointment scheduling; any modification of existing project APIs (GC-2).