


GREENVALE POLLUTION REDUCTION PLANNER (USER MANUAL)

TABLE OF CONTENTS

I. Installing R and RStudio.....	1
II. Setting up the Project Folder and Directory.....	1
III. Package Installation and Project Setup.....	2
IV. Running the Project.....	3

I. Installing R and RStudio

1. Download and Install **R** and **RStudio Desktop** from **Posit R** download page.



The screenshot shows the Posit website's navigation bar with links: PRODUCTS, FREE & OPEN SOURCE, USE CASES, PARTNERS, LEARN & SUPPORT, and ABOUT. Below the navigation bar, there are two main sections: "1: Install R" and "2: Install RStudio".

1: Install R

RStudio requires R 3.6.0+. Choose a version of R that matches your computer's operating system.

R is not a Posit product. By clicking on the link below to download and install R, you are leaving the Posit website. Posit disclaims any obligations and all liability with respect to R and the R website.

[DOWNLOAD AND INSTALL R](#)

2: Install RStudio

[DOWNLOAD RSTUDIO DESKTOP FOR WINDOWS](#)

Size: 296.74 MB | [SHA-256: 439D3200](#) | Version: 2025.09.2+418 | Released: 2025-10-29

2. For installation, follow the directions indicated.

3. Open **RStudio** after installation.

II. Setting up the Project Folder and Directory

1. Download the project zip file of the project and **extract** its contents to a folder on your computer.

2. Ensure the project folder name is **valid**. It should contain the following files:

 www	File folder
 app.R	R File
 projects.csv	XLS Worksheet
 SimplexMinimization.R	R File
 targets.csv	XLS Worksheet
 UserManual.pdf	WPS PDF Document

3. In RStudio's **Console** (bottom-left window), type **getwd()** and run it once (press **Enter**) to check the current working directory (will be shown in the Console).

```
> getwd()  
[1] "C:/Users/Amiel De Castro/Documents"
```

4. If the current working directory is **not** the project directory (folder name of the project), proceed to step 3. Otherwise, you may skip step 3.

5. To change the working directory, type **setwd("<file path>")** in the Console and run it once to set working directory to the directory of the project. After running it, type **getwd()** and run it again to confirm that the working directory has successfully changed.

```
> setwd("C:/Users/Amiel De Castro/Downloads/DeCastroCMSC150_Project")  
> getwd()  
[1] "C:/Users/Amiel De Castro/Downloads/DeCastroCMSC150_Project"
```

6. Once the working directory is set correctly, you can proceed to install the required packages and load project files.

III. Package Installation and Project Setup

1. In RStudio, go to the **Console** (bottom-left window).

2. Type the following exactly as shown, then press **Enter** after each line:

```
install.packages("shiny")  
install.packages("shinydashboard")
```

*This installs the software your project needs to run. Wait until it finishes.

3. After the download finishes, the project is ready to run.


IV. Running the Project

1. Open the **app.R** file found in the **Project Folder**.



2. It should open the RStudio application and present the project code on screen.

3. In RStudio's **Menu**, click **Run App** found in the top-right corner of the script window.



4. The project will now be opened.

5. Follow the instructions in the app to use it. You can interact with your project using the buttons and fields shown in the app interface.