



VINYAN STUDIO • MIND & CALM SERIES

SLEEP & INSOMNIA Workbook

Trackers, Logs & Reflections for Better Nights

How to Use This Workbook

This workbook pairs with the Sleep & Insomnia Reset Guide. Where the guide explains the 'why,' this workbook is where the practice happens — the trackers, the wind-down builder, the nighttime thought logs that turn reading into an actual, repeatable routine.

There's no required order. Start with the Sleep Tracker if you want a baseline, or jump straight to the Wind-Down Routine Builder if you already know where to begin. Each page is designed to be used repeatedly — photocopy, print extra pages, or fill in digitally as needed.

A Few Tips Before You Start

- Fill in your tracker each morning, while the previous night is still fresh — not days later from memory.
- Don't aim for a perfect streak. Missing a day or two doesn't undo the value of the days you did track.
- Review your patterns weekly rather than obsessing over any single night — Chapter 46 of the Guide covers why this matters.
- If a worksheet doesn't feel relevant to you right now, skip it and come back later — nothing here is mandatory in a fixed order.

Daily Sleep Tracker

Fill this in each morning to build a picture of your patterns over time. Two weeks of entries is usually enough to start noticing real patterns.

Date	Bedtime	Wake Time	Time to Fall Asleep	Wake-Ups	Rested (1–10)

Daily Sleep Tracker — Continued

A second tracker sheet, for whenever your first one fills up — most people find two to three weeks of tracking gives a much clearer picture than a few scattered nights.

Date	Bedtime	Wake Time	Time to Fall Asleep	Wake-Ups	Rested (1–10)

Wind-Down Routine Builder

Design your personal sequence — 3 to 5 steps, done in the same order, starting 30–45 minutes before bed. Consistency matters more than the exact activities you choose, so pick things you'll realistically repeat most nights.

Example Routine, for Reference

- Dim household lights and put screens away or switch to night mode.
- A warm shower or a few minutes of light stretching.
- Reading a physical book or light journaling for 10 minutes.
- Lights out at a consistent time.

My Own Routine

Step 1:

Step 2:

Step 3:

Step 4:

Step 5:

Wind-Down Completion Tracker

Track how consistently you're following your routine — completion, not perfection, is the goal. A routine followed 5 nights out of 7 is already doing meaningful work.

Date	Routine Followed?	Bedtime	How I Felt
	■		
	■		
	■		
	■		
	■		
	■		
	■		
	■		
	■		
	■		
	■		
	■		
	■		
	■		
	■		

Sleep Disruptor Audit

Check any that apply to you most nights, based on Chapter 5 of the Guide. Most people find two or three disruptors are doing most of the damage, not all of them equally.

Irregular sleep/wake times, including weekends	☐
Screens within an hour of bed	☒
Caffeine after midday	☒
Alcohol in the evening	☒
Uncomfortable room temperature	☒
Noise disruptions	☒
Unresolved evening stress or worry left unprocessed	☒
Heavy, spicy, or very late meals	☒
Long or late-afternoon naps	☒
Checking a sleep-tracking app anxiously	☒

The 1–2 disruptors I'll address first, and how:



Racing Thoughts Log

Use this when you wake with racing thoughts, ideally jotting the thought down rather than replaying it mentally. Set it aside for tomorrow's worry window rather than trying to resolve it at 2 a.m.

Entry 1 — What woke me up or kept me up:

Entry 2 — What woke me up or kept me up:

Entry 3 — What woke me up or kept me up:

Entry 4 — What woke me up or kept me up:

Entry 5 — What woke me up or kept me up:

Nighttime Thought Challenge Worksheet

Use this whenever a sleep-related anxious thought feels overwhelming. A worked example is shown first, followed by two blank copies for your own use.

Example — Thought: "If I don't fall asleep in the next 10 minutes, tomorrow is ruined." Distortion: catastrophizing. Evidence against: I've functioned reasonably well on short sleep before. Balanced thought: "A shorter night is uncomfortable, not catastrophic."

Worksheet 1

1. What is the anxious thought?

2. Which distortion does it match?

3. What's the actual evidence for and against it?

4. A more balanced, realistic thought:

Worksheet 2

1. What is the anxious thought?

2. Which distortion does it match?

3. What's the actual evidence for and against it?

4. A more balanced, realistic thought:

Evening Worry Window

Use this page during your dedicated 10–15 minute worry window earlier in the evening — not at bedtime. The goal is giving worries a designated place, so they're less likely to surface right as you're trying to fall asleep.

What's on my mind today:

What actually needs action, versus what's just noise:

Pre-Sleep Brain Dump

A quick, unfiltered dump of anything lingering before you turn the lights off. Don't worry about organizing your thoughts — the goal is externalizing them, not producing a tidy list.

What's on my mind right now:

What tomorrow needs from me:

One thing that went okay today, even something small:

Sleep Environment Audit

Walk through your bedroom with these in mind, based on Chapter 13 of the Guide.

Room is dark enough (blackout curtains or eye mask if needed)	☐
Room is cool (roughly 60–67°F / 15–19°C)	☒
Bedding and pillows are comfortable	☒
Noise is controlled, masked, or minimal	☒
Bed used mainly for sleep, not work or scrolling	☒
Screens kept out of arm's reach or out of the bedroom entirely	☒
Clock isn't easily visible from bed	☒

One environment change I'll make this week:

Caffeine & Alcohol Tracker

Track intake and timing alongside how you slept, to spot your own patterns rather than following a generic rule. Two weeks of data usually makes the pattern clear.

Date	Last Caffeine	Alcohol (Y/N)	Sleep Quality (1–10)

Exercise & Sleep Log

Track movement alongside sleep onset and quality — many people find a clear connection within a few weeks of logging both together.

Date	Exercise (Type/Time)	Sleep Onset (min)	Rested (1–10)

Weekly Sleep Reflection — Week 1

Average time to fall asleep this week:

Pattern I noticed in my sleep or triggers:

What helped most this week:

What I'll try differently next week:

One night I'm proud of, even a small win:

Weekly Sleep Reflection — Week 2

Average time to fall asleep this week:

Pattern I noticed in my sleep or triggers:

What helped most this week:

What I'll try differently next week:

One night I'm proud of, even a small win:

Weekly Sleep Reflection — Week 3

Average time to fall asleep this week:

Pattern I noticed in my sleep or triggers:

What helped most this week:

What I'll try differently next week:

One night I'm proud of, even a small win:

Weekly Sleep Reflection — Week 4

Average time to fall asleep this week:

Pattern I noticed in my sleep or triggers:

What helped most this week:

What I'll try differently next week:

One night I'm proud of, even a small win:

Weekly Sleep Reflection — Week 5

Average time to fall asleep this week:

Pattern I noticed in my sleep or triggers:

What helped most this week:

What I'll try differently next week:

One night I'm proud of, even a small win:

Weekly Sleep Reflection — Week 6

Average time to fall asleep this week:

Pattern I noticed in my sleep or triggers:

What helped most this week:

What I'll try differently next week:

One night I'm proud of, even a small win:

Weekly Sleep Reflection — Week 7

Average time to fall asleep this week:

Pattern I noticed in my sleep or triggers:

What helped most this week:

What I'll try differently next week:

One night I'm proud of, even a small win:

Weekly Sleep Reflection — Week 8

Average time to fall asleep this week:

Pattern I noticed in my sleep or triggers:

What helped most this week:

What I'll try differently next week:

One night I'm proud of, even a small win:

Monthly Sleep Review

How this month compares to last month:

One pattern I now understand better about my sleep:

One thing I'll keep doing next month:

One thing I'll adjust:

Quarterly Sleep Review

A longer-range check-in, useful every three months to see the bigger pattern beyond any single week or month.

How has my sleep changed over the last 3 months?

Which techniques have become automatic habits by now?

Which techniques have I stopped using, and should I bring back?

My focus for the next 3 months:

30-Day Disruptor Re-Check

Revisit your Sleep Disruptor Audit from earlier in this workbook. Has anything changed?

Disruptor	Better	Same	Worse
Irregular sleep/wake times, including weekends	Better	Same	Worse
Screens within an hour of bed	Better	Same	Worse
Caffeine after midday	Better	Same	Worse
Alcohol in the evening	Better	Same	Worse
Uncomfortable room temperature	Better	Same	Worse
Noise disruptions	Better	Same	Worse
Unresolved evening stress or worry left unprocessed	Better	Same	Worse
Heavy, spicy, or very late meals	Better	Same	Worse

Dream & Nightmare Log

If anxious dreams or nightmares are a recurring pattern for you, tracking themes can help — see Chapter 42 of the Guide.

Date	Dream Theme / Content	Anxiety Level (1–10)	Possible Daytime Link

Sleep Myths Quick-Check

A quick reference from Chapter 6 of the Guide — revisit this whenever an old sleep myth starts creeping back into your thinking.

Myth	True	False
Everyone needs exactly 8 hours of sleep.	■	■
Lying in bed resting is nearly as good as sleeping.	■	■
You can fully catch up on lost sleep over a weekend.	■	■
Alcohol helps you sleep better.	■	■
If you can't sleep, you should stay in bed and keep trying.	■	■

All five are myths — see Chapter 6 of the Guide for the fuller explanation of each.

My Personal Commitment

A short, personal anchor for the weeks ahead.

The one wind-down practice I'll start tonight is:

The one sleep disruptor I'll address this week is:

Signed (optional): _____ **Date:** _____

My Sleep Toolkit

Narrow everything in the Guide down to the tools that are actually yours, so you're not trying to use everything at once during a harder stretch.

My go-to wind-down element:

My go-to cognitive technique:

My go-to body-based technique (breathing, PMR, etc.):

My escalation plan — what would tell me it's time to see a doctor:

90-Day Sleep Vision

Looking further out than a single night or week helps anchor the smaller daily practices in something meaningful.

In 90 days, a typical night looks like:

The habits that will get me there:

How I'll know it's working:

Sleep Wins Log

Fill in one line whenever something related to sleep goes better than expected, however small — a running collection to revisit on harder nights.

My Support Network

List the people or resources you can turn to if sleep difficulty starts feeling like more than you can manage alone.

Name / Resource	How They Can Help	Contact

Closing Notes

Use this page freely for anything that doesn't fit elsewhere — a thought, a reminder, or a note to your future self on a harder night.