Nama: Viola Gladis Adintya

NIM: 242410101044

Kelas: A

AKTIVITAS MANDIRI 5 — CRUD Lengkap Mahasiswa

1. Buat Resource Controller: php artisan make:controller MahasiswaController --resource --model=Mahasiswa

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan make:controller AlatController --resource --model=Alat

  INFO  Controller [D:\Summitbuddy - PWEB Laravel\summitbuddy-app\app\Http\Controllers\AlatController.php] created successfully.
```

2. Daftarkan di routes/web.php: Route::resource('mahasiswa', MahasiswaController::class)

```
summitbuddy-app > routes > web.php
<?php

use App\Http\Controllers\AlatController;
use App\Http\Controllers\HomeController;
use App\Http\Controllers\DataAlatController;
use App\Http\Controllers\FormSewaController;

Route::get('/', [HomeController::class, 'index'])->name('home');
Route::get('/data-alat', [DataAlatController::class, 'index'])->name('data-alat');
Route::get('/form-sewa', [FormSewaController::class, 'index'])->name('form-sewa');
Route::post('/form-sewa', [FormSewaController::class, 'store'])->name('form-sewa.store');

Route::get('/kelola-alat', [AlatController::class, 'kelola'])->name('kelola-alat');

Route::resource('alat', AlatController::class);
```

3. Buat semua view: mahasiswa/index.blade.php (tabel + pagination), create.blade.php (form), edit.blade.php (form pre-filled), show.blade.php (detail)

```
views
  alat
    create.blade.php   U
    edit.blade.php     U
    index.blade.php    U
    show.blade.php     U
```

4. Implementasi method index() — ambil semua mahasiswa dengan paginate(10) dan tampilkan ke view

```php
public function index()
{
    $alats = Alat::latest()->paginate(10);
    return view('alat.index', compact('alats'));
}
```

5. Implementasi create() dan store() — dengan validasi nim (unique), nama (min:3), email (email|unique), jurusan (in:SI,TI,MI)

```php
public function create()
{
    return view('alat.create');
}
```

```php
public function store(Request $request)
{
    $validated = $request->validate([
        'kode' => 'required|string|max:10|unique:alats',
        'nama' => 'required|string|min:3|max:100',
        'kategori' => 'required|in:Tenda,Carrier,Sleeping,Kompor,Aksesoris',
        'stok' => 'required|integer|min:0',
        'harga' => 'required|numeric|min:0',
        'deskripsi' => 'nullable|string',
        'foto' => 'nullable|image|mimes:jpg,jpeg,png|max:2048',
        'tgl_masuk' => 'required|date',
    ]);

    if ($request->hasFile('foto')) {
        $validated['foto'] = $request->file('foto')->store('alat', 'public');
    }

    Alat::create($validated);

    return redirect()->route('kelola-alat')->with('success', '✅ Alat berhasil ditambahkan!');
}
```

6. Implementasi edit() dan update() — tampilkan form dengan old() atau $mahasiswa->field, validasi unique kecuali ID ini

```php
public function edit(Alat $alat)
{
    return view('alat.edit', compact('alat'));
}

public function update(Request $request, Alat $alat)
{
    $validated = $request->validate([
        'kode' => 'required|string|max:10|unique:alats,kode,' . $alat->id,
        'nama' => 'required|string|min:3|max:100',
        'kategori' => 'required|in:Tenda,Carrier,Sleeping,Kompor,Aksesoris',
        'stok' => 'required|integer|min:0',
        'harga' => 'required|numeric|min:0',
        'deskripsi' => 'nullable|string',
        'foto' => 'nullable|image|mimes:jpg,jpeg,png|max:2048',
        'tgl_masuk' => 'required|date',
    ]);

    if ($request->hasFile('foto')) {
        if ($alat->foto) {
            Storage::disk('public')->delete($alat->foto);
        }
        $validated['foto'] = $request->file('foto')->store('alat', 'public');
    }

    $alat->update($validated);

    return redirect()->route('alat.index')->with('success', '✅ Alat berhasil diupdate!');
}
```

7. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus

```php
public function destroy(Alat $alat)
{
    if ($alat->foto) {
        Storage::disk('public')->delete($alat->foto);
    }
    $alat->delete();

    return redirect()->route('alat.index')->with('success', '✅ Alat berhasil dihapus!');
}
}
```

```blade
<form action="{{ route('alat.destroy', $alat) }}" method="POST" style="display:inline;">
    @csrf
    @method('DELETE')
    <button type="submit" class="btn-hapus" onclick="return confirm('Yakin hapus data ini?')">Hapus</button>
</form>
```

8. Tambahkan flash message di layout dan tampilkan session('success') / session('error')

```blade
<div class="container">
    @if(session('success'))
        <div class="alert alert-success">
            {{ session('success') }}
        </div>
    @endif

    @if(session('error'))
        <div class="alert alert-error">
            {{ session('error') }}
        </div>
    @endif

    @yield('content')
</div>
```

```php
Alat::create($validated);

return redirect()->route('kelola-alat')->with('success', '✅ Alat berhasil ditambahkan!');
```

```php
$alat->update($validated);

return redirect()->route('kelola-alat')->with('success', '✅ Alat berhasil diupdate!');
```

```php
    }
    $alat->delete();

    return redirect()->route('kelola-alat')->with('success', '✅ Alat berhasil dihapus!');
}
```

9. BONUS: Tambahkan fitur upload foto profil dengan validasi image|mimes:jpg,png|max:2048

```php
public function store(Request $request)
{
    $validated = $request->validate([
        'kode' => 'required|string|max:10|unique:alats',
        'nama' => 'required|string|min:3|max:100',
        'kategori' => 'required|in:Tenda,Carrier,Sleeping,Kompor,Aksesoris',
        'stok' => 'required|integer|min:0',
        'harga' => 'required|numeric|min:0',
        'deskripsi' => 'nullable|string',
        'foto' => 'nullable|image|mimes:jpg,jpeg,png|max:2048',
        'tgl_masuk' => 'required|date',
    ]);

    if ($request->hasFile('foto')) {
        $validated['foto'] = $request->file('foto')->store('alat', 'public');
    }

    Alat::create($validated);

    return redirect()->route('alat.index')->with('success', '✅ Alat berhasil ditambahkan!');
}
```

```php
public function update(Request $request, Alat $alat)
{
    $validated = $request->validate([
        'kode' => 'required|string|max:10|unique:alats,kode,' . $alat->id,
        'nama' => 'required|string|min:3|max:100',
        'kategori' => 'required|in:Tenda,Carrier,Sleeping,Kompor,Aksesoris',
        'stok' => 'required|integer|min:0',
        'harga' => 'required|numeric|min:0',
        'deskripsi' => 'nullable|string',
        'foto' => 'nullable|image|mimes:jpg,jpeg,png|max:2048',
        'tgl_masuk' => 'required|date',
    ]);

    if ($request->hasFile('foto')) {
        if ($alat->foto) {
            Storage::disk('public')->delete($alat->foto);
        }
        $validated['foto'] = $request->file('foto')->store('alat', 'public');
    }

    $alat->update($validated);

    return redirect()->route('alat.index')->with('success', '✅ Alat berhasil diupdate!');
}
```

```
@if($alat->foto)
    <label>Foto Saat Ini</label>
    <img src="{{ asset('storage/' . $alat->foto) }}" width="100" style="border-radius: 10px;">
@endif

<label>Ganti Foto</label>
<input type="file" name="foto">
@error('foto') <small class="error">{{ $message }}</small> @enderror
```

```
@if($alat->foto)
    <img src="{{ asset('storage/' . $alat->foto) }}" width="50" height="50" style="object-fit:cover; border-radius:8px;">
@else
    <img src="https://via.placeholder.com/50?text=No+Image" width="50" height="50">
@endif
```

AKTIVITAS MANDIRI 6 — Middleware & Autentikasi

1. Instal Laravel Breeze: composer require laravel/breeze --dev, kemudian php artisan breeze:install blade

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> composer require laravel/breeze --dev
./composer.json has been updated
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
  - Locking laravel/breeze (v2.4.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
  - Downloading laravel/breeze (v2.4.1)
  - Installing laravel/breeze (v2.4.1): Extracting archive
Generating optimized autoload files
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

  INFO  Discovering packages.

  laravel/breeze ..................................................... DONE
  laravel/pail ....................................................... DONE
  laravel/tinker ..................................................... DONE
  nesbot/carbon ...................................................... DONE
  nunomaduro/collision ............................................... DONE
  nunomaduro/termwind ................................................ DONE

78 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force

  INFO  No publishable resources for tag [laravel-assets].

No security vulnerability advisories found.
Using version ^2.4 for laravel/breeze
```

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan breeze:install blade

  INFO  Installing and building Node dependencies.


added 139 packages, and audited 140 packages in 1m

34 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

> build
> vite build

    vite v8.0.12 building client environment for production...
transforming...     ✓ 3 modules transformed.
    ✗ Build failed in 35.30s
error during build:
Build failed with 1 error:

[UNRESOLVED_IMPORT] Error: Could not resolve './bootstrap' in resources/js/app.js
    ┌─[ resources/js/app.js:1:8 ]
    │
  1 │ import './bootstrap';
    │        ──────────────
    │                │
    │                └──────── Module not found.
────┘


    at aggregateBindingErrorsIntoJsError (file:///D:/Summitbuddy%20-%20PWEB%20Laravel/summitbuddy-app/node_modules/rolldown/dist/shared/error-BrnLyQ-g.m
js:48:18)
    at unwrapBindingResult (file:///D:/Summitbuddy%20-%20PWEB%20Laravel/summitbuddy-app/node_modules/rolldown/dist/shared/error-BrnLyQ-g.mjs:18:128)
    at #build (file:///D:/Summitbuddy%20-%20PWEB%20Laravel/summitbuddy-app/node_modules/rolldown/dist/shared/rolldown-build-D_ShytiL.mjs:3257:34)
    at async buildEnvironment (file:///D:/Summitbuddy%20-%20PWEB%20Laravel/summitbuddy-app/node_modules/vite/dist/node/chunks/node.js:33052:64)
    at async Object.build (file:///D:/Summitbuddy%20-%20PWEB%20Laravel/summitbuddy-app/node_modules/vite/dist/node/chunks/node.js:33474:19)
    at async Object.buildApp (file:///D:/Summitbuddy%20-%20PWEB%20Laravel/summitbuddy-app/node_modules/vite/dist/node/chunks/node.js:33471:153)
    at async CAC.<anonymous> (file:///D:/Summitbuddy%20-%20PWEB%20Laravel/summitbuddy-app/node_modules/vite/dist/node/cli.js:778:3) {
  errors: [Getter/Setter]
}


  INFO  Breeze scaffolding installed successfully.
```

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> npm install

up to date, audited 140 packages in 5s

34 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> npm run dev

> dev
> vite


  VITE v8.0.12  ready in 1268 ms

  ➜  Local:   http://localhost:5173/
  ➜  Network: use --host to expose
  ➜  press h + enter to show help

  LARAVEL v13.6.0  plugin v3.1.0

  ➜  APP_URL: http://localhost
21.09.57 [vite] (client) [optimizer] scanning dependencies...
(!) Failed to run dependency scan. Skipping dependency pre-bundling. Error: The following dependencies are imported but could not be resolved:

  axios (imported by D:/Summitbuddy - PWEB Laravel/summitbuddy-app/resources/js/bootstrap.js)

Are they installed?
    at file:///D:/Summitbuddy%20-%20PWEB%20Laravel/summitbuddy-app/node_modules/vite/dist/node/chunks/node.js:31432:33
    at async file:///D:/Summitbuddy%20-%20PWEB%20Laravel/summitbuddy-app/node_modules/vite/dist/node/chunks/node.js:23221:15


npm install axios
```

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> npm install axios

added 20 packages, and audited 160 packages in 5s

39 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> npm run dev

> dev
> vite

21.21.37 [vite] (client) Re-optimizing dependencies because lockfile has changed
Port 5173 is in use, trying another one...

  VITE v8.0.12  ready in 926 ms

  → Local:   http://localhost:5174/
  → Network: use --host to expose
  → press h + enter to show help

  LARAVEL v13.6.0  plugin v3.1.0

  → APP_URL: http://localhost
21.21.39 [vite] (client) [optimizer] scanning dependencies...
21.21.41 [vite] (client) [optimizer] bundling dependencies...
```

2. Jalankan php artisan migrate untuk membuat tabel users

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan migrate

  INFO  Nothing to migrate.
```

3. Jalankan npm install && npm run dev untuk build assets

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> npm install

up to date, audited 160 packages in 5s

39 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> npm run dev

> dev
> vite

Port 5173 is in use, trying another one...
Port 5174 is in use, trying another one...

  VITE v8.0.12  ready in 935 ms

  ➜  Local:   http://localhost:5175/
  ➜  Network: use --host to expose
  ➜  press h + enter to show help

  LARAVEL v13.6.0  plugin v3.1.0

  ➜  APP_URL: http://localhost
```

4. Coba register dan login di http://127.0.0.1:8000/register





5. Amankan semua route mahasiswa dengan middleware auth: Route::middleware('auth')->resource('mahasiswa', MahasiswaController::class)

summitbuddy-app > routes > web.php

```php
<?php

use App\Http\Controllers\ProfileController;
use Illuminate\Support\Facades\Route;

Route::get('/', function () {
    return view('welcome');
});

Route::get('/dashboard', function () {
    return view('dashboard');
})->middleware(['auth', 'verified'])->name('dashboard');

Route::middleware('auth')->group(function () {
    Route::get('/profile', [ProfileController::class, 'edit'])->name('profile.edit');
    Route::patch('/profile', [ProfileController::class, 'update'])->name('profile.update');
    Route::delete('/profile', [ProfileController::class, 'destroy'])->name('profile.destroy');
});

require __DIR__.'/auth.php';
```

6. Coba akses /mahasiswa tanpa login — pastikan diredirect ke halaman login



7. Tambahkan nama user di navbar: {{ auth()->user()->name }}

summitbuddy-app > resources > views > partials > navbar.blade.php > nav

```
<nav>
    <div class="logo">
        <img src="{{ asset('image/logo.png') }}" alt="Logo SummitBuddy">
        <span>SummitBuddy</span>
    </div>
    <div class="menu">
        <a href="{{ route('home') }}">Home</a>
        <a href="{{ route('data-alat') }}">Data Alat</a>
        @auth
            <a href="{{ route('kelola-alat') }}">Kelola Alat</a>
            <a href="{{ route('alat.index') }}">CRUD Alat</a>
        @endauth
        <a href="{{ route('form-sewa') }}">Form Sewa</a>
    </div>
    <div class="auth-menu">
        @auth
            <span><i class="fas fa-user"></i> {{ auth()->user()->name }}</span>
            <form action="{{ route('logout') }}" method="POST">
                @csrf
                <button type="submit">Logout</button>
            </form>
        @else
            <a href="{{ route('login') }}">Login</a>
            <a href="{{ route('register') }}">Register</a>
        @endauth
    </div>
</nav>
```

8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu

```
2026-05-15 22:28:42 /favicon.ico ..........................................................
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan make:middleware CekAdmin

  INFO  Middleware [D:\Summitbuddy - PWEB Laravel\summitbuddy-app\app\Http\Middleware\CekAdmin.php] created successfully.
```

summitbuddy-app > bootstrap > app.php

```php
<?php

use Illuminate\Foundation\Application;
use Illuminate\Foundation\Configuration\Exceptions;
use Illuminate\Foundation\Configuration\Middleware;
use App\Http\Middleware\CekAdmin;

return Application::configure(basePath: dirname(__DIR__))
    ->withRouting(
        web: __DIR__.'/../routes/web.php',
        commands: __DIR__.'/../routes/console.php',
        health: '/up',
    )
    ->withMiddleware(function (Middleware $middleware): void {
        $middleware->alias([
            'admin' => CekAdmin::class,
        ]);
    })
    ->withExceptions(function (Exceptions $exceptions): void {
        //
    })->create();

```

9. BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login