Nama: Viola Gladis Adintya
NIM: 242410101044
Kelas: A

AKTIVITAS MANDIRI 3 — Membuat Layout Master & Halaman-Halaman

1. Buat layout master: resources/views/layouts/app.blade.php dengan navbar, main content area (@yield('content')), dan footer
   - layout master: resources/views/layouts/app.blade.php



   - Navbar

```
<nav>
    <div class="logo">
        <img src="{{ asset('image/logo.png') }}" alt="Logo SummitBuddy" onerror="this.src='https://via.placeholder.com/40?te
        <span>SummitBuddy</span>
    </div>
    <div class="menu">
        <a href="{{ route('home') }}" class="{{ request()->routeIs('home') ? 'active' : '' }}">Home</a>
        <a href="{{ route('data-alat') }}" class="{{ request()->routeIs('data-alat') ? 'active' : '' }}">Data Alat</a>
        <a href="{{ route('kelola-alat') }}" class="{{ request()->routeIs('kelola-alat') ? 'active' : '' }}">Kelola Alat</a
        <a href="{{ route('form-sewa') }}" class="{{ request()->routeIs('form-sewa') ? 'active' : '' }}">Form Sewa</a>
    </div>
</nav>
```

   - Main content area (@yield('content'))

```
@yield('hero')

<div class="container">
    @if(session('success'))
        <div class="alert alert-success">
            {{ session('success') }}
        </div>
    @endif

    @yield('content')
</div>
```

   - Footer

```
<footer>
    <div class="footer-section">
        <h4><i class="fas fa-mountain"></i> SummitBuddy</h4>
        <p>Sistem Penyewaan Alat Pendakian</p>
    </div>
    <div class="footer-section">
        <h4>Menu</h4>
        <p>
            <a href="{{ route('home') }}">Home</a> |
            <a href="{{ route('data-alat') }}">Data Alat</a> |
            <a href="{{ route('kelola-alat') }}">Kelola Alat</a> |
            <a href="{{ route('form-sewa') }}">Form Sewa</a>
        </p>
    </div>
    <div class="footer-section">
        <h4>Kontak</h4>
        <p>Email: info@summitbuddy.com</p>
        <p>Telp: 0812-3456-7890</p>
    </div>
</footer>
```

2. Buat partial: resources/views/partials/navbar.blade.php dan sisipkan dengan @include di layout




```
@include('partials.navbar')
```

3. Buat halaman dashboard: resources/views/dashboard.blade.php yang @extends('layouts.app')



4. Tampilkan flash session message di layout: @if(session('success')) ... @endif

```
<div class="container">
    @if(session('success'))
        <div class="alert alert-success">
            {{ session('success') }}
        </div>
    @endif
```

5. Buat komponen: resources/views/components/stat-card.blade.php (kartu statistik dengan props: judul, nilai, ikon, warna)



untuk card terdapat pada file kelola-alat.blade.php

```
<div id="tab-alat" class="tab-content active">
    <div class="stat-row">
        <div class="stat-card"><h4>📦 Total Alat</h4><div class="angka" id="statTotalAlat">{{ $statistik['totalAlat'] }}</d
        <div class="stat-card"><h4>📦 Total Stok</h4><div class="angka" id="statTotalStok">{{ $statistik['totalStok'] }}</d
        <div class="stat-card"><h4>💰 Total Nilai</h4><div class="angka" id="statTotalNilai">Rp {{ number_format($statistik
        <div class="stat-card"><h4>⚠️ Stok Menipis</h4><div class="angka" id="statStokMenipis">{{ $statistik['stokMenipis']
        <div class="stat-card"><h4>📋 Total Sewa</h4><div class="angka" id="statTotalSewa">{{ $statistik['totalSewa'] }}</d
    </div>
```

6. Gunakan @forelse di dashboard untuk loop array data dummy (jumlah mahasiswa, mata kuliah, dll)

```
<h2>⭐ Ulasan Pelanggan</h2>
<div class="ulasan-grid">
    @forelse($ulasan as $item)
    <div class="ulasan-card">
        <div class="rating">
            @for($i = 1; $i <= 5; $i++)
                @if($i <= $item['rating']) ★ @else ☆ @endif
            @endfor
        </div>
        <p class="ulasan-text">{{ $item['pesan'] }}</p>
        <div class="ulasan-user">
            <strong>- {{ $item['nama'] }}</strong>
            <span>{{ $item['role'] }}</span>
        </div>
    </div>
    @empty
    <p>Belum ada ulasan</p>
    @endforelse
</div>
```

7. Buat halaman 'Tentang' dan 'Kontak' yang @extends layout yang sama
    - Untuk ‘Tentang’ dan ‘Kontak’ ada di file footer.blade.php

```html
<footer>
    <div class="footer-section">
        <h4><i class="fas fa-mountain"></i> SummitBuddy</h4>
        <p>Sistem Penyewaan Alat Pendakian</p>
        <p style="margin-top: 10px; font-size: 12px;">&copy; {{ date('Y') }} SummitBuddy</p>
    </div>
    <div class="footer-section">
        <h4>Tentang Kami</h4>
        <p>SummitBuddy adalah platform penyewaan alat pendakian yang berdiri sejak 2020.</p>
        <p>Kami menyediakan perlengkapan pendakian berkualitas dengan harga terjangkau.</p>
    </div>
    <div class="footer-section">
        <h4>Menu</h4>
        <p>
            <a href="{{ route('home') }}">Home</a><br>
            <a href="{{ route('data-alat') }}">Data Alat</a><br>
            <a href="{{ route('kelola-alat') }}">Kelola Alat</a><br>
            <a href="{{ route('form-sewa') }}">Form Sewa</a>
        </p>
    </div>
    <div class="footer-section">
        <h4>Kontak</h4>
        <p><i class="fas fa-envelope"></i> info@summitbuddy.com</p>
        <p><i class="fas fa-phone"></i> 0812-3456-7890</p>
        <p><i class="fab fa-instagram"></i> @summitbuddy</p>
        <p><i class="fab fa-whatsapp"></i> 0812-3456-7890</p>
    </div>
</footer>
```

8. Gunakan @push('scripts') dan @stack('scripts') untuk menambahkan JavaScript spesifik per halaman
   - Di app.blade.php

```blade
</div>

@include('partials.footer')

@stack('scripts')
</body>
</html>
```

   - Di data-alat.blade.php

```
@push('scripts')
<script>
    function filterTable() {
        const search = document.getElementById('searchInput').value.toLowerCase();
        const checkboxes = document.querySelectorAll('.filter-cb:checked');
        const selectedCategories = Array.from(checkboxes).map(cb => cb.value);
        const rows = document.querySelectorAll('#alatBody tr');

        rows.forEach(row => {
            const nama = row.querySelector('td:nth-child(2)')?.innerText.toLowerCase() || '';
            const kategori = row.getAttribute('data-kategori') || '';
            const matchSearch = search === '' || nama.includes(search);
            const matchKategori = selectedCategories.length === 0 || selectedCategories.incl
            row.style.display = matchSearch && matchKategori ? '' : 'none';
        });
    }

    document.getElementById('searchBtn')?.addEventListener('click', filterTable);
    document.getElementById('searchInput')?.addEventListener('keyup', (e) => { if(e.key ===
    document.querySelectorAll('.filter-cb').forEach(cb => cb.addEventListener('change', filt
</script>
@endpush
@endsection
```

- Di kelola-alat.blade.php

```
@push('scripts')
<script>
    let daftarAlat = @json($daftarAlat);
    let daftarSewa = @json($daftarSewa);
```

Tips: Gunakan @include('partials.nama') untuk memecah tampilan menjadi komponen kecil yang reusable. Ini membuat kode View lebih mudah dikelola.

AKTIVITAS MANDIRI 4 — Migration, Model & Seeder

1. Buat Model dan Migration sekaligus: php artisan make:model Mahasiswa -m

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan make:model Alat -m

 INFO  Model [D:\Summitbuddy - PWEB Laravel\summitbuddy-app\app\Models\Alat.php] created successfully.

 INFO  Migration [D:\Summitbuddy - PWEB Laravel\summitbuddy-app\database\migrations\2026_05_05_080443_create_alats_table.php] created successfully.
```

2. Edit file migration: tambahkan kolom nim, nama, email, jurusan (enum), ipk (decimal), semester, aktif (boolean), foto (nullable)

summitbuddy-app > database > migrations > 2026_05_05_080443_create_alats_table.php

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    public function up(): void
    {
        Schema::create('alats', function (Blueprint $table) {
            $table->id();
            $table->string('kode', 10)->unique();
            $table->string('nama', 100);
            $table->enum('kategori', ['Tenda', 'Carrier', 'Sleeping', 'Kompor', 'Aksesoris']);
            $table->integer('stok')->default(0);
            $table->decimal('harga', 10, 2);
            $table->text('deskripsi')->nullable();
            $table->string('foto')->nullable();
            $table->date('tgl_masuk');
            $table->boolean('aktif')->default(true);
            $table->timestamps();
            $table->softDeletes();
        });
    }

    public function down(): void
    {
        Schema::dropIfExists('alats');
    }
};
```

3. Jalankan migration: php artisan migrate — cek di phpMyAdmin bahwa tabel sudah terbuat

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan migrate

 INFO  Preparing database.

 Creating migration table ..................................................... 64.01ms DONE

 INFO  Running migrations.

 0001_01_01_000000_create_users_table ........................................ 166.52ms DONE
 0001_01_01_000001_create_cache_table ........................................ 100.04ms DONE
 0001_01_01_000002_create_jobs_table ......................................... 142.53ms DONE
 2026_05_05_080443_create_alats_table ......................................... 52.83ms DONE
```

Di phpMyAdmin



4. Edit Model Mahasiswa: isi $fillable, tambahkan $casts, dan buat local scope scopeAktif()

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\SoftDeletes;
use Illuminate\Database\Eloquent\Factories\HasFactory;

class Alat extends Model
{
    use HasFactory, SoftDeletes;

    protected $table = 'alats';

    protected $fillable = [
        'kode', 'nama', 'kategori', 'stok', 'harga',
        'deskripsi', 'foto', 'tgl_masuk', 'aktif'
    ];

    protected $casts = [
        'harga' => 'decimal:2',
        'aktif' => 'boolean',
        'tgl_masuk' => 'date',
        'stok' => 'integer',
```

```
    ];

    public function scopeAktif($query)
    {
        return $query->where('aktif', true);
    }

    public function scopeTersedia($query)
    {
        return $query->where('stok', '>', 0)->where('aktif', true);
    }
}
```

5. Buat seeder: php artisan make:seeder MahasiswaSeeder — isi dengan 5-10 data dummy

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan make:seeder AlatSeeder

  INFO  Seeder [D:\Summitbuddy - PWEB Laravel\summitbuddy-app\database\seeders\AlatSeeder.php] created successfully.
```

```
<?php

namespace Database\Seeders;

use App\Models\Alat;
use Illuminate\Database\Seeder;

class AlatSeeder extends Seeder
{
    public function run(): void
    {
        $data = [
            ['kode' => 'A001', 'nama' => 'Tenda Dome', 'kategori' =>
'Tenda', 'stok' => 10, 'harga' => 100000, 'tgl_masuk' =>
'2024-01-15', 'foto' => 'image/Tenda.jpg'],
             ['kode' => 'A002', 'nama' => 'Carrier 60L', 'kategori'
=> 'Carrier', 'stok' => 8, 'harga' => 80000, 'tgl_masuk' =>
'2024-01-20', 'foto' => 'image/Carrier Bag 60L.jpg'],
```

```
            ['kode' => 'A003', 'nama' => 'Sleeping Bag', 'kategori'
=> 'Sleeping', 'stok' => 7, 'harga' => 50000, 'tgl_masuk' =>
'2024-02-10', 'foto' => 'image/SleepingBag.jpg'],
                  ['kode' => 'A004', 'nama' => 'Kompor Portable',
'kategori' => 'Kompor', 'stok' => 5, 'harga' => 40000, 'tgl_masuk'
=> '2024-02-15', 'foto' => 'image/Kompor.jpg'],
              ['kode' => 'A005', 'nama' => 'Matras', 'kategori' =>
'Aksesoris', 'stok' => 3, 'harga' => 30000, 'tgl_masuk' =>
'2024-03-01', 'foto' => 'image/Matras.jpg'],
            ['kode' => 'A006', 'nama' => 'Headlamp', 'kategori' =>
'Aksesoris', 'stok' => 12, 'harga' => 25000, 'tgl_masuk' =>
'2024-03-10', 'foto' => 'image/headlamp.jpg'],
            ['kode' => 'A007', 'nama' => 'Carrier 80L', 'kategori'
=> 'Carrier', 'stok' => 4, 'harga' => 100000, 'tgl_masuk' =>
'2024-03-15', 'foto' => 'image/Carrier Bag 60L.jpg'],
                  ['kode' => 'A008', 'nama' => 'Tenda 4 Season',
'kategori' => 'Tenda', 'stok' => 2, 'harga' => 150000, 'tgl_masuk'
=> '2024-04-01', 'foto' => 'image/Tenda.jpg'],
        ];

        foreach ($data as $item) {
            Alat::create($item);
        }
    }
}
```

6. Daftarkan seeder di DatabaseSeeder.php dan jalankan: php artisan db:seed

summitbuddy-app > database > seeders > DatabaseSeeder.php > DatabaseSeeder

```php
<?php

namespace Database\Seeders;

use Illuminate\Database\Seeder;

class DatabaseSeeder extends Seeder
{
    public function run(): void
    {
        $this->call([
            AlatSeeder::class,
        ]);
    }
}
```

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan db:seed

 INFO  Seeding database.

Database\Seeders\AlatSeeder ..................................................... RUNNING
Database\Seeders\AlatSeeder ..................................................... 257 ms DONE
```

Hasilnya:

Server: localhost:3306 » Database: summitbuddy_db » Table: alats

Browse | Structure | SQL | Search | Insert | Export | Import | Privileges | Operations | Triggers

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	id	kode	nama	kategori	stok	harga	deskripsi	foto	tgl_masuk	aktif	created_at	updated_at	deleted_a
Edit Copy Delete	1	A001	Tenda Dome	Tenda	10	100000.00	NULL	image/Tenda.jpg	2024-01-15	1	2026-05-05 08:11:34	2026-05-05 08:11:34	NULL
Edit Copy Delete	2	A002	Carrier 60L	Carrier	8	80000.00	NULL	image/Carrier Bag 60L.jpg	2024-01-20	1	2026-05-05 08:11:34	2026-05-05 08:11:34	NULL
Edit Copy Delete	3	A003	Sleeping Bag	Sleeping	7	50000.00	NULL	image/SleepingBag.jpg	2024-02-10	1	2026-05-05 08:11:34	2026-05-05 08:11:34	NULL
Edit Copy Delete	4	A004	Kompor Portable	Kompor	5	40000.00	NULL	image/Kompor.jpg	2024-02-15	1	2026-05-05 08:11:34	2026-05-05 08:11:34	NULL
Edit Copy Delete	5	A005	Matras	Aksesoris	3	30000.00	NULL	image/Matras.jpg	2024-03-01	1	2026-05-05 08:11:34	2026-05-05 08:11:34	NULL
Edit Copy Delete	6	A006	Headlamp	Aksesoris	12	25000.00	NULL	image/headlamp.jpg	2024-03-10	1	2026-05-05 08:11:34	2026-05-05 08:11:34	NULL
Edit Copy Delete	7	A007	Carrier 80L	Carrier	4	100000.00	NULL	image/Carrier Bag 60L.jpg	2024-03-15	1	2026-05-05 08:11:34	2026-05-05 08:11:34	NULL
Edit Copy Delete	8	A008	Tenda 4 Season	Tenda	2	150000.00	NULL	image/Tenda.jpg	2024-04-01	1	2026-05-05 08:11:34	2026-05-05 08:11:34	NULL

Check all | With selected: Edit | Copy | Delete | Export

7. Buka php artisan tinker dan coba query: Mahasiswa::all(), Mahasiswa::where('jurusan','SI')->get(), Mahasiswa::avg('ipk')

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan db:seed

  INFO  Seeding database.

  Database\Seeders\AlatSeeder ..................................................... RUNNING
  Database\Seeders\AlatSeeder ..................................................... 257 ms DONE

PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan tinker
Psy Shell v0.12.22 (PHP 8.3.30 — cli) by Justin Hileman
New PHP manual is available (latest: 3.0.5). Update with `doc --update-manual`

> App\Models\Alat::all();
```

```
= Illuminate\Database\Eloquent\Collection {#7796
    all: [
      App\Models\Alat {#7804
        id: 1,
        kode: "A001",
        nama: "Tenda Dome",
        kategori: "Tenda",
        stok: 10,
        harga: "100000.00",
        deskripsi: null,
        foto: "image/Tenda.jpg",
        tgl_masuk: "2024-01-15",
        aktif: 1,
        created_at: "2026-05-05 08:11:34",
        updated_at: "2026-05-05 08:11:34",
        deleted_at: null,
      },
      App\Models\Alat {#7805
        id: 2,
        kode: "A002",
        nama: "Carrier 60L",
        kategori: "Carrier",
        stok: 8,
        harga: "80000.00",
        deskripsi: null,
        foto: "image/Carrier Bag 60L.jpg",
        tgl_masuk: "2024-01-20",
        aktif: 1,
        created_at: "2026-05-05 08:11:34",
        updated_at: "2026-05-05 08:11:34",
        deleted_at: null,
      },
```

```
App\Models\Alat {#7802
  id: 3,
  kode: "A003",
  nama: "Sleeping Bag",
  kategori: "Sleeping",
  stok: 7,
  harga: "50000.00",
  deskripsi: null,
  foto: "image/SleepingBag.jpg",
  tgl_masuk: "2024-02-10",
  aktif: 1,
  created_at: "2026-05-05 08:11:34",
  updated_at: "2026-05-05 08:11:34",
  deleted_at: null,
},
App\Models\Alat {#7801
  id: 4,
  kode: "A004",
  nama: "Kompor Portable",
  kategori: "Kompor",
  stok: 5,
  harga: "40000.00",
  deskripsi: null,
  foto: "image/Kompor.jpg",
  tgl_masuk: "2024-02-15",
  aktif: 1,
  created_at: "2026-05-05 08:11:34",
  updated_at: "2026-05-05 08:11:34",
  deleted_at: null,
},
```

```
App\Models\Alat {#7800
  id: 5,
  kode: "A005",
  nama: "Matras",
  kategori: "Aksesoris",
  stok: 3,
  harga: "30000.00",
  deskripsi: null,
  foto: "image/Matras.jpg",
  tgl_masuk: "2024-03-01",
  aktif: 1,
  created_at: "2026-05-05 08:11:34",
  updated_at: "2026-05-05 08:11:34",
  deleted_at: null,
},
App\Models\Alat {#7799
  id: 6,
  kode: "A006",
  nama: "Headlamp",
  kategori: "Aksesoris",
  stok: 12,
  harga: "25000.00",
  deskripsi: null,
  foto: "image/headlamp.jpg",
  tgl_masuk: "2024-03-10",
  aktif: 1,
  created_at: "2026-05-05 08:11:34",
  updated_at: "2026-05-05 08:11:34",
  deleted_at: null,
},
```

```
    App\Models\Alat {#7798
      id: 7,
      kode: "A007",
      nama: "Carrier 80L",
      kategori: "Carrier",
      stok: 4,
      harga: "100000.00",
      deskripsi: null,
      foto: "image/Carrier Bag 60L.jpg",
      tgl_masuk: "2024-03-15",
      aktif: 1,
      created_at: "2026-05-05 08:11:34",
      updated_at: "2026-05-05 08:11:34",
      deleted_at: null,
    },
    App\Models\Alat {#7797
      id: 8,
      kode: "A008",
      nama: "Tenda 4 Season",
      kategori: "Tenda",
      stok: 2,
      harga: "150000.00",
      deskripsi: null,
      foto: "image/Tenda.jpg",
      tgl_masuk: "2024-04-01",
      aktif: 1,
      created_at: "2026-05-05 08:11:34",
      updated_at: "2026-05-05 08:11:34",
      deleted_at: null,
    },
  ],
}
```

8. Coba buat relasi: buat tabel mata_kuliahs dan tabel pivot krs, lalu definisikan relasi belongsToMany di Model

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan make:model Penyewa -m

  INFO  Model [D:\Summitbuddy - PWEB Laravel\summitbuddy-app\app\Models\Penyewa.php] created successfully.

  INFO  Migration [D:\Summitbuddy - PWEB Laravel\summitbuddy-app\database\migrations\2026_05_05_081931_create_penyewas_table.php] created suc
cessfully.
```

summitbuddy-app > database > migrations > 2026_05_05_081931_create_penyewas_table.php

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    public function up(): void
    {
        Schema::create('penyewas', function (Blueprint $table) {
            $table->id();
            $table->string('nama', 100);
            $table->string('no_hp', 15);
            $table->string('email')->unique();
            $table->text('alamat')->nullable();
            $table->timestamps();
        });
    }

    public function down(): void
    {
        Schema::dropIfExists('penyewas');
    }
};

```

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan migrate

  INFO  Running migrations.

  2026_05_05_081931_create_penyewas_table ..................................... 132.36ms DONE
```

Server: localhost:3306 » Database: summitbuddy_db » Table: penyewas

Browse | Structure | SQL | Search | Insert | Export | Import | Privileges | Operations | Triggers

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0018 seconds.)

```
SELECT * FROM `penyewas`
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

id	nama	no_hp	email	alamat	created_at	updated_at

Query results operations

Create view

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
```

```php
use Illuminate\Database\Eloquent\SoftDeletes;
use Illuminate\Database\Eloquent\Factories\HasFactory;

class Alat extends Model
{
    use HasFactory, SoftDeletes;

    protected $table = 'alats';

    protected $fillable = [
        'kode', 'nama', 'kategori', 'stok', 'harga',
        'deskripsi', 'foto', 'tgl_masuk', 'aktif'
    ];

    protected $casts = [
        'harga' => 'decimal:2',
        'aktif' => 'boolean',
        'tgl_masuk' => 'date',
        'stok' => 'integer',
    ];

    public function scopeAktif($query)
    {
        return $query->where('aktif', true);
    }

    public function scopeTersedia($query)
    {
        return $query->where('stok', '>', 0)->where('aktif', true);
    }

    public function penyewas()
    {
    return $this->hasMany(Penyewa::class);
    }
```

summitbuddy-app > app > Models > Penyewa.php > Penyewa

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class Penyewa extends Model
{
    protected $fillable = [
        'nama', 'no_hp', 'email', 'alamat'
    ];
}

```

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan make:seeder PenyewaSeeder

  INFO  Seeder [D:\Summitbuddy - PWEB Laravel\summitbuddy-app\database\seeders\PenyewaSeeder.php] created successfully.
```

summitbuddy-app > database > seeders > PenyewaSeeder.php > ...

```php
<?php

namespace Database\Seeders;

use App\Models\Penyewa;
use Illuminate\Database\Seeder;

class PenyewaSeeder extends Seeder
{
    public function run(): void
    {
        $data = [
            ['nama' => 'Andi Pratama', 'no_hp' => '08123456789', 'email' => 'andi@email.com', 'alamat' => 'Yogyakarta'],
            ['nama' => 'Sari Dewi', 'no_hp' => '08198765432', 'email' => 'sari@email.com', 'alamat' => 'Jakarta'],
            ['nama' => 'Budi Santoso', 'no_hp' => '08155555555', 'email' => 'budi@email.com', 'alamat' => 'Bandung'],
        ];

        foreach ($data as $item) {
            Penyewa::create($item);
        }
    }
}

```

summitbuddy-app > database > seeders > DatabaseSeeder.php > DatabaseSeeder

```php
<?php

namespace Database\Seeders;

use Illuminate\Database\Seeder;

class DatabaseSeeder extends Seeder
{
    public function run(): void
    {
        $this->call([
            AlatSeeder::class,
            PenyewaSeeder::class,
        ]);
    }
}

```

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan db:seed

  INFO  Seeding database.

  Database\Seeders\AlatSeeder ..................................... RUNNING
  Database\Seeders\AlatSeeder ..................................... 95 ms DONE

  Database\Seeders\PenyewaSeeder .................................. RUNNING
  Database\Seeders\PenyewaSeeder .................................. 22 ms DONE
```

```
PS D:\Summitbuddy - PWEB Laravel\summitbuddy-app> php artisan tinker
Psy Shell v0.12.22 (PHP 8.3.30 — cli) by Justin Hileman
New PHP manual is available (latest: 3.0.5). Update with `doc --update-manual`

> App\Models\Penyewa::all();
```

```
= Illuminate\Database\Eloquent\Collection {#8069
    all: [
      App\Models\Penyewa {#8066
        id: 1,
        nama: "Andi Pratama",
        no_hp: "08123456789",
        email: "andi@email.com",
        alamat: "Yogyakarta",
        created_at: "2026-05-05 08:31:56",
        updated_at: "2026-05-05 08:31:56",
      },
      App\Models\Penyewa {#8065
        id: 2,
        nama: "Sari Dewi",
        no_hp: "08198765432",
        email: "sari@email.com",
        alamat: "Jakarta",
        created_at: "2026-05-05 08:31:56",
        updated_at: "2026-05-05 08:31:56",
      },
      App\Models\Penyewa {#8068
        id: 3,
        nama: "Budi Santoso",
        no_hp: "08155555555",
        email: "budi@email.com",
        alamat: "Bandung",
        created_at: "2026-05-05 08:31:56",
        updated_at: "2026-05-05 08:31:56",
      },
    ],
  }
```

Tips: Di Tinker, bisa langsung uji query Eloquent tanpa membuat halaman. Sangat berguna untuk eksplorasi dan debugging.