



CIFAR-10 / 10-D latent (novel = class 4 deer)

nplmcw-res PRE-discovery




nplmcw-res POST s/vb (5 anchors)




CIFAR-10 / 10-D latent (novel = class 4 deer)

nplmcw PRE-discovery




nplmcw POST s/v/b (2 anchors)




CIFAR-10 / 10-D latent (novel = class 4 deer)

nplmsd-res PRE-discovery




nplmsd-res POST s/v/b (2 anchors)




CIFAR-10 / 10-D latent (novel = class 4 deer)

nplmsd PRE-discovery




nplmsd POST s/ $\sqrt{b}$ (1 anchor)




CIFAR-10 / 10-D latent (novel = class 4 deer)

ssig-res PRE-discovery




ssig-res POST s/v/b (4 anchors)




CIFAR-10 / 10-D latent (novel = class 4 deer)

ssig PRE-discovery




ssig POST s/vb (4 anchors)




CIFAR-10 / 10-D latent (novel = class 4 deer)

supcon-res PRE-discovery




supcon-res POST s/v/b (3 anchors)




CIFAR-10 / 10-D latent (novel = class 4 deer)

supcon-resnplm PRE-discovery




supcon-resnplm POST s/v/b (3 anchors)



CIFAR-10 / 10-D latent (novel = class 4 deer)

supcon PRE-discovery



supcon POST s/v/b (6 anchors)

