



Galaxy10 / lejepa / 10-D latent / draw 0 (novel = class 2)

nplm-bil-ft PRE-discovery




nplm-bil-ft POST s/ $\sqrt{b}$ (1 anchor)




Galaxy10 / lejepa / 10-D latent / draw 0 (novel = class 2)

nplm-sup-ft PRE-discovery




nplm-sup-ft POST s/v/b (1 anchor)




Galaxy10 / lejepa / 10-D latent / draw 0 (novel = class 2)

sigreg-ssl-ft PRE-discovery




sigreg-ssl-ft POST s/vb (3 anchors)




Galaxy10 / lejepa / 10-D latent / draw 0 (novel = class 2)

simclr-ft PRE-discovery




simclr-ft POST s/v/b (1 anchor)




Galaxy10 / lejepa / 10-D latent / draw 0 (novel = class 2)

ss-ft PRE-discovery




ss-ft POST s/v/b (1 anchor)




Galaxy10 / lejepa / 10-D latent / draw 0 (novel = class 2)

ss-ft_res PRE-discovery




ss-ft_res POST s/ $\sqrt{b}$ (1 anchor)




Galaxy10 / lejepa / 10-D latent / draw 0 (novel = class 2)

supcon-cw-ft PRE-discovery




supcon-cw-ft POST s/v/b (1 anchor)




Galaxy10 / lejepa / 10-D latent / draw 0 (novel = class 2)

supcon-ft PRE-discovery




supcon-ft POST s/v/b (1 anchor)




Galaxy10 / lejepa / 10-D latent / draw 0 (novel = class 2)

supcon-ft_res PRE-discovery




supcon-ft_res POST s/vb (2 anchors)



Galaxy10 / lejepa / 10-D latent / draw 0 (novel = class 2)

supcon-ft_resnplm PRE-discovery



supcon-ft_resnplm POST s/vb (1 anchor)

