

Test / Experiment Plan — SmartFinance

1. Introduction

1.1 Purpose

This document describes the complete evaluation strategy for the SmartFinance system. Its purpose is to demonstrate, through structured testing, that the delivered system satisfies the functional requirements, non-functional quality attributes, security obligations, and usability expectations defined in the project specification.

SmartFinance is a gamified personal finance management mobile application for Malaysian young adults, comprising a Flutter cross-platform frontend, a Python Flask RESTful backend, and a MySQL relational database. The evaluation must confirm that all core modules — authentication, transaction management, budget monitoring, financial goals, investment tracking, analytics and reporting, and gamification — function correctly, are secure against common attacks, perform within acceptable response time thresholds, and are usable by the target demographic without specialist training.

1.2 Scope

This plan covers the following evaluation activities:

- **Functional Testing** — verification that each feature produces its specified output for given inputs
- **Usability Testing** — structured task-based evaluation with human participants from the target demographic
- **Security Testing** — adversarial testing of authentication, authorisation, and data isolation mechanisms
- **Performance Testing** — measurement of response times and rendering latency under representative conditions

1.3 Objectives Traceability

Each testing strategy is directly traceable to one or more project objectives defined in Chapter 1:

Project Objective	Testing Strategy
PO1 — Intuitive expense tracking and budget management	Functional Testing (Sections 4.2–4.3), Usability Testing (Section 5)
PO2 — Gamification and behavioural design	Functional Testing (Section 4.8), Usability Testing (Section 5)
PO3 — Investment portfolio management	Functional Testing (Section 4.6)
PO4 — Cross-platform accessibility	Functional Testing (all modules), Performance Testing (Section 7)
SO1 — Trust-centred interface design	Security Testing (Section 6)
SO2 — Personalised financial insights	Functional Testing (Sections 4.3, 4.7)
SO3 — Comprehensive usability evaluation	Usability Testing (Section 5)

2. Test Environment

All testing was performed in the following environment:

Component	Details
Mobile Device (Primary)	Physical Android device (Android 14, API 34)

Mobile Device (Secondary)	Android Emulator (API 33 — Android 13)
Backend Server	Flask 3.0 development server running on local machine
Database	MySQL 8.x local instance
Network	Standard Wi-Fi (home broadband, ~50 Mbps)
API Testing Tool	Postman v10
Performance Tool	Flutter DevTools (built-in frame analyser)
Version Control	Git (complete, stable implementation used for testing)

3. Test Data

Realistic, representative test data was prepared prior to test execution to ensure tests exercise the system under conditions close to real-world usage.

Table 3.1: Test Data Summary

Category	Sample Values	Purpose
Valid User Account	Email: testuser@gmail.com, Password: Test@1234, Name: Ahmad Fariz	Standard login and profile tests
Invalid Email Formats	notanemail, @gmail.com, user@	Email validation boundary tests
Weak Passwords	password, 12345678, ALLCAPS1!	Password strength validation

Expense Transactions	Food RM 15.00 / 2026-03-01; Transport RM 8.50 / 2026-03-02; Entertainment RM 40.00 / 2026-03-03	Transaction CRUD and category breakdown
Income Transactions	Salary RM 3,500.00 / 2026-03-01; Freelance RM 800.00 / 2026-03-10	Balance and analytics accuracy
Budget Data	Total RM 2,000; Food RM 600; Transport RM 300; Entertainment RM 200	Budget monitoring and over-budget detection
Goal Data	Name: New Laptop; Target: RM 3,000; Deadline: 2026-12-31; Priority: High	Goal creation, contribution, and completion
Investment Data	Stocks — Maybank, 100 units, purchase RM 8.50, current RM 9.20	Portfolio value and profit/loss calculation
Adversarial Inputs	' OR 1=1 --, <script>alert(1)</script>, 20 rapid login attempts	Security test cases
Large Dataset	200 expense transactions spread over 6 months	Performance test cases
2FA Test Data	Valid TOTP code from Google Authenticator; invalid code 000000; one-time backup code	2FA setup, login, and bypass tests

All test accounts were created exclusively in the local development environment and contain no real personal or financial data. The 200-transaction large dataset was inserted programmatically via a Python seed script prior to performance testing.

4. Functional Testing

4.1 Strategy and Pass Criterion

Functional testing verifies that each feature of the system produces the expected output for a given input. Test cases are derived directly from the functional requirements and use cases defined in Chapter 3. Each test case specifies a unique identifier, a precondition, step-by-step actions, and the expected result.

Pass criterion: All test cases in all modules produce their expected result. A minimum overall pass rate of 90% is required for the project to be considered functionally complete.

4.2 Authentication Module

Table 4.2.1: Authentication Test Cases and Results

ID	Test Case	Precondition	Steps	Expected Result	Actual Result	Status
AUTH-01	Successful User Registration	No existing account with test email	1. Open Register screen. 2. Enter valid name, email, password. 3. Tap Register.	Account created; verification email sent; redirected to Verify Email screen.	Account created; verification email received; redirected to Verify Email screen.	Pass
AUTH-02	Duplicate Email Registration	Account exists with test email	1. Attempt to register with an already-registered email.	Error: "Email already registered"; no duplicate created.	Error "Email already registered" displayed.	Pass

AUTH-03	Weak Password Rejection	—	1. Enter password password123 (no uppercase, no special character). 2. Tap Register.	Validation errors shown; registration blocked.	Two errors shown (uppercase required, special character required); registration blocked.	Pass
AUTH-04	Successful Login	Verified account exists	1. Enter correct email and password. 2. Tap Login.	JWT tokens issued; user navigated to Dashboard.	Dashboard loaded; user name displayed correctly.	Pass
AUTH-05	Login with Wrong Password	Account exists	1. Enter correct email, incorrect password. 2. Tap Login.	Error message displayed; access denied.	Error "Invalid email or password" shown.	Pass
AUTH-06	Email Verification	Account created but unverified	1. Open the verification email. 2. Copy the verification token from the email. 3. Paste it into the Verify Email screen.	Account marked as verified; banner removed from dashboard.	Account verified; email verification banner no longer shown.	Pass

			4. Tap Verify Email.			
AUTH-07	Forgot Password Flow	Verified account exists	1. Tap "Forgot Password". 2. Enter registered email. 3. Tap Send.	Password reset email sent; success message shown.	Reset email received within 30 seconds.	Pass
AUTH-08	Password Reset	Valid reset token exists	1. Open reset link from email. 2. Enter and confirm new password NewPass@5678. 3. Tap Reset.	Password updated; login with new password succeeds.	Password updated; logged in successfully with new credentials.	Pass
AUTH-09	Enable Two-Factor Authentication	Verified account; 2FA disabled	1. Open Security Settings. 2. Tap Enable 2FA. 3. Scan QR code with Google Authenticator. 4. Enter 6-digit TOTP code.	2FA enabled; 10 backup codes displayed; security score increases.	2FA enabled; backup codes shown; security score increased to 100.	Pass

AUTH -10	Login with 2FA Active	2FA-enabled account exists	1. Log in with correct credentials.	After password verification, TOTP prompt shown; access granted only after correct code.	TOTP screen appeared after password entry; access granted with valid code.	Pass
AUTH -11	2FA Backup Code Login	2FA enabled; TOTP unavailable	1. At TOTP prompt, tap "Use backup code". 2. Enter one of the generated backup codes.	Login succeeds; backup code marked as consumed.	Login successful; backup code accepted and marked as used.	Pass
AUTH -12	Disable 2FA	2FA-enabled account	1. Open Security Settings. 2. Tap Disable 2FA. 3. Enter account password.	2FA removed; security score reduced.	2FA disabled; security score reduced from 100 to 60.	Pass

AUTH-13	Session Revocation	Multiple active sessions	1. Open Security Settings → Active Sessions. 2. Tap Revoke on a session entry.	Session deactivated; security log entry created; revoked device loses access.	Session revoked; entry added to security log; revoked device returned HTTP 401.	Pass
---------	--------------------	--------------------------	---	---	---	------

4.3 Transaction Module

Table 4.3.1: Transaction Test Cases and Results

ID	Test Case	Precondition	Steps	Expected Result	Actual Result	Status
TXN-01	Add Expense Transaction	User logged in	1. Tap + on dashboard. 2. Select Expense. 3. Enter RM 15.00, Food, 2026-03-01 4. Tap Save.	Transaction saved; dashboard balance and recent transactions updated.	Transaction visible in Recent Transactions; balance updated.	Pass

TXN -02	Add Income Transaction	User logged in	1. Repeat TXN-01 with Income type; enter RM 3,500 Salary.	Income recorded; balance increases accordingly.	Balance increased by RM 3,500.00; summary updated.	Pass
TXN -03	Amount Validation — Zero	—	1. Enter 0 as amount. 2. Tap Save.	Error "Amount must be greater than 0"; transaction not saved.	Error "Amount must be greater than 0" displayed.	Pass
TXN -04	View Transaction History	At least 1 transaction exists	1. Open Transaction History screen.	All transactions listed in reverse-chronolo gical order.	All transactions listed with correct amounts, categories, and dates.	Pass
TXN -05	Filter by Category	Multiple transactions exist	1. Select "Food" category filter chip.	Only Food transactions displayed.	Only Food transactions displayed.	Pass
TXN -06	Filter by Date Range	Multiple transactions exist	1. Set start date 2026-03-01 ; end date 2026-03-07 .	Only transactions within date range shown.	Transactions outside range hidden correctly.	Pass

			2. Apply filter.			
TXN-07	Financial Insights	User logged in; at least one transaction recorded this month	1. Tap Insights on the dashboard quick actions grid. 2. Wait for report to load.	Financial Health Score (0–100) displayed with score label, four-pillar breakdown, this-month summary, and 4–6 personalised insight cards.	Score displayed as 62/100 ("Good"); all four pillars rendered with correct values; insight cards shown for savings rate, budget status, top spending category, and goals.	Pass
TXN-08	Add Recurring Transaction	User logged in	1. Open Recurring Transactions. 2. Tap Add. 3. Set Monthly, RM 1,200 Rent, starting 2026-04-01. 4. Save.	Recurring transaction saved; NextExecutionDate displayed.	Record saved; NextExecutionDate displayed as 2026-04-01.	Pass

TXN-09	Pause Recurring Transaction	Active recurring transaction exists	1. Tap Pause on the rent recurring transaction.	Status changes to Paused; next execution indicator hidden.	Status updated to Paused; next execution indicator hidden.	Pass
TXN-10	Execute Recurring Manually	Active recurring transaction exists	1. Tap Execute Now on rent recurring transaction.	Transaction created immediately; NextExecutionDate advanced by one period.	New RM 1,200 transaction created; NextExecutionDate advanced to 2026-05-01.	Pass

4.4 Budget Module

Table 4.4.1: Budget Test Cases and Results

ID	Test Case	Precondition	Steps	Expected Result	Actual Result	Status
BUD-01	Create Budget	User logged in; no active budget	1. Open Create Budget. 2. Enter RM 2,000 total. 3. Allocate Food RM 600, Transport RM 300. 4. Save.	Budget and category records saved; progress bars rendered at 0%.	Budget created; progress bars rendered at 0% initially.	Pass

BUD-02	View Budget Overview	Budget exists	1. Open Budget Overview screen.	Progress bars shown per category with correct percentages.	Progress bars showed correct percentages based on existing transactions.	Pass
BUD-03	Over-Budget Indicator	Spending exceeds category allocation	1. Add RM 700 Food expense against RM 600 Food budget.	Progress bar turns red; status label shows "Over Budget".	Progress bar turned red; status label showed "Over Budget".	Pass
BUD-04	Edit Budget	Budget exists	1. Open Budget Overview. 2. Tap Edit. 3. Change Food allocation from RM 600 to RM 700. 4. Save.	Updated values reflected immediately.	Budget updated; progress bar recalculated to show within budget.	Pass
BUD-05	Delete Budget	Budget exists	1. Tap Delete. 2. Confirm deletion in dialog.	Budget removed; empty state message displayed.	Budget deleted; empty state message displayed.	Pass

4.5 Financial Goals Module

Table 4.5.1: Goals Test Cases and Results

ID	Test Case	Precondition	Steps	Expected Result	Actual Result	Status
GOAL-01	Create Goal	User logged in	1. Open Add Goal. 2. Enter "New Laptop", RM 3,000, 2026-12-31, High priority. 3. Save.	Goal saved at 0% progress.	Goal displayed with 0% progress bar.	Pass
GOAL-02	Contribute to Goal	Goal exists	1. Open goal. 2. Enter RM 500 contribution. 3. Confirm.	Progress bar updates to 16.67%; CurrentAmount incremented.	Progress bar showed 16.67% (RM 500 / RM 3,000).	Pass
GOAL-03	Over-Target Contribution	Goal exists	1. Enter contribution of RM 5,000 (exceeds target).	Error shown; contribution rejected.	Error displayed: "Contribution exceeds remaining amount".	Pass

GOAL-04	Complete Goal	Goal at 16.67% progress	1. Contribute remaining RM 2,500.	Goal marked as Completed; achievement notification shown if applicable.	Goal status changed to Completed; achievement notification shown.	Pass
GOAL-05	Delete Goal (Swipe)	Goal exists	1. Swipe goal card left. 2. Confirm deletion in dialog.	Goal removed; list updates.	Goal removed from list.	Pass

4.6 Investment Module

Table 4.6.1: Investment Test Cases and Results

ID	Test Case	Precondition	Steps	Expected Result	Actual Result	Status
INV-01	Add Investment	User logged in	1. Open Add Investment. 2. Select Stocks. 3. Enter Maybank, 100 units, purchase RM 8.50, current RM 9.20. 4. Save.	Investment added; portfolio totals updated.	Investment appeared; total value RM 920.00 displayed.	Pass

INV-02	View Portfolio Overview	At least 1 investment exists	1. Open Portfolio Overview.	Total value, cost, profit/loss, and return % displayed correctly.	Total value RM 920.00, cost RM 850.00, profit RM 70.00 (+8.24%) shown.	Pass
INV-03	Edit Investment	Investment exists	1. Tap an investment. 2. Change current price from RM 9.20 to RM 8.00. 3. Save.	Portfolio value and profit/loss recalculated.	Loss of RM 50.00 (-5.88%) reflected immediately.	Pass
INV-04	Delete Investment	Investment exists	1. Swipe investment left to delete. 2. Confirm in dialog.	Investment removed; portfolio totals updated.	Investment removed; portfolio showed empty state.	Pass

4.7 Analytics and Reports Module

Table 4.7.1: Analytics and Reports Test Cases and Results

ID	Test Case	Precondition	Steps	Expected Result	Actual Result	Status
----	-----------	--------------	-------	-----------------	---------------	--------

ANA-01	View Spending Trend Chart	Transactions exist across multiple months	1. Open Analytics screen.	Line chart renders with correct data points for selected period.	Line chart rendered with correct monthly data points.	Pass
ANA-02	View Income vs Expense Chart	Transactions exist	1. Scroll to bar chart section.	Grouped bars shown for each month in selected range.	Grouped bars rendered for each month in range.	Pass
ANA-03	View Category Pie Chart	Expense transactions exist	1. Scroll to pie chart. 2. Tap a category segment.	Segment highlights; tooltip displays category name and amount.	Slice expanded; tooltip displayed "Food — RM 615.00".	Pass
ANA-04	Change Time Range	—	1. Tap "1Y" range chip at top of analytics screen.	All charts update to reflect the new period.	All charts refreshed with one year of data.	Pass
ANA-05	Export Transactions CSV	Transactions exist; Reports screen open	1. Open Reports screen. 2. Tap Transactions (CSV)	CSV file generated; system share sheet or browser	Share sheet appeared with CSV file for download.	Pass

			download button.	download appears.		
ANA-06	Export Spending Report PDF	Spending report data loaded	1. Open Reports screen → Spending tab. 2. Tap PDF export button.	PDF document generated; system share sheet appears.	PDF document generated; share sheet displayed with file.	Pass
ANA-07	Switch Report Tabs	Reports screen open	1. Tap each of the three tabs: Spending Report, Budget Report, Category Analysis.	Correct data rendered for each tab without errors.	Each tab rendered its correct report without errors.	Pass

4.8 Gamification Module

Table 4.8.1: Gamification Test Cases and Results

ID	Test Case	Precondition	Steps	Expected Result	Actual Result	Status
GAM-01	Unlock Achievement	Achievement condition not yet met	1. Add first transaction (triggers "First Step" achievement check).	Achievement unlocked; XP awarded; achievement card updated.	"First Step" achievement unlocked; XP awarded; achievement card changed	Pass

					to unlocked state.	
GAM-02	View Achievement List	—	1. Open Achievements screen.	All 20 achievements listed with correct locked/unlocked states.	All 20 achievements displayed with correct states and progress values.	Pass
GAM-03	Filter Achievements by Difficulty	Achievements loaded	1. Select "Hard" filter chip.	Only Hard-difficulty achievements displayed.	List filtered to Hard-difficulty achievements only.	Pass
GAM-04	Level Up	Sufficient XP accumulated	1. Unlock achievements totalling enough XP to cross level threshold.	Level indicator increments; dashboard card reflects new level.	Level increased from 1 to 2; dashboard card updated.	Pass
GAM-05	View Daily Streak	User has logged activity on consecutive days	1. Open dashboard gamification card.	Correct consecutive-day count displayed.	Dashboard showed correct streak count of 2 consecutive days.	Pass

GAM-06	View Leaderboard	Multiple users have XP	1. Open Leaderboard section within achievements screen.	Users ranked by total XP in descending order.	Users ranked correctly in descending XP order.	Pass
--------	------------------	------------------------	---	---	--	------

4.9 Functional Testing Summary

Table 4.9.1: Functional Testing Summary by Module

Module	Test Cases	Passed	Failed	Pass Rate
Authentication	13	13	0	100%
Transaction Management	10	10	0	100%
Budget Monitoring	5	5	0	100%
Financial Goals	5	5	0	100%
Investment Tracking	4	4	0	100%
Analytics and Reports	7	7	0	100%
Gamification	6	6	0	100%
Total	50	50	0	100%

The 100% pass rate across all 50 functional test cases confirms that every feature of the SmartFinance system behaves in accordance with its specification. The pass criterion of $\geq 90\%$ is exceeded.

5. Usability Testing

5.1 Objectives

Usability testing evaluates the degree to which target users — Malaysian young adults with varying levels of financial literacy can accomplish representative tasks using SmartFinance without requiring specialist training or external assistance. The evaluation specifically targets the following quality attributes:

- **Learnability** — can first-time users accomplish tasks without guidance?
- **Efficiency** — do users complete tasks within a reasonable time?
- **Satisfaction** — do users find the experience pleasant and worthwhile?

5.2 Participant Profile

Six participants were recruited from the target demographic. Participation criteria were:

- Age 18–30
- Malaysian (or studying/working in Malaysia)
- Varying levels of financial literacy (students and early-career professionals)
- No prior exposure to the SmartFinance application

Table 5.2.1: Participant Summary

Participant	Age Range	Background	Financial Literacy Self-Rating (1–5)
P1	22	University student (Engineering)	3
P2	20	University student (Business)	4
P3	25	Early-career professional (IT)	3

P4	21	University student (Arts)	2
P5	27	Early-career professional (Finance)	5
P6	19	University student (Science)	2

5.3 Procedure

Each session was conducted individually in a controlled environment lasting approximately 30–45 minutes. The evaluator explained that the application — not the participant was being tested, and asked participants to think aloud as they worked through each task. No guidance was provided during task execution. The evaluator recorded task completion, errors, and time on task. After all tasks were complete, participants completed a post-session questionnaire.

5.4 Tasks

Participants were asked to complete the following six tasks in sequence:

Task	Description	Module Tested
Task 1	Register a new account using the provided test email and verify the account via the verification email.	Authentication
Task 2	Add three expense transactions: Food RM 15.00, Transport RM 8.50, and Entertainment RM 40.00 for the current week.	Transactions
Task 3	Create a monthly budget with at least two categories (Food and Transport).	Budgets

Task 4	Add a savings goal named "New Laptop" with a target of RM 3,000 and contribute RM 500 towards it.	Goals
Task 5	View the spending analytics for the past month and identify the largest spending category.	Analytics
Task 6	Export the transaction history as a PDF report.	Reports

5.5 Metrics Collected

Metric	Measurement Method	Pass Target
Task Completion Rate	Percentage of participants completing each task without evaluator assistance	$\geq 80\%$ overall
Time on Task	Stopwatch recording per task, per participant	Monitored (no hard threshold)
Error Rate	Count of incorrect actions or navigational dead-ends per task	Monitored
User Satisfaction	Post-session SUS-inspired Likert questionnaire (1–5)	Average $\geq 3.5 / 5$

5.6 Post-Session Questionnaire

Participants rated each of the following statements from 1 (Strongly Disagree) to 5 (Strongly Agree):

1. I found the app easy to use overall.
2. I could navigate between features without confusion.
3. The app's feedback (error messages, success indicators) was clear and helpful.

4. I would use this app to manage my personal finances in daily life.
5. I felt confident using the app after a short familiarisation period.

5.7 Task Completion Results

Table 5.7.1: Task Completion Rate by Participant

Task	P1	P2	P3	P4	P5	P6	Completion Rate
Task 1 — Register & Verify	✓	✓	✓	✓	✓	✓	100%
Task 2 — Add 3 Transactions	✓	✓	✓	✓	✓	✓	100%
Task 3 — Create Budget	✓	✓	✓	✗	✓	✓	83%
Task 4 — Add Goal & Contribute	✓	✓	✗	✓	✓	✓	83%
Task 5 — View Analytics	✓	✓	✓	✓	✓	✓	100%
Task 6 — Export PDF	✓	✗	✓	✓	✓	✓	83%

Note: ✓ = completed without assistance; ✗ = required evaluator guidance or failed to complete.

Overall task completion rate: 91.7% — exceeds the $\geq 80\%$ pass criterion.

Observations for tasks not completed independently:

- **Task 3 (P4):** Participant did not notice the "Add Category" button and created a budget with a single category. The interface label was deemed insufficiently prominent. Identified as a UI improvement opportunity.
- **Task 4 (P3):** Participant navigated to Goals but was uncertain which action triggered a contribution. Labels on goal action buttons were described as unclear.
- **Task 6 (P2):** Participant navigated to Analytics instead of the Reports screen. Navigation discoverability for the Reports tab was identified as an area for improvement.

5.8 Post-Session Questionnaire Results

Table 5.8.1: Satisfaction Scores by Participant (Out of 5)

Statement	P1	P2	P3	P4	P5	P6	Average
Q1 — Easy to use overall	5	4	4	3	5	4	4.17
Q2 — Navigation without confusion	4	3	4	3	5	4	3.83
Q3 — Feedback was clear and helpful	5	4	5	4	5	5	4.67
Q4 — Would use for personal finances	5	4	4	4	5	5	4.50
Q5 — Confident after short time	5	4	4	4	5	4	4.33
Overall Average							4.30

Overall satisfaction average: 4.30 / 5.00 — exceeds the $\geq 3.5 / 5$ pass criterion.

The lowest-scoring dimension was Q2 (Navigation, 3.83), which is consistent with the task completion observations for Task 6 (P2 navigated to the wrong screen). This finding validates the observation and points to a specific, addressable UI improvement. All other dimensions scored above 4.0, indicating strong perceived usability.

5.9 Usability Assessment Summary

Across the five Likert questionnaire items, participants rated the application an overall average of **4.30 out of 5.00**, exceeding the ≥ 3.5 pass criterion. The lowest-scoring dimension was Q2 — navigation clarity (3.83), which is consistent with the task completion observation for Task 6 where one participant navigated to the wrong screen. All other dimensions scored above 4.0, indicating strong perceived usability across learnability, feedback quality, daily-use willingness,

and confidence. The overall satisfaction score confirms the application meets acceptable usability standards for the target demographic.

6. Security Testing

6.1 Strategy

Security testing was conducted by the developer acting as an adversarial tester, using Postman to send crafted HTTP requests directly to the Flask API. All tests were performed in the local development environment against a test user account. The pass criterion is that all seven security test cases are handled correctly — the malicious request is either rejected, or the system does not expose unintended data or capabilities.

6.2 Security Test Cases and Results

Table 6.2.1: Security Test Cases and Results

ID	Test Case	Method / Input	Expected Result	Actual Result	Status
SEC-01	Unauthenticated API Access	Send GET /api/transactions/user/1 with no Authorization header via Postman.	HTTP 401 Unauthorized; no transaction data returned.	HTTP 401 returned; no data exposed.	Pass
SEC-02	Expired JWT Token	Send a valid API request with an access token past its expiry timestamp.	HTTP 401 Unauthorized; user must re-authenticate.	HTTP 401 returned with token-expiry message.	Pass

SEC-03	Cross-User Data Access	Log in as User A; substitute User B's ID in the URL path parameter.	HTTP 403 Forbidden or empty dataset; User B's data not returned.	Empty transaction list returned; User B's data not leaked.	Pass
SEC-04	SQL Injection	Enter ' OR 1=1 -- in the login email and password fields.	Input treated as a literal string; no SQL executed; invalid credentials response.	Login returned HTTP 400 "Invalid email format"; SQLAlchemy's parameterised queries prevented execution.	Pass
SEC-05	Brute-Force Login	Send 20 consecutive POST requests to /api/auth/login with incorrect passwords using Postman Runner.	All attempts return HTTP 401; credentials not accepted; no user data exposed.	All 20 requests returned HTTP 401; no account data exposed. Note: rate limiting and automatic account lockout are not active in the local development environment; these are planned controls for the production deployment phase.	Pass

SEC-06	2FA Bypass Attempt	Submit correct password credentials on a 2FA-enabled account without providing a TOTP code.	Access denied; TOTP code required before JWT tokens are issued.	Backend returned error requiring TOTP code; no JWT tokens issued.	Pass
SEC-07	Session Revocation Effectiveness	Revoke a session from Security Settings; attempt to call the API using the revoked session's token.	API returns HTTP 401; session no longer active; access denied.	HTTP 401 Unauthorized returned after revocation.	Pass

Security testing pass rate: 7/7 (100%) — all adversarial test cases handled correctly.

7. Performance Testing

7.1 Strategy

Performance testing was conducted on a physical Android device connected over standard Wi-Fi. Flutter DevTools was used to measure frame rendering times and detect dropped frames (jank). Postman's built-in response time measurement was used for individual API endpoints. The pass criteria are a dashboard load time of under 3 seconds and individual API responses under 500 milliseconds.

7.2 Performance Test Cases and Results

Table 7.2.1: Performance Test Cases and Results

ID	Test Case	Dataset	Pass Threshold	Measured Result	Status
PERF-01	Dashboard Load Time	50 transactions, 1 budget, 3 goals, 5 investments; standard Wi-Fi	≤ 3 seconds	~1.8 seconds (average over 5 runs)	Pass
PERF-02	API Endpoint Response Times	Tested 6 major endpoints individually via Postman: login, transactions list, budget status, goals list, portfolio, spending report	≤ 500 ms per endpoint	Range: 45–210 ms; all within threshold	Pass
PERF-03	Chart Rendering Time	Analytics screen with 6 months of data (~150 transaction records)	≤ 2 seconds	~1.2 seconds to full render	Pass
PERF-04	Large Transaction List Rendering	200 transactions loaded in Transaction History screen	No perceptible lag; smooth scrolling	List rendered smoothly; no dropped frames observed in DevTools	Pass
PERF-05	Concurrent API Requests	10 simultaneous POST requests to /api/transactions/ via Postman Runner	All 10 requests return correct responses	All 10 requests returned HTTP 201 Created with correct data	Pass

Performance testing pass rate: 5/5 (100%) — all metrics within defined thresholds.

8. Overall Evaluation Summary

Table 8.1: Evaluation Results Summary

Testing Strategy	Test Cases / Participants	Pass Criterion	Result	Outcome
Functional Testing	50 test cases across 7 modules	$\geq 90\%$ pass rate	100% (50/50)	Pass
Usability Testing	6 participants, 6 tasks	Task completion $\geq 80\%$; satisfaction $\geq 3.5/5$	91.7% completion; 4.30/5 satisfaction	Pass
Security Testing	7 adversarial test cases	100% handled correctly	100% (7/7)	Pass
Performance Testing	5 performance benchmarks	Dashboard $\leq 3s$; APIs $\leq 500ms$	All within thresholds	Pass

All four testing strategies produced results that meet or exceed their respective pass criteria. The SmartFinance system demonstrates correct functional behaviour across all 50 test cases, robust resistance to the seven adversarial security scenarios tested, response times well within the defined performance thresholds, and a usability level — a 91.7% task completion rate and 4.30/5 satisfaction score — that comfortably exceeds the minimum acceptance criteria.

The usability sessions identified three specific improvement opportunities (budget category button visibility, goal contribution action clarity, and Reports screen discoverability) which are recorded as actionable findings for future iterations.

9. Requirements Traceability Matrix

The following table confirms traceability between the project's primary functional requirements and the test cases that verify them.

Requirement	Verified By
User can register and authenticate securely	AUTH-01 to AUTH-05
Email verification enforced before full access	AUTH-06
Password reset flow is functional and secure	AUTH-07, AUTH-08
Two-Factor Authentication available and enforceable	AUTH-09 to AUTH-12, SEC-06
Active sessions visible and revocable	AUTH-13, SEC-07
User can add, view, edit, and delete transactions	TXN-01 to TXN-06
Financial Insights screen displays health score and personalised insights	TXN-07
Recurring transactions execute on schedule	TXN-08 to TXN-10
Budget creation and real-time spending tracking	BUD-01 to BUD-03
Budget editing and deletion	BUD-04, BUD-05
Financial goals with contribution tracking	GOAL-01 to GOAL-05
Investment portfolio tracking with profit/loss	INV-01 to INV-04
Analytics charts render correctly for all time ranges	ANA-01 to ANA-04
CSV and PDF report export functions correctly	ANA-05, ANA-06
Gamification system awards XP and unlocks achievements	GAM-01 to GAM-04
Streak and leaderboard features functional	GAM-05, GAM-06
API inaccessible without valid authentication	SEC-01, SEC-02

User data isolated between accounts	SEC-03
System resistant to injection and brute-force attacks	SEC-04, SEC-05
Dashboard and charts load within acceptable time	PERF-01, PERF-03
API endpoints respond within 500 ms	PERF-02
Application handles large transaction datasets without degraded performance	PERF-04
Backend handles concurrent requests correctly under load	PERF-05

Non-functional requirements NFR001–NFR006 (covering performance, security, usability, reliability, maintainability, and cross-platform accessibility) are verified collectively through Sections 5–7 (usability testing, security testing, and performance testing respectively).