GRADE 11 TECHPRO ACTIVITY SHEET
CSS LISTS

NAME: Ramo, Jeric Y. DATE: 10 / 12 / 26

SECTION: 11 - Bell

Learning Objectives

- Identify ordered lists (<ol>) and unordered lists (<ul>) in HTML.
- Change list markers using list-style-type.
- Control marker placement using list-style-position.
- Use list-style-image with a fallback marker.
- Use the list-style shorthand property.
- Style lists with colors, padding, and margins.

Instructions

- Create a folder named CSS_Lists_Activity and open it in Visual Studio Code.
- Create index.html and enter the starter code below.
- Save the file and open it in a browser. Live Server is optional.
- Change the CSS values as instructed and observe the results.

PART A — Create the Starter Page

Keep the HTML and CSS in one file for this activity.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>CSS Lists Activity</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 24px;
      background: #f7f3f4;
      color: #222;
    }
    h1, h2 { color: maroon; }
  </style>
</head>
<body>
  <h1>My CSS Lists Activity</h1>
  <p>HTML lists organize information. CSS changes how list markers and items look.</p>
  <h2>My Favorite ICT Topics</h2>
  <ul>
    <li>Web Design</li>
    <li>Computer Hardware</li>
    <li>Programming</li>
  </ul>
</body>
</html>
```

PART B — Ordered and Unordered Lists

An unordered list uses <ul> and normally displays bullets. An ordered list uses <ol> and normally displays numbers or letters. Each item belongs inside an <li> element.

```
<h2>Steps to Start a Web Project</h2>
<ol>
  <li>Create a project folder.</li>
  <li>Open the folder in Visual Studio Code.</li>
  <li>Create index.html.</li>
  <li>Save and preview the page.</li>
</ol>
```

Activity: Add one unordered list of three school subjects and one ordered list of four steps for completing a class task.

PART C — Change Markers with list-style-type

This property changes the marker shape or numbering style. Add these rules inside <style>:

```
ul.circle-list { list-style-type: circle; }
ul.square-list { list-style-type: square; }
ol.roman-list { list-style-type: upper-roman; }
ol.alpha-list { list-style-type: lower-alpha; }
```

Add these examples inside <body>:

```
<h2>Marker Examples</h2>
<ul class="circle-list"><li>Circle marker</li><li>Circle marker</li></ul>
<ul class="square-list"><li>Square marker</li><li>Square marker</li></ul>
<ol class="roman-list"><li>Roman numeral</li><li>Roman numeral</li></ol>
<ol class="alpha-list"><li>Lowercase letter</li><li>Lowercase letter</li></ol>
```

- Change square to disc. What happens?
- Change upper-roman to decimal.
- Try list-style-type: none; and observe what disappears.

PART D — Marker Position: inside and outside

list-style-position controls where the marker sits. The default is outside.

```
ul.outside-list { list-style-position: outside; }
ul.inside-list { list-style-position: inside; }
```

```
<ul class="outside-list">
  <li>This is a longer list item that may wrap onto another line so you can compare marker placement.</li>
</ul>
<ul class="inside-list">
  <li>This is a longer list item that may wrap onto another line so you can compare marker placement.</li>
</ul>
```

Activity: Test both values and write one sentence describing the difference.

PART E — Image Markers

list-style-image can use an image file as a marker. If your teacher provides marker.png, place it beside index.html and try this. The list-style-type value is a fallback if the image cannot load.

```
ul.image-list {
  list-style-image: url("marker.png");
  list-style-type: square;
}
```

If you do not have marker.png, skip this optional part and continue.

PART F — The list-style Shorthand

The list-style shorthand combines marker type, position, and image. Practice without an image first:

```
ul.tech-list {
  list-style: square inside;
}
```

Activity: Change it to circle outside, then try none. Observe the marker and spacing.

PART G — Style Lists with Colors, Padding, and Margins

```
ul.tech-list {
  list-style: square inside;
  background: #f2dce2;
  padding: 20px;
}
ul.tech-list li {
  background: #ffffff;
  color: #5b0018;
  padding: 8px;
  margin: 6px 0;
}
```

Apply class="tech-list" to an unordered list and add three ICT topics. Try changing background, text color, padding, and margin while keeping text readable.

PART H — Mini Project: TechPro ICT Checklist

Create a one-page webpage titled “TechPro ICT Checklist.” Include all of the following:

- A main heading and short introduction.
- An unordered list with at least four ICT topics.
- An ordered list with at least four steps for completing a web project.
- At least two different list-style-type values.
- A comparison of inside and outside marker positions.
- One styled list using colors, padding, and margins.
- A maroon color and readable text/background contrast.

Suggested CSS:

```
.page-title { text-align: center; color: maroon; }
.topic-list {
  list-style-type: square;
  background: #f2dce2;
  padding: 20px 36px;
  border-radius: 10px;
}
.topic-list li {
  background: white;
  color: #5b0018;
  padding: 8px;
  margin: 6px 0;
}
.steps-list { list-style-type: upper-roman; }
```

Check Your Work

☐ Created CSS_Lists_Activity and index.html.

☐ Previewed the page in a browser.

☐ Practiced ordered and unordered lists.

☐ Changed list-style-type values.

☐ Compared inside and outside marker positions.

☐ Tested list-style-image or read the optional instructions.

☐ Used the list-style shorthand.

☐ Styled a list with colors, padding, and margins.

☐ Completed the mini-project and challenge.

Review Questions

1. What is the difference between <ul> and ?

Answer: unordered list uses <ul> and normally displays bullets, whereas an ordered list uses <ol> and normally displays numbers or letters

2. What does list-style-type control?

Answer: It changes the list marker shape or numbering style

3. What is the difference between list-style-position: inside and outside?

Answer: It controls where the marker sits by placing markers inside or outside the list item's text flow, with outside as the default

4. What does list-style-image do?

Answer: It uses an image file as the marker for the list items

5. Why specify list-style-type as a fallback when using an image marker?

Answer: The list-style-type value acts as a fallback marker in case the image file cannot load

6. What three properties can the list-style shorthand combine?

Answer: It combines the marker type, position, and image

7. How do padding and margin affect a styled list?

Answer: Padding and margins help improve list organization and readability

8. How can list-style-type: none help create a navigation menu?

Answer: Setting it to none removes the default bullet markers, giving a clean layout ideal for navigation bars

Quick Review

list-style-type = changes the list marker or numbering style.

list-style-position = places markers inside or outside the list item's text flow.

list-style-image = uses an image as the marker.

list-style = shorthand for marker type, position, and image.

Colors, padding, and margins can improve list organization and readability.

Reference

W3Schools — CSS Lists: https://www.w3schools.com/css/css_list.asp