


EXP 10: 5G Network Slicing Environment Using MATLAB

Objective – 1: Analyze the Number of Network Slices

Program code:

```
clc;
clear;
close all;
slices = {'eMBB','URLLC','mMTC','Private','IoT'};
count = [1 1 1 1 1]; % One instance of each network slice
figure
bar(count)
grid on
set(gca,'XTickLabel',slices)
xlabel('Network Slice Type')
ylabel('Number of Network Slices')
title('Number of Configured 5G Network Slices')
```

Output:




Objective – 2: Compare Slice Utilization (%)

Program code:

```
clc;
clear;
close all;
slices = categorical({'eMBB', 'URLLC', 'mMTC', 'Private', 'IoT'});
utilization = [85 70 60 75 50];
figure;
bar(slices, utilization);
grid on;
xlabel('Network Slice Type');
ylabel('Slice Utilization (%)');
title('Slice Utilization in 5G Network Slicing');
ylim([0 100]);
```

Output:



Objective – 3: Analyze End-to-End Latency (ms)

Program code:

```
clc;
clear;
close all;
slices = [1 2 3 4 5];
latency = [25 5 40 15 60];
figure;
plot(slices, latency, '-o','LineWidth',2,'MarkerSize',8);
grid on;
xticks(slices);
xticklabels({'eMBB','URLLC','mMTC','Private','IoT'});
xlabel('Network Slice Type');
ylabel('End-to-End Latency (ms)');
title('5G Network Slicing: End-to-End Latency');
ylim([0 70]);
```

Output:

