


EXP 8: Steering Angle Variation in MIMO Beamforming Using MATLAB

Objective – 1 Analyze Steering Angle (Degrees)

Program code:

```
clc;
clear;
close all;
angle = [-60 -30 0 30 60]; % Steering Angles (degrees)
gain = ones(size(angle)); % Normalized Gain
figure
polarplot(deg2rad(angle), gain, 'o-', 'LineWidth', 2)
title('Steering Angle Variation in MIMO Beamforming')
```

Output:




Objective – 2 Compare Array Gain (dB)

Program code:

```
clc;
clear;
close all;
angle = [-60 -30 0 30 60]; % Steering Angles (degrees)
gain = [9 12 15 12 9]; % Array Gain (dB)
figure
bar(angle, gain)
grid on
xlabel('Steering Angle (Degrees)')
ylabel('Array Gain (dB)')
title('Array Gain for Different Steering Angles')
```

Output:



Objective – 3 Evaluate Beam Direction Error (Degrees)

Program code:

```
clc;
clear;
close all;

desired = [-60 -30 0 30 60];
actual = [-58 -32 1 29 62];

error = abs(desired - actual);

figure
plot(desired, error, 'o-', 'LineWidth', 2)
grid on
xlabel('Desired Steering Angle (Degrees)')
ylabel('Beam Direction Error (Degrees)')
title('Beam Direction Error for Different Steering Angles')
```

Output:

