

Databricks Naming Standards

Last updated by | Morgan Mick | May 2, 2019 at 5:27 PM GMT+1

Introduction

The following are the naming standards to be adopted when creating new DataBricks component. Notes all names must use [lower Camel Case](#)  with the exception of the root folder (i.e. AWBI):

Folders

Folder names using within the structure should be meaningful e.g. rawAttunity, dim, fact etc. The current high core folder structure is as follows:

Folder	Parent	Description	Repository
AWBI	n/a	Root Folder for Workspace	n/a
rawAttunity	AWBI	Folder for all Attunity raw to base pattern subfolders/notebooks	(Ingestion-Attunity)
rawGeneric	AWBI	Folder for all generic raw to base pattern subfolders/notebooks	(Ingestion-Generic)
shared	AWBI	Folder for all shared pattern framework subfolders/notebooks	(Framework-Shared)
library	AWBI	Folder for all unit testing framework subfolders/notebooks	(Library-UnitTest)
operationalMaintenance	AWBI	Folder for operational support notebooks	(Support-Scripts)
processing	AWBI	Folder for all data processing folders/subfolders	n/a
processingFramework	processing	Folder for all data processing framework pattern subfolders/notebooks	(Framework-Processing)
processing Templates	processing	Folder for all data processing template notebooks	(Templates-Processing)
projects	processing	Folder for all project specific data processing folders/subfolders	n/a
conformed	projects	Folder for all conformed data set data processing subfolders/notebooks	(Processing-Generic)
telematics	projects	Folder for all telematics project specific data processing subfolders/notebooks	(Processing-Telematics)
sim2	projects	Folder for all sim2 project specific data processing subfolders/notebooks	(Processing-Sim2)
dim	conformed	Folder for conformed dimension notebooks	(Processing-Generic)
dim	telematics	Folder for telematic specific dimension notebooks	(Processing-Telematics)

Folder	Parent	Description	Repository
fact	telematics	Folder for telematic specific fact notebooks	(Processing-Telematics)
security	telematics	Folder for telematic specific rowlevel security notebooks	(Processing-Telematics)
analyticalDataset	sim2	Folder for sim2 specific data processing notebooks	(Processing-Sim2)

Notebooks

- Framework/Pattern/Generic Notebooks - Use meaningful names
- Dimensions and Fact Notebooks - Use the same name as the data asset you are creating. e.g. *dimWorkCentre*, *factTelematicsEvent*
- Other main data processing Notebooks - Use meaningful names which correspond to the data being processed e.g. *datasetSimWave2e*
- Sub notebooks - If the data processing needs to be broken down into a number of notebooks then place these within a sub folder e.g. *datasetSimWave2SubNotebooks* and give them a meaningful names which relate to the master data object you are trying to create and put the words sub at the beginning of the files name e.g. *subDatasetSimWave2Acorn*, *subDatasetSimWave2AdditionalContacts*

Notes:

For Python coding standard see [\[Python\]](#)

For generic data naming standards such as table/columns names see [\[Generic Data Naming Standards\]](#)