Courses syllabus

1. C-Programming

- l.l Introduction
- 1.2 Flow Control
- 1.3 Functions
- 1.4 Arrays
- 1.5 Pointers
- 1.5 Structure and Unions

2. Data Structures

- 2.1 Stacks.
- 2.2 Queues.
- 2.3 Linked List (Single Linked List, Doubly linked list, Circular linked list).
- 2.4 Trees (Tree Traversals, Tree Operations, Binary Search Tree, AVL Tree)

- 2.5 Hashing
- 2.6 Heaps (Max Heap, Min Heap, Heap Sort)
- 2.7 Graphs (Representation of graphs, BFS, DFS)
- 2.8 Skip List
- 2.9 Red-Black Trees
- 2.10 B Trees
- 2.11 B+ Trees
- 2.12 Splay Trees
- 2.13 Binomial Heap
- 2.14 Fibonacci Heap
- 2.15 Ternary Search Tree
- 2.16 Disjoint Sets

3. Algorithms

- 3.1 Analysis.
- 3.2 Sorting Techniques.
- 3.3 Divide and Conquer.
- 3.4 Greedy Algorithms.
- 3.5 Backtracking .
- 3.6 Dynamic Programming .
- 3.7 Complexity Classes .

4. Problem solving using Data Structures and Algorithms

- 4.1 Arrays.
 - Find a pair in an array of size 'n', whose sum is X
 - Find a majority element in an array of size 'n'
 - Find the number occuring odd number of times in a given array of size 'n'
 - Algorithm to reverse an array
 - Algorithm to rotate array of size 'n' by 'd' elements
 - Algorithm to segregate O's and I's in an array
 - Find the maximum difference between two elements such that larger element appears after the smaller element
 - Algorithm to merge an array of size 'n' into another array of size 'm+n'.


- Algorithm to find two repeating numbers in a given array
- Algorithm to find duplicate elements in O(n) time and O(l) extra space, for a given array of size n'
- Find the index in an array such that the sum of elements at lower indices is equal to the sum of elements at higher indices.
- Algorithm to find the maximum difference of j i such that a[j] > a[i], for a given an array of 'n' elements.
- Algorithm to find the triplet whose sum is X
- Algorithm to find a sub array whose sum is X
- Algorithm to find the largest sub array with equal number of O's and 1's
- Algorithm to find the number of triangles that can be formed with three different array elements as three sides of triangles, for a given unsorted array of n elements
- Algorithm to find the smallest integer value that can't be represented as sum of any subset of a given array.
- Algorithm to find the common element in given three sorted arrays
- Algorithm to find the contiguous sub-array with maximum sum, for a given array of postive and negative numbers.
- Given an array of integers, sort the array into a wave like array and return it. (arrange the element into a sequence such that al>=a2<=a3>=a4<=a5--etc.
- Algorithm to find the next greater number formed after permuting the digits of given number
- Algorithm to find the sum of bit difference in all pairs that can be formed from array of n elements.
- Trapping rain water problem
- Algorithm to find the minimum number of platforms required for the railway station so that no train waits according to arrival and departure

time

- Rotate 2-Dimentional array
- Lock and Key problem
- Rearrange an array so that a[i] becomes a[a[i]] with O(1) extra space
- Traverse a matrix of integers in spiral form
- Given an array consisting O's, I's and 2's, write a algorithm to sort it
- Given a positive number X, print all jumping numbers (all adjacent digits in it differ by 1) smaller than or equal to X
- Given an array and an integer 'k', find the maximum, for each and every contiguous subarray of size 'k'
- Search an element in a sorted rotated array
- Find the maximum value of a[j]-a[i]+a[l]-a[k], for every four indices i, j, k, l such that i < j < k < l.

4.2 Linked List

- Algorithm to find the nth node from end of the linked list
- Algorithm to find the middle node in a linked list
- Algorithm to find the intersection point of two linked lists
- Reversal of linked list
- Algorithm to detect loop in linked list
- Algorithm to find starting node of a loop in a linked list
- Algorithm to check given linked list is palindrome (or) not
- Algorithm to reverse alternative K nodes in a single linked list
- •
- •
- •



- Find a lowest common ancestor of a given two nodes in a abinary search tree
- Find a lowest common ancestor of a given two nodes in a binary tree
- Level order traversal in spiral form
- Convert an arbitrary binary tree to a tree that holds children sum property
- Find the Diameter of a BST
- Construct tree from given inorder and post order traversal
- Convert a Binary Tree to a circular DLL
- Evaluation of expression tree
- Print extreme node of each level of Binary Tree in alternative order
- Print cousins of a given node in Binary Tree
- Diagonal traversal of Binary Tree
- Construct tree from ancestor matrix
- Given a Binary Tree, find vertical sum of the nodes that are in same vertical line.
- Find multiplication of sums of data of leaves at same level.
- Given a binary tree, find maximum value we can get by subtracting value of node B from value of node A
- Print nodes in a top view of Binary Tree.
- Given a Binary Tree and a number k, remove all nodes that lie only on root to leaf path(s) of length smaller than k.
- Serialize and deserialize an N-ary tree.
- Reverse alternate levels of a perfect Binary Tree.
- Print all nodes that are at distance k from a leaf node.
- Custom tree problem.
- Construct complete binary tree from its linked list representation.
- Find next right nodes of given leafs in a binary tree.

- Given a binary tree, print boundary nodes of the binary tree Anti-Clockwise starting from the root.
- Convert a given tree to its sum tree.
- Given a binary tree, find out if the tree can be folded or not.
- Find largest sub tree having identical left and right sub tree.
- Convert a normal binary search tree to balanced BST.
- Check if removing an edge can divide a binary tree in the form of n-ary tree
- locking and unlocking of resource arranged on the form of n-ary tree.

4.5 Heaps

- Find K largest (or smallest) elements in array,
- Tournament tree method using binary heap
- Find a Median in a stream of integers,
- Sort a nearly sorted array (or k sorted).
- Given array representation of min Heap, convert it to max Heap.
- Check if a given binary tree is Heap.
- .
- •
- •
- •

4.6 Strings

- Find a maximum occurring character in the input string.
- Remove all duplicates from a given string.
- A program to check if strings are rotations of each other or not.

- Find the smallest window in a string containing all characters of another string
- Revere words in a given string.
- Find all distinct palindromic sub strings of a given string
- Remove all adjacent duplicate characters in a string
- Given a string, find the Run length encoding of given string.
- Check whether two strings are anagram of each other or not.
- Find the first non-repeating character from a stream of characters,
- Given an array of strings, find if the string can be of characters.
- Find a excel column name from a given column number.
- Convert one string to another using minimum number of given operation
- Check if a given sequence of moves for a robot is circular (or) not.
- Print concatenation of zig-zag string in 'n' rows.
- Minimum number of palindromic sub sequence to be removed to empty a binary string.
- All combinations of string that can be used to dial a number.

4.7 Divide & Conquer

- Find the median of two sorted arrays
- Count inversions in an array
- Find majority Element in a sorted array
- Find the maximum and minimum of an array using minimum number of comparisons
- The skyline problem
- Given two binary strings that represent value of two integers, find the product of two strings.
- Given an array of integers. Find a peak element in it.
- Find the missing number in Arithmetic Progression

• Given an array of n points in the plane, find out the closest pair of points in the array.

4.8 Back Tracking

- Print all permutations of a given string.
- •
- •

4.9 Pattern searching

- Given a text and a pattern, find all occurrences of pattern in a given text.

 Using naive approach.
- Given a text and a pattern, find all occurrences of pattern in a given text.

 Using Rabin-Karp algorithm.
- Given a text and a pattern, find all occurrences of pattern in a given text.

 Using Finite automata approach.
- Given a text and a pattern, find all occurrences of pattern in a given text.

 Using Boyer moore algorithm.
- Given a text and a pattern, find all occurrences of pattern in a given text.

 Using KMP algorithm.
- Given a string, find the longest sub string which is palindrome using manacher's algorithm
- Find all occurrences of a given word in a matrix.

4.10 Greedy Algorithms

4.11 Dynamic Programming

- Find the length of the longest sub sequence of a given sequence such that all elements of the sub sequence are sorted in increasing order.
- Given two sequences, find the length of longest sub sequence present in both of them.
- Given a cost matrix and a position (m, n), Find cost of minimum cost path to reach (m, n) from (0, 0).
- Coin change problem.
- Find the length of the longest palindrome sub sequence.
- Find th sum of maximum sum sub sequence of the given array.
- You have a rectangular grid of dimension $2 \times n$. You need to find out the maximum sum such that no two chosen numbers are adjacent, vertically, diagonally (or) horizontally.
- Given an array A with n elements and array B with m elements. With m you have to insert (n-m) zero's in between array B such that the dot product of array A and array B is maximum.
- Transform a string into palindrome on removing at most k characters from it.
- Find the longest even length sub string such that sum of first and second half is same..

- Count number of ways to reach a given score in a game.
- Compute sum of digits in all number from 1 to n.
- Collect maximum points in a grid using two traversals
- Given a 2xn board and titles of size 2xl, count the number of ways to tile he
 given board using the 2xl tiles..
- Count the number of ways we can parenthesize the expression so that the value of expression evaluates to true.
- Given a Binary Tree, find size of the Largest Independent Set(LIS) in it.
- There are n stairs, a person standing at the bottom wants to reach the top.
 The person can climb either 1 stair or 2 stairs at a time. Count the number of ways, the person can reach the top.
- Find total number of non-decreasing numbers with n digits.
- Egg dropping problem.
- Given a rod of length n inches and an array of prices that contains prices of all pieces of size smaller than n. Determine the maximum value obtainable by cutting up the rod and selling the pieces.
- Given N jobs where every job is represented by Start Time, Finish Time, Profit or Value Associated. Find the maximum profit subset of jobs such that no two jobs in the subset overlap.
- Box stacking problem.
- Given an input string and a dictionary of words, find out if the input string can be segmented into a space-separated sequence of dictionary words.
- Given a binary matrix, find out the maximum size square sub-matrix with

trying to sell or people doing this m.

- 4.12 Bit Manipulation
- 4.13 Mathematical Algorithms