

QUERY 1: DISPLAY ALL CUSTOMERS

The screenshot shows the MongoDB Data Explorer interface. On the left, the 'Data Explorer' sidebar displays the 'Customer' collection under the 'MongoDB' database. The main panel shows the 'Customer' collection with 8 documents. The query bar is empty, and the 'Documents' tab is selected. The data is displayed in a table format with columns: _id, ObjectId, customer_id, Int32, name, String, city, String, account_type, String, and balance, Int32.

	_id	ObjectId	customer_id	Int32	name	String	city	String	account_type	String	balance	Int32
1	ObjectId('6a8966d5586ff9...	107			"Rahul Verma"		"Bengaluru"		"Current"		95000	
2	ObjectId('6a8966d5586ff9...	102			"Priya Sharma"		"Vijayawada"		"Current"		125000	
3	ObjectId('6a8966d5586ff9...	105			"Kiran Kumar"		"Guntur"		"Current"		65000	
4	ObjectId('6a8966d5586ff9...	106			"Anjali Singh"		"Hyderabad"		"Savings"		175000	
5	ObjectId('6a8966d5586ff9...	103			"Arjun Reddy"		"Hyderabad"		"Savings"		45000	
6	ObjectId('6a8966d5586ff9...	104			"Sneha Rao"		"Warangal"		"Savings"		210000	
7	ObjectId('6a8966d5586ff9...	101			"Ravi Kumar"		"Hyderabad"		"Savings"		85000	
8	ObjectId('6a8966d5586ff9...	108			"Meena Devi"		"Chennai"		"Savings"		320000	

QUERY 2: FIND ACTIVE CUSTOMERS

The screenshot shows the MongoDB Data Explorer interface. The query bar contains the query `{ "status": "Active" }`. The 'Documents' tab is selected, and the data is displayed in a table format. The table shows 7 documents, which are the same as in the first screenshot, but the order is different.

	_id	ObjectId	customer_id	Int32	name	String	city	String	account_type	String	balance	Int32
1	ObjectId('6a8966d5586ff9...	107			"Rahul Verma"		"Bengaluru"		"Current"		95000	
2	ObjectId('6a8966d5586ff9...	102			"Priya Sharma"		"Vijayawada"		"Current"		125000	
3	ObjectId('6a8966d5586ff9...	106			"Anjali Singh"		"Hyderabad"		"Savings"		175000	
4	ObjectId('6a8966d5586ff9...	103			"Arjun Reddy"		"Hyderabad"		"Savings"		45000	
5	ObjectId('6a8966d5586ff9...	104			"Sneha Rao"		"Warangal"		"Savings"		210000	
6	ObjectId('6a8966d5586ff9...	101			"Ravi Kumar"		"Hyderabad"		"Savings"		85000	
7	ObjectId('6a8966d5586ff9...	108			"Meena Devi"		"Chennai"		"Savings"		320000	

QUERY 3: FIND CUSTOMERS WITH BALANCE GREATER THAN 100000

ORGANIZATION NAVADEEP VIPPART... PROJECT Project 0

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

MongoDB

Customer

Transactions

admin

bookflow_db

local

sample_mflix

test

Cluster0 > MongoDB > Customer

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

25 1 - 4 of 4

	Customer	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId("6a8966d5506ff9...	102	"Priya Sharma"	"Vijayawada"	"Current"	125000		
2	ObjectId("6a8966d5506ff9...	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000		
3	ObjectId("6a8966d5506ff9...	104	"Sneha Rao"	"Warangal"	"Savings"	210000		
4	ObjectId("6a8966d5506ff9...	108	"Meena Devi"	"Chennai"	"Savings"	320000		

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

QUERY 4: FIND HYDERABAD CUSTOMERS

ORGANIZATION NAVADEEP VIPPART... PROJECT Project 0

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

MongoDB

Customer

Transactions

admin

bookflow_db

local

sample_mflix

test

Cluster0 > MongoDB > Customer

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

25 1 - 3 of 3

	Customer	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId("6a8966d5506ff9...	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000		
2	ObjectId("6a8966d5506ff9...	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000		
3	ObjectId("6a8966d5506ff9...	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000		

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

QUERY 5: FIND SAVINGS ACCOUNT CUSTOMERS

ORGANIZATION NAVADEEP VIPPART... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0
MongoDB

Customer

Cluster0 > MongoDB > Customer

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE INSIGHT

25 1 - 5 of 5

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId('6a8966d506ff9...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
2	ObjectId('6a8966d506ff9...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
3	ObjectId('6a8966d506ff9...')	104	"Sneha Rao"	"Warangal"	"Savings"	210000	
4	ObjectId('6a8966d506ff9...')	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	
5	ObjectId('6a8966d506ff9...')	108	"Meena Devi"	"Chennai"	"Savings"	320000	

Alert System Status: All Good
©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

QUERY 6: FIND TRANSACTIONS GREATER THAN 20000

ORGANIZATION NAVADEEP VIPPART... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0
MongoDB

Customer
Transactions

Cluster0 > MongoDB > Transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 9 of 9

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a89683f506ff9...')	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a89683f506ff9...')	1012	107	"Deposit"	40000	"IMPS"	
3	ObjectId('6a89683f506ff9...')	1014	108	"Deposit"	150000	"NEFT"	
4	ObjectId('6a89683f506ff9...')	1007	104	"Deposit"	100000	"NEFT"	
5	ObjectId('6a89683f506ff9...')	1008	104	"Withdrawal"	25000	"ATM"	
6	ObjectId('6a89683f506ff9...')	1010	106	"Deposit"	75000	"NEFT"	
7	ObjectId('6a89683f506ff9...')	1003	102	"Deposit"	50000	"NEFT"	
8	ObjectId('6a89683f506ff9...')	1015	108	"Withdrawal"	30000	"ATM"	

Alert System Status: All Good
©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

QUERY 7: FIND DEPOSITS

ORGANIZATION NAVADEEP VIPPART... PROJECT Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

MongoDB

Customer

Transactions

admin

bookflow_db

local

sample_mflix

test

Cluster0 > MongoDB > Transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

25 1-8 of 8

ADD DATA BULK EXPORT CODE

Transactions

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a89683f506ff9...	1001	101	*Deposit*	25000	*UPI*	
2	ObjectId('6a89683f506ff9...	1009	105	*Deposit*	15000	*UPI*	
3	ObjectId('6a89683f506ff9...	1012	107	*Deposit*	40000	*IMPS*	
4	ObjectId('6a89683f506ff9...	1014	108	*Deposit*	150000	*NEFT*	
5	ObjectId('6a89683f506ff9...	1007	104	*Deposit*	100000	*NEFT*	
6	ObjectId('6a89683f506ff9...	1010	106	*Deposit*	75000	*NEFT*	
7	ObjectId('6a89683f506ff9...	1003	102	*Deposit*	50000	*NEFT*	
8	ObjectId('6a89683f506ff9...	1005	103	*Deposit*	30000	*UPI*	

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

QUERY 8: FIND ATM TRANSACTIONS

ORGANIZATION NAVADEEP VIPPART... PROJECT Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

MongoDB

Customer

Transactions

admin

bookflow_db

local

sample_mflix

test

Cluster0 > MongoDB > Transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

25 1-7 of 7

ADD DATA BULK EXPORT CODE

Transactions

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a89683f506ff9...	1002	101	*Withdrawal*	10000	*ATM*	
2	ObjectId('6a89683f506ff9...	1008	104	*Withdrawal*	25000	*ATM*	
3	ObjectId('6a89683f506ff9...	1006	103	*Withdrawal*	5000	*ATM*	
4	ObjectId('6a89683f506ff9...	1011	106	*Withdrawal*	20000	*ATM*	
5	ObjectId('6a89683f506ff9...	1015	108	*Withdrawal*	30000	*ATM*	
6	ObjectId('6a89683f506ff9...	1004	102	*Withdrawal*	15000	*ATM*	
7	ObjectId('6a89683f506ff9...	1013	107	*Withdrawal*	12000	*ATM*	

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

QUERY 9: FIND DEPOSITS GREATER THAN 50000

ORGANIZATION NAVADEEP VIPPART... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

MongoDB

Customer

Transactions

admin
bookflow_db
local
sample_mflix
test

Cluster0 > MongoDB > Transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 3 of 3

	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectID('6a89683f506ff9...')	1014	108	"Deposit"	150000	"NEFT"
2	ObjectID('6a89683f506ff9...')	1007	104	"Deposit"	100000	"NEFT"
3	ObjectID('6a89683f506ff9...')	1010	106	"Deposit"	75000	"NEFT"

Alert System Status: All Good
©2026 MongoDB, Inc. Status Terms Privacy Adas Blog Contact Sales

QUERY 10: FIND HYDERABAD CUSTOMERS WITH HIGH BALANCE

ORGANIZATION NAVADEEP VIPPART... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

MongoDB

Customer

Transactions

admin
bookflow_db
local
sample_mflix
test

Cluster0 > MongoDB > Customer

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 1 of 1

	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectID('6a8966d6506ff9...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000

Alert System Status: All Good
©2026 MongoDB, Inc. Status Terms Privacy Adas Blog Contact Sales

QUERY 11: FIND CUSTOMERS IN MULTIPLE CITIES

ORGANIZATION: NAVADEEP VIPPART... PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

MongoDB

Customer

Transactions

admin

bookflow_db

local

sample_mflix

test

Cluster0 > MongoDB > Customer

Documents | Aggregations | Schema | Indexes | Validation

Generate query

```
{
  "city": {
    "$in": [
      "Hyderabad",
      "Vijayawada",
      "Warangal"
    ]
  }
}
```

ADD DATA | BULK | EXPORT CODE

25 | 1 - 5 of 5

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId('6a8966d506ff9...')	102	"Priya Sharma"	"Vijayawada"	"Current"	125000	
2	ObjectId('6a8966d506ff9...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
3	ObjectId('6a8966d506ff9...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
4	ObjectId('6a8966d506ff9...')	104	"Sneha R"	"Warangal"	"Savings"	210000	
5	ObjectId('6a8966d506ff9...')	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	

Alert System Status: All Good

©2026 MongoDB, Inc. | Status | Terms | Privacy | Atlas Blog | Contact Sales

QUERY 12: SORT CUSTOMERS BY BALANCE

ORGANIZATION: NAVADEEP VIPPART... PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

MongoDB

Customer

Transactions

admin

bookflow_db

local

sample_mflix

test

Cluster0 > MongoDB > Customer

Documents | Aggregations | Schema | Indexes | Validation

Sort

Generate aggregation

Untitled - modified | SAVE | CREATE NEW | EXPORT CODE

PREVIEW | STAGES | TEXT | WIZARD

Stage 1 | Sort

```
1 {
2   "balance": -1
3 }
4
5
```

Output preview after \$sort stage (Sample of 8 documents)

```
{
  "_id": ObjectId("6a8966d506ff9b457424c"),
  "customer_id": 108,
  "name": "Rena Devi",
  "city": "Chennai",
  "account_type": "Savings",
  "balance": 320000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId("6a8966d506ff9b4574248"),
  "customer_id": 104,
  "name": "Sneha Rao",
  "city": "Warangal",
  "account_type": "Savings",
  "balance": 210000,
  "status": "Active"
}
```

Alert System Status: All Good

©2026 MongoDB, Inc. | Status | Terms | Privacy | Atlas Blog | Contact Sales

QUERY 13: CALCULATE TOTAL TRANSACTION AMOUNT

ORGANIZATION NAVADEEP VIPPART... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

MongoDB

Customer

Transactions

admin
bookflow_db
local
sample_mflix
test

MongoDB Customer Transactions

Cluster0 > MongoDB > Transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run Options

Preview STAGES TEXT WIZARD

Stage1 \$group

```
1 {
2   "_id": null,
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 1 document)

```
_id: null
total_amount: 602800
```

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

QUERY 14: CALCULATE AVERAGE TRANSACTION AMOUNT

ORGANIZATION NAVADEEP VIPPART... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

MongoDB

Customer

Transactions

admin
bookflow_db
local
sample_mflix
test

MongoDB Customer Transactions

Cluster0 > MongoDB > Transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run Options

Preview STAGES TEXT WIZARD

Stage1 \$group

```
1 {
2   "_id": null,
3   "average_amount": {
4     "$avg": "$amount"
5   }
6 }
7
```

Output preview after \$group stage (Sample of 1 document)

```
_id: null
average_amount: 40133.333333333336
```

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

QUERY 15: TOTAL TRANSACTION AMOUNT BY TYPE

ORGANIZATION: NAVADEEP VIPPART... PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - MongoDB
 - Customer
 - Transactions

Cluster0 > MongoDB > Transactions

Documents 15 | Aggregations | Schema | Indexes 1 | Validation

Generate aggregation + | Explain | Run | Options

Preview | STAGES | TEXT | WIZARD

Stage 1: \$group

```
1 {
2   "_id": "$type",
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 2 documents)

_id: "Withdrawal"	total_amount: 117000
_id: "Deposit"	total_amount: 485000

Alert System Status: All Good

©2020 MongoDB, Inc. | Status | Terms | Privacy | Atlas Blog | Contact Sales

QUERY 16: NUMBER OF TRANSACTIONS PER CUSTOMER

ORGANIZATION: NAVADEEP VIPPART... PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - MongoDB
 - Customer
 - Transactions

Cluster0 > MongoDB > Transactions

Documents 15 | Aggregations | Schema | Indexes 1 | Validation

Generate aggregation + | Explain | Run | Options

Preview | STAGES | TEXT | WIZARD

Stage 1: \$group

```
1 {
2   "_id": "$customer_id",
3   "transaction_count": {
4     "$sum": 1
5   }
6 }
```

Output preview after \$group stage (Sample of 8 documents)

_id: 101	transaction_count: 2
_id: 108	transaction_count: 2

Alert System Status: All Good

©2020 MongoDB, Inc. | Status | Terms | Privacy | Atlas Blog | Contact Sales

ORGANIZATION: NAVADEEP VIPPART... PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - MongoDB
 - Customer
 - Transactions

Cluster0 > MongoDB > Transactions

Documents 15 | Aggregations | Schema | Indexes 1 | Validation

Generate aggregation + | Explain | Run | Options

Preview | STAGES | TEXT | WIZARD

Stage 2: \$sort

```
1 {
2   "transaction_count": -1
3 }
4 |
```

Output preview after \$sort stage (Sample of 8 documents)

_id: 107	transaction_count: 2
_id: 101	transaction_count: 2

Alert System Status: All Good

©2020 MongoDB, Inc. | Status | Terms | Privacy | Atlas Blog | Contact Sales

