



```
In [1]: # Importing necessary libraries
import pandas as pd
from sklearn.feature_extraction.text import CountVectorizer
```

Small Example

```
In [3]: # checking with smaller list of sentences
text=["Some Mobile networks send 'stay at home' text","Some customers have alr
```

```
In [4]: print(text)
```

```
["Some Mobile networks send 'stay at home' text", 'Some customers have already
received the message, while others are set to get it later in the day']
```

```
In [6]: #initializing count vectorizer, lowercase=True truns text to lowercase if not
cv = CountVectorizer(lowercase=True)
```

```
In [7]: #fitctransform on our text
c = cv.fit_transform(text)
```

```
In [11]: count_array = c.toarray()
df = pd.DataFrame(data=count_array,columns = cv.get_feature_names_out())
df
```

```
Out[11]:
```

	already	are	at	customers	day	get	have	home	in	it	...	others	receiv
0	0	0	1	0	0	0	0	1	0	0	...	0	
1	1	1	0	1	1	1	1	0	1	1	...	1	

2 rows × 24 columns

```
In [8]: cv.vocabulary_
```

```
Out[8]: {'some': 18,  
        'mobile': 12,  
        'networks': 13,  
        'send': 16,  
        'stay': 19,  
        'at': 2,  
        'home': 7,  
        'text': 20,  
        'customers': 3,  
        'have': 6,  
        'already': 0,  
        'received': 15,  
        'the': 21,  
        'message': 11,  
        'while': 23,  
        'others': 14,  
        'are': 1,  
        'set': 17,  
        'to': 22,  
        'get': 5,  
        'it': 9,  
        'later': 10,  
        'in': 8,  
        'day': 4}
```

```
In [ ]:
```