Performed by: Vipul Jadhav

Assignment 7

Task: Set up three Git repositories and create dedicated branches in each repository: 2026Q1 in Repository 1, 2026Q1 in Repository 2, and 2026Q3 in Repository 3. Place an index.html file in each branch. Then create three Jenkins jobs, each linked to its corresponding repository and branch. Configure webhooks so that any modification made to the index.html file in a branch automatically triggers the associated Jenkins job to execute.

Steps:

1. Used the same repositories from assignment number 3 in which there is 2026Q1 in Repository 1, 2026Q1 in Repository 2, and 2026Q3 in Repository 3 are present. And in each repo index.html file is present





2. Created GitHub token using secrete text credential to smoothly access repositories from GitHub.



3. In the repository setting of each repository we configured webhook for each repository



4. Created three directories for custom workspaces (job-repo1, job-repo2 and job-repo3) for each job respectively. Below image is showing only job-repo1 directory but remaining 2 is also there in /mnt/project directory.

```
[root@ip-172-31-47-245 job-repo1]# pwd
/mnt/projects/job-repo1
```

5. Creating 3 freestyle projects job-repo1, job-repo2 & job-repo3. (Image of only job-repo1 is given. I have similarly created freestyle project for rest 2 jobs



6. Added directory of custom workspace



7. Added GitHub repo link for the respective repository

8. Selected respective branch for that repository. Here selected 2026Q1 for first repo

Branches to build ?

Branch Specifier (blank for 'any') ?

*/2026Q1

9. Check “GitHub hook trigger for GITScm polling” option in Triggers section.

☑ GitHub hook trigger for GITScm polling ?

10. Created the shell script in execute shell section from build steps and saved the changes by clicking apply and save

Execute shell ?

Command

See the list of available environment variables

```
#!/bin/bash
sudo yum install httpd -y
sudo systemctl start httpd
sudo systemctl enable httpd
sudo chmod -R 755 /var/www/html
cp -f /mnt/projects/job-repo1/index.html /var/www/html/index.html
```

11. Three jobs are created respectively

S	W	Name ↓	Last Success	Last Failure	Last Duration
✓	☼	job-repo1	2 hr 28 min #6	N/A	3.4 sec
✓	☼	job-repo2	2 hr 25 min #3	N/A	1.4 sec
✓	☼	job-repo3	2 hr 23 min #4	N/A	1.3 sec

12. After running all the jobs for the first time the webpage deployed like this



13. made changes in the index.html file in all three repositories made first commit in all three repositories in the respective branches



14. The build got created as soon as I made commit in respective branches.



15. Website got hosted on httpd server and whenever I was making new commit the same change used to replicate in the httpd server for that specific branch with the help of webhook.

This index is from 2026Q1 from repo 1 first commit



This index is from 2026Q2 from repo 2 1 first commit



This index is from 2026Q3 from repo 3 first commit