Performed by: Vipul Jadhav

Assignment 3

Task: Create **three Git repositories**, and in each repository create one branch named **2026Q1 (Repo 1)**, **2026Q2 (Repo 2)**, and **2026Q3 (Repo 3)**. Add an **index.html** file in each branch. Install and start the **Apache HTTPD server** on the **Jenkins master machine**. Then create **three Jenkins jobs**, with each job linked to its respective repository and branch. When a job is executed, it should **pull the index.html file from the corresponding branch and deploy it to the Apache HTTPD server running on the Jenkins master**.

Steps:

1. Created 3 git repositories and added index.html files in the respective branches as mentioned in the task.



Description: In above image we can see index.html file and its content from assignment-3-r1 repository and from 2026Q1 branch



Description: In above image we can see index.html file and its content from assignment-3-r2 repository and from 2026Q2 branch



Description: In above image we can see index.html file and its content from assignment-3-r3 repository and from 2026Q3 branch

2. Installed git in Jenkins master manually.

3. Creating freestyle project with the name repo1-job, repo2-job, repo3-job.



4. Added git repository URL in URL section in all 3 builds.

5. Selected the respective branches for each respective job.



6. Checked Delete workspace before build starts option so every time the new build created the data from the local repository will be cleared.

7. Wrote the script for the all the jobs. Used same script for each job.

```
#!/bin/bash

sudo yum install httpd -y
sudo systemctl start httpd
sudo systemctl enable httpd
sudo chmod -R 777 /var/www/html/
sudo chmod 644 /var/www/html/index.html
sudo \cp -f /mnt/workspace/index.html /var/www/html/
chkconfig httpd on
```

8. All jobs are created .

S	W	Name ↓	Last Success	Last Failure	Last Duration
✓	☼	repo1-job	3 min 39 sec #2	N/A	3.7 sec
✓	☼	repo2-job	2 min 33 sec #1	N/A	3.5 sec
✓	☼	repo3-job	2 min 9 sec #1	N/A	3.6 sec

9. All jobs ran successfully.

10. The index.html hosted successfully on httpd server.