
Daily tasks (13-Oct-2026)

1. Launch one aws ec2 and install jenkins.

Step 1: Go to AWS cloud and launch instance
Step 2: open Gitbash and enter into AWS server by SSH
Step 3: Used ssh command to enter into AWS server (**ssh -i keygen.pem ec2-user@public-ip4adress**)
Step 4: installed updates using a command (**sudo yum update -y**)
Step 5: Added Jenkins repo to AWS server by using wget command (**sudo wget -O /etc/yum.repos.d/jenkins.repo \https://pkg.jenkins.io/rpm-stable/jenkins.repo)**
Step 6: Import a key file from Jenkins-CI to enable installation from the package using rpm command (**sudo rpm --import https://pkg.jenkins.io/rpm-stable/jenkins.io-2026.key**)
Step 7: installed upgrade by using command (**sudo yum upgrade**)
Step 8: Installed Java using a command (**sudo yum install java-21-amazon-corretto -y**)
Step 9: Installed Jenkins using a command (**sudo yum install jenkins -y**)
Step 10: Enable Jenkins service using a command **(sudo systemctl enable jenkins**)
Step 11: Start Jenkins service using a command (**sudo systemctl start Jenkins)**
Step 12: Checked status of jenkins service using a command (**sudo systemctl status jenkins)**
Step 13: went to web page and enter (http://public **IP address:8080**) get the webpage **unlock jenkins** and give **path** to get **administrator password** copied that path and pasted in terminal to get administrator password and copied that password and pasted into web page.
Step 14: Opened a new webpage **Customize Jenkins** where 2 options shown **install suggested plugins** and **select plugins to install** selected install suggested plugins and plugins get installed
Step 15: Get a page **create First Admin User** username | password | name | email entered everything and **Save and continue**
Step 16: **Get into jenkins DASHBOARD**



```
ec2-user@ip-172-31-29-213:~
[ec2-user@ip-172-31-29-213 ~]$ sudo yum update -y
Amazon Linux 2023 Kernel Livepatch repository
================================================================================
WARNING:
  A newer release of "Amazon Linux" is available.

  Available Versions:

  Version 2023.12.20261012:
    Run the following command to upgrade to 2023.12.20261012:

      dnf upgrade --releasever=2023.12.20261012

    Release notes:
     https://docs.aws.amazon.com/linux/al2023/release-notes/relnotes-2023.12.20261012.html

================================================================================
Dependencies resolved.
Nothing to do.
Complete!
[ec2-user@ip-172-31-29-213 ~]$
```

```
[ec2-user@ip-172-31-29-213 ~]$ ^[[200~sudo wget -O /etc/yum.repos.d/jenkins.repo \
>     https://pkg.jenkins.io/rpm-stable/jenkins.repo~
-bash: $'\E[200~sudo': command not found
[ec2-user@ip-172-31-29-213 ~]$ sudo wget -O /etc/yum.repos.d/jenkins.repo \
    https://pkg.jenkins.io/rpm-stable/jenkins.repo
--2026-10-13 09:05:30--  https://pkg.jenkins.io/rpm-stable/jenkins.repo
Resolving pkg.jenkins.io (pkg.jenkins.io)... 199.232.138.133, 2a04:4e42:7::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)|199.232.138.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 267 [application/octet-stream]
Saving to: '/etc/yum.repos.d/jenkins.repo'

/etc/yum.repos.d/jenkins.repo                100%[=========================================================================================>]     267  --.-KB/s    in 0s

2026-10-13 09:05:31 (10.1 MB/s) - '/etc/yum.repos.d/jenkins.repo' saved [267/267]

[ec2-user@ip-172-31-29-213 ~]$
```

```
ec2-user@ip-172-31-29-213:~
[ec2-user@ip-172-31-29-213 ~]$ sudo rpm --import https://pkg.jenkins.io/rpm-stable/jenkins.io-2026.key
[ec2-user@ip-172-31-29-213 ~]$
```

```
ec2-user@ip-172-31-29-213:~
[ec2-user@ip-172-31-29-213 ~]$ sudo rpm --import https://pkg.jenkins.io/rpm-stable/jenkins.io-2026.key
[ec2-user@ip-172-31-29-213 ~]$ sudo yum upgrade
Jenkins-stable                                                  12 kB/s | 833  B     00:00
Jenkins-stable                                                 2.2 kB/s | 1.6 kB     00:00
Importing GPG key 0x14ABFC68:
 Userid     : "Jenkins Project <jenkinsci-board@googlegroups.com>"
 Fingerprint: 5E38 6EAD B55F 0150 4CAE 8BCF 7198 F4B7 14AB FC68
 From       : https://pkg.jenkins.io/rpm-stable/repodata/repomd.xml.key
Is this ok [y/N]: y
Jenkins-stable                                                  45 kB/s | 3.0 kB     00:00
================================================================================
WARNING:
  A newer release of "Amazon Linux" is available.

  Available Versions:

  Version 2023.12.20261012:
    Run the following command to upgrade to 2023.12.20261012:

      dnf upgrade --releasever=2023.12.20261012

    Release notes:
     https://docs.aws.amazon.com/linux/al2023/release-notes/relnotes-2023.12.20261012.html

================================================================================
Dependencies resolved.
Nothing to do.
Complete!
[ec2-user@ip-172-31-29-213 ~]$
```

ec2-user@ip-172-31-29-213:~

```
Dependencies resolved.
Nothing to do.
Complete!
[ec2-user@ip-172-31-29-213 ~]$ sudo yum install java-21-amazon-corretto -y
Last metadata expiration check: 0:01:18 ago on Tue Oct 13 09:07:42 2026.
Dependencies resolved.
================================================================================
 Package                    Architecture  Version                  Repository  Size
================================================================================
Installing:
 java-21-amazon-corretto    x86_64        1:21.0.12+9-1.amzn2023.1 amazonlinux 217 k
Installing dependencies:
 alsa-lib                   x86_64        1.2.7.2-1.amzn2023.0.4   amazonlinux 503 k
 cairo                      x86_64        1.18.0-4.amzn2023.0.3    amazonlinux 717 k
 dejavu-sans-fonts          noarch        2.37-16.amzn2023.0.2     amazonlinux 1.3 M
 dejavu-sans-mono-fonts     noarch        2.37-16.amzn2023.0.2     amazonlinux 467 k
 dejavu-serif-fonts         noarch        2.37-16.amzn2023.0.2     amazonlinux 1.0 M
 fontconfig                 x86_64        2.13.94-2.amzn2023.0.2   amazonlinux 273 k
 fonts-filesystem           noarch        1:2.0.5-12.amzn2023.0.2  amazonlinux 9.5 k
 freetype                   x86_64        2.13.2-5.amzn2023.0.2    amazonlinux 422 k
 giflib                     x86_64        5.2.1-9.amzn2023.0.4     amazonlinux 49 k
 google-noto-fonts-common   noarch        20240401-1.amzn2023.0.2  amazonlinux 17 k
 google-noto-sans-vf-fonts  noarch        20240401-1.amzn2023.0.2  amazonlinux 593 k
 graphite2                  x86_64        1.3.14-7.amzn2023.0.3    amazonlinux 97 k
 harfbuzz                   x86_64        7.0.0-2.amzn2023.0.2     amazonlinux 873 k
 java-21-amazon-corretto-headless x86_64  1:21.0.12+9-1.amzn2023.1 amazonlinux 96 M
 javapackages-filesystem    noarch        6.0.0-7.amzn2023.0.6     amazonlinux 12 k
 langpacks-core-font-en     noarch        3.0-21.amzn2023.0.4      amazonlinux 10 k
 libICE                     x86_64        1.1.1-3.amzn2023.0.1     amazonlinux 76 k
 libSM                      x86_64        1.2.4-3.amzn2023.0.1     amazonlinux 45 k
 libX11                     x86_64        1.8.10-2.amzn2023.0.1    amazonlinux 659 k
 libX11-common              noarch        1.8.10-2.amzn2023.0.1    amazonlinux 147 k
 libXau                     x86_64        1.0.11-6.amzn2023.0.1    amazonlinux 33 k
 libXext                    x86_64        1.3.6-1.amzn2023.0.1     amazonlinux 42 k
 libXi                      x86_64        1.8.2-1.amzn2023.0.1     amazonlinux 42 k
 libXinerama                x86_64        1.1.5-6.amzn2023.0.1     amazonlinux 16 k
```

ec2-user@ip-172-31-29-213:~

```
Complete!
[ec2-user@ip-172-31-29-213 ~]$ sudo yum install jenkins -y
Last metadata expiration check: 0:03:31 ago on Tue Oct 13 09:07:42 2026.
Dependencies resolved.
================================================================================
 Package                Architecture          Version                Repository                Size
================================================================================
Installing:
 jenkins                noarch                2.580.1-1              jenkins                   51 M

Transaction Summary
================================================================================
Install  1 Package


Total download size: 51 M
Installed size: 52 M
Downloading Packages:
jenkins-2.580.1-1.noarch.rpm                                 6.3 MB/s |  51 MB     00:08
--------------------------------------------------------------------------------
Total                                                        6.2 MB/s |  51 MB     00:08
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing        :                                                            1/1
  Running scriptlet: jenkins-2.580.1-1.noarch                                   1/1
  Installing       : jenkins-2.580.1-1.noarch                                   1/1
  Running scriptlet: jenkins-2.580.1-1.noarch                                   1/1
  Verifying        : jenkins-2.580.1-1.noarch                                   1/1
================================================================================
WARNING:
  A newer release of "Amazon Linux" is available.

  Available Versions:
```

```
Complete!
[ec2-user@ip-172-31-29-213 ~]$ sudo systemctl enable jenkins
Created symlink /etc/systemd/system/multi-user.target.wants/jenkins.service → /usr/lib/systemd/system/jenkins.service.
[ec2-user@ip-172-31-29-213 ~]$
```


```
[ec2-user@ip-172-31-29-213 ~]$ sudo systemctl enable jenkins
Created symlink /etc/systemd/system/multi-user.target.wants/jenkins.service → /usr/lib/systemd/system/jenkins.service.
[ec2-user@ip-172-31-29-213 ~]$ sudo systemctl start jenkins
[ec2-user@ip-172-31-29-213 ~]$ sudo systemctl status jenkins
● jenkins.service - Jenkins Continuous Integration Server
     Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: disabled)
     Active: active (running) since Tue 2026-10-13 09:13:57 UTC; 21s ago
   Main PID: 109778 (java)
      Tasks: 41 (limit: 1016)
     Memory: 354.5M
        CPU: 21.062s
     CGroup: /system.slice/jenkins.service
             └─109778 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --http>

Oct 13 09:13:50 ip-172-31-29-213.ap-southeast-2.compute.internal jenkins[109778]: [LF]>
Oct 13 09:13:50 ip-172-31-29-213.ap-southeast-2.compute.internal jenkins[109778]: [LF]> ************************************************>
Oct 13 09:13:50 ip-172-31-29-213.ap-southeast-2.compute.internal jenkins[109778]: [LF]> ************************************************>
Oct 13 09:13:50 ip-172-31-29-213.ap-southeast-2.compute.internal jenkins[109778]: [LF]> ************************************************>
Oct 13 09:13:57 ip-172-31-29-213.ap-southeast-2.compute.internal jenkins[109778]: 2026-10-13 09:13:57.311+0000 [id=31]        INFO    >
Oct 13 09:13:57 ip-172-31-29-213.ap-southeast-2.compute.internal jenkins[109778]: 2026-10-13 09:13:57.333+0000 [id=24]        INFO    >
Oct 13 09:13:57 ip-172-31-29-213.ap-southeast-2.compute.internal systemd[1]: Started jenkins.service - Jenkins Continuous Integration>
Oct 13 09:13:58 ip-172-31-29-213.ap-southeast-2.compute.internal jenkins[109778]: 2026-10-13 09:13:58.922+0000 [id=50]        INFO    >
Oct 13 09:13:58 ip-172-31-29-213.ap-southeast-2.compute.internal jenkins[109778]: 2026-10-13 09:13:58.924+0000 [id=50]        INFO    >
Oct 13 09:14:02 ip-172-31-29-213.ap-southeast-2.compute.internal jenkins[109778]: 2026-10-13 09:14:02.622+0000 [id=70]        WARNING>
lines 1-20/20 (END)
```





```
[ec2-user@ip-172-31-29-213 ~]$ sudo cat /var/lib/jenkins/secrets/initialAdminPassword
005530ae1a0645e09fa3a13a814ad145
[ec2-user@ip-172-31-29-213 ~]$
```


Getting Started
Customize Jenkins
Plugins extend Jenkins with additional features to support many different needs.
Install suggested plugins
Install plugins the Jenkins community finds most useful.
Select plugins to install
Select and install plugins most suitable for your needs.
Jenkins 2.580.1


Getting Started
Getting Started
Folders
OWASP Markup Formatter
Build Timeout
Credentials Binding
Timestamper
Workspace Cleanup
Ant
Gradle
Pipeline
GitHub Branch Source
Pipeline: GitHub Groovy Libraries
Pipeline Graph View
Git
SSH Build Agents
Matrix Authorization Strategy
LDAP
Email Extension
Mailer
Dark Theme
** commons-lang3 v3.x Jenkins API
** Ionicons API
Folders
OWASP Markup Formatter
** ASM API
** - required dependency
Jenkins 2.580.1


Getting Started
Create First Admin User
Username:
admin
Password:
Confirm password:
Full name:
E-mail address:
Jenkins 2.263.1
Skip and continue as admin
Save and Continue


Reload this page
Jenkins
New Item
Build History
Build Queue
No builds in the queue.
Build Executor Status
0/2
Built-In Node
(offline)
Add description
Welcome to Jenkins!
This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.
Start building your software project
Create a job
Set up a distributed build
Set up an agent
Configure a cloud
Learn more about distributed builds

2. Setup Apache Tomcat on Ubuntu Virtual Machine

Step 1: Installed updates using a command (**sudo apt update)**

Step 2: Installed upgrades using a command (**sudo apt upgrade -y**)

Step 3: Installed java using a command (**sudo apt install openjdk-17-jdk -y**)

Step 4: Checked java version using a command (**java -version**)

Step 5: Checked java version using a command (**javac -version**)


Step 6: Installed tomcat using a command (**sudo apt install tomcat10**)


Step 7: Checked the status of tomcat (**sudo systemctl status tomcat10**)


Step 8: Checked on which port tomcat is running used command (**netstats -na**)


Step 9: **netstat -na | grep 8080**


Step 10: open firefox and type http://localhost.8080/ to check whether is working or not.








Oct 13 06:53
root@viquar123: / — sudo su root
Release: 26.04
Codename: resolute
root@viquar123:/# sudo apt install openjdk-17-jdk -y
The following packages were automatically installed and are no longer required:
linux-headers-7.0.0-30 linux-main-modules-zfs-7.0.0-30-generic linux-tools-7.0.0-30-generic
linux-headers-7.0.0-30-generic linux-modules-7.0.0-30-generic
linux-image-unsigned-7.0.0-30-generic linux-tools-7.0.0-30
Use 'sudo apt autoremove' to remove them.
Installing:
openjdk-17-jdk
Installing dependencies:
ca-certificates-java libatk-wrapper-java-jni libxau-dev openjdk-17-jdk-headless x11proto-dev
fonts-dejavu-extra libice-dev libxcb1-dev openjdk-17-jre xorg-sgml-doctools
java-common libsm-dev libxdmcp-dev openjdk-17-jre-headless xtrans-dev
libatk-wrapper-java libx11-dev libxt-dev uuid-dev
Suggested packages:
default-jre libsm-doc libxcb-doc openjdk-17-demo visualvm fonts-ipafont-mincho | fonts-wqy-zenhei
libice-doc libx11-doc libxt-doc openjdk-17-source fonts-ipafont-gothic fonts-wqy-microhei fonts-indic
Summary:
Upgrading: 0, Installing: 20, Removing: 0, Not Upgrading: 0
Download size: 126 MB
Space needed: 290 MB / 17.3 GB available
Get:1 http://in.archive.ubuntu.com/ubuntu resolute/main amd64 ca-certificates-java all 20260311 [11.3 kB]
Get:2 http://security.ubuntu.com/ubuntu resolute-security/main amd64 libx11-dev amd64 2:1.8.13-1ubuntu0.1 [739 kB]
Get:3 http://in.archive.ubuntu.com/ubuntu resolute/main amd64 fonts-dejavu-extra all 2.37-8build1 [1,944 kB]


Oct 13 07:05
root@viquar123: / — sudo su root
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/javadoc to provide /usr/bin/javadoc (javadoc) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/javap to provide /usr/bin/javap (javap) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jcmd to provide /usr/bin/jcmd (jcmd) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jdb to provide /usr/bin/jdb (jdb) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jdeprscan to provide /usr/bin/jdeprscan (jdeprscan) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jdeps to provide /usr/bin/jdeps (jdeps) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jfr to provide /usr/bin/jfr (jfr) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jimage to provide /usr/bin/jimage (jimage) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jinfo to provide /usr/bin/jinfo (jinfo) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jlink to provide /usr/bin/jlink (jlink) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jmap to provide /usr/bin/jmap (jmap) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jmod to provide /usr/bin/jmod (jmod) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jps to provide /usr/bin/jps (jps) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jrunscript to provide /usr/bin/jrunscript (jrunscript) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jshell to provide /usr/bin/jshell (jshell) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstack to provide /usr/bin/jstack (jstack) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstat to provide /usr/bin/jstat (jstat) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstatd to provide /usr/bin/jstatd (jstatd) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/serialver to provide /usr/bin/serialver (serialver) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jhsdb to provide /usr/bin/jhsdb (jhsdb) in auto mode
Setting up openjdk-17-jdk:amd64 (17.0.20.1+1-1~26.04)…
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode
root@viquar123:/# java -version
openjdk version "17.0.20.1" 2026-08-18
OpenJDK Runtime Environment (build 17.0.20.1+1-1-26.04-Ubuntu)
OpenJDK 64-Bit Server VM (build 17.0.20.1+1-1-26.04-Ubuntu, mixed mode, sharing)
root@viquar123:/# javac -version
javac 17.0.20.1
root@viquar123:/#



update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jcmd to provide /usr/bin/jcmd (jcmd) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jdb to provide /usr/bin/jdb (jdb) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jdeprscan to provide /usr/bin/jdeprscan (jdeprscan) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jdeps to provide /usr/bin/jdeps (jdeps) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jfr to provide /usr/bin/jfr (jfr) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jimage to provide /usr/bin/jimage (jimage) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jinfo to provide /usr/bin/jinfo (jinfo) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jlink to provide /usr/bin/jlink (jlink) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jmap to provide /usr/bin/jmap (jmap) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jmod to provide /usr/bin/jmod (jmod) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jps to provide /usr/bin/jps (jps) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jrunscript to provide /usr/bin/jrunscript (jrunscript) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jshell to provide /usr/bin/jshell (jshell) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstack to provide /usr/bin/jstack (jstack) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstat to provide /usr/bin/jstat (jstat) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstatd to provide /usr/bin/jstatd (jstatd) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/serialver to provide /usr/bin/serialver (serialver) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jhsdb to provide /usr/bin/jhsdb (jhsdb) in auto mode
Setting up openjdk-17-jdk:amd64 (17.0.20.1+1-1~26.04)…
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode
root@viquar123:/# java -version
openjdk version "17.0.20.1" 2026-08-18
OpenJDK Runtime Environment (build 17.0.20.1+1-1-26.04-Ubuntu)
OpenJDK 64-Bit Server VM (build 17.0.20.1+1-1-26.04-Ubuntu, mixed mode, sharing)
root@viquar123:/# javac -version
javac 17.0.20.1
root@viquar123:/#


Oct 13 07:16
root@viquar123: /tmp — sudo su root
root@viquar123:/tmp# sudo apt install tomcat10
The following packages were automatically installed and are no longer required:
linux-headers-7.0.0-30 linux-image-unsigned-7.0.0-30-generic linux-modules-7.0.0-30-generic linux-tools-7.0.0-30-generic
linux-headers-7.0.0-30-generic linux-main-modules-zfs-7.0.0-30-generic linux-tools-7.0.0-30
Use 'sudo apt autoremove' to remove them.
Installing:
tomcat10
Installing dependencies:
libapache-pom-java libcommons-compress-java libeclipse-jdt-core-compiler-batch-java libtcnative-2
libapr1t64 libcommons-io-java libeclipse-jdt-core-java libtomcat10-java
libbcel-java libcommons-lang3-java libeclipse-osgi-java tomcat-jakartaee-migration
libcommons-codec-java libcommons-parent-java libosgi-annotation-java tomcat10-common
Suggested packages:
libasm-java libxz-java libosgi-annotation-java-doc tomcat10-admin tomcat10-docs tomcat10-examples tomcat10-user
Summary:
Upgrading: 0, Installing: 17, Removing: 0, Not Upgrading: 0
Download size: 18.6 MB
Space needed: 22.2 MB / 17.0 GB available
Continue? [Y/n]


Setting up libbcel-java (6.12.0-0ubuntu1)…
Setting up libcommons-compress-java (1.27.1-2)…
Setting up tomcat-jakartaee-migration (1.0.10-2)…
Setting up tomcat10-common (10.1.55-1ubuntu2~26.04.1)…
Setting up tomcat10 (10.1.55-1ubuntu2~26.04.1)…
Creating group 'tomcat' with GID 973.
Creating user 'tomcat' (Apache Tomcat) with UID 973 and GID 973.
Creating config file /etc/tomcat10/tomcat-users.xml with new version
Creating config file /etc/tomcat10/web.xml with new version
Creating config file /etc/tomcat10/server.xml with new version
Creating config file /etc/tomcat10/logging.properties with new version
Creating config file /etc/tomcat10/context.xml with new version
Creating config file /etc/tomcat10/catalina.properties with new version
Creating config file /etc/tomcat10/jaspic-providers.xml with new version
Creating config file /etc/logrotate.d/tomcat10 with new version
Creating config file /etc/default/tomcat10 with new version
Created symlink '/etc/systemd/system/multi-user.target.wants/tomcat10.service' → '/usr/lib/systemd/system/tomcat10.service'.
Processing triggers for rsyslog (8.2512.0-1ubuntu4.2)…
Processing triggers for libc-bin (2.43-2ubuntu2.4)…
root@viquar123:/tmp# sudo systemctl status tomcat10
tomcat10.service - Apache Tomcat 10 Web Application Server
Loaded: loaded (/usr/lib/systemd/system/tomcat10.service; enabled; preset: enabled)
Active: active (running) since Tue 2026-10-13 07:20:41 UTC; 2min 36s ago
Invocation: c99ca3edac0b4cb8bebd66deaea4cd0e
Docs: https://tomcat.apache.org/tomcat-10.0-doc/index.html
Process: 22894 ExecStartPre=/usr/libexec/tomcat10/tomcat-update-policy.sh (code=exited, status=0/SUCCESS)
Main PID: 22900 (java)
Tasks: 37 (limit: 4018)
Memory: 206.2M (peak: 206.4M)
CPU: 9.876s


(Reading database… 193000 files and directories currently installed.)
Preparing to unpack …/net-tools_2.10-2ubuntu1_amd64.deb…
Unpacking net-tools (2.10-2ubuntu1)…
Setting up net-tools (2.10-2ubuntu1)…
Processing triggers for man-db (2.13.1-1build1)…
root@viquar123:/# netstat -na
Active Internet connections (servers and established)
Proto Recv-Q Send-Q Local Address Foreign Address State
tcp 0 0 127.0.0.53:53 0.0.0.0:* LISTEN
tcp 0 0 127.0.0.1:631 0.0.0.0:* LISTEN
tcp 0 0 127.0.0.54:53 0.0.0.0:* LISTEN
tcp 0 0 10.0.2.15:34224 199.232.105.91:443 ESTABLISHED
tcp 0 0 10.0.2.15:49240 34.107.243.93:443 ESTABLISHED
tcp 0 0 10.0.2.15:60586 151.101.209.91:443 ESTABLISHED
tcp 0 0 10.0.2.15:48822 185.125.190.83:80 TIME_WAIT
tcp6 0 0 ::1:631 :::* LISTEN
tcp6 0 0 :::8080 :::* LISTEN
udp 0 0 127.0.0.54:53 0.0.0.0:*
udp 0 0 127.0.0.53:53 0.0.0.0:*
udp 0 0 10.0.2.15:68 10.0.2.2:67 ESTABLISHED
udp 0 0 127.0.0.1:323 0.0.0.0:*
udp 0 0 0.0.0.0:5353 0.0.0.0:*
udp6 0 0 ::1:323 :::*
udp6 0 0 :::5353 :::*
raw6 0 0 :::58 :::* 7
Active UNIX domain sockets (servers and established)
Proto RefCnt Flags Type State I-Node Path
unix 3 [ ] STREAM CONNECTED 68619


Oct 13 07:36
root@viquar123: / — sudo su root
root@viquar123:/# netstat -na | tcp:8080
tcp:8080: command not found
root@viquar123:/# netstat -na | grep 8080
tcp6 0 0 :::8080 :::* LISTEN
root@viquar123:/#


Oct 13 07:29
ChatGPT: Chat, Work, Cre
Apache Tomcat
http://localhost:8080
It works !
If you're seeing this page via a web browser, it means you've setup Tomcat successfully. Congratulations!
This is the default Tomcat home page. It can be found on the local filesystem at: /var/lib/tomcat10/webapps/ROOT/index.html
Tomcat veterans might be pleased to learn that this system instance of Tomcat is installed with CATALINA_HOME in /usr/share/tomcat10 and CATALINA_BASE in /var/lib/tomcat10, following the rules from /usr/share/doc/tomcat10-common/RUNNING.txt.gz.
You might consider installing the following packages, if you haven't already done so:
tomcat10-docs: This package installs a web application that allows to browse the Tomcat 10 documentation locally. Once installed, you can access it by clicking here.
tomcat10-examples: This package installs a web application that allows to access the Tomcat 10 Servlet and JSP examples. Once installed, you can access it by clicking here.
tomcat10-admin: This package installs two web applications that can help managing this Tomcat instance. Once installed, you can access the manager webapp and the host-manager webapp.
NOTE: For security reasons, using the manager webapp is restricted to users with role "manager-gui". The host-manager webapp is restricted to users with role "admin-gui". Users are defined in /etc/tomcat10/tomcat-users.xml.
Home

3. Setup Docker Desktop on your local windows.

