Question ID 014c47ab

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	

ID: 014c47ab

	Site A	Site B	Total
Tulip	35	15	50
Daffodil	31	21	52
Total	66	36	102

The table shows the distribution of two types of flowers at two different sites. If a flower represented in the table is selected at random, what is the probability of selecting a flower from site A, given that the flower is a tulip? (Express your answer as a decimal or fraction, not as a percent.)

ID: 014c47ab Answer

Correct Answer:

0.7, 7/10

Rationale

The correct answer is $\frac{35}{50}$. Based on the table, there are a total of 50 tulips, and 35 of these tulips are from site A. The probability of selecting at random a flower from site A, given that the flower is a tulip, is equal to the number of tulips from site A divided by the total number of tulips, which can be written as $\frac{35}{50}$, or $\frac{7}{10}$. Note that 35/50, 7/10, and .7 are examples of ways to enter a correct answer.

Question Difficulty:

Hard

Question ID 623dbebb

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Percentages	■■■

ID: 623dbebb

A reseller buys certain books for a purchase price of 5.00 dollars each and then marks them each for sale at a consumer price that is 270% of the purchase price. After 4 months, any remaining books not yet sold are marked at a discounted price that is 70% off the consumer price. What is the discounted price of each of the remaining books, in dollars?

ID: 623dbebb Answer

Correct Answer:

4.05, 81/20

Rationale

The correct answer is 4.05. It's given that the purchase price for certain books is 5.00 dollars each. It's also given that each book is marked for sale at a consumer price that is 270% of the purchase price. Since the consumer price is 270% of the purchase price of 5.00 dollars, it follows that the consumer price is $(2.7)(5.00)$, or 13.50, dollars. It's given that after 4 months, any remaining books are discounted at 70% off the consumer price. Thus, the discount amount is $(0.7)(13.50)$, or 9.45, dollars. Subtracting the discount amount from the consumer price gives the discounted price of each of the remaining books: $13.50 - 9.45 = 4.05$. Note that 4.05 and 81/20 are examples of ways to enter a correct answer.

Question Difficulty:

Hard

Question ID 89f20d9e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	■■■

ID: 89f20d9e

The table summarizes the distribution of age and assigned group for 90 participants in a study.

	0–9 years	10–19 years	$20+$ years	Total
Group A	5	17	8	30
Group B	6	8	16	30
Group C	19	5	6	30
Total	30	30	30	90

One of these participants will be selected at random. What is the probability of selecting a participant from group A, given that the participant is at least 10 years of age?

A. $\frac{5}{18}$

B. $\frac{5}{12}$

C. $\frac{17}{30}$

D. $\frac{5}{6}$

ID: 89f20d9e Answer

Correct Answer:

B

Rationale

Choice B is correct. Since the participant will be selected at random, the probability of selecting a participant from group A, given that the participant is at least 10 years of age, is equal to the number of participants from group A who are at least 10 years of age divided by the total number of participants who are at least 10 years of age. Based on the table, in group A, there are 17 participants who are 10–19 years of age and 8 participants who are $20+$ years of age. Therefore, there are a total of $17 + 8$, or 25, participants in group A who are at least 10 years of age. Based on the table, of the total number of participants, there are 30 participants who are $10–19$ years of age and 30 participants who are $20+$ years of age. Therefore, a total of $30 + 30$, or 60, of the participants are at least 10 years of age. Thus, the probability of selecting a participant from group A, given that the participant is at least 10 years of age, is $\frac{25}{60}$, or $\frac{5}{12}$.

Choice A is incorrect. This is the number of participants from group A who are at least 10 years of age divided by the total number of participants, rather than divided by the number of participants who are at least 10 years of age.

Choice C is incorrect. This is the probability of randomly selecting a participant from group A, given that the participant is $10–19$ years of age, rather than given that the participant is at least 10 years of age.

Choice D is incorrect. This is the probability of randomly selecting a participant who is at least 10 years of age, given that the participant is in group A.

Question Difficulty:
Hard

Question ID 6fca0144

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Evaluating statistical claims: Observational studies and experiments	■■■

ID: 6fca0144

For a baobab tree habitat in South Africa, a scientist randomly selected 50 baobab trees that were 17 years old and randomly assigned them to two groups. Each group was subjected to a different watering pattern for 2 consecutive years to observe whether the watering pattern affects the trees' growth rate. Based on the design of the study, what is the largest group to which these results can be applied?

A. All the 50 baobab trees that were selected in this habitat

B. All the baobab trees that were 19 years old in this habitat

C. All the baobab trees that were 17 years old in South Africa

D. All the baobab trees that were 17 years old in this habitat

ID: 6fca0144 Answer

Correct Answer:

D

Rationale

Choice D is correct. When a study uses a randomly selected sample, the largest group to which the results of the study can be applied is the population from which the sample was selected. It's given that the scientist randomly selected the trees from the baobab trees in a certain habitat that were 17 years old. Therefore, the largest group to which the results of this study can be applied is all the baobab trees that were 17 years old in this habitat.

Choice A is incorrect. Since the sample was randomly selected from a population, the results can be applied to a larger group than the sample.

Choice B is incorrect. The sample was selected from a population of baobab trees that were 17 years old, not 19 years old.

Choice C is incorrect. The sample was selected from a certain tree habitat in South Africa, not from all the baobab trees that were 17 years old in South Africa.

Question Difficulty:

Hard

Question ID 11b06e35

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Ratios, rates, proportional relationships, and units	■■■

ID: 11b06e35

The density of a certain solid substance is 813 kilograms per cubic meter. A sample of this substance is in the shape of a cube, where each edge has a length of 0.60 meters. To the nearest whole number, what is the mass, in kilograms, of this sample?

A. 176

B. 488

C. $1,355$

D. $3,764$

ID: 11b06e35 Answer

Correct Answer:

A

Rationale

Choice A is correct. It's given that the sample is in the shape of a cube with edge lengths of 0.60 meters. Therefore, the volume of the sample is 0.60^3, or 0.216, cubic meters. It's also given that the sample has a density of 813 kilograms per 1 cubic meter. Therefore, the mass of this sample is $0.216 \text{ cubic meters}\left(\frac{813 \text{ kilograms}}{1 \text{ cubic meter}}\right)$, or 175.608 kilograms. Rounding this mass to the nearest whole number gives 176 kilograms. Therefore, to the nearest whole number, the mass, in kilograms, of this sample is 176.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty:

Hard