

cuevik-start: the whole flow, by who does what

Lanes are the document owners. Every command is /cuevik-start:<name>. Each step ends in a PR to main.




cuevik-ship: from idea to code PR

You approve and merge, Claude runs each command in its own session, GitHub holds the issue, branches and PRs. Every command is /cuevik-ship:<name>.



cuevik-docs: audit and update

Same lanes as cuevik-ship. Every command is /cuevik-docs:<name>.



Who owns which document

Document	Owner	Reviewers	Built from
`CONTRIBUTING.md`	Architect	Architect	`docs/TECH-STACK.md`
`docs/PRODUCT.md`	Product Owner	Product Owner	—
`docs/PRD.md`	Product Owner	Product Owner	`docs/PRODUCT.md`
`docs/ARCHITECTURE.md`	Architect	Architect, Product Owner	`docs/PRD.md`
`docs/TECH-STACK.md`	Architect	Architect	`docs/PRD.md` , `docs/ARCHITECTURE.md`
`docs/AI-TOOL-GUIDE.md`	Architect	Architect	`docs/ARCHITECTURE.md` , `docs/TECH-STACK.md`
`README.md`	Architect	Architect	`docs/PRODUCT.md` , `docs/PRD.md` , `docs/ARCHITECTURE.md` , `docs/TECH-STACK.md` , `docs/AI-TOOL-GUIDE.md`
`docs/BACKLOG.md`	Product Owner	Product Owner	`docs/PRODUCT.md` , `docs/PRD.md` , `docs/ARCHITECTURE.md` , `docs/TECH-STACK.md` , `docs/AI-TOOL-GUIDE.md` , `README.md`