Every command

Cuevik Start

Command	What it does	Approved by	Branch → PR to	Writes	Status
`/cuevik-start:00-bootstrap`	Connects or creates the GitHub repo and, optionally, a project board, then lands the governance baseline in a reviewed PR.	Architect	`init/00-bootstrap` → `main`	`CONTRIBUTING.md`, `.cuevik/config.json`, `.cuevik/lineage.json`, `.markdownlint.json`	Available
`/cuevik-start:01-product-concept`	Drafts the product concept with you: what it is, who it is for and why it exists.	Product Owner	`init/01-product-concept` → `main`	`docs/PRODUCT.md`	Available
`/cuevik-start:02-product-requirements`	Turns the concept into numbered, testable requirements (the PRD).	Product Owner	`init/02-product-requirements` → `main`	`docs/PRD.md`	Available
`/cuevik-start:03-architecture`	Designs the system: components, data, integrations and the decisions behind them.	Architect, Product Owner	`init/03-architecture` → `main`	`docs/ARCHITECTURE.md`	Available
`/cuevik-start:04-tech-stack`	Locks the approved technologies and the build, test and lint commands.	Architect	`init/04-tech-stack` → `main`	`docs/TECH-STACK.md`, `CONTRIBUTING.md`	Available
`/cuevik-start:05-test-strategy`	Sets the test levels, coverage target, environments, NFR verification, quality owners and defect handling.	Architect, Product Owner	`init/05-test-strategy` → `main`	`docs/TEST-STRATEGY.md`	Available
`/cuevik-start:06-ai-tool-guide`	Sets the rules for AI coding assistants and generates the files each one reads.	Architect	`init/06-ai-tool-guide` → `main`	`docs/AI-TOOL-GUIDE.md`, `CLAUDE.md`, `.github/copilot-instructions.md`, `.claude/settings.json`	Available
`/cuevik-start:07-readme`	Replaces the boilerplate README with the project's real entry point.	Architect	`init/07-readme` → `main`	`README.md`	Available
`/cuevik-start:08-backlog`	Derives epics and stories from the product docs and files them as GitHub issues.	Product Owner	`init/08-backlog` → `main`	`docs/BACKLOG.md`	Available
`/cuevik-start:09-finalize`	Removes the initiation-only rules from CONTRIBUTING.md and hands over the permanent ones.	Architect	`init/09-finalize` → `main`	`CONTRIBUTING.md`	Available
`/cuevik-start:status`	Shows how far initiation has got, from what is merged on GitHub. Read-only.	Read the report	—	Nothing (report only)	Available
`/cuevik-start:cleanup`	Deletes local `init/*` branches whose PR is merged, after listing them for your confirmation.	Confirm the list	—	Deletes merged local `init/*` branches	Available

Command	What it does	Approved by	Branch → PR to	Writes	Status
`/cuevik-start:express`	The lean path for an MVP or spike: governance, a lean product concept and PRD, and the backlog, in one session and one PR.	Interviews, approve, review and merge	`init/express` → `main`	Governance files, `PRODUCT.md`, `PRD.md`, `BACKLOG.md`, issues	Available
`/cuevik-start:migrate`	Brings an older repo's `.cuevik/` files up to the current versions and step ids in one reviewed PR.	Approve, review and merge	`init/migrate` → `main`	The two `.cuevik/` files	Available

Cuevik Ship

Command	What it does	Approved by	Branch → PR to	Writes	Status
`/cuevik-ship:01-brainstorm`	Takes an idea or an existing issue, checks it is not a duplicate, and explores it until you can approve or reject it.	Approve or reject, then merge	`ship/<n>-<slug>/01-brainstorm` → `ship/<n>-<slug>/issue`	GitHub issue and brainstorming folder	Available
`/cuevik-ship:02-audit-prd`	Checks the approved idea against the product docs and ratifies it into new or changed requirements.	Review and merge	`ship/<n>-<slug>/02-audit-prd` (cut from `main`) → `main`	`PRODUCT.md` and `PRD.md` changes	Available
`/cuevik-ship:03-create-backlog`	Files the requirements as an epic and stories on GitHub, splitting the idea when it covers several.	Approve the list	—	GitHub issues: epic and stories	Available
`/cuevik-ship:04-plan-intent`	States the problem and scope, before any solution, in the issue's own work folder.	Review and merge	`ship/<n>-<slug>/04-plan-intent` → `ship/<n>-<slug>/issue`	`intent.md` in the work folder	Available
`/cuevik-ship:05-design-spec`	Writes the spec: behaviour, data, rules and tests.	Review and merge	`ship/<n>-<slug>/05-design-spec` → `ship/<n>-<slug>/issue`	`spec.md` in the work folder	Available
`/cuevik-ship:06-build-plan`	Turns the spec into a dependency-ordered task list that a fresh session can execute.	Review and merge	`ship/<n>-<slug>/06-build-plan` → `ship/<n>-<slug>/issue`	`plan.md` in the work folder	Available
`/cuevik-ship:07-execute-plan`	Builds the plan on a code branch and opens the code PR to `main`.	Review and merge the code PR	`ship/<n>-<slug>/07-execute-plan` (cut from `main`) → `main`	The code	Available
`/cuevik-ship:cleanup`	Removes the issue's worktree and local branches and archives the remote branch as a tag, after listing them for your confirmation.	Confirm the list	—	Worktree, local branches, archive tag	Available

Cuevik Docs

Command	What it does	Approved by	Branch → PR to	Writes	Status
`/cuevik-docs:audit`	Reads your docs once and reports gaps (Align), contradictions (Drift) and duplication (Absorb).	Read the report	—	A findings report	Available
`/cuevik-docs:update`	Updates one source-of-truth document through a reviewed PR, using its owner and reviewers from the lineage, and flags downstream documents.	Review and merge	`docs/update/<doc>` → `main`	The document, via PR	Available

Cuevik Deck

Command	What it does	Approved by	Branch → PR to	Writes	Status
`/cuevik-deck:kickoff-meeting`	Turns a Statement of Work into a project kickoff deck via a discovery questionnaire and a reviewed brief.	Answer the questionnaire, approve the brief	—	`KICKOFF-BRIEF.md` and the deck	Available