

# cuevik-start: the whole flow, by who does what

Lanes are the document owners. Every command is /cuevik-start:<name>. Each step ends in a PR to main.




# cuevik-ship: from idea to code PR

You approve and merge, Claude runs each command in its own session, GitHub holds the issue, branches and PRs. Every command is /cuevik-ship:<name>.



# cuevik-docs: audit and update

Same lanes as cuevik-ship. Every command is /cuevik-docs:<name>.




## Who owns which document

| Document | Owner | Reviewers | Built from |
|---|---|---|---|
| `CONTRIBUTING.md` | Architect | Architect | `docs/TECH-STACK.md` |
| `docs/PRODUCT.md` | Product Owner | Product Owner | — |
| `docs/PRD.md` | Product Owner | Product Owner | `docs/PRODUCT.md` |
| `docs/ARCHITECTURE.md` | Architect | Architect, Product Owner | `docs/PRD.md` |
| `docs/TECH-STACK.md` | Architect | Architect | `docs/PRD.md` , `docs/ARCHITECTURE.md` |
| `docs/AI-TOOL-GUIDE.md` | Architect | Architect | `docs/ARCHITECTURE.md` , `docs/TECH-STACK.md` |
| `README.md` | Architect | Architect | `docs/PRODUCT.md` , `docs/PRD.md` , `docs/ARCHITECTURE.md` , `docs/TECH-STACK.md` , `docs/AI-TOOL-GUIDE.md` |
| `docs/BACKLOG.md` | Product Owner | Product Owner | `docs/PRODUCT.md` , `docs/PRD.md` , `docs/ARCHITECTURE.md` , `docs/TECH-STACK.md` , `docs/AI-TOOL-GUIDE.md` , `README.md` |