

## Creating Database

The screenshot shows the phpMyAdmin interface. On the left is a sidebar with a tree view of databases: information\_schema, mysql, performance\_schema, phpmyadmin, test, users, and wordpress. The main panel is titled 'Databases' and shows a 'Create database' form with 'test2' entered in the name field and a 'Collation' dropdown menu. A 'Create' button is to the right. Below the form is a table listing existing databases:

Database	Collation	Action
<input type="checkbox"/> information_schema	utf8_general_ci	<a href="#">Check privileges</a>
<input type="checkbox"/> mysql	latin1_swedish_ci	<a href="#">Check privileges</a>
<input type="checkbox"/> performance_schema	utf8_general_ci	<a href="#">Check privileges</a>
<input type="checkbox"/> phpmyadmin	utf8_bin	<a href="#">Check privileges</a>
<input type="checkbox"/> test	latin1_swedish_ci	<a href="#">Check privileges</a>
<input type="checkbox"/> users	latin1_swedish_ci	<a href="#">Check privileges</a>
<input type="checkbox"/> wordpress	latin1_swedish_ci	<a href="#">Check privileges</a>
<b>Total: 7</b>		latin1_swedish_ci

At the bottom, there are links for 'Check all' and 'With selected: Drop'.

## Inserting data into Table

The screenshot shows the phpMyAdmin interface for the 'test2' database, specifically the 'Table: users' page. The 'Insert' tab is selected. The form shows the following data being entered:

Column	Type	Function	Null	Value
id	int(11)			1
name	varchar(35)			test2
password	varchar(35)			444

Below the form, there is a 'Go' button. A checkbox labeled 'Ignore' is checked. Below this, there is another table structure for the 'users' table, showing columns: id (int(11)), name (varchar(35)), and password (varchar(35)).

## Select Query.

← Server: 127.0.0.1 » Database: test2 » Table: users ⚙️ ↗️

📄 Browse

🔗 Structure

📄 SQL

🔍 Search

🔧 Insert

📤 Export

📥 Import

🔑 Privileges

🔧 Operations

👁 Tracking

⚙ Triggers

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available. ⓘ

✅ Showing rows 0 - 0 (1 total, Query took 0.0014 seconds.)

`SELECT name FROM users WHERE id=2`

☐ Profiling [\[Edit inline\]](#) [\[Edit\]](#) [\[Explain SQL\]](#) [\[Create PHP code\]](#) [\[Refresh\]](#)

☐ Show all | Number of rows: 25 ▼ Filter rows:

+ Options

name

test2

☐ Show all | Number of rows: 25 ▼ Filter rows:

✅ Showing rows 0 - 2 (3 total, Query took 0.0012 seconds.)

`SELECT * FROM `users``

☐ Profiling [\[Edit inline\]](#) [\[Edit\]](#) [\[Explain SQL\]](#) [\[Create PHP code\]](#) [\[Refresh\]](#)

☐ Show all | Number of rows: 25 ▼ Filter rows:  Sort by key: None ▼

+ Options

← T →

▼ id name password


☐ Edit Copy Delete 1 viral 123


☐ Edit Copy Delete 2 test2 444


☐ Edit Copy Delete 3 test3 888


⬆ ☐ Check all With selected: Edit Copy Delete Export


← Server: 127.0.0.1 » Database: test2 » Table: users

 Browse

 Structure

 SQL

 Search

 Insert

Show query box

✓ 1 row affected. (Query took 0.1284 seconds.)

```
delete from users WHERE id=1
```