

Started on	Saturday, 30 September 2023, 10:02 AM
State	Finished
Completed on	Saturday, 30 September 2023, 10:05 AM
Time taken	2 mins 14 secs
Marks	12.83/13.00
Grade	2.96 out of 3.00 (98.72%)

QUESTION 1

Correct
Mark 1.00 out of 1.00

Please, fill in the gaps, so the code will compile:

```
interface Lengthwise {  
  length: number;  
}  
  
function loggingIdentity<Type extends Lengthwise>(arg: Type): Type {  
  console.log(arg.length);  
  return arg;  
}
```

uses |

QUESTION 2

Correct
Mark 1.00 out of 1.00

Suppose, we have variable, defined like this:

```
const course: Course = {  
  name: "Math",  
  totalHours: 50;  
  id: 0,  
};
```

You need to define type Course, please, select missing words:

```
interface Course {  
  name: string;  
  totalHours: number;  
  id: number;  
}
```

Please, use the most specific suitable data types.

alias define
never any string number

QUESTION 3

Partially correct

Mark 0.83 out of 1.00

Please, create a type that reflects the task status with one of three possible values: "todo", "implementing" and "done".

interface ✖ TaskStatus = "todo" ✔ | ✔ "implementing" ✔ | ✔ "done"; ✔

type **class**

| any "implementing" & = ;

string

QUESTION 4

Correct

Mark 1.00 out of 1.00

To start a new Create React App project with TypeScript, we can run:

`npx create-react-app app-name --template typescript` ✔

QUESTION 5

Correct

Mark 1.00 out of 1.00

Is the code below correct? What is the result of compilation of this code?

```
function loggingIdentity<Type>(arg: Type): Type {  
  console.log(arg.length);  
  return arg;  
}
```

- ☐ No compilation errors
- ☐ Compilation error due to incorrect definition of function
- ☒ Compilation error because property 'length' does not exist on type 'Type'. ✔

QUESTION 6

Correct

Mark 1.00 out of 1.00

Please, select how we can annotate a function that takes no arguments and returns a value of type Course

- ☐

```
function getMainCourse() {  
  //...  
} => Course
```
- ☒

```
function getMainCourse(): Course {  
  //...  
}
```
- ☐

```
function getMainCourse() {  
  //...  
}: Course
```
- ☐

```
function getMainCourse() => Course {  
  //...  
}
```

QUESTION 7

Correct

Mark 1.00 out of 1.00

Please, create a type definition for an array where each value is an object with *name* property of *string* type

- ☐

```
type ObjectsWithNamesArray = Array<object>;
```
- ☒

```
type ObjectsWithNamesArray = Array<{ name: string }>;
```
- ☐

```
type ObjectsWithNamesArray = Array<name:string>;
```
- ☐

```
type ObjectsWithNamesArray = name:Array<string>;
```

QUESTION 8

Correct

Mark 1.00 out of 1.00

Please, select the type the following statement is about:

A type representing a concept of React Element - representation of a native DOM component (e.g. `<div />`), or a user-defined composite component (e.g. `<MyComponent />`)

- ☐ React.FC
- ☐ React.ReactNode
- ☐ React.Component
- ☒ React.ReactElement
- ☒ JSX.Element

QUESTION 9

Correct

Mark 1.00 out of 1.00

Please, select the type representing any possible type of React node (ReactElement + primitive JS types)

- ☒ React.ReactNode ✓
- ☐ JSX.Element
- ☐ React.Component
- ☐ React.FC

QUESTION 10

Correct

Mark 1.00 out of 1.00

Will the next code compile? Please, choose the correct option.

```
interface Person {  
  name: string;  
  surname: string;  
}  
  
function logPerson(p: Person) {  
  console.log(`${p.name}, ${p.surname}`);  
}  
  
const person = { name: "Paul", surname: "Mass" };  
logPerson(person);
```

- ☒ The code will compile because the structure argument passed to a function corresponds to Person interface ✓
- ☐ The code will not compile because the argument passed to a function is not defined as variable of type Person
- ☐ The code will not compile because we must specify the type of the argument passed to a function when invoke the function.

QUESTION 11

Correct

Mark 1.00 out of 1.00

Please, choose how the TypeScript works with the code like this:

```
interface Course {  
  name: string;  
  totalHours: number;  
  id: number;  
}
```

```
const course: Course = {  
  name: "Math",  
  totalHours: 50  
};
```

- ☒ Compilation error because variable is not assignable to type 'Course' ✓
- ☐ No compilation errors
- ☐ Compilation error because type Course is defined incorrectly

QUESTION 12

Correct

Mark 1.00 out of 1.00

Suppose, you have a variable defined like this:

```
let helloWorld = "Hello World";
```

What statement is correct?

- ☐ We can not define variables like this with TypeScript, we must provide a type name.
- ☐ The type of the variable will be inferred as *never*
- ☐ The type of the variable will be inferred as *any*
- ☒ The type of the variable will be inferred as *string* ✓

QUESTION 13

Correct

Mark 1.00 out of 1.00

Will the next code compile with TypeScript?

```
let s = "hello"  
s = 1;
```

- ☐ No, we will get an error that variable has not specified type at declaration
- ☒ No, we will get an error that type 'number' is not assignable to type 'string' ✓
- ☐ Yes, we can reassign value of another type to a variable, because we didn't specify the type in declaration

Jump to... 

Practical tasks. Tools: [npm](#), [Webpack](#), [Babel](#), [ESLint](#), [Next.js](#), [Typescript](#) ►