

CONFIDENTIAL | FOR INTERNAL DEVELOPMENT ONLY

Vaibhav Kashi Foods

Direct Ordering Website

Development handbook for continuing work on the customer site, admin kitchen board, database, payments, and deployment.

Restaurant: 448, Opposite SHEPA College, Lathiya Bypass, Bhikharipur Kala, Varanasi, Uttar Pradesh 221011

Phone: +91 8437360273

GitHub: <https://github.com/virat1411/vaibhav-kashi-foods>

Document date: 25 August 2026

1. How to use this document

Use this handbook when continuing development on another machine, with another engineer, or after a break. It describes what was built, where the code lives, how to run it, every login and secret that exists today, and what the restaurant still must confirm.

WARNING: This PDF contains live development passwords and secrets. Do not commit it to GitHub. Do not email it. Store it only on your laptop. Change the admin password and AUTH_SECRET before any public or production use.

2. Local copies on this laptop

Cursor workspace	D:\testvkf
Fresh GitHub clone	D:\vaibhav-kashi-foods
GitHub repo	https://github.com/virat1411/vaibhav-kashi-foods
Working branch	cursor/vaibhav-kashi-foods-ordering
Commit	02c9b37 Add the Vaibhav Kashi Foods direct ordering platform.

Both folders are the same application. Prefer D:\testvkf while working in Cursor. The D:\vaibhav-kashi-foods folder is a clean clone from GitHub.

3. Credentials and secrets in use

These are the only credentials this project currently uses. Razorpay and Google Maps keys are blank until you add them. Customer accounts are created at registration; none were seeded.

3.1 Admin / kitchen login (seeded)

Login URL	http://localhost:3000/admin/login
Also works at	http://localhost:3000/login
Email	admin@vaibhavkashifoods.local
Password	ChangeMeNow!VKF
Role	ADMIN
Flag	mustChangePassword = true (change at /account/settings after first login)

Environment variables that create this user on seed: ADMIN_EMAIL and ADMIN_PASSWORD. If those are missing, prisma/seed.ts falls back to the same email and password above.

3.2 PostgreSQL (Docker Compose local)

Host	localhost:5432
Database	vaibhav_kashi_foods
User	vkf
Password	vkf_dev_password
DATABASE_URL	postgresql://vkf:vkf_dev_password@localhost:5432/vaibhav_kashi_foods?schema=public
Container	vkf-postgres (image postgres:16-alpine)

3.3 Session signing secret (local .env)

AUTH_SECRET a063ae79ef07d46a9025c5bfe7a7879da3d24df863a1bc99

NEXTAUTH_SECRET a063ae79ef07d46a9025c5bfe7a7879da3d24df863a1bc99

Both values are the same. AUTH_SECRET signs the HTTP-only cookie vkf_session. If this value changes, all users are signed out. Generate a new secret for production: openssl rand -base64 32

Middleware fallback if AUTH_SECRET is missing: the string 'dev-only-change-me' (src/middleware.ts). Do not rely on that in production.

3.4 WhatsApp

NEXT_PUBLIC_WHATSAPP_NUMBER 9187360273

Restaurant phone +91 8437360273

Used for tel: links and the optional Order on WhatsApp button. Admin can also store a WhatsApp number in RestaurantSettings.

3.5 Not configured yet (blank)

RAZORPAY_KEY_ID (empty)

RAZORPAY_KEY_SECRET (empty)

NEXT_PUBLIC_RAZORPAY_KEY_ID (empty)

NEXT_PUBLIC_GOOGLE_MAPS_KEY (empty)

INTERNAL_API_SECRET (empty)

Online Razorpay checkout is architected but disabled until keys are set. Cash on Delivery still works. Maps uses an address search URL, so a Maps API key is optional.

3.6 Customer accounts

No customer users are seeded. Anyone can register at /register. Passwords are hashed with bcrypt (cost 12) and stored as passwordHash. There is no default customer password.

4. Restaurant facts used in the product

Name Vaibhav Kashi Foods

Legal name Vaibhav Kashi Foods LLP

Address 448, Opposite SHEPA College, Lathiya Bypass, Bhikharipur Kala, Varanasi, UP 221011

Cuisine Pure vegetarian, North Indian, Chinese, beverages

Hours seeded 11:00 to 00:30 daily (from public listings; confirm with restaurant)

Instagram https://www.instagram.com/vaibhavgashifoods/

LinkedIn https://in.linkedin.com/company/vaibhavgashifoods-llp/

Prices were NOT copied from Zomato/Swiggy. All menu item prices seed as null until admin sets them. Unpriced items cannot be checked out. No fake customer reviews were seeded.

5. Technology stack

- Next.js 15 App Router, React 19, TypeScript
- Tailwind CSS 4
- PostgreSQL 16 + Prisma 6
- Auth: bcrypt + signed JWT cookie (jose), roles CUSTOMER / ADMIN / STAFF / DELIVERY
- Payments: Razorpay architecture + Cash on Delivery
- Tests: Vitest (pricing, coupons, tax, delivery, order numbers, payment HMAC, admin roles)
- PWA: public/manifest.json + public/sw.js

6. How to run locally

Need Node.js 20+ and PostgreSQL 16 (Docker Compose is included).

```
cd D:\testvfkf
copy .env.example .env
docker compose up -d
npm install
npm run db:migrate
npm run db:seed
npm run dev
```

Then open <http://localhost:3000> (customer) and <http://localhost:3000/admin/login> (kitchen).

Scripts

- npm run dev / build / start / lint / typecheck / test
- npm run db:migrate prisma migrate dev
- npm run db:migrate:deploy production
- npm run db:seed
- npm run db:studio

7. Important URLs (customer)

- / Homepage
- /menu Full menu
- /menu/[category] e.g. /menu/thali, /menu/starters, /menu/beverages
- /menu/item/[slug] Item detail
- /cart /checkout
- /order/[orderId] Tracking (order number like VKF-20260825-0001)
- /login /register
- /account /account/orders /account/addresses /account/settings
- /favorites
- /about /gallery /contact
- /privacy-policy /terms-and-conditions /refund-policy /shipping-and-delivery

8. Admin URLs

- /admin/login Staff login
- /admin Dashboard (today orders, revenue, pending, preparing, top items)
- /admin/orders Filter by day/status, update kitchen flow
- /admin/menu Create items, set price, availability, popular flags, upload images

- /admin/categories Name, sort order, active
- /admin/customers Customer list
- /admin/coupons Create percentage/fixed coupons
- /admin/settings Open/closed, tax, delivery fee, min order, pincodes, WhatsApp

9. API map

Protected admin APIs require a staff session cookie. Order totals are always recalculated on the server from database prices.

Auth

- POST /api/auth/register POST /api/auth/login POST /api/auth/logout GET /api/auth/me

Menu / cart / orders

- GET /api/menu GET /api/menu/categories GET /api/menu/items/[id]
- GET/POST/DELETE /api/cart PATCH/DELETE /api/cart/items/[id] POST/DELETE /api/cart/coupon
- GET/POST /api/orders GET /api/orders/[id] POST /api/orders/[id] (reorder)
- POST /api/payments/create POST /api/payments/verify
- GET/POST/DELETE /api/favorites GET/POST/DELETE /api/account/addresses
- POST /api/account/password POST /api/contact GET /api/restaurant

Admin

- GET /api/admin/dashboard GET /api/admin/orders GET/PATCH /api/admin/orders/[id]
- GET/POST/PATCH/DELETE /api/admin/menu PATCH/POST /api/admin/menu/[id]
- GET/POST/PATCH/DELETE /api/admin/categories
- GET/POST/PATCH/DELETE /api/admin/coupons
- GET/PATCH /api/admin/settings GET /api/admin/customers POST /api/admin/upload

10. Order, tax, and payment rules (do not break these)

- Never trust price, tax, discount, or total from the browser.
- createOrderFromCart in src/lib/orders.ts loads live MenuItem.price from PostgreSQL.
- src/lib/pricing.ts computes subtotal, coupon, tax, delivery, grand total. Covered by tests.
- Order number format: VKF-YYYYMMDD-0001
 - Status flow: PENDING -> CONFIRMED -> PREPARING -> READY -> OUT_FOR_DELIVERY -> DELIVERED. CANCELLED allowed except after DELIVERED.
- Razorpay: server creates order; POST /api/payments/verify checks HMAC SHA256 of orderId|paymentId with RAZORPAY_KEY_SECRET.
- Payment statuses: PENDING, PAID, FAILED, REFUNDED, COD
- Closed restaurant or pincode outside DeliveryZone blocks checkout.
- Items with availability OUT_OF_STOCK/HIDDEN or price null cannot be purchased.

11. Database models

See prisma/schema.prisma. Core models: User, Address, Category, MenuItem, MenuItemImage, MenuItemOptionGroup, MenuItemOption, MenuItemAddon, Cart, CartItem, Order, OrderItem, OrderStatusEvent, Payment, Coupon, CouponUsage, Favorite, RestaurantSettings, OpeningHours, DeliveryZone, Notification, ContactMessage, GalleryImage, Testimonial, LegalPage.

Initial SQL: prisma/migrations/20260825120000_init/migration.sql. Seed: prisma/seed.ts plus prisma/data/menu.ts (full public menu, generated short descriptions).

12. Project structure

```
prisma/          schema, migration, seed, menu data
```

src/app/(site)/	customer pages
src/app/admin/	kitchen dashboard
src/app/api/	REST routes
src/lib/	pricing, auth, cart, orders, payments
src/components/	UI
public/images/	logo, hero, categories, gallery
src/lib/assets.ts	central image mapping (do not hardcode URLs in components)
docker-compose.yml	local Postgres
Dockerfile	production Node image

13. Brand and images

Visual identity: warm cream background, terracotta/brick primary (#6B2D1A), saffron/gold accent (#C4A35A), Fraunces + Outfit fonts. Do not copy Zomato/Swiggy/Justdial UI.

Images in `public/images/` are original generated assets, not scraped from aggregators. Admin can replace food photos via `/admin/menu` upload (saved to `public/uploads/`).

- Logo: `/images/logo/logo.png`
- Hero: `/images/hero/hero.png`
- Category keys mapped in `src/lib/assets.ts`

14. Continuing development (suggested next work)

- Install Docker or a hosted Postgres, then migrate and seed so checkout can be tested end-to-end.
- In `/admin/menu`, set a real price on a few dishes and place a COD order.
- Change the admin password immediately.
- Add Razorpay test keys and complete one online payment in test mode.
- Confirm pincodes, tax %, delivery fee, free-delivery threshold, hours, and restaurant email with Vaibhav Kashi Foods.
- Replace generated photos with restaurant-owned images.
- If needed later: second branch (Assi Ghat), SMS/WhatsApp/email notification providers, loyalty, KDS.

15. Still required from the restaurant

- Every item price (currently null)
- Tax percentage
- Delivery fee, minimum order, free delivery threshold
- Full serviceable pincode list (only 221011 is seeded)
- Confirm opening hours
- Official email, logo file, authorized photography
- Whether Assi Ghat should be a second branch in the schema later

16. Security notes for later work

- Never commit `.env` or this PDF.
- Never put `RAZORPAY_KEY_SECRET` or `AUTH_SECRET` in frontend code.
- Admin routes are gated by `src/middleware.ts` (cookie `vkf_session`, roles `ADMIN/STAFF/DELIVERY`).
- Sensitive auth endpoints are rate-limited in `src/lib/rate-limit.ts`.
- Default admin password must be rotated before any real customers use the site.

17. Quick credential cheat sheet

Copy these when logging in or wiring a new machine:

```
Admin email:      admin@vaibhavkashifoods.local
Admin password:   ChangeMeNow!VKF
Admin URL:        http://localhost:3000/admin/login

Postgres user:    vkf
Postgres pass:    vkf_dev_password
Postgres db:      vaibhav_kashi_foods
Postgres host:    localhost:5432
```

AUTH_SECRET: a063ae79ef07d46a9025c5bfe7a7879da3d24df863a1bc99

WhatsApp: 918437360273

Razorpay keys: not set

Google Maps key: not set