

Decision Trees - Practical Implementation

Virtual Labs - Dayalbagh Educational Institute

Option A: Binary Classification (Loan Approval Dataset)

Step 1: Importing Libraries

Import necessary libraries

```
import pandas as pd
from sklearn.model_selection import train_test_split
from sklearn.tree import DecisionTreeClassifier, plot_tree
from sklearn.metrics import confusion_matrix, classification_report, accuracy_score
from sklearn.preprocessing import OneHotEncoder
from sklearn.compose import ColumnTransformer
import matplotlib.pyplot as plt
import seaborn as sns
print("Libraries imported successfully!")
```

Output:

```
Libraries imported successfully!
```

Step 2: Initial Data Loading & Exploration

Load the dataset

```
data = pd.read_csv("loan_approval_dataset.csv")
print("Dataset loaded successfully")
```

Output:

```
Dataset loaded successfully
```

Check the shape of the dataset

```
print("Dataset Shape:", data.shape)
```

Output:

```
Dataset Shape: (4269, 13)
```

Fix column spacing

```
data.columns = data.columns.str.strip()

# Print columns in vertical form
print("\n\nColumns (Vertical List):")
for col in data.columns:
    print(col)
```

Output:

Columns (Vertical List):

```

loan_id
no_of_dependents
education
self_employed
income_annum
loan_amount
loan_term
cibil_score
residential_assets_value
commercial_assets_value
luxury_assets_value
bank_asset_value
loan_status

```

Display first 5 rows

```

print("First 5 rows of the dataset:")
data.head()

```

Output:

First 5 rows of the dataset:

Output:

	loan_id	no_of_depen.	education	self_employed	income_annum	loan_amount	loan_term	cibil_score	residential_assets_value	commercial_assets_value	luxury_assets_value	bank_asset_value	loan_status
0	1	2	Graduate	No	9600000	29900000	12	778	2400000	17600000	22700000	8000000	Approved
1	2	0	Not Gra.	Yes	4100000	12200000	8	417	2700000	2200000	8800000	3300000	Rejected
2	3	3	Graduate	No	9100000	29700000	20	506	7100000	4500000	33300000	12800000	Rejected
3	4	3	Graduate	No	8200000	30700000	8	467	18200000	3300000	23300000	7900000	Rejected
4	5	5	Not Gra.	Yes	9800000	24200000	20	382	12400000	8200000	29400000	5000000	Rejected

Display last 5 rows

```

print("Last 5 rows of the dataset:")
data.tail()

```

Output:

Last 5 rows of the dataset:

Output:

	loan_id	no_of_depen.	education	self_employed	income_annum	loan_amount	loan_term	cibil_score	residential_assets_value	commercial_assets_value	luxury_assets_value	bank_asset_value	loan_status
4265	4265	5	Graduate	Yes	1000000	2300000	12	317	2800000	500000	3300000	800000	Rejected
4266	4266	0	Not Gra.	Yes	3300000	11300000	20	559	4200000	2900000	11000000	1900000	Approved
4267	4267	2	Not Gra.	No	6500000	23900000	18	457	1200000	12400000	18100000	7300000	Rejected
4268	4268	1	Not Gra.	No	4100000	12800000	8	780	8200000	700000	14100000	5800000	Approved
4269	4269	1	Graduate	No	9200000	29700000	10	607	17800000	11800000	35700000	12000000	Approved

Step 3: Data Preprocessing & Information

Target Column Encoding

```
data.columns = data.columns.str.strip()
data['loan_status'] = data['loan_status'].str.strip().map({
    'Approved': 1,
    'Rejected': 0
})

print("Target column loan_status encoded successfully")
data.head()
```

Output:

Target column loan_status encoded successfully

Output:

	loan_id	no_of_dependents	education	self_employed	income_annum	loan_amount	loan_term	cibil_score	residential_assets_value	commercial_assets_value	luxury_assets_value	bank_asset_value	loan_status
0	1	2	Graduate	No	9600000	29900000	12	778	2400000	17600000	22700000	8000000	1
1	2	0	Not Graduate	Yes	4100000	12200000	8	417	2700000	2200000	8800000	3300000	0
2	3	3	Graduate	No	9100000	29700000	20	506	7100000	4500000	33300000	12800000	0
3	4	3	Graduate	No	8200000	30700000	8	467	18200000	3300000	23300000	7900000	0
4	5	5	Not Graduate	Yes	9800000	24200000	20	382	12400000	8200000	29400000	5000000	0

Data Information

```
print("All Required Information Related To Data: ")
data.info()
```

Output:

```
All Required Information Related To Data:
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 4269 entries, 0 to 4268
Data columns (total 13 columns):
#   Column                                Non-Null Count  Dtype
---  -
0   loan_id                               4269 non-null   int64
1   no_of_dependents                      4269 non-null   int64
2   education                             4269 non-null   object
3   self_employed                         4269 non-null   object
4   income_annum                          4269 non-null   int64
5   loan_amount                           4269 non-null   int64
6   loan_term                             4269 non-null   int64
7   cibil_score                           4269 non-null   int64
8   residential_assets_value              4269 non-null   int64
9   commercial_assets_value               4269 non-null   int64
10  luxury_assets_value                   4269 non-null   int64
11  bank_asset_value                       4269 non-null   int64
12  loan_status                           4269 non-null   int64
dtypes: int64(11), object(2)
memory usage: 433.7+ KB
```

Check for missing (null) values in each column

```
print("Missing values in each column:")
print(data.isnull().sum())
```

Output:

Missing values in each column:

loan_id	0
no_of_dependents	0
education	0
self_employed	0
income_annum	0
loan_amount	0
loan_term	0
cibil_score	0
residential_assets_value	0
commercial_assets_value	0
luxury_assets_value	0
bank_asset_value	0
loan_status	0

dtype: int64

Step 4: Feature Engineering & Data Splitting

Define target column

```
target_col = "loan_status"
print("Target column selected:", target_col)

# Separate features and target
X = data.drop(columns=[target_col])
y = data[target_col]
print("Features (X) and target (y) separated successfully")

# Identify categorical columns
cat_cols = X.select_dtypes(include=['object']).columns.tolist()
print("Categorical columns identified:", cat_cols)

# Apply One-Hot Encoding to categorical columns
from sklearn.compose import ColumnTransformer
from sklearn.preprocessing import OneHotEncoder

preprocessor = ColumnTransformer(
    transformers=[
        ("cat", OneHotEncoder(handle_unknown="ignore"), cat_cols)
    ],
    remainder='passthrough'
)

# Transform feature data
X_transformed = preprocessor.fit_transform(X)
print("Categorical features one-hot encoded and dataset transformed successfully")
```

Output:

Target column selected: loan_status
 Features (X) and target (y) separated successfully
 Categorical columns identified: ['education', 'self_employed']
 Categorical features one-hot encoded and dataset transformed successfully

Split the dataset into training and testing sets

```
X_train, X_test, y_train, y_test = train_test_split(
    X_transformed,
    y,
    test_size=0.2,
    random_state=42,
    stratify=y
)

print("Dataset successfully split into training and testing sets")
print("Training set size:", X_train.shape)
print("Testing set size:", X_test.shape)
```

Output:

```
Dataset successfully split into training and testing sets
Training set size: (3415, 14)
Testing set size: (854, 14)
```

Step 5: Model Training & Evaluation (Gini Criterion)**# Initialize and train Decision Tree model using Gini impurity**

```
dt_model = DecisionTreeClassifier(criterion='gini', random_state=42)
dt_model.fit(X_train, y_train)
print("Decision Tree model trained successfully using Gini impurity")
```

Output:

```
Decision Tree model trained successfully using Gini impurity
```

Evaluate Decision Tree model (Gini impurity)

```
y_pred = dt_model.predict(X_test)
print("Accuracy (Gini, Full Tree):", accuracy_score(y_test, y_pred))
print("\nConfusion Matrix (Gini, Full Tree):")
print(confusion_matrix(y_test, y_pred))
```

Output:

```
Accuracy (Gini, Full Tree): 0.9789227166276346
Confusion Matrix (Gini, Full Tree):
[[313  10]
 [ 8 523]]
```

Compute confusion matrix for Decision Tree model (Gini impurity)

```
print("Calculating confusion matrix (Gini)...")
cm = confusion_matrix(y_test, y_pred)
print("Confusion matrix calculated successfully")
```

Output:


```
Calculating confusion matrix (Gini)...
Confusion matrix calculated successfully
```

Plot confusion matrix for Decision Tree model (Gini impurity)


```
print("Displaying confusion matrix plot (Gini)...")
plt.figure(figsize=(8, 6))
sns.heatmap(cm, annot=True, fmt='d', cmap='Blues', xticklabels=['Rejected', 'Approved'],
            yticklabels=['Rejected', 'Approved'])
plt.title('Confusion Matrix (Gini)')
plt.ylabel('True Label')
plt.xlabel('Predicted Label')
plt.show()
print("Confusion matrix plot displayed successfully")
```

Output:

Displaying confusion matrix plot (Gini)...Confusion matrix plot displayed successfully

**# Visualize the Gini Decision Tree**

```
plt.figure(figsize=(20, 10))
plot_tree(dt_model, filled=True, rounded=True, label='root', impurity=False,
          proportion=False)
plt.title("Decision Tree (Gini)")
plt.show()
```



Step 6: Model Training & Evaluation (Entropy Criterion)

Train and evaluate Decision Tree model using Entropy

```
dt_model_entropy = DecisionTreeClassifier(criterion='entropy', random_state=42)
dt_model_entropy.fit(X_train, y_train)
print("Decision Tree model trained successfully using Entropy")

# Predict on test data
y_pred_entropy = dt_model_entropy.predict(X_test)
print("Accuracy (Entropy, Full Tree):", accuracy_score(y_test, y_pred_entropy))
print("\n\nConfusion Matrix (Entropy, Full Tree):")
print(confusion_matrix(y_test, y_pred_entropy))
```

Output:

```
Decision Tree model trained successfully using EntropyAccuracy (Entropy, Full Tree):
0.9789227166276346
Confusion Matrix (Entropy, Full Tree):
[[312  11]
 [  7 524]]
```

Compute confusion matrix for Decision Tree model (Entropy)

```
print("Calculating confusion matrix (Entropy)...")
cm_entropy = confusion_matrix(y_test, y_pred_entropy)
print("Confusion matrix (Entropy) calculated successfully")
```

Output:

```
Calculating confusion matrix (Entropy)...
Confusion matrix (Entropy) calculated successfully
```

Plot confusion matrix for Decision Tree model (Entropy)


```

target_names = ['Rejected', 'Approved']
plt.figure(figsize=(8, 6))
sns.heatmap(cm_entropy, annot=True, fmt='d', cmap='Greens', xticklabels=target_names,
            yticklabels=target_names)
plt.title('Confusion Matrix (Entropy)')
plt.ylabel('True Label')
plt.xlabel('Predicted Label')
plt.show()
print("Confusion matrix (Entropy) plot displayed successfully")

```

Output:

Displaying confusion matrix plot (Entropy)...Confusion matrix (Entropy) plot displayed successfully




Visualize the Entropy Decision Tree

```

plt.figure(figsize=(20, 10))
plot_tree(dt_model_entropy, filled=True, rounded=True, label='root', impurity=False,
          proportion=False)
plt.title("Decision Tree (Entropy)")
plt.show()

```

Step 7: Decision Tree Depth Analysis (Gini)


Train Decision Tree with max_depth=3 (Gini)

```
dt_gini_3 = DecisionTreeClassifier(criterion='gini', max_depth=3, random_state=42)
dt_gini_3.fit(X_train, y_train)
y_pred_3 = dt_gini_3.predict(X_test)
accuracy_3 = accuracy_score(y_test, y_pred_3)
print(f"Accuracy (Max Depth 3, Gini): {accuracy_3:.4f}")
print("Confusion Matrix (Max Depth 3):")
print(confusion_matrix(y_test, y_pred_3))

# Heatmap
plt.figure(figsize=(8, 6))
sns.heatmap(confusion_matrix(y_test, y_pred_3), annot=True, fmt='d', cmap='Blues',
            xticklabels=True, yticklabels=True)
plt.title("Confusion Matrix Heatmap (Max Depth 3, Gini)")
plt.xlabel("Predicted")
plt.ylabel("Actual")
plt.show()
```

Output:


```
Accuracy (Max Depth 3, Gini): 0.9403
Confusion Matrix (Max Depth 3):
[[280  43]
 [  8 523]]
```



Plot the tree (Gini - Max Depth 3)

```
plt.figure(figsize=(20, 10))
plot_tree(dt_gini_3, filled=True, rounded=True, label='root', impurity=False,
          proportion=False)
plt.title("Decision Tree (Gini) - Max Depth 3")
plt.show()
```

Decision Tree (Gini) - Max Depth 3



Train Decision Tree with max_depth=5 (Gini)

```

dt_gini_5 = DecisionTreeClassifier(criterion='gini', max_depth=5, random_state=42)
dt_gini_5.fit(X_train, y_train)
y_pred_5 = dt_gini_5.predict(X_test)
accuracy_5 = accuracy_score(y_test, y_pred_5)
print(f"Accuracy (Max Depth 5, Gini): {accuracy_5:.4f}")
print("Confusion Matrix (Max Depth 5):")
print(confusion_matrix(y_test, y_pred_5))

# Heatmap
plt.figure(figsize=(8, 6))
sns.heatmap(confusion_matrix(y_test, y_pred_5), annot=True, fmt='d', cmap='Blues',
            xticklabels=True, yticklabels=True)
plt.title("Confusion Matrix Heatmap (Max Depth 5, Gini)")
plt.xlabel("Predicted")
plt.ylabel("Actual")
plt.show()


```

Output:

```

Accuracy (Max Depth 5, Gini): 0.9707
Confusion Matrix (Max Depth 5):
[[308  15]
 [ 10 521]]


```



Plot the tree (Gini - Max Depth 5)

```
plt.figure(figsize=(20, 10))
plot_tree(dt_gini_5, filled=True, rounded=True, label='root', impurity=False,
          proportion=False)
plt.title("Decision Tree (Gini) - Max Depth 5")
plt.show()
```

Decision Tree (Gini) - Max Depth 5



Train Decision Tree with max_depth=7 (Gini)


```
dt_gini_7 = DecisionTreeClassifier(criterion='gini', max_depth=7, random_state=42)
dt_gini_7.fit(X_train, y_train)
y_pred_7 = dt_gini_7.predict(X_test)
accuracy_7 = accuracy_score(y_test, y_pred_7)
print(f"Accuracy (Max Depth 7, Gini): {accuracy_7:.4f}")
print("Confusion Matrix (Max Depth 7):")
print(confusion_matrix(y_test, y_pred_7))
```

```
# Heatmap
plt.figure(figsize=(8, 6))
sns.heatmap(confusion_matrix(y_test, y_pred_7), annot=True, fmt='d', cmap='Blues',
            xticklabels=True, yticklabels=True)
plt.title("Confusion Matrix Heatmap (Max Depth 7, Gini)")
plt.xlabel("Predicted")
plt.ylabel("Actual")
plt.show()
```

Output:

```
Accuracy (Max Depth 7, Gini): 0.9766
Confusion Matrix (Max Depth 7):
[[312  11]
 [ 9 522]]
```


Confusion Matrix Heatmap (Max Depth 7, Gini)



Plot the tree (Gini - Max Depth 7)

```
plt.figure(figsize=(20, 10))
plot_tree(dt_gini_7, filled=True, rounded=True, label='root', impurity=False,
          proportion=False)
plt.title("Decision Tree (Gini) - Max Depth 7")
plt.show()
```

Decision Tree (Gini) - Max Depth 7



Step 8: Decision Tree Depth Analysis (Entropy)


Train Decision Tree with max_depth=3 (Entropy)

```
dt_entropy_3 = DecisionTreeClassifier(criterion='entropy', max_depth=3, random_state=42)
dt_entropy_3.fit(X_train, y_train)
y_pred_3 = dt_entropy_3.predict(X_test)
accuracy_3 = accuracy_score(y_test, y_pred_3)
print(f"Accuracy (Max Depth 3, Entropy): {accuracy_3:.4f}")
print("Confusion Matrix (Max Depth 3):")
print(confusion_matrix(y_test, y_pred_3))

# Heatmap
plt.figure(figsize=(8, 6))
sns.heatmap(confusion_matrix(y_test, y_pred_3), annot=True, fmt='d', cmap='Blues',
            xticklabels=True, yticklabels=True)
plt.title("Confusion Matrix Heatmap (Max Depth 3, Entropy)")
plt.xlabel("Predicted")
plt.ylabel("Actual")
plt.show()
```

Output:


```
Accuracy (Max Depth 3, Entropy): 0.9333
Confusion Matrix (Max Depth 3):
[[275  48]
 [  9 522]]
```



Plot the tree (Entropy - Max Depth 3)

```
plt.figure(figsize=(20, 10))
plot_tree(dt_entropy_3, filled=True, rounded=True, label='root', impurity=False,
          proportion=False)
plt.title("Decision Tree (Entropy) - Max Depth 3")
plt.show()
```

Decision Tree (Entropy) - Max Depth 3



Train Decision Tree with max_depth=5 (Entropy)


```
dt_entropy_5 = DecisionTreeClassifier(criterion='entropy', max_depth=5, random_state=42)
dt_entropy_5.fit(X_train, y_train)
y_pred_5 = dt_entropy_5.predict(X_test)
accuracy_5 = accuracy_score(y_test, y_pred_5)
print(f"Accuracy (Max Depth 5, Entropy): {accuracy_5:.4f}")
print("Confusion Matrix (Max Depth 5):")
print(confusion_matrix(y_test, y_pred_5))
```

```
# Heatmap
plt.figure(figsize=(8, 6))
sns.heatmap(confusion_matrix(y_test, y_pred_5), annot=True, fmt='d', cmap='Blues',
            xticklabels=True, yticklabels=True)
plt.title("Confusion Matrix Heatmap (Max Depth 5, Entropy)")
plt.xlabel("Predicted")
plt.ylabel("Actual")
plt.show()
```

Output:

```
Accuracy (Max Depth 5, Entropy): 0.9637
Confusion Matrix (Max Depth 5):
[[304  19]
 [ 12 519]]
```


Confusion Matrix Heatmap (Max Depth 5, Entropy)



Plot the tree (Entropy - Max Depth 5)

```
plt.figure(figsize=(20, 10))
plot_tree(dt_entropy_5, filled=True, rounded=True, label='root', impurity=False,
          proportion=False)
plt.title("Decision Tree (Entropy) - Max Depth 5")
plt.show()
```

Decision Tree (Entropy) - Max Depth 5



Train Decision Tree with max_depth=7 (Entropy)

```

dt_entropy_7 = DecisionTreeClassifier(criterion='entropy', max_depth=7, random_state=42)
dt_entropy_7.fit(X_train, y_train)
y_pred_7 = dt_entropy_7.predict(X_test)
accuracy_7 = accuracy_score(y_test, y_pred_7)
print(f"Accuracy (Max Depth 7, Entropy): {accuracy_7:.4f}")
print("Confusion Matrix (Max Depth 7):")
print(confusion_matrix(y_test, y_pred_7))

# Heatmap
plt.figure(figsize=(8, 6))
sns.heatmap(confusion_matrix(y_test, y_pred_7), annot=True, fmt='d', cmap='Blues',
            xticklabels=True, yticklabels=True)
plt.title("Confusion Matrix Heatmap (Max Depth 7, Entropy)")
plt.xlabel("Predicted")
plt.ylabel("Actual")
plt.show()


```

Output:

```

Accuracy (Max Depth 7, Entropy): 0.9766
Confusion Matrix (Max Depth 7):
[[312  11]
 [  9 522]]

```

**# Plot the tree (Entropy - Max Depth 7)**

[illegible]

Step 1: Importing Libraries

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.tree import DecisionTreeClassifier, plot_tree
from sklearn.metrics import accuracy_score, confusion_matrix
from sklearn.preprocessing import LabelEncoder
print("Libraries imported successfully!")
```

Libraries imported successfully!

Step 2: Loading Data

Load the dataset

```
data = pd.read_csv('ObesityDataSet_raw_and_data_sinthetic.csv')
print("Dataset loaded successfully")
```

Output:

Dataset loaded successfully

Check the shape of the dataset

```
print("Data Shape:")
print(data.shape)
```

Output:

Data Shape:
(2111, 17)

Display first 5 rows of the dataset

```
print("First 5 rows of the dataset:")
data.head()
```

Output:

First 5 rows of the dataset:

Output:

	Gender	Age	Height	Weight	family_history_with_overweight	FAV	FCV	NCF	CAEC	SMOK	CH2	SCD	FAF	TUE	CALC	MTRANS	NObesyedad
0	Female	21.	1.62	64.0	yes	no	2.0	3.0	Sometimes	no	2.0	no	0.0	1.0	no	Public_Transportation	Normal_Weight
1	Female	21.	1.52	56.0	yes	no	3.0	3.0	Sometimes	yes	3.0	yes	3.0	0.0	Sometimes	Public_Transportation	Normal_Weight
2	Male	23.	1.80	77.0	yes	no	2.0	3.0	Sometimes	no	2.0	no	2.0	1.0	Frequently	Public_Transportation	Normal_Weight
3	Male	27.	1.80	87.0	no	no	3.0	3.0	Sometimes	no	2.0	no	2.0	0.0	Frequently	Walking	Overweight_Level_I
4	Male	22.	1.78	89.8	no	no	2.0	1.0	Sometimes	no	2.0	no	0.0	0.0	Sometimes	Public_Transportation	Overweight_Level_II

Display last 5 rows of the dataset

```
print("Last 5 rows of the dataset:")
data.tail()
```

Output:

Last 5 rows of the dataset:

Output:

	Gender	Age	Height	Weight	family_history_with_overweight	FAV	FCV	NCF	CAEC	SMOK	CH20	SCD	FAF	TUE	CALC	MTRANS	NObesyedad
210	Female	20.97684	1.71073	131.40852	yes	yes	3.0	3.0	Sometime	no	1.72813	no	1.67626	0.90624	Sometime	Public_Transportation	Obesity_Type_III
211	Female	21.98294	1.74856	133.74294	yes	yes	3.0	3.0	Sometime	no	2.00513	no	1.34138	0.59927	Sometime	Public_Transportation	Obesity_Type_III
212	Female	22.52403	1.75226	133.68938	yes	yes	3.0	3.0	Sometime	no	2.05419	no	1.41426	0.64626	Sometime	Public_Transportation	Obesity_Type_III
213	Female	24.36193	1.73945	133.34664	yes	yes	3.0	3.0	Sometime	no	2.85233	no	1.13916	0.58603	Sometime	Public_Transportation	Obesity_Type_III
214	Female	23.66476	1.73883	133.47264	yes	yes	3.0	3.0	Sometime	no	2.86352	no	1.02645	0.71413	Sometime	Public_Transportation	Obesity_Type_III

Step 3: Preprocessing

```
print("Statistical summary of the dataset:")
data.describe()
```

Output:

Statistical summary of the dataset:

Output:

	Age	Height	Weight	FCVC	NCP	CH2O	FAF	TUE
count	2111.000000	2111.000000	2111.000000	2111.000000	2111.000000	2111.000000	2111.000000	2111.000000
mean	24.312600	1.701677	86.586058	2.419043	2.685628	2.008011	1.010298	0.657866
std	6.345968	0.093305	26.191172	0.533927	0.778039	0.612953	0.850592	0.608927
min	14.000000	1.450000	39.000000	1.000000	1.000000	1.000000	0.000000	0.000000
25%	19.947192	1.630000	65.473343	2.000000	2.658738	1.584812	0.124505	0.000000
50%	22.777890	1.700499	83.000000	2.385502	3.000000	2.000000	1.000000	0.625350
75%	26.000000	1.768464	107.430682	3.000000	3.000000	2.477420	1.666678	1.000000
max	61.000000	1.980000	173.000000	3.000000	4.000000	3.000000	3.000000	2.000000

Initialize LabelEncoder

```
le = LabelEncoder()
target_names = []
print("LabelEncoder initialized")
```

Output:

LabelEncoder initialized

Apply encoding to categorical columns

```
for col in data.columns:
    if data[col].dtype == 'object':
        data[col] = le.fit_transform(data[col])
    if col == 'NObeyesdad':
        target_names = list(le.classes_)
print("Categorical variables encoded")
```

Output:

Categorical variables encoded

Split data into training and testing sets

```
X = data.drop('NObeyesdad', axis=1)
y = data['NObeyesdad']
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42)
print("Data split complete")
```

Output:

Data split complete

Step 4: Training (Gini)

Initialize and train Decision Tree with Gini impurity

```
model = DecisionTreeClassifier(criterion='gini')
model.fit(X_train, y_train)
print("Model trained using Gini impurity")
```

Output:

```
Model trained using Gini impurity
```

Evaluate Gini model

```
y_pred = model.predict(X_test)
print("Accuracy (Gini, Full Tree):", accuracy_score(y_test, y_pred))
```

Output:

```
Accuracy (Gini, Full Tree): 0.9433
```

Compute confusion matrix for Gini

```
cm = confusion_matrix(y_test, y_pred)
print("Confusion matrix shape:", cm.shape)
```


Output:

```
Confusion matrix shape: (7, 7)
```

Plot confusion matrix (Gini)

```
print("Displaying plot...")
plt.figure(figsize=(8,6))
sns.heatmap(cm, annot=True, fmt='d', cmap='Blues', xticklabels=target_names,
            yticklabels=target_names)
plt.title('Confusion Matrix (Gini)')
plt.show()
```


Confusion Matrix (Gini)



Visualize the Gini Decision Tree

```
print("Plotting the Decision Tree (Gini)...")
plt.figure(figsize=(20,10))
plot_tree(model, feature_names=X.columns, class_names=target_names, filled=True,
          rounded=True)
plt.show()
```

Full Decision Tree (Gini)



Step 5: Training (Entropy)

Train and evaluate Decision Tree with Entropy

```
model_entropy = DecisionTreeClassifier(criterion='entropy')
model_entropy.fit(X_train, y_train)
y_pred_entropy = model_entropy.predict(X_test)
print("Accuracy (Entropy, Full Tree):", accuracy_score(y_test, y_pred_entropy))
```

Output:

Accuracy (Entropy, Full Tree): 0.9598

Compute confusion matrix for Entropy


```
cm_entropy = confusion_matrix(y_test, y_pred_entropy)
print("Confusion matrix shape:", cm_entropy.shape)
```

Output:

Confusion matrix shape: (7, 7)


Plot confusion matrix (Entropy)

```
print("Displaying plot...")
plt.figure(figsize=(8,6))
sns.heatmap(cm_entropy, annot=True, fmt='d', cmap='Greens', xticklabels=target_names,
            yticklabels=target_names)
plt.show()
```



Visualize the Entropy Decision Tree

```
print("Plotting the Decision Tree (Entropy)...")
plot_tree(model_entropy, feature_names=X.columns, class_names=target_names, filled=True,
          rounded=True)
plt.show()
```




Step 6: Model Evaluation (Depth)

Analyze Decision Tree with Max Depth = 2

```
d = 2
clf = DecisionTreeClassifier(max_depth=d, criterion='gini', random_state=42)
clf.fit(X_train, y_train)
acc = accuracy_score(y_test, clf.predict(X_test))
print(f"Max Depth: {d}, Accuracy: {acc:.4f}")
plt.figure(figsize=(20,10))
plot_tree(clf, feature_names=X.columns, class_names=target_names, filled=True,
          rounded=True)
plt.title(f"Decision Tree (Max Depth = {d})")
plt.show()
```

Output:

Max Depth: 2, Accuracy: 0.5432



Analyze Decision Tree with Max Depth = 4


```
d = 4
clf = DecisionTreeClassifier(max_depth=d, criterion='gini', random_state=42)
clf.fit(X_train, y_train)
acc = accuracy_score(y_test, clf.predict(X_test))
print(f"Max Depth: {d}, Accuracy: {acc:.4f}")
plt.figure(figsize=(20,10))
plot_tree(clf, feature_names=X.columns, class_names=target_names, filled=True,
          rounded=True)
plt.title(f"Decision Tree (Max Depth = {d})")
plt.show()
```

Output:

Max Depth: 4, Accuracy: 0.9433

Decision Trees - Practical Implementation

Decision Tree (Max Depth = 4)




Analyze Decision Tree with Max Depth = 2 (Entropy)

```
d = 2
clf = DecisionTreeClassifier(max_depth=d, criterion='entropy', random_state=42)
clf.fit(X_train, y_train)
acc = accuracy_score(y_test, clf.predict(X_test))
print(f"Max Depth (Entropy): {d}, Accuracy: {acc:.4f}")
plt.figure(figsize=(20,10))
plot_tree(clf, feature_names=X.columns, class_names=target_names, filled=True,
          rounded=True)
plt.title(f"Decision Tree (Max Depth = {d}, Entropy)")
plt.show()
```

Output:

Max Depth (Entropy): 2, Accuracy: 0.9456

Decision Trees - Practical Implementation
Decision Tree (Max Depth = 2, Entropy)



Analyze Decision Tree with Max Depth = 4 (Entropy)

```
d = 4
clf = DecisionTreeClassifier(max_depth=d, criterion='entropy', random_state=42)
clf.fit(X_train, y_train)
acc = accuracy_score(y_test, clf.predict(X_test))
print(f"Max Depth (Entropy): {d}, Accuracy: {acc:.4f}")
plt.figure(figsize=(20,10))
plot_tree(clf, feature_names=X.columns, class_names=target_names, filled=True,
          rounded=True)
plt.title(f"Decision Tree (Max Depth = {d}, Entropy)")
plt.show()
```

Output:

Max Depth (Entropy): 4, Accuracy: 0.9598

Decision Trees - Practical Implementation

Decision Tree (Max Depth = 4, Entropy)

