Miladycraft

Mod catalogue

1.6.0-alpha
minecraft 1.21.1 · neoforge 21.1.244

362 indexed mod archives. Descriptions and dependency declarations come from hash-verified shipped JARs. This catalogue describes configured pack contents, not a running-client census.

Dependencies are declarations, not a compatibility solver. Not indexed means no declared mod ID was found. Unscoped marks nonstandard tables, not enforced requirements. Bundled copies are candidates; the loader may select another copy. Ranges and sides are preserved. Reverse lists concern top-level IDs. Emoji are omitted. Full evidence is available in the accompanying Markdown and JSON.

Contents

A	**2**	**M**	**54**
B	**10**	**N**	**59**
C	**14**	**O**	**62**
D	**25**	**P**	**64**
E	**28**	**Q**	**67**
F	**33**	**R**	**67**
G	**39**	**S**	**70**
H	**41**	**T**	**78**
I	**42**	**U**	**82**
J	**48**	**W**	**83**
K	**49**	**X**	**84**
L	**51**	**Y**	**85**
		Z	**88**

A

Accelerated Decay

21.0.0 · both

Speeds up the decay of leaves

Required by: none declared.

Optional integration from: none declared.

acceleratteddecay → neoforge: required; range [21.0,); both; runtime.
acceleratteddecay → minecraft: required; range [1.21,); both; runtime.
acceleratteddecay → architectury: required; range [13.0.0,); both; Architectury API.

Source: pinned release; IDs: acceleratteddecay 21.0.0.

Archive: `accelerated-decay-neoforge-21.0.0.jar`.

Adorn (NeoForge/Forge)

6.3.0+1.21.1 · both

Decorate your home!

Required by: none declared.

Optional integration from: none declared.

adorn → minecraft: required; range [1.21.1,); both; runtime.
adorn → neoforge: required; range [21.1.8,); both; runtime.

Source: pinned release; IDs: adorn 6.3.0+1.21.1.

Archive: `Adorn-6.3.0+1.21.1-neoforge.jar`.

Advanced Loot Info (ALI)

1.12.0 · both

EMI/JEI/REI plugin for displaying advanced information about loot tables and trades

Required by: none declared.

Optional integration from: none declared.

ali → neoforge: required; range [2,); both; runtime.
ali → minecraft: required; range [1.21.1]; both; runtime.
ali → emi: optional; range [1.1.0,); both; not indexed.
ali → jei: optional; range [19.20.0.242,); both; Just Enough Items (JEI).
ali → rei: optional; range [16.0.799,); both; not indexed.
ali → lootjs: optional; range [1.21.1-3.4.2,); both; LootJS: KubeJS Addon.

Source: pinned release; IDs: ali 1.12.0.

Archive: `AdvancedLootInfo-neoforge-1.21.1-1.12.0.jar`.

Advanced Peripherals

0.7.62b · both

Advanced Peripherals provides multiple extensions for ComputerCraft in form of Peripherals, Pocket Upgrades, Turtles or new gear. It also integrates with multiple third party mods.

Required by: none declared.

Optional integration from: none declared.

advancedperipherals → neoforge: required; range [21.1.200,); both; runtime.
advancedperipherals → minecraft: required; range [1.21.1,); both; runtime.
advancedperipherals → computercraft: required; range [1.119.0,); both; CC: Tweaked.
advancedperipherals → ae2: optional; range [19.2.13,); both; Applied Energistics 2.
advancedperipherals → minecolonies: optional; range [1.1.1330-1.21.1-snapshot,); both; not indexed.
advancedperipherals → patchouli: optional; range [1.21-88,); both; Patchouli.
advancedperipherals → mekanism: optional; range [1.21.1-10.7.15.81,); both; Mekanism.

Source: pinned release · author page; IDs: advancedperipherals 0.7.62b.

Archive: `AdvancedPeripherals-1.21.1-0.7.62b.jar`.

Advanced Shulkerboxes

1.21.1-2.0.5 · both

Open Shulker Boxes in your hand

Required by: none declared.

Optional integration from: none declared.

shulkerbox → neoforge: required; range [21.0.0-beta,); both; runtime.
shulkerbox → minecraft: required; range [1.21,1.21.1]; both; runtime.

Source: pinned release · author page; IDs: shulkerbox 1.21.1-2.0.5.

Archive: `shulkerbox-neoforge-1.21.1-2.0.5.jar`.

Advancement Frames

1.21-2.2.10 · both

Display your hard earned advancements & stats in style!

Required by: none declared.

Optional integration from: none declared.

advancementframes → neoforge: required; range [4,); both; runtime.
advancementframes → minecraft: required; range [1.21,1.22); both; runtime.
advancementframes → moonlight: required; range *; both; Moonlight Lib.

Source: pinned release · author page; IDs: advancementframes 1.21-2.2.10.

Archive: `advancementframes-1.21-2.2.10-neoforge.jar`.

Advancements Reloaded

0.6.1 · client

Make it easier to see which advancements you have and what's missing.

Required by: none declared.

Optional integration from: none declared.

advancements_reloaded → minecraft: required; range [1.21,); both; runtime.
advancements_reloaded → cloth_config: required; range [15.0.0,); both; Cloth Config API (Fabric/Forge/NeoForge).

Source: pinned release · author page; IDs: advancements_reloaded 0.6.1.

Archive: `advancements_reloaded-0.6.1-neoforge-1.21.1.jar`.

AE2 Import Export Card

1.21.1-1.5.0 · both

This mod adds an import and an export card to wireless terminals from Applied Energistics 2.

Required by: none declared.

Optional integration from: none declared.

ae2importexportcard → ae2: required; range [19.2,); both; Applied Energistics 2.
ae2importexportcard → ae2wtlib: incompatible; range (,19.1.0-alpha); both; not indexed.
ae2importexportcard → neoforge: required; range [21.1.200,); both; runtime.
ae2importexportcard → minecraft: required; range [1.21,); both; runtime.
grandpower → neoforge: required; range [21.0.0-beta,); both; runtime.
grandpower → minecraft: required; range [1.21,); both; runtime.

Bundled: grandpower 3.0.2

Source: pinned release · author page; IDs: ae2importexportcard 1.21.1-1.5.0.

Archive: `ae2importexportcard-1.21.1-1.5.0.jar`.

AE2 Things [Forge]

1.4.2-beta · both

This mod adds a new type of cell the DISK: Deep Item Storage disK. This cell has no type limits and one item counts as one byte. Due to limitations with the cell format, you lose 24 bytes per kibibyte, but hey a small price to pay for no types right?

Required by: none declared.

Optional integration from: none declared.

ae2things → *neoforge*: required; range [21.1.0,); both; runtime.
ae2things → *minecraft*: required; range [1.21.1,); both; runtime.
ae2things → *ae2*: required; range [19.0.0-beta, 20.0.0); both; Applied Energistics 2.

Source: pinned release · author page; IDs: ae2things 1.4.2-beta.

Archive: `AE2-Things-1.4.2-beta.jar`.

AE2: Crafting Tree

1.21.1-1.1.1 · both

AE2:Crafting Tree

Required by: none declared.

Optional integration from: none declared.

ae2ct → *neoforge*: required; range [21.0.0-beta,); both; runtime.
ae2ct → *minecraft*: required; range [1.21,1.21.2); both; runtime.
ae2ct → *ae2*: required; range [19.0.16, 99.99.99); both; Applied Energistics 2.

Source: pinned release; IDs: ae2ct 1.21.1-1.1.1.

Archive: `ae2ct-1.21.1-1.1.1.jar`.

AllTheLeaks (Memory Leak Fix)

1.1.10+1.21.1-neoforge · both

This mod fixes memory leaks when needed!

Required by: none declared.

Optional integration from: KubeJS Tweaks.

alltheleaks → *neoforge*: required; range [21.1.195,); both; runtime.
alltheleaks → *minecraft*: required; range [1.21.1,1.21.2); both; runtime.
alltheleaks → *irons_spellbooks*: incompatible; range (,1.21-3.4.4]; both; Iron's Spells 'n Spellbooks.
alltheleaks → *railcraft*: incompatible; range (,1.2.1]; both; Railcraft Reborn.
alltheleaks → *geckolib*: incompatible; range (,4.5]; both; GeckoLib.
alltheleaks → *entityculling*: incompatible; range (,1.6.7]; both; not indexed.
alltheleaks → *dummmmmmy*: incompatible; range (,1.21-2.0.5]; both; MmmMmmMmmMmm (Target Dummy).
alltheleaks → *pneumaticcraft*: incompatible; range (,8.0.3]; both; not indexed.
alltheleaks → *ambientsounds*: incompatible; range (,6.1.0]; both; not indexed.
alltheleaks → *occultism*: incompatible; range (,1.161.2]; both; not indexed.

Source: pinned release; IDs: alltheleaks 1.1.10+1.21.1-neoforge.

Archive: `alltheleaks-1.1.10+1.21.1-neoforge.jar`.

Almost Unified

1.21.1-1.4.2 · both

Unify all resources.

Required by: none declared.

Optional integration from: none declared.

almostunified → *neoforge*: required; range [21.1.37,); both; runtime.
almostunified → *minecraft*: required; range [1.21.1,); both; runtime.
almostunified → *jei*: optional; range [19.10.0.126,); both; Just Enough Items (JEI).
almostunified → *roughlyenoughitems*: optional; range [16.0.762,); both; not indexed.
almostunified → *emi*: optional; range [1.1.13,); both; not indexed.

Source: pinned release; IDs: almostunified 1.21.1-1.4.2.

Archive: `almostunified-neoforge-1.21.1-1.4.2.jar`.

Alternate Current

1.9.0 · both

An efficient and non-locational redstone dust implementation.

Required by: none declared.

Optional integration from: none declared.

alternate_current → neoforge: required; range [21.0.0-beta,); both; runtime.
alternate_current → minecraft: required; range [1.21,1.21.1); both; runtime.

Source: pinned release · author page; IDs: alternate_current 1.9.0.

Archive: `alternate_current-mc1.21-1.9.0.jar`.

Ambient Environment

18.0.0.2 · both

Adds more ambiance to the game.

Required by: none declared.

Optional integration from: none declared.

ambientenvironment → neoforge: required; range [4,); both; runtime.
ambientenvironment → minecraft: required; range [1.21.1]; both; runtime.

Source: pinned release · author page; IDs: ambientenvironment 18.0.0.2.

Archive: `AmbientEnvironment-neoforge-1.21.1-18.0.0.2.jar`.

Amendments

1.21-2.1.7 · both

Many tweaks to Vanilla Blocks

Required by: none declared.

Optional integration from: FramedBlocks, Supplementaries.

amendments → neoforge: required; range *; both; runtime.
amendments → minecraft: required; range [1.21.1]; both; runtime.
amendments → moonlight: required; range [1.21-2.29.19,); both; Moonlight Lib.

Source: pinned release · author page; IDs: amendments 1.21-2.1.7.

Archive: `amendments-neoforge-1.21-2.1.7.jar`.

Animal Pens

2.4.3 · both

A simple mod aimed to reduce lag on servers by placing animals in single block.

Required by: none declared.

Optional integration from: none declared.

animal_pen → neoforge: required; range [21,); both; runtime.
animal_pen → minecraft: required; range [1.21,); both; runtime.
animal_pen → architectury: required; range [13.0.8,); both; Architectury API.

Source: pinned release; IDs: animal_pen 2.4.3.

Archive: `animal_pen-neoforge-1.21-2.4.3.jar`.

Another Furniture

4.0.2 · both

Decorating your home just got better! Another Furniture adds various furniture, with the goal of staying vanilla-styled and consistently sized, keeping normal blocks and player sizes in mind.

Required by: none declared.

Optional integration from: none declared.

another_furniture → neoforge: required; range [21.0,); both; runtime.
another_furniture → minecraft: required; range [1.21.1,); both; runtime.

Source: pinned release; IDs: another_furniture 4.0.2.

Archive: `another_furniture-neoforge-4.0.2.jar`.

Apotheosis

8.6.0 · both

All things that should have been

Required by: none declared.

Optional integration from: none declared.

apotheosis → minecraft: required; range [1.21.1,); both; runtime.
apotheosis → neoforge: required; range [21.1.235,); both; runtime.
apotheosis → placebo: required; range [9.9.2,); both; Placebo.
apotheosis → apothic_attributes: required; range [2.10.0,); both; Apothic Attributes.
apotheosis → apothic_spawners: required; range [1.4.0,); both; Apothic Spawners.
apotheosis → apothic_enchanting: required; range [1.6.0,); both; Apothic Enchanting.
apotheosis → curios: optional; range [9.5.1+1.21.1,); both; Curios API (Forge/NeoForge).
apotheosis → gateways: optional; range [5.1.0,); both; Gateways to Eternity.

Source: pinned release · author page; IDs: apotheosis 8.6.0.

Archive: `Apotheosis-1.21.1-8.6.0.jar`.

Apothic Attributes

2.10.1 · both

A library mod providing Attributes and related things.

Required by: Apotheosis, Apothic Enchanting, Gateways to Eternity.

Optional integration from: none declared.

apothic_attributes → minecraft: required; range [1.21.1,); both; runtime.
apothic_attributes → neoforge: required; range [21.1.235,); both; runtime.
apothic_attributes → placebo: required; range [9.9.0,); both; Placebo.

Source: pinned release; IDs: apothic_attributes 2.10.1.

Archive: `ApothicAttributes-1.21.1-2.10.1.jar`.

Apothic Enchanting

1.6.0 · both

The Enchanting Module of Apotheosis, overhauling major enchanting systems.

Required by: Apotheosis.

Optional integration from: none declared.

apothic_enchanting → minecraft: required; range [1.21.1,); both; runtime.
apothic_enchanting → neoforge: required; range [21.1.187,); both; runtime.
apothic_enchanting → placebo: required; range [9.9.0,); both; Placebo.
apothic_enchanting → apothic_attributes: required; range [2.4.0,); both; Apothic Attributes.

Source: pinned release; IDs: apothic_enchanting 1.6.0.

Archive: `ApothicEnchanting-1.21.1-1.6.0.jar`.

Apothic Spawners

1.4.0 · both

The Spawner Module of Apotheosis, allowing for silk-touching and modification.

Required by: Apotheosis.

Optional integration from: none declared.

apothic_spawners → minecraft: required; range [1.21.1,); both; runtime.
apothic_spawners → neoforge: required; range [21.1.187,); both; runtime.
apothic_spawners → placebo: required; range [9.9.0,); both; Placebo.

Source: pinned release; IDs: apothic_spawners 1.4.0.

Archive: `ApothicSpawners-1.21.1-1.4.0.jar`.

AppleSkin

3.0.9+mc1.21 · both

Adds various food-related HUD improvements

Required by: none declared.

Optional integration from: none declared.

appleskin → neoforge: required; range [21.0.0-beta,); client; runtime.

Source: pinned release · author page; IDs: appleskin 3.0.9+mc1.21.

Archive: `appleskin-neoforge-mc1.21-3.0.9.jar`.

Applied Energistics 2

19.2.17 · both

A Mod about Matter, Energy and using them to conquer the world...

Required by: AE2: Crafting Tree, AE2 Import Export Card, AE2 Things [Forge], Applied Flux, Applied Mekanistics, EnderDrives, ExtendedAE, ME Requester, Soulplied Energistics.

Optional integration from: Advanced Peripherals, FramedBlocks.

ae2 → neoforge: required; range [21.1.169,); both; runtime.
ae2 → minecraft: required; range [1.21.1]; both; runtime.
ae2 → guideme: required; range [21.1.1,); both; GuideME.
ae2 → emi: optional; range *; both; not indexed.
ae2 → theoneprobe: optional; range [1.20.0,); both; not indexed.
ae2 → jade: optional; range [15.0.0,); both; Jade .
ae2 → vanillafix: discouraged; range *; both; not indexed.

Source: pinned release · author page; IDs: ae2 19.2.17.

Archive: `appliedenergistics2-19.2.17.jar`.

Applied Flux

1.21-2.1.5-neoforge · both

Store energy in cells!

Required by: none declared.

Optional integration from: none declared.

appflux → neoforge: required; range [21.1.113,); both; runtime.
appflux → minecraft: required; range 1.21.1; both; runtime.
appflux → ae2: required; range [19.2.2-beta,); both; Applied Energistics 2.
appflux → guideme: required; range *; both; GuideME.
appflux → glodium: required; range [1.21-2.0-neoforge,); both; Glodium.
appflux → mekanism: optional; range [10.6.6,); both; Mekanism.
appflux → modern_industrialization: optional; range [2.3.2,); both; not indexed.

Source: pinned release · author page; IDs: appflux 1.21-2.1.5-neoforge.

Archive: `AppliedFlux-1.21-2.1.5-neoforge.jar`.

Applied Mekanistics

1.6.3 · both

Use Mekanism resources through your ME network

Required by: none declared.

Optional integration from: none declared.

appmek → neoforge: required; range [21.0,); both; runtime.
appmek → ae2: required; range [19.2.10,20.0.0); both; Applied Energistics 2.
appmek → mekanism: required; range [10.7.14,11-); both; Mekanism.

Source: pinned release · author page; IDs: appmek 1.6.3.

Archive: `Applied-Mekanistics-1.6.3.jar`.

Architectury API

13.0.11 · both

A intermediary api aimed to ease developing multiplatform mods.

Required by: Accelerated Decay, Animal Pens, CFM Refurbished: Watt About Power?, FTB Chunks (NeoForge), FTB Filter System, FTB Library (NeoForge), FTB Quests (NeoForge), FTB Ranks (NeoForge), FTB Teams (NeoForge), FTB XMod Compat, Not Enough Recipe Book [NERB], Observable, ShatterLib | OctoLib, Plushie Mod, Trofers.

Optional integration from: none declared.

architectury → minecraft: required; range [1.21,); both; runtime.
architectury → neoforge: required; range [21.0.110-beta,); both; runtime.

Source: pinned release; IDs: architectury 13.0.11.

Archive: `architectury-13.0.11-neoforge.jar`.

Armor Poser

6.2.3 · both

A GUI to allow configuration of Armor Stand properties

Required by: none declared.

Optional integration from: none declared.

armorposer → minecraft: required; range [1.21,1.22); both; runtime.
armorposer → neoforge: required; range [21.0.143,); both; runtime.

Source: pinned release · author page; IDs: armorposer 6.2.3.

Archive: `ArmorPoser-neoforge-1.21.1-6.2.3.jar`.

Artifacts

13.2.1 · both

Adds various new powerful uncraftable items to make exploration a bit more interesting

Required by: none declared.

Optional integration from: none declared.

artifacts → neoforge: required; range [21.0.133-beta,); both; runtime.
artifacts → minecraft: required; range 1.21.1; both; runtime.
expandability → neoforge: required; range [20,); both; runtime.
expandability → minecraft: required; range [1.20.6,); both; runtime.

Bundled: expandability 12.0.0

Source: pinned release · author page; IDs: artifacts 13.2.1.

Archive: `artifacts-neoforge-13.2.1.jar`.

Async Logger

2.2.1+1.21.1-neoforge · both

Asynchronous logging and efficient filtering - performance improvements and utility for keeping your logs clean

Required by: none declared.

Optional integration from: none declared.

asynclogger → *neoforge*: required; range *; both; runtime.
asynclogger → *minecraft*: required; range [1.21,1.21.8]; both; runtime.
asynclogger → *neoforge*: required; range *; both; runtime.
asynclogger → *minecraft*: required; range [1.21,1.21.8]; both; runtime.

Bundled: asynclogger 2.2.1+1.21.1-neoforge
Source: pinned release · author page; IDs: asynclogger 2.2.1+1.21.1-neoforge.
Archive: `asynclogger-2.2.1+1.21.1-neoforge.jar`.

Athena

4.0.6 · client

Crossplatform Baked Model Loader

Required by: Chipped.

Optional integration from: FramedBlocks.

athena → *neoforge*: required; range [21.0.0-beta,); both; runtime.
athena → *minecraft*: required; range [1.21,); both; runtime.

Source: pinned release · author page; IDs: athena 4.0.6.
Archive: `athena-neoforge-1.21.1-4.0.6.jar`.

Atlas API

1.21.1-1.2.0 · both

Provides an API for generating atlases during game runtime, and helpers for loading custom item models using the dynamic atlas sprites

Required by: Iron's Gems 'n Jewelry.

Optional integration from: none declared.

atlas_api → *neoforge*: required; range [21.0.0-beta,); both; runtime.
atlas_api → *minecraft*: required; range [1.21.1,1.21.2); both; runtime.

Source: pinned release; IDs: atlas_api 1.21.1-1.2.0.
Archive: `atlas_api-1.21.1-1.2.0.jar`.

AtlasViewer

9.2.0 · client

Ingame texture atlas viewer

Author page excerpt, observed 2026-09-08; project summary.

Required by: none declared.

Optional integration from: FramedBlocks.

atlasviewer → *neoforge*: required; range [21.0.0-beta,); both; runtime.
atlasviewer → *minecraft*: required; range [1.21, 1.22); both; runtime.

Source: pinned release · author page; IDs: atlasviewer 9.2.0.
Archive: `AtlasViewer-neoforge-9.2.0.jar`.

AttributeFix

21.1.3 · both

Extends the maximum attribute ranges to allow for higher values.

Required by: none declared.

Optional integration from: none declared.

attributefix → neoforge: required; range [21.1.209,); both; runtime.
attributefix → minecraft: required; range [1.21.1, 1.22); both; runtime.
attributefix → bookshelf: required; range [21.1, 21.2); both; Bookshelf.
attributefix → prickle: required; range [21.1, 21.2); both; Prickle.

Source: pinned release · author page; IDs: attributefix 21.1.3.

Archive: `attributefix-neoforge-1.21.1-21.1.3.jar`.

Autochef's Delight

2.0.3+neoforge · both

Support stacked cooking & optimize recipe-matching in Farmer's Delight

Author page excerpt, observed 2026-09-08; project summary.

Required by: none declared.

Optional integration from: none declared.

autochefsdelight → minecraft: required; range [1.21, 1.22); both; runtime.
autochefsdelight → farmersdelight: required; range *; both; Farmer's Delight.

Source: pinned release · author page; IDs: autochefsdelight 2.0.3+neoforge.

Archive: `AutochefsDelight-1.21.1-NeoForge-2.0.3.jar`.

Automobility

0.5.0.h · both

Vehicles and whatnot

Required by: none declared.

Optional integration from: none declared.

automobility → neoforge: required; range [21,); both; runtime.
automobility → minecraft: required; range [1.21,1.21.1]; both; runtime.

Source: pinned release; IDs: automobility 0.5.0.h.

Archive: `automobility-0.5.0.h+1.21.1-neoforge.jar`.

Axes Are Weapons

1.10.2 · both

Disables the increased durability loss in combat and enables Looting for axes Damage enchantments for axes will appear in the Enchanting Table too Check the config for more options!

Required by: none declared.

Optional integration from: none declared.

axesareweapons → neoforge: required; range [21.0.110-beta,); both; runtime.
axesareweapons → minecraft: required; range [1.21, 1.21.2); both; runtime.
axesareweapons → cloth_config: required; range [14,); both; Cloth Config API (Fabric/Forge/NeoForge).

Source: pinned release · author page; IDs: axesareweapons 1.10.2.

Archive: `AxesAreWeapons-1.10.2-neoforge-1.21.jar`.

B

Bad Horse Fix

3.0.1 · both

Fixes horse markings appearing above horse armor when using Iris Shaders.

Required by: none declared.

Optional integration from: none declared.

badhorsefix → neoforge: required; range [21.0,); client; runtime.
badhorsefix → minecraft: required; range [1.21,); client; runtime.

Source: pinned release; IDs: badhorsefix 3.0.1.

Archive: `badhorsefix-neoforge-3.0.1.jar`.

Bad Wither No Cookie - Reloaded

3.20.4 · client

Silence server level sounds making them local in the process. Other sounds can be silenced even further such as sheep eating grass, cows mooing, you name it. If it makes a sound it can be silenced!

Required by: none declared.

Optional integration from: none declared.

bwncr → minecraft: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: bwncr 3.20.4.

Archive: `bwncr-neoforge-1.21.1-3.20.4.jar`.

Balm

21.0.63 · both

Abstraction Layer (but not really) for Blay's multiplatform mods

Required by: Client Tweaks, Cooking for Blockheads, Crafting Slots, Crafting Tweaks, Inventory Essentials, KleeSlabs, NetherPortalFix, TrashSlot, Unbreakables, Waystones.

Optional integration from: none declared.

balm → neoforge: required; range [21.0.82-beta,); both; runtime.
balm → minecraft: required; range [1.21.1,); both; runtime.
kuma_api → neoforge: required; range [21-beta,); both; runtime.
kuma_api → minecraft: required; range [1.21,); both; runtime.

Bundled: kuma_api 21.0.8

Source: pinned release · author page · author page; IDs: balm 21.0.63.

Archive: `balm-neoforge-1.21.1-21.0.63.jar`.

Bank Storage

1.6.1+1.21 · both

A portable storage device that can store up to 1,000,000,000 items per slot.

Required by: none declared.

Optional integration from: none declared.

bankstorage → neoforge: required; range [21.1.0,); both; runtime.
bankstorage → minecraft: required; range [1.21.1,1.22); both; runtime.

Source: pinned release · author page; IDs: bankstorage 1.6.1+1.21.

Archive: `bankstorage-1.6.1+1.21.jar`.

Barbeque's Delight [Forge/NeoForge]

1.3.0 · both

Grills and Skewers

Required by: none declared.

Optional integration from: none declared.

barbequesdelight → neoforge: required; range [21.1.61,); both; runtime.
barbequesdelight → minecraft: required; range [1.21.1,1.22); both; runtime.
barbequesdelight → farmersdelight: required; range [1.2.4,); both; Farmer's Delight.
l2core → neoforge: required; range [21.1.4,); both; runtime.
l2core → minecraft: required; range [1.21.1,1.22); both; runtime.

Bundled: l2core 3.0.8+1
Source: pinned release; IDs: barbequesdelight 1.3.0.
Archive: `barbequesdelight-1.3.0.jar`.

Beautify!

2.0.2 · both

Beautify adds lots of vanilla-styled ways to spice up your builds with custom models that'll fit right in to your houses etc.

Required by: none declared.

Optional integration from: none declared.

beautify → neoforge: required; range [21.1.0,); both; runtime.
beautify → minecraft: required; range [1.21.1, 1.22); both; runtime.
Source: pinned release; IDs: beautify 2.0.2.
Archive: `beautify-neoforge-1.21.1-2.0.2.jar`.

Better Compatibility Checker

21.1.8 · both

Modpack compatibility checker for servers

Required by: none declared.

Optional integration from: none declared.

bcc → neoforge: required; range [21.1.209,); both; runtime.
bcc → minecraft: required; range [1.21.1,1.21.3); both; runtime.
Source: pinned release · author page; IDs: bcc 21.1.8.
Archive: `better-compatability-checker-neoforge-21.1.8.jar`.

Better Days

3.3.6.3 · both

Gives you control over the passage of time by allowing you to customize the length of the day-night cycle and alters the Minecraft sleep mechanic by accelerating the speed of time.

Required by: none declared.

Optional integration from: none declared.

betterdays → neoforge: required; range [4,); both; runtime.
betterdays → minecraft: required; range [1.21.1, 1.21.2); both; runtime.
betterdays → whitenoise: required; range [2.2.0,3.0.0); both; Better Days (bundled).
whitenoise → neoforge: required; range [4,); both; runtime.
whitenoise → minecraft: required; range [1.21.1, 1.21.2); both; runtime.

Bundled: whitenoise 2.2.0
Source: pinned release · author page · author page; IDs: betterdays 3.3.6.3.
Archive: `betterdays-1.21.1-3.3.6.3-NEOFORGE.jar`.

Better Title Screen

1.14.0 · client

Better Title Screen is a client-side mod that provides options to customize Minecraft's title screen.

Required by: none declared.

Optional integration from: none declared.

bettertitlescreen → neoforge: required; range [4,); both; runtime.
bettertitlescreen → minecraft: required; range [1.21, 1.22); both; runtime.

Source: pinned release · author page; IDs: bettertitlescreen 1.14.0.

Archive: `BetterTitleScreen-neoforge-1.21-1.14.0.jar`.

Biome Music

4.1 · client

biomemusic mod

Required by: none declared.

Optional integration from: none declared.

biomemusic → minecraft: required; range [1.21,1.30); both; runtime.
biomemusic → cupboard: required; range [1.21-1.4,); both; Cupboard.

Source: pinned release; IDs: biomemusic 4.1.

Archive: `biomemusic-1.21.1-4.1.jar`.

Blueprint

8.1.1 · both

The library mod used by all Abnormals mods. Adds support for various types of blocks, helps with registering, and adds tons of misc. utils. Also comes with Endimator, an animation library that supports data-driven and coded animations.

Required by: none declared.

Optional integration from: none declared.

blueprint → minecraft: required; range [1.21.1]; both; runtime.
blueprint → neoforge: required; range [21.1.160,); both; runtime.

Source: pinned release · author page; IDs: blueprint 8.1.1.

Archive: `blueprint-1.21.1-8.1.1.jar`.

Bookshelf

21.1.81 · both

Bookshelf is a library mod that provides code, frameworks, and utilities for other mods. Many mods make use of Bookshelf and are powered by its code.

Required by: AttributeFix, Distracting Trims, Enchantment Descriptions, Max Health Fix, Tip of the Loom, Tips, What The Bucket.

Optional integration from: none declared.

bookshelf → neoforge: required; range [21.1.209,); both; runtime.
bookshelf → minecraft: required; range [1.21.1, 1.22); both; runtime.

Source: pinned release · author page; IDs: bookshelf 21.1.81.

Archive: `bookshelf-neoforge-1.21.1-21.1.81.jar`.

Bridging Mod

2.6.2+1.21.1 · client

Adds bridging assist similar to Bedrock & Quark's building mechanics.

Required by: none declared.

Optional integration from: none declared.

bridgingmod → neoforge: required; range [21.1,); client; runtime.
bridgingmod → minecraft: required; range [1.21.1,); client; runtime.
bridgingmod → yet_another_config_lib_v3: required; range [3.6.2+1.21,); client; YetAnotherConfigLib.
bridgingmod → dynamiccrosshair: optional; range [9.3,); client; not indexed.

Source: pinned release · author page; IDs: bridgingmod 2.6.2+1.21.1.

Archive: `BridgingMod-2.6.2+1.21.1.neoforge-release.jar`.

Building Gadgets

1.3.9 · both

We can build it better, stronger, faster.

Required by: none declared.

Optional integration from: none declared.

buildinggadgets2 → neoforge: required; range [21.0,); both; runtime.
buildinggadgets2 → minecraft: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: buildinggadgets2 1.3.9.

Archive: `buildinggadgets2-1.3.9.jar`.

C

Caelus API (Forge/NeoForge)

7.0.1+1.21.1 · both

An API to provide developers access to the elytra's fall flying mechanics through an entity attribute.

Required by: Elytra Slot.

Optional integration from: none declared.

caelus → neoforge: required; range [21,); both; runtime.
caelus → minecraft: required; range [1.21, 1.22); both; runtime.

Source: pinned release · author page; IDs: caelus 7.0.1+1.21.1.

Archive: `caelus-neoforge-7.0.1+1.21.1.jar`.

Cake Chomps (Fabric/Forge/NeoForge/Quilt)

10.0.1+1.21.1 · client

Adds sound and crumb particles when you eat cake.

Required by: none declared.

Optional integration from: none declared.

cakechomps → neoforge: required; range [21,); both; runtime.
cakechomps → minecraft: required; range [1.21, 1.22); both; runtime.

Source: pinned release · author page; IDs: cakechomps 10.0.1+1.21.1.

Archive: `cakechomps-neoforge-10.0.1+1.21.1.jar`.

Camerapture

1.10.12 · both

Take photos and display pictures in Minecraft.

Required by: none declared.

Optional integration from: none declared.

camerapture → minecraft: required; range [1.21, 1.21.1]; both; runtime.

Source: pinned release · author page; IDs: camerapture 1.10.12.

Archive: `Camerapture-1.10.12+mc1.21.1-neoforge.jar`.

CC: Tweaked

1.120.0 · both

CC: Tweaked is a fork of ComputerCraft, adding programmable computers, turtles and more to Minecraft.

Required by: Advanced Peripherals, More Red x CC:Tweaked Compat.

Optional integration from: none declared.

computercraft → neoforge: required; range [21.1.9,21.2); both; runtime.

Source: pinned release · author page; IDs: computercraft 1.120.0.

Archive: `cc-tweaked-1.21.1-forge-1.120.0.jar`.

CFM Refurbished: Watt About Power?

1.2.0 · both

Introduces a circuit breaker block that powers the electricity network in "MrCrayfish's Furniture Mod: Refurbished" using power from other mods.

Required by: none declared.

Optional integration from: none declared.

cfm_wap → neoforge: required; range [21.1,); both; runtime.
cfm_wap → minecraft: required; range [1.21.1,); both; runtime.
cfm_wap → architectury: required; range [13.0.8,); both; Architectury API.
cfm_wap → framework: required; range [0.9.6,); both; Framework.
cfm_wap → refurbished_furniture: required; range [1.0.16,); both; MrCrayfish's Furniture Mod: Refurbished.

Source: pinned release; IDs: cfm_wap 1.2.0.

Archive: `cfm_wap-1.21.1-neoforge-1.2.0.jar`.

Chalk

1.6.12 · both

Leave the mark.

Required by: none declared.

Optional integration from: none declared.

chalk → neoforge: required; range [21.0.0-beta,); both; runtime.
chalk → minecraft: required; range [1.21,1.21.1); both; runtime.

Source: pinned release; IDs: chalk 1.6.12.

Archive: `chalk-1.6.12.jar`.

Charging Gadgets

1.14.1 · both

It's a gadget (or a block?) that charges things, what more could you ask for?

Required by: none declared.

Optional integration from: none declared.

charginggadgets → neoforge: required; range [21.0,); both; runtime.
charginggadgets → minecraft: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: charginggadgets 1.14.1.

Archive: `charginggadgets-1.14.1.jar`.

Charm of Undying (Fabric/Forge/Quilt)

9.1.0+1.21.1 · both

Adds accessory support for the Totem of Undying, so you don't have to be holding it.

Required by: none declared.

Optional integration from: none declared.

charmofundying → neoforge: required; range [21.0.143,); both; runtime.
charmofundying → minecraft: required; range [1.21, 1.22); both; runtime.
charmofundying → curios: required; range [8.0.0-beta,); both; Curios API (Forge/NeoForge).
spectrelib → neoforge: required; range [21.0.143,); both; runtime.
spectrelib → minecraft: required; range [1.21, 1.22); both; runtime.

Bundled: spectrelib 0.17.2+1.21
Source: pinned release · author page · author page; IDs: charmofundying 9.1.0+1.21.1.
Archive: `charmofundying-neoforge-9.1.0+1.21.1.jar`.

Chat Heads

0.15.3 · both

See who are you chatting with! This mod adds player heads next to their chat messages.

Required by: none declared.

Optional integration from: none declared.

chat_heads → neoforge: required; range [21.0.110-beta,); client; runtime.
chat_heads → minecraft: required; range [1.21, 1.21.1]; client; runtime.

Source: pinned release; IDs: chat_heads 0.15.3.
Archive: `chat_heads-0.15.3-neoforge-1.21.jar`.

Cherished Worlds (Fabric/Forge/NeoForge/Quilt)

10.1.1+1.21.1 · client

Favorite/pin/bookmark certain worlds, which will always be at the top of the list and cannot be deleted.

Required by: none declared.

Optional integration from: none declared.

cherishedworlds → neoforge: required; range [21,); both; runtime.
cherishedworlds → minecraft: required; range [1.21, 1.22); both; runtime.

Source: pinned release · author page; IDs: cherishedworlds 10.1.1+1.21.1.
Archive: `cherishedworlds-neoforge-10.1.1+1.21.1.jar`.

Chipped

4.0.2 · both

Every block needs a friend!

Required by: Chipped Express, Rechiseled: Chipped.

Optional integration from: none declared.

chipped → neoforge: required; range [21,); both; runtime.
chipped → minecraft: required; range [1.21,); both; runtime.
chipped → resourcefullib: required; range [3.0.0,); both; Resourceful Lib.
chipped → athena: required; range [4.0.0,); client; Athena.
chipped → jei: optional; range [19.19.3,); client; Just Enough Items (JEI).

Source: pinned release · author page; IDs: chipped 4.0.2.
Archive: `chipped-neoforge-1.21.1-4.0.2.jar`.

Chipped Express

1.3.2 · both

Chipped mod still a good but cannot be automated , this mod allow autocrafting using other mods like AE2 or Create

Required by: none declared.

Optional integration from: none declared.

chipped_express → chipped: required; range [1.0.0,); both; Chipped.

Source: pinned release; IDs: chipped_express 1.3.2.

Archive: `ChippedExpress-universal-21x.jar`.

Chunky (Forge/NeoForge)

1.4.23 · both

Pre-generates chunks, quickly, efficiently, and safely

Required by: Chunky Border (Forge/NeoForge).

Optional integration from: none declared.

chunky → neoforge: required; range [21.0-beta,); both; runtime.
chunky → minecraft: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: chunky 1.4.23.

Archive: `Chunky-NeoForge-1.4.23.jar`.

Chunky Border (Forge/NeoForge)

1.2.18 · both

Add a world border to your Chunky world

Required by: none declared.

Optional integration from: none declared.

chunkyborder → neoforge: required; range [21.0-beta,); both; runtime.
chunkyborder → minecraft: required; range [1.21,1.22); both; runtime.
chunkyborder → chunky: required; range [1.4.10,); both; Chunky (Forge/NeoForge).

Source: pinned release · author page; IDs: chunkyborder 1.2.18.

Archive: `ChunkyBorder-1.2.18.jar`.

Clean Swing Through Grass

1.9 · both

Stop hitting Grass instead of Creepers

Required by: none declared.

Optional integration from: none declared.

cleanswing → neoforge: required; range [21.0.40-beta,); both; runtime.
cleanswing → minecraft: required; range [1.21,1.21z); both; runtime.

Source: pinned release; IDs: cleanswing 1.9.

Archive: `cleanswing-1.9.jar`.

Click Machine

9.0.1 · both

A standalone auto-clicker mod, similar to the old Autonomous Actuator.

Required by: none declared.

Optional integration from: none declared.

clickmachine → minecraft: required; range [1.21.1,); both; runtime.
clickmachine → neoforge: required; range [21.1.187,); both; runtime.
clickmachine → placebo: required; range [9.9.0,); both; Placebo.

Source: pinned release; IDs: clickmachine 9.0.1.

Archive: `ClickMachine-1.21.1-9.0.1.jar`.

Client Crafting

2.1 · client

clientcrafting mod

Required by: none declared.

Optional integration from: none declared.

clientcrafting → minecraft: required; range [1.21,1.30); both; runtime.

Source: pinned release; IDs: clientcrafting 2.1.

Archive: `clientcrafting-1.21-2.1.jar`.

Client Sort

2.0.0-beta.20+1.21.1 · both

Versatile and easy inventory sorting.

Required by: none declared.

Optional integration from: none declared.

clientsort → minecraft: required; range [1.21.1,); both; runtime.
clientsort → neoforge: required; range [21.1.22,); both; runtime.
clientsort → cloth-config: optional; range [15,); client; not indexed.

Source: pinned release · author page; IDs: clientsort 2.0.0-beta.20+1.21.1.

Archive: `clientsort-neoforge-2.0.0-beta.20+1.21.1.jar`.

Client Tweaks

21.1.13 · client

There, I fixed Minecraft for you. Various optional tweaks to improve Minecraft Quality of Life.

Required by: none declared.

Optional integration from: none declared.

clienttweaks → neoforge: required; range [21-beta,); both; runtime.
clienttweaks → minecraft: required; range [1.21,); both; runtime.
clienttweaks → balm: required; range [21.0.47,); both; Balm.

Source: pinned release · author page; IDs: clienttweaks 21.1.13.

Archive: `clienttweaks-neoforge-1.21.1-21.1.13.jar`.

Cloth Config API (Fabric/Forge/NeoForge)

15.0.140 · both

An API for config screens.

Required by: Advancements Reloaded, Axes Are Weapons, Inline, Powah! (Rearchitected), Tide 2, Trofers.

Optional integration from: Simple Voice Chat.

cloth_config → neoforge: required; range [21.0.110-beta,); both; runtime.

Source: pinned release · author page; IDs: cloth_config 15.0.140.

Archive: `cloth-config-15.0.140-neoforge.jar`.

Clumps

19.0.0.1 · both

Clumps xp orbs together.

Required by: none declared.

Optional integration from: none declared.

clumps → neoforge: required; range [4,); both; runtime.
clumps → minecraft: required; range [1.21.1]; both; runtime.

Source: pinned release · author page; IDs: clumps 19.0.0.1.

Archive: `Clumps-neoforge-1.21.1-19.0.0.1.jar`.

Cobweb

1.4.0 · both

Crystal Nest API

Required by: Pyrotechnic Elytra.

Optional integration from: none declared.

cobweb → neoforge: required; range [21.0,); both; runtime.
cobweb → minecraft: required; range [1.21,); both; runtime.

Source: pinned release · author page; IDs: cobweb 1.4.0.

Archive: `cobweb-neoforge-1.21-1.4.0.jar`.

Colorful Hearts

10.5.9 · both

A client side mod that replaces multiple vanilla heart rows with a single row using colored hearts

Required by: none declared.

Optional integration from: none declared.

colorfulhearts → neoforge: required; range [21.0,); client; runtime.
colorfulhearts → minecraft: required; range [1.21,); client; runtime.

Source: pinned release; IDs: colorfulhearts 10.5.9.

Archive: `colorfulhearts-neoforge-1.21.1-10.5.9.jar`.

Comforts

9.0.5+1.21.1 · both

Adds sleeping bags and hammocks for, respectively, portability and turning day to night, without setting new spawns. Comes in 16 different colors!

Required by: none declared.

Optional integration from: none declared.

comforts → neoforge: required; range [21.0.143,); both; runtime.
comforts → minecraft: required; range [1.21, 1.22); both; runtime.
spectrelib → neoforge: required; range [21.0.143,); both; runtime.
spectrelib → minecraft: required; range [1.21, 1.22); both; runtime.

Bundled: spectrelib 0.17.2+1.21

Source: pinned release · author page · author page; IDs: comforts 9.0.5+1.21.1.

Archive: `comforts-neoforge-9.0.5+1.21.1.jar`.

Common Capabilities

2.11.5 · both

Capabilities that can be shared by multiple mods.

Required by: none declared.

Optional integration from: none declared.

commoncapabilities → cyclopscore: required; range [1.25.1,); both; Cyclops Core.
commoncapabilities → neoforge: required; range [21.1.21,); both; runtime.
commoncapabilities → minecraft: required; range [1.21.1,]; both; runtime.

Source: pinned release · author page; IDs: commoncapabilities 2.11.5.

Archive: `commoncapabilities-1.21.1-neoforge-2.11.5-363.jar`.

Compact Machines

7.0.81 · both

It's all so tiny!

Required by: none declared.

Optional integration from: none declared.

compactmachines → neoforge: required; range [21.1.206,); both; runtime.
compactmachines → minecraft: required; range [1.21.1, 1.21.2); both; runtime.

Source: pinned release · author page; IDs: compactmachines 7.0.81.

Archive: `compactmachines-neoforge-7.0.81.jar`.

Companion (Neo/Forge)

file 8324374 (version not declared) · both

Protect your pets.

Required by: none declared.

Optional integration from: none declared.

companion → kiwi: required; range [15,); both; Kiwi (Neo/Forge).

Source: pinned release · author page; IDs: companion unknown.

Archive: `Companion-1.21.1-NeoForge-6.2.2.jar`.

Concurrent Chunk Management Engine

0.4.0-alpha.0.116+1.21.1 · both

A NeoForge mod designed to improve the chunk performance of Minecraft.

Required by: none declared.

Optional integration from: none declared.

c2me → minecraft: required; range [1.21.1,1.21.2); both; runtime.
c2me → dynview: discouraged; range *; both; not indexed.
c2me → betterchunkloading: discouraged; range *; both; not indexed.
c2me_base → minecraft: required; range *; both; runtime.
c2me_client_uncapvd → minecraft: required; range *; client; runtime.
c2me_client_uncapvd → c2me_base: required; range *; client; Concurrent Chunk Management Engine (bundled).
c2me_fixes_chunkio_threading_issues → minecraft: required; range *; both; runtime.
c2me_fixes_chunkio_threading_issues → c2me_base: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_fixes_general_threading_issues → minecraft: required; range *; both; runtime.
c2me_fixes_general_threading_issues → c2me_base: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_fixes_worldgen_threading_issues → minecraft: required; range *; both; runtime.
c2me_fixes_worldgen_threading_issues → c2me_base: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_fixes_worldgen_threading_issues → c2me_fixes_general_threading_issues: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_fixes_worldgen_vanilla_bugs → minecraft: required; range *; both; runtime.
c2me_fixes_worldgen_vanilla_bugs → c2me_base: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_notickvd → minecraft: required; range *; both; runtime.
c2me_notickvd → c2me_base: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_opts_allocs → minecraft: required; range *; both; runtime.
c2me_opts_allocs → c2me_base: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_opts_chunkio → minecraft: required; range *; both; runtime.
c2me_opts_chunkio → c2me_base: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_opts_dfc → minecraft: required; range *; both; runtime.
c2me_opts_dfc → c2me_base: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_opts_math → minecraft: required; range *; both; runtime.
c2me_opts_math → c2me_base: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_opts_natives_math → minecraft: required; range *; both; runtime.
c2me_opts_natives_math → c2me_base: required; range *; both; Concurrent Chunk Management Engine (bundled).

c2me_opts_scheduling → *minecraft*: required; range *; both; runtime.
c2me_opts_scheduling → *c2me_base*: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_opts_worldgen_general → *minecraft*: required; range *; both; runtime.
c2me_opts_worldgen_general → *c2me_base*: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_opts_worldgen_vanilla → *minecraft*: required; range *; both; runtime.
c2me_opts_worldgen_vanilla → *c2me_base*: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_opts_worldgen_vanilla → *c2me_opts_worldgen_general*: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_rewrites_chunk_system → *minecraft*: required; range *; both; runtime.
c2me_rewrites_chunk_system → *c2me_base*: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_rewrites_chunkio → *minecraft*: required; range *; both; runtime.
c2me_rewrites_chunkio → *c2me_base*: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_server_utils → *minecraft*: required; range *; both; runtime.
c2me_server_utils → *c2me_base*: required; range *; both; Concurrent Chunk Management Engine (bundled).
c2me_threading_lighting → *minecraft*: required; range *; both; runtime.
c2me_threading_lighting → *c2me_base*: required; range *; both; Concurrent Chunk Management Engine (bundled).

Bundled: c2me_base 0.4.0-alpha.0.116+1.21.1; c2me_client_uncapvd 0.4.0-alpha.0.116+1.21.1; c2me_fixes_chunkio_threading_issues 0.4.0-alpha.0.116+1.21.1; c2me_fixes_general_threading_issues 0.4.0-alpha.0.116+1.21.1; c2me_fixes_worldgen_threading_issues 0.4.0-alpha.0.116+1.21.1; c2me_fixes_worldgen_vanilla_bugs 0.4.0-alpha.0.116+1.21.1; c2me_notickvd 0.4.0-alpha.0.116+1.21.1; c2me_opts_allocs 0.4.0-alpha.0.116+1.21.1; c2me_opts_chunkio 0.4.0-alpha.0.116+1.21.1; c2me_opts_dfc 0.4.0-alpha.0.116+1.21.1; c2me_opts_math 0.4.0-alpha.0.116+1.21.1; c2me_opts_natives_math 0.4.0-alpha.0.116+1.21.1; c2me_opts_scheduling 0.4.0-alpha.0.116+1.21.1; c2me_opts_worldgen_general 0.4.0-alpha.0.116+1.21.1; c2me_opts_worldgen_vanilla 0.4.0-alpha.0.116+1.21.1; c2me_rewrites_chunk_system 0.4.0-alpha.0.116+1.21.1; c2me_rewrites_chunkio 0.4.0-alpha.0.116+1.21.1; c2me_server_utils 0.4.0-alpha.0.116+1.21.1; c2me_threading_lighting 0.4.0-alpha.0.116+1.21.1
Source: pinned release · author page; IDs: c2me 0.4.0-alpha.0.116+1.21.1.
Archive: `c2me-neoforge-mc1.21.1-0.4.0-alpha.0.116.jar`.

Configurable

3.5.2 · both

Config library that allows decentralised settings in a mod

Required by: Neruina - Ticking Entity Fixer.

Optional integration from: none declared.

configurable → *neoforge*: required; range *; both; runtime.
configurable → *minecraft*: required; range [1.21.1,); both; runtime.
Source: pinned release; IDs: configurable 3.5.2.
Archive: `configurable-3.5.2+1.21.1-neoforge.jar`.

Configured

2.6.3 · client

Creates a simple GUI config for every mod!

Required by: none declared.

Optional integration from: none declared.

configured → *neoforge*: required; range [21.1.211,); both; runtime.
configured → *minecraft*: required; range [1.21.1,); both; runtime.
configured → *framework*: optional; range [0.13.5,); both; Framework.
configured → *jei*: optional; range [19.25.0.322,); both; Just Enough Items (JEI).
Source: pinned release · author page; IDs: configured 2.6.3.
Archive: `configured-neoforge-1.21.1-2.6.3.jar`.

Controlling

19.0.5 · client

Adds the ability to search for keybinds using their name in the KeyBinding menu, this allows players to easily find a key binding in the menu.

Required by: none declared.

Optional integration from: none declared.

controlling → *neoforge*: required; range [21.1.94,); client; runtime.
controlling → *minecraft*: required; range [1.21.1]; client; runtime.
controlling → *searchables*: required; range [1.0.1,); client; Searchables.

Source: pinned release · author page; IDs: controlling 19.0.5.

Archive: `Controlling-neoforge-1.21.1-19.0.5.jar`.

Cooking for Blockheads

21.1.24 · both

Adds a cooking book and multiblock kitchens that only shows recipes you can make with what you currently have in your inventory.

Required by: none declared.

Optional integration from: none declared.

cookingforblockheads → *neoforge*: required; range [21-beta,); both; runtime.
cookingforblockheads → *minecraft*: required; range [1.21,); both; runtime.
cookingforblockheads → *balm*: required; range [21.0.39,); both; Balm.

Source: pinned release · author page; IDs: cookingforblockheads 21.1.24.

Archive: `cookingforblockheads-neoforge-1.21.1-21.1.24.jar`.

Cow Tools

1.0.0 · both

See `https://en.wikipedia.org/wiki/Cow_tools`for more details.

Required by: none declared.

Optional integration from: none declared.

cow_tools → *neoforge*: required; range [21.0.0-beta,); both; runtime.
cow_tools → *minecraft*: required; range [1.21,); both; runtime.

Source: pinned release; IDs: cow_tools 1.0.0.

Archive: `cow_tools-1.0.2+1.21.1.jar`.

Crabber's Delight

1.2.6 · both

A maritime addon for Farmer's Delight!

Required by: none declared.

Optional integration from: none declared.

crabbersdelight → *neoforge*: required; range [21.1.0,); both; runtime.
crabbersdelight → *minecraft*: required; range [1.21.1, 1.22); both; runtime.
crabbersdelight → *farmersdelight*: required; range 1.3.0; both; Farmer's Delight.

Source: pinned release; IDs: crabbersdelight 1.2.6.

Archive: `crabbersdelight-1.21.1-1.2.6.jar`.

Crafting Slots

21.1.2 · both

Adds an inventory crafting table and a normal portable one.

Required by: none declared.

Optional integration from: none declared.

craftingslots → neoforge: required; range [21-beta,); both; runtime.
craftingslots → minecraft: required; range [1.21,); both; runtime.
craftingslots → balm: required; range [21.0.28,); both; Balm.

Source: pinned release · author page; IDs: craftingslots 21.1.2.

Archive: `craftingslots-neoforge-1.21.1-21.1.2.jar`.

Crafting Tweaks

21.1.10 · both

Allows you to rotate, balance or clear the crafting matrix by the press of a button, in any (supported) crafting window.

Required by: none declared.

Optional integration from: none declared.

craftingtweaks → neoforge: required; range [21-beta,); both; runtime.
craftingtweaks → minecraft: required; range [1.21,); both; runtime.
craftingtweaks → balm: required; range [21.0.48,); both; Balm.

Source: pinned release · author page; IDs: craftingtweaks 21.1.10.

Archive: `craftingtweaks-neoforge-1.21.1-21.1.10.jar`.

Crash Assistant

1.11.11 · client

Shows a GUI after Minecraft crashes, immediately showing all affected logs, crash reports, or hs_err files. Provides a one-click solution to upload them, copy the link, and perform other actions for easier reporting, debugging, and troubleshooting, like analysis log for the most common crash reasons.

Required by: none declared.

Optional integration from: none declared.

crash_assistant → neoforge: required; range [20.6,); both; runtime.
crash_assistant → minecraft: required; range [1.20.6, 1.21.4]; both; runtime.

Source: pinned release; IDs: crash_assistant 1.11.11.

Archive: `CrashAssistant-neoforge-1.20.6-1.21.4-1.11.11.jar`.

Crash Utilities

9.0.4 · both

Mod for debugging and fixing Modded Minecraft Issues

Required by: none declared.

Optional integration from: none declared.

crashutilities → neoforge: required; range [21.0.0-beta,); both; runtime.
crashutilities → minecraft: required; range [1.21,1.21.1); both; runtime.

Source: pinned release; IDs: crashutilities 9.0.4.

Archive: `crashutilities-9.0.4.jar`.

CraterLib

3.1.2 · both

A library mod used by First Dark Development and HypherionSA Mods

Required by: Simple Discord Link Bot, Simple Discord RPC.

Optional integration from: none declared.

craterlib → neoforge: required; range [21.0.0-beta,); both; runtime.
craterlib → minecraft: required; range [1.21,1.21.2); both; runtime.

Source: pinned release · author page; IDs: craterlib 3.1.2.

Archive: `CraterLib-Neoforge-1.21-3.1.2.jar`.

Create: Some Assembly Required

5.2.8 · both

Design your own sandwiches!

Required by: none declared.

Optional integration from: none declared.

someassemblyrequired → neoforge: required; range *; both; runtime.
someassemblyrequired → minecraft: required; range [1.21.1,1.21.2); both; runtime.
someassemblyrequired → create: optional; range *; both; not indexed.
someassemblyrequired → farmersdelight: optional; range *; both; Farmer's Delight.

Source: pinned release · author page; IDs: someassemblyrequired 5.2.8.

Archive: `someassemblyrequired-5.2.8.jar`.

Cultural Delights

0.17.8 · both

A Farmer's Delight addon that adds food systems from around the world.

Required by: none declared.

Optional integration from: none declared.

culturaldelights → neoforge: required; range [21.1.0,); both; runtime.
culturaldelights → minecraft: required; range [1.21.1, 1.22); both; runtime.
culturaldelights → farmersdelight: required; range [1.2.3,); both; Farmer's Delight.

Source: pinned release; IDs: culturaldelights 0.17.8.

Archive: `culturaldelights-0.17.8.jar`.

Cupboard

3.9 · both

Cupboard library for utilities and configs

Required by: Biome Music, Farsight [Forge/Neo], fix GPU memory leak[Forge/Fabric], Leaky - Item Lag Fix, Limited Chunkloading - Chunk cleanup[Forge/Fabric], Login Protection[Forge/Fabric], Loot Integrations, Respawning Structures, Structure Essentials.

Optional integration from: none declared.

cupboard → minecraft: required; range [1.21,1.30); both; runtime.

Source: pinned release; IDs: cupboard 3.9.

Archive: `cupboard-1.21.1-3.9.jar`.

Curios API (Forge/NeoForge)

9.5.1+1.21.1 · both

A flexible and expandable accessory/equipment API for users and developers.

Required by: Charm of Undying (Fabric/Forge/Quilt), Elytra Slot, Iron's Gems 'n Jewelry, Iron's Spells 'n Spellbooks, L_Ender 's Cataclysm, Umapyoi.

Optional integration from: Apotheosis.

curios → *neoforge*: required; range [21.1.60,); both; runtime.
curios → *minecraft*: required; range [1.21, 1.22); both; runtime.

Source: pinned release · author page; IDs: curios 9.5.1+1.21.1.

Archive: `curios-neoforge-9.5.1+1.21.1.jar`.

Custom FoV (Fabric/Forge/Quilt)

9.0.0+1.21 · client

Allows customization of various field of view settings.

Required by: none declared.

Optional integration from: none declared.

customfov → *neoforge*: required; range [21,); both; runtime.
customfov → *minecraft*: required; range [1.21, 1.22); both; runtime.

Source: pinned release · author page; IDs: customfov 9.0.0+1.21.

Archive: `customfov-neoforge-9.0.0+1.21.jar`.

Customizable Elytra

2.2.8+1.21 · both

Adds a variety of colorful ways to customize your elytra!

Required by: none declared.

Optional integration from: none declared.

customizableelytra → *neoforge*: required; range [21.0.4-beta,); both; runtime.
customizableelytra → *minecraft*: required; range [1.21,1.22); both; runtime.

Source: pinned release; IDs: customizableelytra 2.2.8+1.21.

Archive: `customizableelytra-neoforge-2.2.8+1.21.jar`.

Cyclops Core

1.29.1 · both

Coremod for Integrated Dynamics, EvilCraft and others.

Required by: Common Capabilities.

Optional integration from: none declared.

cyclopscore → *neoforge*: required; range [21.1.2,); both; runtime.
cyclopscore → *minecraft*: required; range [1.21.1,]; both; runtime.

Source: pinned release · author page; IDs: cyclopscore 1.29.1.

Archive: `cyclopscore-1.21.1-neoforge-1.29.1-1059.jar`.

D

Default files

file 5733838 (version not declared) · client

This mod has one simple function, to provide default options if the corresponding option file doesn't exist.

Author page excerpt, observed 2026-09-08; project summary.

Required by: none declared.

Optional integration from: none declared.

Source: pinned release; IDs: not declared.

Archive: `default_files-1.0.1.jar`.

Deimos Lib

2.7 · both

Configuration and data generation library

Required by: Laser Bridges & Doors [Fabric/Forge/NeoForge].

Optional integration from: none declared.

deimos → *neoforge*: required; range [4,); both; runtime.
deimos → *minecraft*: required; range [1.21, 1.22); both; runtime.

Source: pinned release · author page; IDs: deimos 2.7.

Archive: `deimos-1.21.1-neoforge-2.7.jar`.

Desired Servers

1.6.0 · client

Thank You Jake Evans for the original mod and the GPLv3 license.

Required by: none declared.

Optional integration from: none declared.

desiredservers → *neoforge*: required; range [21.0.143,); both; runtime.
desiredservers → *minecraft*: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: desiredservers 1.6.0.

Archive: `desiredservers-neoforge-1.21.1-1.6.0.jar`.

Ding (Forge)

1.5.0 · client

Plays a sound once the client has loaded to the main menu, a server, or resources

Required by: none declared.

Optional integration from: none declared.

ding → *neoforge*: required; range [21.0,); both; runtime.
ding → *minecraft*: required; range [1.21,1.22); both; runtime.
ding → *ichunutil*: required; range [1.0.0,); both; iChunUtil.

Source: pinned release · author page; IDs: ding 1.5.0.

Archive: `Ding-1.21-NeoForge-1.5.0.jar`.

DisguiseHeads

1.3.1 · both

Swap skins when wearing a player head.

Required by: none declared.

Optional integration from: none declared.

disguiseheads → *minecraft*: required; range [1.21]; both; runtime.
disguiseheads → *neoforge*: required; range [20.2,); both; runtime.
transition → *minecraft*: required; range [1.21]; both; runtime.
transition → *neoforge*: required; range [20.2,); both; runtime.

trender → *minecraft*: required; range [1.21]; both; runtime.
trender → *neoforge*: required; range [20.2,); both; runtime.

Bundled: transition 1.0.4; trender 1.0.6
Source: pinned release · author page · author page · author page; IDs: disguiseheads 1.3.1.
Archive: `disguiseheads-neoforge-1.3.1-mc1.21.jar`.

Display Delight

1.7.0 · both

Allows you to place and display food items from Farmer's delight

Required by: none declared.

Optional integration from: none declared.

Source: pinned release; IDs: displaydelight 1.7.0.
Archive: `displaydelight-1.7.0.jar`.

Distracting Trims

21.1.1 · both

Golden armor trims distract piglins from attacking you.

Required by: none declared.

Optional integration from: none declared.

distractingtrims → *neoforge*: required; range [21.1.61,); both; runtime.
distractingtrims → *minecraft*: required; range [1.21.1, 1.22); both; runtime.
distractingtrims → *bookshelf*: required; range [21.1, 21.2); both; Bookshelf.
distractingtrims → *prickle*: required; range [21.1, 21.2); both; Prickle.
Source: pinned release · author page; IDs: distractingtrims 21.1.1.
Archive: `distractingtrims-neoforge-1.21.1-21.1.1.jar`.

Dramatic Doors

1.21.1-3.3.2 · both

Doors that are barely tall enough to fit your player ... ? Doors that suffocate you when you ride ol' Blackjack the horse through? Enderman discrimination? Seriously? ... PAH!! Can we not have intrigue? Whatever happened to the tender grace and elegance of a nice tall door? Where is the drama?!? Here. I have it. And now you can too. Gone are the ways of the past - with the new Dramatic Doors mod! With the modern era of innovations comes a new door type: the tall door and the short door. They come in every vanilla variety and support a myriad of mods on Fabric, Quilt, and NeoForge!

Required by: none declared.

Optional integration from: none declared.

dramaticdoors → *minecraft*: required; range [1.21.1,1.22); both; runtime.
dramaticdoors → *neoforge*: optional; range [21.1.0,); both; runtime.
Source: pinned release · author page; IDs: dramaticdoors 1.21.1-3.3.2.
Archive: `DramaticDoors-NeoQuiFab-1.21.1-3.3.2.jar`.

Drink It! Refoxed

1.21.1-1.0.2 · both

Drink It!

Required by: none declared.

Optional integration from: none declared.

drinkit → *neoforge*: required; range [21,); both; runtime.
drinkit → *minecraft*: required; range [1.21,1.22); both; runtime.
Source: pinned release; IDs: drinkit 1.21.1-1.0.2.
Archive: `DrinkItRefoxed-neoforge-1.21.1-1.0.2.jar`.

Durability Tooltip

1.1.6 · client

Durability Tooltip shows you the durability of an item!

Required by: none declared.

Optional integration from: none declared.

durabilitytooltip → neoforge: required; range [21.0.78-beta,); both; runtime.
durabilitytooltip → minecraft: required; range [1.21,1.22); both; runtime.
durabilitytooltip → supermartijn642configlib: required; range [1.1.6,); both; SuperMartijn642's Config Lib.

Source: pinned release · author page; IDs: durabilitytooltip 1.1.6.

Archive: `durabilitytooltip-1.1.6-neoforge-mc1.21.jar`.

Dyed

1.2.1 · both

Properly dyed horse armor!

Required by: none declared.

Optional integration from: none declared.

dyed → minecraft: required; range [1.21,1.21.2); client; runtime.
dyed → neoforge: required; range [21,21.2); client; runtime.

Source: pinned release · author page; IDs: dyed 1.2.1.

Archive: `dyed-neoforge-1.21.1-1.2.1.jar`.

E

Ears (+ Snouts/Muzzles, Tails, Horns, Wings, and More)

1.4.7 · both

Faithful fancy fashion features for fuzzy folk.

Required by: none declared.

Optional integration from: none declared.

Source: pinned release · author page; IDs: ears 1.4.7.

Archive: `ears-neoforge-1.21-1.4.7.jar`.

Easter's Delight

1.2.1 · both

A cute add-on for Farmer's Delight adding egg painting and easter-themed foods!

Required by: none declared.

Optional integration from: none declared.

eastersdelight → neoforge: required; range [21.1.219,); both; runtime.
eastersdelight → minecraft: required; range [1.21.1,1.21.2); both; runtime.
eastersdelight → farmersdelight: required; range [1.3,); both; Farmer's Delight.

Source: pinned release · author page; IDs: eastersdelight 1.2.1.

Archive: `eastersdelight-neoforge-1.21.1-1.2.1.jar`.

Easy Villagers

1.21.1-1.1.42 · both

Easy Villagers

Required by: none declared.

Optional integration from: none declared.

easy_villagers → neoforge: required; range [21.0.161,); both; runtime.
easy_villagers → minecraft: required; range [1.21,1.21.1]; both; runtime.
easy_villagers → jei: optional; range *; both; Just Enough Items (JEI).
easy_villagers → theoneprobe: optional; range *; both; not indexed.
easy_villagers → jade: optional; range *; both; Jade .

Source: pinned release · author page; IDs: easy_villagers 1.21.1-1.1.42.

Archive: `easy-villagers-neoforge-1.21.1-1.1.42.jar`.

Effect Timer Plus

2.2.7+1.21 · client

Adds a potency indicator and countdown overlay to status effect icons.

Required by: none declared.

Optional integration from: none declared.

effecttimerplus → minecraft: required; range (1.20.6, 1.22); both; runtime.
effecttimerplus → neoforge: required; range [21.0.143, 22); client; runtime.
effecttimerplus → yet_another_config_lib_v3: optional; range [3.5.0,); client; YetAnotherConfigLib.

Source: pinned release · author page; IDs: effecttimerplus 2.2.7+1.21.

Archive: `effecttimerplus-neoforge-2.2.7+1.21.jar`.

Elytra Slot

9.0.2+1.21.1 · both

Adds an accessory slot for the elytra, so you can fly and wear chest armor at the same time.

Required by: none declared.

Optional integration from: none declared.

elytraslot → neoforge: required; range [21,); both; runtime.
elytraslot → minecraft: required; range [1.21, 1.22); both; runtime.
elytraslot → curios: required; range [7.0.0,); both; Curios API (Forge/NeoForge).
elytraslot → caelus: required; range [5.0.0,); both; Caelus API (Forge/NeoForge).

Source: pinned release · author page; IDs: elytraslot 9.0.2+1.21.1.

Archive: `elytraslot-neoforge-9.0.2+1.21.1.jar`.

Embeddium

1.0.15+mc1.21.1 · client

Embeddium is a performance mod for Minecraft based on the last open-source version of Sodium

Required by: Monocle.

Optional integration from: Nolijium.

embeddium → neoforge: required; range [21.1.15,); client; runtime.
embeddium → sodium: incompatible; range [0,); client; not indexed.

Source: pinned release; IDs: embeddium 1.0.15+mc1.21.1.

Archive: `embeddium-1.0.15+mc1.21.1.jar`.

Emotecraft (Forge)

2.4.12 · both

Play emotes in Minecraft Open the menu to setup your fast-choose wheel You can add custom emotes, and you can play these even if nobody else has them Special thanks: Kale Ko for creating emotes and help in the UI design Orsond for inspiring me and providing CollarMC Architectury for the Forge build tools

Required by: none declared.

Optional integration from: none declared.

emotecraft → *playeranimator*: required; range [2.0.0,); both; Emotecraft (Forge) (bundled); playerAnimator.
bendylib → *minecraft*: required; range [1.21,); client; runtime.
playeranimator → *minecraft*: required; range [1.21,1.21.2); both; runtime.

Bundled: bendylib 5.1; playeranimator 2.0.1+1.21.1
Source: pinned release · author page · author page · author page; IDs: emotecraft 2.4.12.
Archive: `emotecraft-for-MC1.21.1-2.4.12-neoforge.jar`.

Enchantment Descriptions

21.1.10 · client

Adds descriptions of enchantment effects to their descriptions.

Required by: none declared.

Optional integration from: none declared.

enchdesc → *neoforge*: required; range [21.1.233,); both; runtime.
enchdesc → *minecraft*: required; range [1.21.1, 1.22); both; runtime.
enchdesc → *bookshelf*: required; range [21.1, 21.2); both; Bookshelf.
enchdesc → *prickle*: required; range [21.1, 21.2); both; Prickle.
Source: pinned release · author page; IDs: enchdesc 21.1.10.
Archive: `enchdesc-neoforge-1.21.1-21.1.10.jar`.

End's Delight

2.6.1+neoforge.1.21.1 · both

An addon mod for Farmer's Delight based around adding culinary content to the End!

Required by: none declared.

Optional integration from: none declared.

ends_delight → *neoforge*: required; range [21.1.219,); both; runtime.
ends_delight → *minecraft*: required; range [1.21.1,1.22); both; runtime.
ends_delight → *farmersdelight*: required; range [1.3.1,); both; Farmer's Delight.
Source: pinned release; IDs: ends_delight 2.6.1+neoforge.1.21.1.
Archive: `ends_delight-2.6.1+neoforge.1.21.1.jar`.

EnderDrives

1.4.4 · both

Adds enderchest like AE2 drives

Required by: none declared.

Optional integration from: none declared.

enderdrives → *neoforge*: required; range [21.1.169,); both; runtime.
enderdrives → *minecraft*: required; range [1.21.1, 1.22); both; runtime.
enderdrives → *ae2*: required; range [19.0.27,); both; Applied Energistics 2.
enderdrives → *glodium*: optional; range [1.21-2.0-neoforge,); both; Glodium.
enderdrives → *extendedae*: optional; range [1.21-2.0-neoforge,); both; ExtendedAE.
Source: pinned release; IDs: enderdrives 1.4.4.
Archive: `enderdrives-neoforge-1.21.1-1.4.4.jar`.

Entangled

1.3.21 · both

Entangled allows you to 'entangle' two blocks together!

Required by: none declared.

Optional integration from: none declared.

entangled → *neoforge*: required; range [21.0.78-beta,); both; runtime.
entangled → *minecraft*: required; range [1.21,1.21.2); both; runtime.
entangled → *supermartijn642corelib*: required; range [1.1.17,1.2.0); both; SuperMartijn642's Core Lib.
entangled → *supermartijn642configlib*: required; range [1.1.6,); both; SuperMartijn642's Config Lib.

Source: pinned release · author page; IDs: entangled 1.3.21.

Archive: `entangled-1.3.21-neoforge-mc1.21.jar`.

Etched

5.1.0 · both

A new form of entertainment.

Required by: none declared.

Optional integration from: none declared.

etched → *neoforge*: required; range [21.1.0,); both; runtime.
etched → *minecraft*: required; range [1.21.1]; both; runtime.
etched → *sophisticatedcore*: optional; range [1.4.2,); both; Sophisticated Core.

Source: pinned release; IDs: etched 5.1.0.

Archive: `etched-5.1.0.jar`.

Every Compat (Stone Zone)

1.21-2.11.17 · both

Ultimate Stone Compat Mod

Required by: none declared.

Optional integration from: none declared.

stonezone → *neoforge*: required; range [4,); both; runtime.
stonezone → *minecraft*: required; range [1.21.1]; client; runtime.
stonezone → *moonlight*: required; range [1.21.1-3.0.14,]; both; Moonlight Lib.
stonezone → *everycomp*: required; range [1.21-2.11.32,]; both; Every Compat (Wood Good).

Source: pinned release · author page; IDs: stonezone 1.21-2.11.17.

Archive: `stonezone-1.21-2.11.17-neoforge.jar`.

Every Compat (Wood Good)

1.21-2.11.48 · both

Ultimate Wood Compat Mod

Required by: Every Compat (Stone Zone).

Optional integration from: none declared.

everycomp → *neoforge*: required; range *; both; runtime.
everycomp → *minecraft*: required; range [1.21.1]; client; runtime.
everycomp → *moonlight*: required; range [1.21.1-3.0.14,); both; Moonlight Lib.
everycomp → *create*: optional; range [1.21.1-6.0.2,); both; not indexed.
everycomp → *mcwdoors*: optional; range [1.1.2,); both; not indexed.
everycomp → *mcwtrpdoors*: optional; range [1.1.4,); both; not indexed.
everycomp → *blockus*: optional; range [2.9.11,); both; not indexed.
everycomp → *regions_unexplored*: optional; range [0.6,); both; not indexed.

Source: pinned release · author page; IDs: everycomp 1.21-2.11.48.

Archive: `everycomp-1.21-2.11.48-neoforge.jar`.

ExperienceLib

1.2.1 · both

Lib made to handle Experience.

Required by: none declared.

Optional integration from: none declared.

experiencelib → neoforge: required; range [21.0.0,); both; runtime.
experiencelib → minecraft: required; range [1.21, 1.22); both; runtime.

Source: pinned release · author page; IDs: experiencelib 1.2.1.

Archive: `experiencelib-1.21.1-1.2.1.jar`.

Exposure

1.9.18 · both

Camera mod with focus on process and aesthetics.

Required by: Exposure: Polaroid.

Optional integration from: none declared.

exposure → neoforge: required; range [21,); both; runtime.
exposure → minecraft: required; range [1.21,); both; runtime.
exposure → create: optional; range [6.0.7,); both; not indexed.

Source: pinned release · author page; IDs: exposure 1.9.18.

Archive: `exposure-neoforge-1.21.1-1.9.18.jar`.

Exposure: Polaroid

1.1.5 · both

Addon for Exposure that adds Instant Camera

Required by: none declared.

Optional integration from: none declared.

exposure_polaroid → neoforge: required; range [21,); both; runtime.
exposure_polaroid → minecraft: required; range [1.21,); both; runtime.
exposure_polaroid → exposure: required; range [1.9.0,); both; Exposure.

Source: pinned release · author page; IDs: exposure_polaroid 1.1.5.

Archive: `exposure_polaroid-neoforge-1.21.1-1.1.5.jar`.

ExtendedAE

1.21-2.2.35-neoforge · both

Add some QoL extended contents for AE2

Required by: none declared.

Optional integration from: EnderDrives.

extendedae → neoforge: required; range [21.1.194,); both; runtime.
extendedae → minecraft: required; range [1.21.1,); both; runtime.
extendedae → ae2: required; range [19.2.8,); both; Applied Energistics 2.
extendedae → guideme: required; range *; both; GuideME.
extendedae → glodium: required; range [1.21-2.0-neoforge,); both; Glodium.
extendedae → ae2wtlib_api: required; range *; both; ExtendedAE (bundled).
extendedae → ae2wtlib: optional; range [19.2.0,); both; not indexed.
ae2wtlib_api → neoforge: required; range *; both; runtime.
ae2wtlib_api → minecraft: required; range *; both; runtime.
ae2wtlib_api → ae2: required; range [19.1.2-beta,20.0.0); both; Applied Energistics 2.

Bundled: ae2wtlib_api 19.2.0

Source: pinned release · author page; IDs: extendedae 1.21-2.2.35-neoforge.

Archive: `ExtendedAE-1.21-2.2.35-neoforge.jar`.

Extreme sound muffler - (Neo)Forge

3.56 · both

This mod allows you to muffle (almost) any sound selectively, allowing you to choose the volume of the sound you want between mute and 90%. This mod also works Clientside only.

Required by: none declared.

Optional integration from: none declared.

extremesoundmuffler → neoforge: required; range [21.0.143,); both; runtime.
extremesoundmuffler → minecraft: required; range [1.21, 1.21.1); both; runtime.

Source: pinned release; IDs: extremesoundmuffler 3.56.

Archive: `ExtremeSoundMuffler-3.56_NeoForge-1.21.jar`.

F

Falling Leaves (NeoForge/Forge)

2.5.1 · client

How the gentle wind beckons through the leaves as autumn colors fall, dancing in a swirl of golden memories: the loveliest lies of all.

Required by: none declared.

Optional integration from: none declared.

fallingleaves → neoforge: required; range [21.1.80,); client; runtime.
fallingleaves → minecraft: required; range [1.21.1,1.21.2); client; runtime.

Source: pinned release; IDs: fallingleaves 2.5.1.

Archive: `fallingleaves-1.21.1-2.5.1.jar`.

Farmer's Delight

1.3.2 · both

A cozy farming and cooking expansion for Minecraft!

Required by: Autochef's Delight, Barbeque's Delight [Forge/NeoForge], Crabber's Delight, Cultural Delights, Easter's Delight, End's Delight, Rustic Delight.

Optional integration from: Create: Some Assembly Required.

farmersdelight → neoforge: required; range [21.1.219,); both; runtime.
farmersdelight → minecraft: required; range [1.21.1]; both; runtime.
farmersdelight → crafttweaker: optional; range [14.0.6,); both; not indexed.

Source: pinned release · author page; IDs: farmersdelight 1.3.2.

Archive: `FarmersDelight-1.21.1-1.3.2.jar`.

Farsight [Forge/Neo]

5.1 · both

Simple efficient mod to yield higher view distances on client side, regardless of serverside settings

Required by: none declared.

Optional integration from: none declared.

farsight_view → neoforge: required; range [20,); both; runtime.
farsight_view → minecraft: required; range [1.21,1.30); both; runtime.
farsight_view → cupboard: required; range [1.21-1.4,); both; Cupboard.

Source: pinned release; IDs: farsight_view 5.1.

Archive: `farsight-1.21.1-5.1.jar`.

Fast IP Ping

1.0.11 · client

Yeet the laggy reversed DNS lookup for literal IP server addresses

Required by: none declared.

Optional integration from: none declared.

fastipping → minecraft: required; range [1.21, 1.21.1]; client; runtime.

Source: pinned release · author page; IDs: fastipping 1.0.11.

Archive: `fast-ip-ping-v1.0.11-mc1.21.1-neoforge.jar`.

Fast Paintings

1.21-1.3.0 · both

Makes paintings way faster by turning them into blocks! Also allows customizing their model

Required by: none declared.

Optional integration from: none declared.

fastpaintings → neoforge: required; range [4,); both; runtime.
fastpaintings → minecraft: required; range [1.21,1.22); both; runtime.
fastpaintings → moonlight: required; range *; both; Moonlight Lib.

Source: pinned release · author page; IDs: fastpaintings 1.21-1.3.0.

Archive: `fastpaintings-1.21-1.3.0-neoforge.jar`.

FastSuite

6.0.7 · both

Introduces multithreading to the json recipe system.

Required by: none declared.

Optional integration from: none declared.

fastsuite → minecraft: required; range [1.21.1,); both; runtime.
fastsuite → neoforge: required; range [21.1.187,); both; runtime.
fastsuite → placebo: required; range [9.9.0,); both; Placebo.

Source: pinned release; IDs: fastsuite 6.0.7.

Archive: `FastSuite-1.21.1-6.0.7.jar`.

FastWorkbench

9.1.3 · both

Speeding up crafting operations - massively.

Required by: none declared.

Optional integration from: none declared.

fastbench → minecraft: required; range [1.21.1,); both; runtime.
fastbench → neoforge: required; range [21.1.187,); both; runtime.
fastbench → placebo: required; range [9.9.0,); both; Placebo.

Source: pinned release; IDs: fastbench 9.1.3.

Archive: `FastWorkbench-1.21.1-9.1.3.jar`.

FerriteCore ((Neo)Forge)

7.0.3 · both

Reduces memory usage.

Required by: none declared.

Optional integration from: none declared.

ferritecore → neoforge: required; range [21.1.218,); both; runtime.
ferritecore → minecraft: required; range [1.21.1,1.22); both; runtime.

Source: pinned release; IDs: ferritecore 7.0.3.

Archive: `ferritecore-7.0.3-neoforge.jar`.

fix GPU memory leak[Forge/Fabric]

1.8 · both

Fixes some gpu memory leaks

Required by: none declared.

Optional integration from: none declared.

gpumemleakfix → minecraft: required; range [1.21,1.30); both; runtime.
gpumemleakfix → cupboard: required; range [1.21-1.4,); both; Cupboard.

Source: pinned release; IDs: gpumemleakfix 1.8.

Archive: `gpumemleakfix-1.21-1.8.jar`.

FlickerFix

6.1.0 · client

Disables nightvision flickering when duration goes below 10 seconds.

Required by: none declared.

Optional integration from: none declared.

flickerfix → neoforge: required; range [21,); both; runtime.
flickerfix → minecraft: required; range [1.21.1,1.22); both; runtime.

Source: pinned release; IDs: flickerfix 6.1.0.

Archive: `flickerfix-1.21.1-6.1.0.jar`.

Food Effect Tooltips (Forge)

1.6.0 · client

Adds Tooltips to food that gives Status Effects when eaten.

Required by: none declared.

Optional integration from: none declared.

foodeffecttooltips → neoforge: required; range [21.1.0,); client; runtime.
foodeffecttooltips → minecraft: required; range [1.21.1, 1.22); client; runtime.

Source: pinned release · author page; IDs: foodeffecttooltips 1.6.0.

Archive: `foodeffecttooltips+neoforge-1.21.1-1.6.0.jar`.

Formations (Structure Library)

1.0.4 · both

Formations adds utilities for structure datapacks!

Required by: Formations Nether, Formations Overworld.

Optional integration from: none declared.

formations → neoforge: required; range [21.0.113-beta,); both; runtime.
formations → minecraft: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: formations 1.0.4.

Archive: `formations-1.0.4-neoforge-mc1.21.jar`.

Formations Nether

1.0.5+a · both

Formations Nether adds plenty of new structures to the nether!

Required by: none declared.

Optional integration from: none declared.

formationsnether → minecraft: required; range >=1.21; both; runtime.
formationsnether → formations: required; range [1.0.0,); both; Formations (Structure Library).

Source: pinned release · author page; IDs: formationsnether 1.0.5+a.

Archive: `formationsnether-1.0.5a-mc1.21+.jar`.

Formations Overworld

1.0.5+a · both

Formations Overworld adds plenty of new structures to the overworld!

Required by: none declared.

Optional integration from: none declared.

formationsoverworld → minecraft: required; range >=1.21; both; runtime.
formationsoverworld → formations: required; range [1.0.0,); both; Formations (Structure Library).

Source: pinned release · author page; IDs: formationsoverworld 1.0.5+a.

Archive: `formationsoverworld-1.0.5a-mc1.21+.jar`.

FramedBlocks

10.6.1 · both

Fancy building blocks

Required by: none declared.

Optional integration from: none declared.

framedblocks → neoforge: required; range [21.1.205,); both; runtime.
framedblocks → minecraft: required; range [1.21,); both; runtime.
framedblocks → athena: optional; range [4.0.0,); client; Athena.
framedblocks → atlasviewer: optional; range [9.1.0,); client; AtlasViewer.
framedblocks → buildinggadgets: optional; range [3.14.0,); both; not indexed.
framedblocks → create: optional; range [6.0.2,); both; not indexed.
framedblocks → diagonalblocks: optional; range [21.1.0,); both; not indexed.
framedblocks → emi: optional; range [1.1.22,); both; not indexed.
framedblocks → jei: optional; range [19.21.0.247,); both; Just Enough Items (JEI).
framedblocks → rei: optional; range [16.0.744,); both; not indexed.
framedblocks → amendments: optional; range [1.21-1.2.24,); both; Amendments.
framedblocks → ae2: optional; range [19.0.19-beta,); both; Applied Energistics 2.
framedblocks → searchables: optional; range [1.0.2,); client; Searchables.
framedblocks → additionalplacements: optional; range [2.3.1,); both; not indexed.

Source: pinned release · author page; IDs: framedblocks 10.6.1.

Archive: `FramedBlocks-10.6.1.jar`.

Framework

0.13.11 · both

A library providing powerful utilities for developers

Required by: CFM Refurbished: Watt About Power?, MrCrayfish's Furniture Mod: Refurbished.

Optional integration from: Configured.

framework → neoforge: required; range [21.1,); both; runtime.
framework → minecraft: required; range [1.21.1,); both; runtime.

Source: pinned release · author page; IDs: framework 0.13.11.

Archive: `framework-neoforge-1.21.1-0.13.11.jar`.

FTB Chunks (NeoForge)

2101.1.21 · both

Claim chunks to protect your base from griefers!

Required by: none declared.

Optional integration from: FTB XMod Compat.

ftbchunks → neoforge: required; range [21.1.0,); both; runtime.
ftbchunks → minecraft: required; range [1.21.1,); both; runtime.
ftbchunks → architectury: required; range [13.0.8,); both; Architectury API.
ftbchunks → ftblibrary: required; range [2101.1.34,); both; FTB Library (NeoForge).
ftbchunks → ftbteams: required; range [2101.1.9,); both; FTB Teams (NeoForge).

ftbchunks → *ftbbackups3*: optional; range [21.1.3,); both; not indexed.

Source: pinned release; IDs: ftbchunks 2101.1.21.

Archive: `ftb-chunks-neoforge-2101.1.21.jar`.

FTB Essentials (Forge & Fabric)

2101.1.10 · *both*

Adds many essential utility commands for servers

Required by: none declared.

Optional integration from: none declared.

ftbessentials → *neoforge*: required; range [21.1.0,); both; runtime.
ftbessentials → *minecraft*: required; range [1.21.1,); both; runtime.
ftbessentials → *ftblibrary*: required; range [2101.1.4,); both; FTB Library (NeoForge).
ftbessentials → *ftbranks*: optional; range [2100.1.0,); both; FTB Ranks (NeoForge).
ftbessentials → *luckperms*: optional; range [5.4.83,); server; not indexed.

Source: pinned release; IDs: ftbessentials 2101.1.10.

Archive: `ftb-essentials-neoforge-2101.1.10.jar`.

FTB Filter System

21.1.4 · *both*

Smart and highly configurable item filtering system with useful GUI configuration

Required by: none declared.

Optional integration from: none declared.

ftbfiltersystem → *neoforge*: required; range [21.1.0,); both; runtime.
ftbfiltersystem → *minecraft*: required; range [1.21.1,); both; runtime.
ftbfiltersystem → *architectury*: required; range [13.0.8,); both; Architectury API.
ftbfiltersystem → *ftblibrary*: required; range [2101.1.29,); both; FTB Library (NeoForge).
ftbfiltersystem → *jei*: optional; range [19.5.0.40,); both; Just Enough Items (JEI).
ftbfiltersystem → *ftbxmodcompat*: optional; range [21.1.7,); both; FTB XMod Compat.

Source: pinned release · author page; IDs: ftbfiltersystem 21.1.4.

Archive: `ftb-filter-system-neoforge-21.1.4.jar`.

FTB Library (NeoForge)

2101.1.34 · *both*

FTB Library adds nothing.

Required by: FTB Chunks (NeoForge), FTB Essentials (Forge & Fabric), FTB Filter System, FTB Quests (NeoForge), FTB Ranks (NeoForge), FTB Teams (NeoForge), FTB XMod Compat.

Optional integration from: none declared.

ftblibrary → *neoforge*: required; range [21.1.0,); both; runtime.
ftblibrary → *minecraft*: required; range [1.21.1,); both; runtime.
ftblibrary → *architectury*: required; range [13.0.6,); both; Architectury API.

Source: pinned release; IDs: ftblibrary 2101.1.34.

Archive: `ftb-library-neoforge-2101.1.34.jar`.

FTB Quests (NeoForge)

2101.1.28 · *both*

Lets you easily create and play with quests

Required by: Quests Lang Splitter.

Optional integration from: FTB XMod Compat.

ftbquests → *neoforge*: required; range [21.1.0,); both; runtime.
ftbquests → *minecraft*: required; range [1.21.1,); both; runtime.
ftbquests → *architectury*: required; range [13.0.8,); both; Architectury API.

ftbquests → *ftblibrary*: required; range [2101.1.34,); both; FTB Library (NeoForge).
ftbquests → *ftbteams*: required; range [2101.1.9,); both; FTB Teams (NeoForge).
ftbquests → *ftbxmodcompat*: optional; range [21.1.7,); both; FTB XMod Compat.
Source: pinned release; IDs: ftbquests 2101.1.28.
Archive: `ftb-quests-neoforge-2101.1.28.jar`.

FTB Ranks (NeoForge)

2101.1.4 · both

A simple mod that lets you create ranks for players, similar to Discord roles, and manage permissions for them

Required by: none declared.

Optional integration from: FTB Essentials (Forge & Fabric), FTB XMod Compat.

ftbranks → *neoforge*: required; range [21.1.0,); both; runtime.
ftbranks → *minecraft*: required; range [1.21.1,); both; runtime.
ftbranks → *architectury*: required; range [13.0.6,); both; Architectury API.
ftbranks → *ftblibrary*: required; range [2101.1.12,); client; FTB Library (NeoForge).
Source: pinned release; IDs: ftbranks 2101.1.4.
Archive: `ftb-ranks-neoforge-2101.1.4.jar`.

FTB Teams (NeoForge)

2101.1.10 · both

FTB Teams adds ability to create your own teams that can be used for quests etc.

Required by: FTB Chunks (NeoForge), FTB Quests (NeoForge).

Optional integration from: none declared.

ftbteams → *neoforge*: required; range [21.1.0,); both; runtime.
ftbteams → *minecraft*: required; range [1.21.1,); both; runtime.
ftbteams → *architectury*: required; range [13.0.8,); both; Architectury API.
ftbteams → *ftblibrary*: required; range [2101.1.30,); both; FTB Library (NeoForge).
Source: pinned release; IDs: ftbteams 2101.1.10.
Archive: `ftb-teams-neoforge-2101.1.10.jar`.

FTB XMod Compat

21.1.9 · both

Provides cross-mod compatibilty/integration for all main FTB mods

Required by: none declared.

Optional integration from: FTB Filter System, FTB Quests (NeoForge).

ftbxmodcompat → *neoforge*: required; range [21.1.0,); both; runtime.
ftbxmodcompat → *minecraft*: required; range [1.21.1,); both; runtime.
ftbxmodcompat → *architectury*: required; range [13.0.8,); both; Architectury API.
ftbxmodcompat → *ftblibrary*: required; range [2101.1.33,); both; FTB Library (NeoForge).
ftbxmodcompat → *ftbquests*: optional; range [2101.1.27,); both; FTB Quests (NeoForge).
ftbxmodcompat → *ftbchunks*: optional; range [2101.1.13,); both; FTB Chunks (NeoForge).
ftbxmodcompat → *ftbranks*: optional; range [2101.1.2,); both; FTB Ranks (NeoForge).
ftbxmodcompat → *jei*: optional; range [19.27.0.336,); both; Just Enough Items (JEI).
ftbxmodcompat → *kubejs*: optional; range [2100.7.0,); both; KubeJS.
ftbxmodcompat → *luckperms*: optional; range [5.4.112,); server; not indexed.
ftbxmodcompat → *waystones*: optional; range [21.1.5,); both; Waystones.
ftbxmodcompat → *sg_economy*: optional; range [1.0.4,); both; not indexed.
Source: pinned release; IDs: ftbxmodcompat 21.1.9.
Archive: `ftb-xmod-compat-neoforge-21.1.9.jar`.

Functional Storage

1.21.1-1.5.8 · both

Functional Storage

Required by: More Functional Storage.

Optional integration from: none declared.

functionalstorage → *neoforge*: required; range [21,); both; runtime.
functionalstorage → *minecraft*: required; range [1.21,); both; runtime.
functionalstorage → *titanium*: required; range [1.20.4-4,); both; Titanium.

Source: pinned release; IDs: functionalstorage 1.21.1-1.5.8.

Archive: `functionalstorage-1.21.1-1.5.8.jar`.

Fusion (Connected Textures)

1.3.9 · both

Fusion allows resource packs to use additional texture and model types such as connected textures!

Required by: Rechiseled.

Optional integration from: none declared.

fusion → *neoforge*: required; range [21.0.78-beta,); both; runtime.
fusion → *minecraft*: required; range [1.21,1.21.2); both; runtime.

Source: pinned release · author page; IDs: fusion 1.3.9.

Archive: `fusion-1.3.9-neoforge-mc1.21.1.jar`.

Fzzy Config

0.7.6+1.21+neoforge · both

Configuration engine with automatic GUI generation, client-server syncing, powerful validation and error handling, and much more.

Required by: Immersive Paintings, Misc Tweaks.

Optional integration from: none declared.

fzzy_config → *neoforge*: required; range [21.0.0-beta,); both; runtime.
fzzy_config → *minecraft*: required; range [1.21,); both; runtime.
fzzy_config → *kotlinforforge*: required; range [5.3.0,); both; Kotlin for Forge (bundled).

Source: pinned release; IDs: fzzy_config 0.7.6+1.21+neoforge.

Archive: `fzzy_config-0.7.6+1.21+neoforge.jar`.

G

Game Discs

0.3.2-neoforge · both

Play classic arcade games inside Minecraft with new Game Console!

Required by: none declared.

Optional integration from: none declared.

gamediscs → *neoforge*: required; range [21.1.0,); both; runtime.
gamediscs → *minecraft*: required; range [1.21.1, 1.22); both; runtime.

Source: pinned release; IDs: gamediscs 0.3.2-neoforge.

Archive: `gamediscs-0.3.2-neoforge.jar`.

Gateways to Eternity

5.1.0 · both

Adds combat-based events which provide various rewards and challenges.

Required by: none declared.

Optional integration from: Apotheosis.

gateways → *minecraft*: required; range [1.21.1,); both; runtime.
gateways → *neoforge*: required; range [21.1.187,); both; runtime.
gateways → *placebo*: required; range [9.9.1,); both; Placebo.
gateways → *apothic_attributes*: required; range [2.7.0,); both; Apothic Attributes.

Source: pinned release; IDs: gateways 5.1.0.

Archive: `GatewaysToEternity-1.21.1-5.1.0.jar`.

GeckoLib

4.9.2 · both

GeckoLib is an animation engine for Minecraft Mods, with support for complex 3D keyframe-based animations, 30+ easings, concurrent animation support, sound and particle keyframes, event keyframes, and more.

Required by: Iron's Lib, Iron's Spells 'n Spellbooks.

Optional integration from: none declared.

geckolib → *neoforge*: required; range [21.1.150,); both; runtime.
geckolib → *minecraft*: required; range [1.21,); both; runtime.
geckolib → *geckoanimfix*: incompatible; range *; both; not indexed.

Source: pinned release · author page; IDs: geckolib 4.9.2.

Archive: `geckolib-neoforge-1.21.1-4.9.2.jar`.

Get It Together, Drops!

1.4 · both

Adds configuration options for defining how dropped items should combine.

Required by: none declared.

Optional integration from: none declared.

getittogetherdrops → *neoforge*: required; range [21,); both; runtime.
getittogetherdrops → *minecraft*: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: getittogetherdrops 1.4.

Archive: `getittogetherdrops-neoforge-1.21.5-1.4.jar`.

Glodium

1.21-2.2-neoforge · both

Codelib

Required by: Applied Flux, ExtendedAE.

Optional integration from: EnderDrives.

glodium → *neoforge*: required; range [21.1.1,); both; runtime.
glodium → *minecraft*: required; range [1.21.1,); both; runtime.

Source: pinned release · author page; IDs: glodium 1.21-2.2-neoforge.

Archive: `Glodium-1.21-2.2-neoforge.jar`.

Gnetum

3.3.6 · client

Minecraft mod that distributes HUD updates over multiple frames to improve performance.

Required by: none declared.

Optional integration from: none declared.

gnetum → neoforge: required; range [21.1.0,); both; runtime.
gnetum → minecraft: required; range [1.21.1,1.21.2); both; runtime.

Source: pinned release · author page; IDs: gnetum 3.3.6.

Archive: `gnetum-3.3.6.jar`.

GuideME

21.1.17 · both

GuideME offers the foundation for your mods or modpacks guidebook.

Required by: Applied Energistics 2, Applied Flux, ExtendedAE, Powah! (Rearchitected).

Optional integration from: none declared.

guideme → neoforge: required; range [21.1.1,); both; runtime.
guideme → minecraft: required; range [1.21.1]; both; runtime.

Source: pinned release · author page; IDs: guideme 21.1.17.

Archive: `guideme-21.1.17.jar`.

H

Heartstone

1.21-1.3.1 · both

A magic gem to find the ones that matter

Required by: none declared.

Optional integration from: none declared.

heartstone → neoforge: required; range [4,); both; runtime.
heartstone → minecraft: required; range [1.21,1.22); both; runtime.
heartstone → moonlight: required; range *; both; Moonlight Lib.

Source: pinned release · author page; IDs: heartstone 1.21-1.3.1.

Archive: `heartstone-1.21-1.3.1-neoforge.jar`.

Here 'n' There

0.6.0+1.21.1 · both

Quickly insert coordinates in chat messages or commands using keywords.

Required by: none declared.

Optional integration from: none declared.

herenthere → minecraft: required; range (1.20.6, 1.22); both; runtime.
herenthere → neoforge: required; range [21.0.43, 22); both; runtime.
herenthere → cloth-config: optional; range [15,); client; not indexed.

Source: pinned release · author page; IDs: herenthere 0.6.0+1.21.1.

Archive: `herenthere-neoforge-0.6.0+1.21.1.jar`.

Horseman

1.5.11 · both

Improved horses: faster hitching, smooth riding, QOL features and more.

Required by: none declared.

Optional integration from: none declared.

horseman → neoforge: required; range [21,); both; runtime.
horseman → minecraft: required; range [1.21,); both; runtime.
horseman → horsebuff: incompatible; range *; both; not indexed.

Source: pinned release · author page; IDs: horseman 1.5.11.

Archive: `horseman-neoforge-1.21.1-1.5.11.jar`.

Hostile Neural Networks

6.5.0 · both

Defeating hostile entities - but in simulations!

Required by: none declared.

Optional integration from: none declared.

hostilenetworks → minecraft: required; range [1.21.1,); both; runtime.
hostilenetworks → neoforge: required; range [21.1.187,); both; runtime.
hostilenetworks → placebo: required; range [9.9.0,); both; Placebo.

Source: pinned release; IDs: hostilenetworks 6.5.0.

Archive: `HostileNeuralNetworks-1.21.1-6.5.0.jar`.

I

iChunUtil

1.0.3 · both

Shared library mod required by most of iChun's Mods.

Required by: Ding (Forge), Let Sleeping Dogs Lie (Forge).

Optional integration from: none declared.

ichunutil → neoforge: required; range [21.0,); both; runtime.
ichunutil → minecraft: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: ichunutil 1.0.3.

Archive: `iChunUtil-1.21-NeoForge-1.0.3.jar`.

Illagers Wear Armor

2.4.0 · both

Illagers wear armor

Required by: none declared.

Optional integration from: none declared.

illagersweararmor → neoforge: required; range [20.4,); both; runtime.
illagersweararmor → minecraft: required; range [1.21, 1.22); both; runtime.

Source: pinned release · author page; IDs: illagersweararmor 2.4.0.

Archive: `illagersweararmor-1.21.1-2.4.0.jar`.

ImmediatelyFast

1.6.11+1.21.1 · client

Speed up and optimize immediate mode rendering in Minecraft

Required by: none declared.

Optional integration from: none declared.

immediatelyfast → minecraft: required; range [1.21,1.21.1]; client; runtime.
immediatelyfast → neoforge: required; range [21.0.0,); client; runtime.

Source: pinned release · author page; IDs: immediatelyfast 1.6.11+1.21.1.

Archive: `ImmediatelyFast-NeoForge-1.6.11+1.21.1.jar`.

Immersive Aircraft

1.4.6+1.21.1 · both

A bunch of rustic aircraft to travel, transport, and explore!

Required by: Immersive Machinery [Fabric/Forge].

Optional integration from: none declared.

immersive_aircraft → minecraft: required; range [1.21.1,); both; runtime.
immersive_aircraft → neoforge: required; range [1,); both; runtime.

Source: pinned release · author page; IDs: immersive_aircraft 1.4.6+1.21.1.

Archive: `immersive_aircraft-1.4.6+1.21.1-neoforge.jar`.

Immersive Machinery [Fabric/Forge]

0.2.0+1.21.1 · both

A bunch of rustic machinery to transport, mine, and automate things, while staying close to the vanilla style.

Required by: none declared.

Optional integration from: none declared.

immersive_machinery → minecraft: required; range [@MINECRAFT_VERSION@,); both; runtime.
immersive_machinery → neoforge: required; range [1,); both; runtime.
immersive_machinery → immersive_aircraft: required; range [1.2.2,); both; Immersive Aircraft.

Source: pinned release · author page; IDs: immersive_machinery 0.2.0+1.21.1.

Archive: `immersive_machinery-0.2.0+1.21.1-neoforge.jar`.

Immersive Optimization

0.2.0 · both

A lightweight entity-tick-scheduler for doubling your TPS.

Required by: none declared.

Optional integration from: none declared.

immersive_optimization → neoforge: required; range [21.1.219,); both; runtime.
immersive_optimization → minecraft: required; range [1.21.1, 1.22); both; runtime.

Source: pinned release · author page; IDs: immersive_optimization 0.2.0.

Archive: `immersive_optimization-neoforge-1.21.1-0.2.0.jar`.

Immersive Paintings

0.7.8 · both

Use your own paintings!

Required by: none declared.

Optional integration from: none declared.

immersive_paintings → minecraft: required; range [1.21, 1.22); both; runtime.
immersive_paintings → neoforge: required; range [21.1.154,); both; runtime.
immersive_paintings → fzzy_config: required; range [0.7.0+1.21,); both; Fzzy Config.

Source: pinned release · author page; IDs: immersive_paintings 0.7.8.

Archive: `immersive_paintings-neoforge-1.21.1-0.7.8.jar`.

Incendium

5.4.3 · both

A nether biome overhaul combined with challenging structures to conquer, unique weapons to obtain, and tricky mobs to defeat.

Required by: none declared.

Optional integration from: none declared.

incendium → neoforge: optional; range [21,); both; runtime.
incendium → minecraft: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: incendium 5.4.3.

Archive: `Incendium_1.21.x_v5.4.4.jar`.

Industrial Foregoing

1.21-3.6.39 · both

Automate Everything

Required by: Industrial Foregoing Souls.

Optional integration from: none declared.

industrialforegoing → neoforge: required; range [21,); both; runtime.
industrialforegoing → minecraft: required; range [1.21.0,1.22); both; runtime.
industrialforegoing → titanium: required; range [3.2.8,); both; Titanium.
industrialforegoing → jei: optional; range [19.11.0,); client; Just Enough Items (JEI).

Source: pinned release; IDs: industrialforegoing 1.21-3.6.39.

Archive: `industrialforegoing-1.21-3.6.39.jar`.

Industrial Foregoing Souls

1.10.7 · both

Industrial Foregoing Souls

Required by: Soulplied Energistics.

Optional integration from: none declared.

industrialforegoingsouls → neoforge: required; range [21,); both; runtime.
industrialforegoingsouls → minecraft: required; range [1.21.0,1.22); both; runtime.
industrialforegoingsouls → titanium: required; range [4.0.32,); both; Titanium.
industrialforegoingsouls → industrialforegoing: required; range [1.21-3.6.13,); both; Industrial Foregoing.

Source: pinned release; IDs: industrialforegoingsouls 1.10.7.

Archive: `industrial-foregoing-souls-1.21.1-1.10.7.jar`.

Inline

1.21.1-1.2.2 · both

A library for rendering in line with text

Required by: none declared.

Optional integration from: none declared.

inline → neoforge: required; range [21,); both; runtime.
inline → minecraft: required; range [1.21.1,); both; runtime.
inline → cloth_config: required; range [15.0.0,); client; Cloth Config API (Fabric/Forge/NeoForge).
inline → emojiful: incompatible; range *; both; not indexed.

Source: pinned release · author page; IDs: inline 1.21.1-1.2.2.

Archive: `inline-neoforge-1.21.1-1.2.2.jar`.

Inventory Essentials

21.1.17 · both

Basic inventory tweaks. Lightweight and compatible.

Required by: none declared.

Optional integration from: none declared.

inventoryessentials → neoforge: required; range [21-beta,); both; runtime.
inventoryessentials → minecraft: required; range [1.21,); both; runtime.
inventoryessentials → balm: required; range [21.0.48,); both; Balm.

Source: pinned release · author page; IDs: inventoryessentials 21.1.17.

Archive: `inventoryessentials-neoforge-1.21.1-21.1.17.jar`.

Iris Shaders

1.8.8+mc1.21.1 · client

Iris is a modern shaders mod for Minecraft intended to be compatible with existing OptiFine shader packs.

Required by: Iris/Oculus Shader Folder, Monocle.

Optional integration from: none declared.

iris → minecraft: required; range [1.21,1.21.1); client; runtime.
iris → embeddium: incompatible; range [0.0.1,); client; Embeddium.
fabric_api_base → neoforge: required; range [21.1.57,); both; runtime.
fabric_api_base → minecraft: required; range [1.21.1,1.22); both; runtime.
fabric_block_view_api_v2 → neoforge: required; range [21.1.57,); both; runtime.
fabric_block_view_api_v2 → minecraft: required; range [1.21.1,1.22); both; runtime.
fabric_renderer_api_v1 → neoforge: required; range [21.1.57,); both; runtime.
fabric_renderer_api_v1 → minecraft: required; range [1.21.1,1.22); both; runtime.
fabric_renderer_api_v1 → fabric_api_base: required; range *; both; Iris Shaders (bundled); Kiwi (Neo/Forge) (bundled).
fabric_rendering_data_attachment_v1 → neoforge: required; range [21.1.57,); both; runtime.
fabric_rendering_data_attachment_v1 → minecraft: required; range [1.21.1,1.22); both; runtime.
fabric_rendering_data_attachment_v1 → fabric_block_view_api_v2: required; range *; both; Iris Shaders (bundled).

Bundled: fabric_api_base 0.4.42+d1308ded19; fabric_block_view_api_v2 1.0.10+9afaaf8c19; fabric_renderer_api_v1 3.4.0+acb05a3919; fabric_rendering_data_attachment_v1 0.3.48+73761d2e19

Source: pinned release · author page; IDs: iris 1.8.8+mc1.21.1.

Archive: `iris-neoforge-1.8.8+mc1.21.1.jar`.

Iris/Oculus Shader Folder

1.4.1-neoforge · both

Hides specified shader packs in Iris shaders menu

Required by: none declared.

Optional integration from: none declared.

iris_shader_folder → neoforge: required; range [21.0,); client; runtime.
iris_shader_folder → minecraft: required; range [1.21.0,); client; runtime.
iris_shader_folder → iris: required; range [0.0,); client; Iris Shaders.

Source: pinned release · author page; IDs: iris_shader_folder 1.4.1-neoforge.

Archive: `iris_shader_folder-1.4.1-neoforge.jar`.

Iron Chests

1.21-neoforge-16.0.7 · both

New chests with larger sizes, with in-place upgrade items. The feature chest is the crystal chest, which is transparent - some inventory contents are visible without opening the chest.

Required by: none declared.

Optional integration from: none declared.

ironchest → neoforge: required; range [21.0.0-beta,); both; runtime.
ironchest → minecraft: required; range [1.21,1.21.1); both; runtime.

Source: pinned release · author page; IDs: ironchest 1.21-neoforge-16.0.7.

Archive: `ironchest-1.21-neoforge-16.0.7.jar`.

Iron Ender Chests

1.21.1-1.0.3 · both

Upgradable ender chests that expand storage space

Required by: none declared.

Optional integration from: none declared.

iron_ender_chests → neoforge: required; range [21.0.0-beta,); both; runtime.
iron_ender_chests → minecraft: required; range [1.21,1.21.2); both; runtime.

Source: pinned release; IDs: iron_ender_chests 1.21.1-1.0.3.

Archive: `iron_ender_chests-1.21.1-1.0.3.jar`.

Iron's Apothic Invaders

1.0.0 · both

Adds Iron's Spells & Spellbooks mobs as invader bosses in the Apotheosis mod.

Required by: none declared.

Optional integration from: none declared.

Source: pinned release; IDs: irons_apothic_invaders 1.0.0.

Archive: `irons_apothic_invaders_1.0.0.jar`.

Iron's Gems 'n Jewelry

1.21.1-2.0.2 · both

Iron's Gems 'n Jewelry adds a dynamic jewelcrafting system with supporting content and mechanics

Required by: none declared.

Optional integration from: none declared.

irons_jewelry → neoforge: required; range [21.1.0,); both; runtime.
irons_jewelry → minecraft: required; range [1.21.1,1.21.2); both; runtime.
irons_jewelry → curios: required; range [9.0.5+1.21.0,); both; Curios API (Forge/NeoForge).
irons_jewelry → atlas_api: required; range [1.21.1-1.1.0,1.21.1-2.0.0); both; Atlas API.

irons_jewelry → irons_lib: required; range [1.21.1-2,1.21.1-3); both; Iron's Lib.
Source: pinned release; IDs: irons_jewelry 1.21.1-2.0.2.
Archive: `irons_jewelry-1.21.1-2.0.2.jar`.

Iron's Lib

1.21.1-2.1.0 · both

Provides common functionality and content for Iron431's mods.

Required by: Iron's Gems 'n Jewelry, Iron's Spells 'n Spellbooks.

Optional integration from: none declared.

irons_lib → neoforge: required; range [21.1.200,); both; runtime.
irons_lib → minecraft: required; range [1.21.1]; both; runtime.
irons_lib → geckolib: required; range 4.7.5.1; both; GeckoLib.
irons_lib → irons_patreon_lib: incompatible; range *; both; not indexed.
Source: pinned release; IDs: irons_lib 1.21.1-2.1.0.
Archive: `irons_lib-1.21.1-2.1.0.jar`.

Iron's Rpg Tweaks

2.2.3 · both

RPG-Inspired gameplay mechanic tweaks for combat, XP, durability, hunger, and more!

Required by: none declared.

Optional integration from: none declared.

irons_rpg_tweaks → neoforge: required; range [21.1.0,); both; runtime.
irons_rpg_tweaks → minecraft: required; range [1.21, 1.21.2); both; runtime.
Source: pinned release; IDs: irons_rpg_tweaks 2.2.3.
Archive: `irons_rpg_tweaks-2.2.3.jar`.

Iron's Spells 'n Spellbooks

1.21.1-3.16.2 · both

A magic mod for Minecraft returning to the classic RPG spellcasting fantasy.

Required by: none declared.

Optional integration from: none declared.

irons_spellbooks → neoforge: required; range [21.0.0-beta,); both; runtime.
irons_spellbooks → minecraft: required; range [1.21.1,1.21.2); both; runtime.
irons_spellbooks → geckolib: required; range [4.7.5.1,); both; GeckoLib.
irons_spellbooks → playeranimator: required; range [2.0.1+1.21.1,); both; Emotecraft (Forge) (bundled); playerAnimator.
irons_spellbooks → curios: required; range [9.0.5+1.21.0,); both; Curios API (Forge/NeoForge).
irons_spellbooks → irons_lib: required; range [1.21.1-2,1.21.1-3); both; Iron's Lib.
Source: pinned release · author page; IDs: irons_spellbooks 1.21.1-3.16.2.
Archive: `irons_spellbooks-1.21.1-3.16.2.jar`.

Ixeris

4.6.0+1.21.1-neoforge · client

Buffered raw input and threaded event polling

Required by: none declared.

Optional integration from: none declared.

ixeris → neoforge: required; range *; both; runtime.
ixeris → minecraft: required; range [1.21,1.21.1]; both; runtime.

Bundled: ixeris 4.6.0+1.21.1-neoforge
Source: pinned release · author page; IDs: ixeris_dummy 4.6.0+1.21.1-neoforge.
Archive: `Ixeris-4.6.0+1.21.1-neoforge.jar`.

J

Jade

15.10.5+neoforge · both

Minecraft mod shows what you are looking at. (Hwyla fork)

Required by: Jade Addons (Neo/Forge).

Optional integration from: Applied Energistics 2, Easy Villagers.

jade → neoforge: required; range [21.0.143,); both; runtime.

Source: pinned release · author page; IDs: jade 15.10.5+neoforge.

Archive: `Jade-1.21.1-NeoForge-15.10.5.jar`.

Jade Addons (Neo/Forge)

6.1.0+neoforge · both

Jade additional mod supports

Required by: none declared.

Optional integration from: none declared.

jadeaddons → jade: required; range [15.10,); both; Jade .

Source: pinned release · author page; IDs: jadeaddons 6.1.0+neoforge.

Archive: `JadeAddons-1.21.1-NeoForge-6.1.0.jar`.

Jasione

1.0.6+1.21.1-neoforge · both

Reduce GC pressure by safely eliminating Enum#values array cloning and memory allocation overhead through bytecode analysis

Required by: none declared.

Optional integration from: none declared.

jasione → neoforge: required; range *; both; runtime.
jasione → minecraft: required; range [1.21,1.21.8]; both; runtime.
jasione → neoforge: required; range *; both; runtime.
jasione → minecraft: required; range [1.21,1.21.8]; both; runtime.

Bundled: jasione 1.0.6+1.21.1-neoforge

Source: pinned release · author page; IDs: jasione 1.0.6+1.21.1-neoforge.

Archive: `jasione-1.0.6+1.21.1-neoforge.jar`.

Jumpy Boats

1.21.0-1.0.5 · both

Makes it possible to jump a little while in a boat to transition from water to ground. See if you can find a boat.

Required by: none declared.

Optional integration from: none declared.

jumpboat → neoforge: required; range [21.0.0-beta,); both; runtime.
jumpboat → minecraft: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: jumpboat 1.21.0-1.0.5.

Archive: `jumpboat-1.21.0-1.0.5.jar`.

Just Enough Items (JEI)

19.39.0.371 · both

JEI is an item and recipe viewing mod for Minecraft, built from the ground up for stability and performance.

Required by: none declared.

Optional integration from: Advanced Loot Info (ALI), Almost Unified, Chipped, Configured, Easy Villagers, FramedBlocks, FTB Filter System, FTB XMod Compat, Industrial Foregoing, KubeJS, Mekanism, ModernFix, Powah! (Rearchitected), Railcraft Reborn, Sophisticated Core.

jei → *neoforge*: required; range [21.0.118-beta,); both; runtime.
jei → *minecraft*: required; range [1.21, 1.21.1); both; runtime.

Source: pinned release · author page; IDs: jei 19.39.0.371.

Archive: `jei-1.21.1-neoforge-19.39.0.371.jar`.

Just Enough Painting Previews (JEPP)

1.21-1.2.0 · both

The joy of previewing paintings

Required by: none declared.

Optional integration from: none declared.

jepp → *neoforge*: required; range [4,); both; runtime.
jepp → *minecraft*: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: jepp 1.21-1.2.0.

Archive: `jepp-1.21-1.2.0.jar`.

K

Kaleidoscope Cookery

1.4.1-neoforge+mc1.21.1 · both

A Minecraft mod that adds immersive cooking systems and delicious recipes to enhance your culinary adventure.

Required by: none declared.

Optional integration from: none declared.

kaleidoscope_cookery → *neoforge*: required; range [21,); both; runtime.
kaleidoscope_cookery → *minecraft*: required; range [1.21.1,1.21.2); both; runtime.
kaleidoscope_cookery → *kubejs*: optional; range [2101.7.2-build.309,); both; KubeJS.

Source: pinned release; IDs: kaleidoscope_cookery 1.4.1-neoforge+mc1.21.1.

Archive: `kaleidoscopecookery-1.4.1-neoforge+mc1.21.1.jar`.

Kaleidoscope Doll

1.4.1-neoforge+mc1.21.1 · both

Use the lottery machine to draw various dolls!

Author page excerpt, observed 2026-09-08; project summary.

Required by: none declared.

Optional integration from: none declared.

kaleidoscope_doll → *neoforge*: required; range [21,); both; runtime.
kaleidoscope_doll → *minecraft*: required; range [1.21.1,1.22); both; runtime.

Source: pinned release; IDs: kaleidoscope_doll 1.4.1-neoforge+mc1.21.1.

Archive: `kaleidoscopedoll-1.4.1-neoforge+mc1.21.1.jar`.

Kerria

1.3.2+1.21.1-neoforge · client

Faster texture animation

Required by: none declared.

Optional integration from: none declared.

kerria → minecraft: required; range [1.21.1]; both; runtime.

Source: pinned release · author page; IDs: kerria 1.3.2+1.21.1-neoforge.

Archive: `Kerria-1.3.2+1.21.1-neoforge.jar`.

Kiwi (Neo/Forge)

15.8.7+neoforge · both

Minecraft modding library

Required by: Companion (Neo/Forge).

Optional integration from: none declared.

fabric_api_base → neoforge: required; range [21.1.219,); both; runtime.
fabric_api_base → minecraft: required; range [1.21.1,1.22); both; runtime.

Bundled: fabric_api_base 0.4.42+d1308ded19

Source: pinned release · author page · author page; IDs: kiwi 15.8.7+neoforge.

Archive: `Kiwi-1.21.1-NeoForge-15.8.7.jar`.

KleeSlabs

21.1.11 · both

Break only the half of a double slab that you're looking at.

Required by: none declared.

Optional integration from: none declared.

kleeslabs → neoforge: required; range [21-beta,); both; runtime.
kleeslabs → minecraft: required; range [1.21,); both; runtime.
kleeslabs → balm: required; range [21.0.39,); both; Balm.

Source: pinned release · author page; IDs: kleeslabs 21.1.11.

Archive: `kleeslabs-neoforge-1.21.1-21.1.11.jar`.

Kotlin for Forge

file 8335665 (version not declared) · both

Used to make mods with the Kotlin programming language.

Author page excerpt, observed 2026-09-08; project summary.

Required by: none declared.

Optional integration from: none declared.

kotlinforforge → minecraft: required; range [1.20.6,1.21.9); both; runtime.

Bundled: kotlinforforge 5.12.0

Source: pinned release; IDs: not declared.

Archive: `kotlinforforge-5.12.0-all.jar`.

KubeJS

2101.7.2-build.368 · both

Customize your modpack or server with JavaScript!

Required by: KubeJS Mekanism, KubeJS Tweaks.

Optional integration from: FTB XMod Compat, Kaleidoscope Cookery, LootJS: KubeJS Addon, Touhou Little Maid.

kubejs → neoforge: required; range [21.1.199,); both; runtime.
kubejs → rhino: required; range [2101.2.7-build.81,); both; Rhino.
kubejs → jei: optional; range [19.25.0.322,); client; Just Enough Items (JEI).
kubejs → roughlyenoughitems: optional; range [16.0.799,); client; not indexed.
kubejs → emi: optional; range [1.1.22,); client; not indexed.
kubejs → betteradvancedtooltips: optional; range [2101.1.0-build.1,); client; KubeJS (bundled).
betteradvancedtooltips → neoforge: required; range [21.1.199,); client; runtime.

Bundled: betteradvancedtooltips 2101.1.0-build.1
Source: pinned release · author page; IDs: kubejs 2101.7.2-build.368.
Archive: `kubejs-neoforge-2101.7.2-build.368.jar`.

KubeJS Mekanism

2101.1.7-build.18 · both

KubeJS Mekanism integration

Required by: none declared.

Optional integration from: none declared.

kubejs_mekanism → kubejs: required; range [2101.7.2-build.303,); both; KubeJS.
kubejs_mekanism → mekanism: required; range [1.21.1-10.7.14.79,); both; Mekanism.
Source: pinned release · author page; IDs: kubejs_mekanism 2101.1.7-build.18.
Archive: `kubejs-mekanism-neoforge-2101.1.7-build.18.jar`.

KubeJS Tweaks

1.0.6 · both

This mod fixes some key KubeJS bugs that may not be fixed yet Also adds some new features/events.

Required by: none declared.

Optional integration from: none declared.

kubejstweaks → neoforge: required; range [21.1.195,); both; runtime.
kubejstweaks → minecraft: required; range [1.21.1]; both; runtime.
kubejstweaks → alltheleaks: optional; range [0.1.16-beta,); both; AllTheLeaks (Memory Leak Fix).
kubejstweaks → kubejs: required; range [2101.7.1,2101.7.3); both; KubeJS.
Source: pinned release; IDs: kubejstweaks 1.0.6.
Archive: `kubejstweaks-1.0.6.jar`.

L

L_Ender 's Cataclysm

3.32 · both

`https://www.curseforge.com/minecraft/texture-packs/cataclysmic-tunes`

Required by: none declared.

Optional integration from: none declared.

cataclysm → neoforge: required; range [21.1.0,); both; runtime.
cataclysm → minecraft: required; range 1.21.1; both; runtime.
cataclysm → curios: required; range [9.2.2+1.21.1,); both; Curios API (Forge/NeoForge).
cataclysm → lionfishapi: required; range 3.1; both; Lionfish API.
Source: pinned release; IDs: cataclysm 3.32.
Archive: `L_Ender'sCataclysm1.21.1-3.32.jar`.

Laser Bridges & Doors [Fabric/Forge/NeoForge]

5.3 · both

Laser Bridges & Doors

Required by: none declared.

Optional integration from: none declared.

laserbridges → neoforge: required; range [4,); both; runtime.
laserbridges → minecraft: required; range [1.21, 1.22); both; runtime.
laserbridges → deimos: required; range 1; both; Deimos Lib.

Source: pinned release · author page; IDs: laserbridges 5.3.

Archive: `laserbridges-1.21.1-neoforge-5.3.jar`.

Leaky - Item Lag Fix

2.4 · both

Improve item performance and detects, reports and removes too many stacked items.

Required by: none declared.

Optional integration from: none declared.

leaky → minecraft: required; range [1.21,1.30); both; runtime.
leaky → cupboard: required; range [1.21-1.4,); both; Cupboard.

Source: pinned release; IDs: leaky 2.4.

Archive: `leaky-1.21-2.4.jar`.

Let Sleeping Dogs Lie (Forge)

1.3.0 · client

Lets dogs lie.

Required by: none declared.

Optional integration from: none declared.

dogslie → neoforge: required; range [21.0,); both; runtime.
dogslie → minecraft: required; range [1.21,1.22); both; runtime.
dogslie → ichunutil: required; range [1.0.0,); both; iChunUtil.

Source: pinned release · author page; IDs: dogslie 1.3.0.

Archive: `LetSleepingDogsLie-1.21-NeoForge-1.3.0.jar`.

Limited Chunkloading - Chunk cleanup[Forge/Fabric]

4.1 · both

Limited chunks mod which unloads chunks a give time after the last visiting player logs off

Required by: none declared.

Optional integration from: none declared.

limitedchunks → minecraft: required; range [1.21,1.30); both; runtime.
limitedchunks → cupboard: required; range [1.21-1.4,); both; Cupboard.

Source: pinned release; IDs: limitedchunks 4.1.

Archive: `limitedchunks-1.21-4.1.jar`.

Lionfish API

3.1 · both

L_Ender's Mod's new Animation api

Author page excerpt, observed 2026-09-08; project summary.

Required by: L_Ender 's Cataclysm.

Optional integration from: none declared.

lionfishapi → neoforge: required; range [21.1.219,); both; runtime.
lionfishapi → minecraft: required; range 1.21.1; both; runtime.

Source: pinned release; IDs: lionfishapi 3.1.

Archive: `lionfishapi-3.1.jar`.

Lithostitched

1.7.13 · both

A library mod with new configurability and compatibility enhancements for worldgen

Required by: Terralith.

Optional integration from: none declared.

Source: pinned release; IDs: lithostitched 1.7.13.

Archive: `lithostitched-1.7.13-neoforge-21.1.jar`.

Load My F***ing Tags

1.1.1+1.21.9 · both

Simple mod that makes Tag Loading less of a Pain

Required by: none declared.

Optional integration from: none declared.

lmft → neoforge: required; range [20,); both; runtime.
lmft → minecraft: required; range [1.20.2,); both; runtime.

Source: pinned release; IDs: lmft 1.1.1+1.21.9.

Archive: `lmft-1.1.1+1.21.9-neoforge.jar`.

Login Protection[Forge/Fabric]

3.5 · both

Login protection mod which protects the player form damage during login.

Required by: none declared.

Optional integration from: none declared.

logprot → minecraft: required; range [1.21,1.30); both; runtime.
logprot → cupboard: required; range [1.21-1.4,); both; Cupboard.

Source: pinned release; IDs: logprot 3.5.

Archive: `logprot-1.21-3.5.jar`.

Loot Integrations

4.7 · both

Integrates items from loottables into other loottables for intermod loot compatibility

Required by: none declared.

Optional integration from: none declared.

lootintegrations → minecraft: required; range [1.21,1.30); both; runtime.
lootintegrations → cupboard: required; range [1.21-1.4,); both; Cupboard.

Source: pinned release; IDs: lootintegrations 4.7.

Archive: `lootintegrations-1.21.1-4.7.jar`.

LootJS: KubeJS Addon

1.21.1-3.4.3 · both

Modify loot through KubeJS.

Required by: none declared.

Optional integration from: Advanced Loot Info (ALI).

lootjs → neoforge: required; range [21.1.93,); both; runtime.
lootjs → minecraft: required; range [1.21.1,); both; runtime.
lootjs → kubejs: optional; range [2101.7.0-build.131,); both; KubeJS.

Source: pinned release; IDs: lootjs 1.21.1-3.4.3.

Archive: `lootjs-neoforge-1.21.1-3.4.3.jar`.

Lootr (Forge & NeoForge)

1.21.1-1.11.37.122 · both

Generates unique loot for each player that opens a loot container.

Required by: none declared.

Optional integration from: none declared.

lootr → minecraft: required; range 1.21.1; both; runtime.
lootr → neoforge: required; range [21.1.195,); both; runtime.

Source: pinned release · author page; IDs: lootr 1.21.1-1.11.37.122.

Archive: `lootr-neoforge-1.21.1-1.11.37.122.jar`.

M

Max Health Fix

21.1.4 · both

Fixes the infamous MC-17876 bug. This bug would cause players with above 20 health to be reset when the restart the game.

Required by: none declared.

Optional integration from: none declared.

maxhealthfix → neoforge: required; range [21.1.61,); both; runtime.
maxhealthfix → minecraft: required; range [1.21.1, 1.22); both; runtime.
maxhealthfix → bookshelf: required; range [21.1, 21.2); both; Bookshelf.
maxhealthfix → prickle: required; range [21.1, 21.2); both; Prickle.

Source: pinned release · author page; IDs: maxhealthfix 21.1.4.

Archive: `maxhealthfix-neoforge-1.21.1-21.1.4.jar`.

McJtyLib

1.21-9.0.21 · both

Base mod for all McJty mods

Required by: RFTools Base, RFTools Utility, XNet.

Optional integration from: none declared.

mcjtylib → neoforge: required; range [21.0,); both; runtime.

Source: pinned release · author page; IDs: mcjtylib 1.21-9.0.21.

Archive: `mcjtylib-1.21-9.0.21.jar`.

ME Requester

1.21.1-1.4.3 · both

Keep resources in your ME-System in stock.

Required by: none declared.

Optional integration from: none declared.

merequester → *neoforge*: required; range [21.1.169,); both; runtime.
merequester → *minecraft*: required; range [1.21.1,); both; runtime.
merequester → *ae2*: required; range [19.2.13,); both; Applied Energistics 2.
merequester → *ae2wtlib*: optional; range [19.2.5,); both; not indexed.

Source: pinned release; IDs: merequester 1.21.1-1.4.3.

Archive: `merequester-neoforge-1.21.1-1.4.3.jar`.

Mekanism

10.7.19 · both

Mekanism is a Minecraft add-on featuring high-tech machinery that can be used to create powerful tools, armor, and weapons.

Required by: Applied Mekanistics, KubeJS Mekanism, Mekanism Generators, XNet Gases.

Optional integration from: Advanced Peripherals, Applied Flux, Super Factory Manager (SFM).

mekanism → *minecraft*: required; range [1.21.1]; both; runtime.
mekanism → *neoforge*: required; range [21.1.194,); both; runtime.
mekanism → *jei*: optional; range [19.19.0.219,); both; Just Enough Items (JEI).
mekanism → *appmek*: incompatible; range [,1.6.0-alpha.2]; both; Applied Mekanistics.
mekanism → *enderio_conduits_modded*: incompatible; range [,6.0.24.351-nightly+d8261275]; both; not indexed.
mekanism → *laserio*: incompatible; range [,1.9.9]; both; not indexed.
mekanism → *jaopca*: incompatible; range [,5.0.1.2]; both; not indexed.
mekanism → *fissionrecipe*: incompatible; range [,3.0.7]; both; not indexed.

Source: pinned release · author page; IDs: mekanism 10.7.19.

Archive: `Mekanism-1.21.1-10.7.19.85.jar`.

Mekanism Generators

10.7.19 · both

Generators module for Mekanism

Required by: none declared.

Optional integration from: none declared.

mekanismgenerators → *mekanism*: required; range [10.7.19]; both; Mekanism.

Source: pinned release · author page; IDs: mekanismgenerators 10.7.19.

Archive: `MekanismGenerators-1.21.1-10.7.19.85.jar`.

Milady-On-Air-0.1.0-alpha.1-neoforge-1.21.1-universal

0.1.0-alpha.1 · both

A server-authoritative resizable in-world theatre block for watching Kick streams together.

Required by: none declared.

Optional integration from: none declared.

milady_on_air → *neoforge*: required; range [21.1.244,21.2); both; runtime.
milady_on_air → *minecraft*: required; range [1.21.1,1.21.2); both; runtime.

Source: pinned release; IDs: milady_on_air 0.1.0-alpha.1.

Archive: `Milady-On-Air-0.1.0-alpha.1-neoforge-1.21.1-universal.jar`.

Misc Tweaks

1.3.0 · both

QoL additions and tweaks

Required by: none declared.

Optional integration from: none declared.

misctweaks → fzzy_config: required; range [0,); both; Fzzy Config.
misctweaks → minecraft: required; range [1.21.1]; both; runtime.
misctweaks → neoforge: required; range [1,); both; runtime.
mixson → neoforge: required; range [21,); both; runtime.
mixson → minecraft: required; range [1.21,1.22); both; runtime.

Bundled: mixson 1.4.0
Source: pinned release · author page; IDs: misctweaks 1.3.0.
Archive: `misctweaks-1.3.0+1.21.1-neoforge.jar`.

MmmMmmMmmMmm (Target Dummy)

1.21-2.1.0 · both

Don't hurt me pls :S

Required by: none declared.

Optional integration from: none declared.

dummmmmmy → neoforge: required; range *; both; runtime.
dummmmmmy → minecraft: required; range [1.21.1]; both; runtime.
dummmmmmy → moonlight: required; range [1.21-3.2.3,); both; Moonlight Lib.
Source: pinned release · author page; IDs: dummmmmmy 1.21-2.1.0.
Archive: `dummmmmmy-neoforge-1.21-2.1.0.jar`.

Model Gap Fix

1.21-1.10 · client

Removes small gaps in item and block models

Required by: none declared.

Optional integration from: none declared.

Source: pinned release · author page; IDs: modelfix 1.21-1.10.
Archive: `modelfix-1.21-1.10.jar`.

ModernFix

5.27.20+mc1.21.1 · both

Egregious, yet effective performance improvements for modern Minecraft

Required by: none declared.

Optional integration from: none declared.

modernfix → neoforge: required; range [21.0.111-beta,); both; runtime.
modernfix → minecraft: required; range [1.21, 1.22); both; runtime.
modernfix → jei: optional; range [15.8.0.11,); client; Just Enough Items (JEI).
Source: pinned release · author page; IDs: modernfix 5.27.20+mc1.21.1.
Archive: `modernfix-neoforge-5.27.20+mc1.21.1.jar`.

Monocle

0.2.1.ms · client

Locator for Monocle

Required by: none declared.

Optional integration from: none declared.

monocle → neoforge: required; range [21.0.139-beta,); both; runtime.
monocle → minecraft: required; range [1.21,1.21.1); both; runtime.
monocle → embeddium: required; range [1.0.7,); client; Embeddium.
monocle → iris: required; range [1.8.8+mc1.21.1]; client; Iris Shaders.

Bundled: monocle 0.2.1.ms
Source: pinned release; IDs: monocle_locator 0.2.1.ms.
Archive: `monocle-0.2.1.ms.jar`.

Moonlight Lib

1.21.1-3.3.0 · both

A small library with many cool unique features, from dynamic asset generation to dynamic villager schedules, data driven trades and Map Markers, simple multi loader utilities and more

Required by: Advancement Frames, Amendments, Every Compat (Wood Good), Fast Paintings, You've Goat to be Kidding Me!, Heartstone, Storage Labels, MmmMmmMmmMmm (Target Dummy), Moyai, Sawmill, Smarter Farmers (farmers replant), Every Compat (Stone Zone), Supplementaries Squared, Supplementaries.

Optional integration from: none declared.

moonlight → minecraft: required; range [1.21.1]; both; runtime.
codecui → neoforge: required; range *; both; runtime.
codecui → minecraft: required; range [1.21.1, 1.21.2); both; runtime.

Bundled: codecui 1.21.1-1.3.6
Source: pinned release · author page · author page; IDs: moonlight 1.21.1-3.3.0.
Archive: `moonlight-neoforge-1.21.1-3.3.0.jar`.

More Dragon Eggs

5.0 · both

This mod makes it so a dragon egg spawns every time the dragon dies.

Required by: none declared.

Optional integration from: none declared.

Source: pinned release; IDs: moredragoneggs 5.0.
Archive: `moredragoneggs-5.0.jar`.

More Functional Storage

1.2.3 · both

Addon for Functional Storage that adds more upgrades

Required by: none declared.

Optional integration from: none declared.

morefunctionalstorage → neoforge: required; range [21.1.0,); both; runtime.
morefunctionalstorage → minecraft: required; range [1.21.1, 1.22); both; runtime.
morefunctionalstorage → functionalstorage: required; range [1.21.1-1.5.5,); both; Functional Storage.

Source: pinned release; IDs: morefunctionalstorage 1.2.3.
Archive: `morefunctionalstorage-1.2.3.jar`.

More Mouse Tweaks

1.1.1+1.21.1 · client

Enhances Mouse Tweaks by adding extra mouse functions.

Required by: none declared.

Optional integration from: none declared.

moremousetweaks → minecraft: required; range [1.21.1,1.21.2); both; runtime.
moremousetweaks → neoforge: required; range [21.1.22,); both; runtime.
moremousetweaks → mousetweaks: required; range [2.26,); client; Mouse Tweaks.
moremousetweaks → cloth-config: optional; range [15,); client; not indexed.

Source: pinned release · author page; IDs: moremousetweaks 1.1.1+1.21.1.

Archive: `moremousetweaks-neoforge-1.1.1+1.21.1.jar`.

More Red

6.0.0.3 · both

This mod adds a bunch of redstone logic gate plate blocks. Once you've crafted and placed the blocks, you can rotate them by poking them with a stick.

Required by: More Red x CC:Tweaked Compat.

Optional integration from: none declared.

morered → neoforge: required; range [21.0.40-beta,); both; runtime.
morered → minecraft: required; range [1.21, 1.22); both; runtime.

Source: pinned release · author page; IDs: morered 6.0.0.3.

Archive: `morered-1.21.1-6.0.0.3.jar`.

More Red x CC:Tweaked Compat

1.21.1-1.3.0 · both

Adds support for More Red colored and bundled cables to CC:Tweaked computers

Required by: none declared.

Optional integration from: none declared.

moreredxcctcompat → neoforge: required; range [21,); both; runtime.
moreredxcctcompat → minecraft: required; range [1.21.1,1.22); both; runtime.
moreredxcctcompat → computercraft: required; range [1.114.4,); both; CC: Tweaked.
moreredxcctcompat → morered: required; range [6.0.0.2,); both; More Red.

Source: pinned release · author page; IDs: moreredxcctcompat 1.21.1-1.3.0.

Archive: `MoreRed-CCT-Compat-1.21.1-1.3.0.jar`.

Mouse Tweaks

2.26.1 · client

A mod that enhances the inventory management by adding various additional functions to the usual mouse buttons.

Required by: More Mouse Tweaks.

Optional integration from: none declared.

Source: pinned release · author page; IDs: mousetweaks 2.26.1.

Archive: `MouseTweaks-neoforge-mc1.21-2.26.1.jar`.

Moyai

1.21-2.1.7 · both

vine boom ???

Required by: none declared.

Optional integration from: none declared.

moyai → neoforge: required; range [4,); both; runtime.
moyai → minecraft: required; range [1.21,1.22); both; runtime.
moyai → moonlight: required; range *; both; Moonlight Lib.

Source: pinned release · author page; IDs: moyai 1.21-2.1.7.

Archive: `moyai-1.21-2.1.7-neoforge.jar`.

MrCrayfish's Furniture Mod: Refurbished

1.0.22 · both

The next generation of MrCrayfish's Furniture Mod, built from the ground up with brand-new blocks, models, original sounds, and gameplay mechanics. Experience the new yet familiar charm of the original mod, and furnish your house with the hundreds of new and original decorations and functional blocks. Jump into new gameplay mechanics with the introduction of the electricity system to power all your appliances and electronics.

Required by: CFM Refurbished: Watt About Power?.

Optional integration from: none declared.

refurbished_furniture → neoforge: required; range [21.1,); both; runtime.
refurbished_furniture → minecraft: required; range [1.21.1,); both; runtime.
refurbished_furniture → framework: required; range [0.13.10,); both; Framework.

Source: pinned release · author page; IDs: refurbished_furniture 1.0.22.

Archive: `refurbished_furniture-neoforge-1.21.1-1.0.22.jar`.

Music Box

0.5.3 · both

Punch your song on the note grid and play it with the music box. Found more: `https://github.com/C20C01/MusicBox`

Required by: none declared.

Optional integration from: none declared.

cc_mb → neoforge: required; range [21,); both; runtime.
cc_mb → minecraft: required; range [1.21.0,1.22); both; runtime.

Source: pinned release; IDs: cc_mb 0.5.3.

Archive: `cc_mb-neoforge-1.21.0-0.5.3.jar`.

Mysterious Mountain Lib

1.2.15-1.21.1 · both

This is the library for Syameimaru Zheng's most of mods.

Required by: Umapyoi.

Optional integration from: none declared.

mysterious_mountain_lib → neoforge: required; range [21.1.0,); both; runtime.
mysterious_mountain_lib → minecraft: required; range [1.21.1,1.22); both; runtime.

Source: pinned release; IDs: mysterious_mountain_lib 1.2.15-1.21.1.

Archive: `mysterious_mountain_lib-1.2.15-1.21.1.jar`.

N

NaNny (Fix NaN Health / Absorption)

1.0.1 · both

Because some mods can't keep their floats in control.

Required by: none declared.

Optional integration from: none declared.

nanny → neoforge: required; range [21.1.1,); server; runtime.
nanny → minecraft: required; range [1.21.1,1.21.2); server; runtime.
Source: pinned release · author page; IDs: nanny 1.0.1.
Archive: `NaNny-1.21.1-1.0.1.jar`.

Neo-Blåhaj

2.0.0 · both

Soft toy, shark mod, 16px.

Required by: none declared.

Optional integration from: none declared.

blahaj → neoforge: required; range [21.1.125,); both; runtime.
blahaj → minecraft: required; range [1.21.1]; both; runtime.
Source: pinned release; IDs: blahaj 2.0.0.
Archive: `blahaj-neoforge-1.21.1-2.0.2.jar`.

NeoAuth

1.0.1 · both

A Neoforge port of AuthMe

Required by: none declared.

Optional integration from: none declared.

neo_auth → minecraft: required; range [1.21,1.22); both; runtime.
neo_auth → neoforge: required; range [21.1.1,); both; runtime.
Source: pinned release · author page; IDs: neo_auth 1.0.1.
Archive: `NeoAuth-1.21.1-1.0.1.jar`.

Neruina - Ticking Entity Fixer

3.3.3 · both

This is a mod that prevents ticking entity and ticking block entity / tile entity crashes from bricking worlds.

Required by: none declared.

Optional integration from: none declared.

neruina → neoforge: required; range *; both; runtime.
neruina → minecraft: required; range [1.21.1,); both; runtime.
neruina → configurable: required; range [3.5.1,); both; Configurable.
Source: pinned release; IDs: neruina 3.3.3.
Archive: `neruina-3.3.3+1.21.1-neoforge.jar`.

NetherPortalFix

21.1.1 · both

Ensures correct destinations when travelling back and forth through Nether Portals in Multiplayer.

Required by: none declared.

Optional integration from: none declared.

netherportalfix → neoforge: required; range [21-beta,); both; runtime.
netherportalfix → minecraft: required; range [1.21,); both; runtime.
netherportalfix → balm: required; range [21.0.0,); both; Balm.
Source: pinned release · author page; IDs: netherportalfix 21.1.1.
Archive: `netherportalfix-neoforge-1.21.1-21.1.1.jar`.

No Chat Reports

1.21.1-v2.9.1 · both

Strips cryptographic signatures from player messages, making it impossible to track and associate them with your Mojang/Microsoft account, as well as use Player Chat Reporting feature.

Required by: none declared.

Optional integration from: none declared.

nochatreports → neoforge: required; range [21.0.0,); both; runtime.
nochatreports → minecraft: required; range [1.21,); both; runtime.

Source: pinned release · author page; IDs: nochatreports 1.21.1-v2.9.1.

Archive: `NoChatReports-NEOFORGE-1.21.1-v2.9.1.jar`.

No Telemetry

1.10.0 · both

Disable the telemetry introduced in 21w38a

Required by: none declared.

Optional integration from: none declared.

Source: pinned release · author page; IDs: no_telemetry 1.10.0.

Archive: `no-telemetry-1.10.0.jar`.

Noisium

2.3.0+mc1.21-1.21.1 · both

Optimises worldgen performance for a better gameplay experience.

Required by: none declared.

Optional integration from: none declared.

noisium → minecraft: required; range >=1.21 <=1.21.1; both; runtime.
noisium → neoforge: required; range >=21.1.22; both; runtime.
noisium → biox: incompatible; range *; both; not indexed.

Source: pinned release · author page; IDs: noisium 2.3.0+mc1.21-1.21.1.

Archive: `noisium-neoforge-2.3.0+mc1.21-1.21.1.jar`.

Nolijium

0.5.6 · both

Various QoL enhancements by Nolij

Required by: none declared.

Optional integration from: none declared.

nolijium → neoforge: required; range [21.0.112-beta,); client; runtime.
nolijium → minecraft: required; range [1.21,); client; runtime.
nolijium → embeddium: optional; range [1.0.5-beta.314+1.21,); client; Embeddium.

Source: pinned release · author page; IDs: nolijium 0.5.6.

Archive: `nolijium-0.5.6.jar`.

Not Enough Animations

1.12.4 · client

Adding and improving animations in Third-Person.

Required by: none declared.

Optional integration from: none declared.

notenoughanimations → minecraft: required; range [1.21.1]; both; runtime.
notenoughanimations → neoforge: required; range [20.2,); both; runtime.
transition → minecraft: required; range [1.21.1]; both; runtime.

transition → *neoforge*: required; range [20.2,); both; runtime.
trender → *minecraft*: required; range [1.21.1]; both; runtime.
trender → *neoforge*: required; range [20.2,); both; runtime.

Bundled: transition 1.0.21; trender 1.0.15

Source: pinned release · author page · author page · author page; IDs: notenoughanimations 1.12.4.

Archive: `notenoughanimations-neoforge-1.12.4-mc1.21.1.jar`.

Not Enough Recipe Book [NERB]

0.4.3 · both

Optimization tool that removes Minecraft's recipe book

Required by: none declared.

Optional integration from: none declared.

nerb → *neoforge*: required; range [21.0,); both; runtime.
nerb → *minecraft*: required; range [1.21,); both; runtime.
nerb → *architectury*: required; range [13.0.2,); both; Architectury API.
nerb → *octolib*: required; range [0.4.2,); both; ShatterLib | OctoLib.

Source: pinned release; IDs: nerb 0.4.3.

Archive: `NotEnoughRecipeBook-NEOFORGE-0.4.3+1.21.jar`.

Nullscape

1.2.14 · both

Transforms the boring Vanilla end into an alien dimension with the most surreal terrain imaginable. Topped with a couple of new biomes to add to the experience, whilst keeping the end desolate.

Required by: none declared.

Optional integration from: none declared.

nullscape → *neoforge*: optional; range [21,); both; runtime.
nullscape → *minecraft*: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: nullscape 1.2.14.

Archive: `Nullscape_1.21.x_v1.2.14.jar`.

O

Observable

5.4.4 · both

See what's lagging your world.

Required by: none declared.

Optional integration from: none declared.

observable → *architectury*: required; range [8,); both; Architectury API.
observable → *neoforge*: required; range [21.0,); both; runtime.

Source: pinned release; IDs: observable 5.4.4.

Archive: `observable-5.4.4.jar`.

One Enough Block

1.1.2-hotfix · both

Mafuyu never like you.

Required by: none declared.

Optional integration from: none declared.

oneenoughblock → *neoforge*: required; range [21,); both; runtime.
oneenoughblock → *minecraft*: required; range [1.21.1,1.22); both; runtime.
oneenoughblock → *oneenoughitem*: required; range [1.0.7,); both; One Enough Item.

Source: pinned release; IDs: oneenoughblock 1.1.2-hotfix.

Archive: `oneenoughblock-neoforge-1.21.1-1.1.2-hotfix.jar`.

One Enough Item

1.0.8 · both

Mafuyu never like you.

Required by: One Enough Block.

Optional integration from: none declared.

oneenoughitem → neoforge: required; range [21.1.194,); both; runtime.
oneenoughitem → oelib: required; range [0.1.2,); both; One Enough Lib.
oneenoughitem → minecraft: required; range [1.21,1.21.2); both; runtime.

Source: pinned release; IDs: oneenoughitem 1.0.8.

Archive: `oneenoughitem-neoforge-1.21.1-1.0.8.jar`.

One Enough Lib

0.2.3 · both

Mafuyu never like you:(

Required by: One Enough Item.

Optional integration from: none declared.

oelib → neoforge: required; range [21,); both; runtime.
oelib → minecraft: required; range [1.21,); both; runtime.

Source: pinned release; IDs: oelib 0.2.3.

Archive: `OELib-neoforge-1.21.1-0.2.3.jar`.

Open Loader

21.1.5 · both

An open source loader for custom resources and data!

Required by: none declared.

Optional integration from: none declared.

openloader → neoforge: required; range [21.1.133,); both; runtime.
openloader → minecraft: required; range [1.21.1, 1.22); both; runtime.
openloader → prickle: required; range [21.1, 21.2); both; Prickle.

Source: pinned release · author page; IDs: openloader 21.1.5.

Archive: `OpenLoader-neoforge-1.21.1-21.1.5.jar`.

OpenBlocks Elevator

1.21.1-1.11.4 · both

Simple port of the elevator from OpenBlocks to 1.8+

Required by: none declared.

Optional integration from: none declared.

elevatorid → neoforge: required; range [21.1,); both; runtime.
elevatorid → minecraft: required; range [1.21.1,); both; runtime.

Source: pinned release · author page; IDs: elevatorid 1.21.1-1.11.4.

Archive: `elevatorid-neoforge-1.21.1-1.11.4.jar`.

Overloaded Armor Bar

2 · both

Enhanced armor bar rendering for armor levels above diamond

Required by: none declared.

Optional integration from: none declared.

overloadedarmorbar → neoforge: required; range [2,); both; runtime.
overloadedarmorbar → minecraft: required; range [1.21,); both; runtime.

Source: pinned release; IDs: overloadedarmorbar 2.

Archive: `overloadedarmorbar-neoforge-1.21-2.jar`.

P

Packet Fixer

3.3.1 · both

A simple mod to solve various problems with packets.

Required by: none declared.

Optional integration from: none declared.

packetfixer → neoforge: required; range [0,); both; runtime.
packetfixer → minecraft: required; range [1.20.5,1.22); both; runtime.

Source: pinned release; IDs: packetfixer 3.3.1.

Archive: `packetfixer-3.3.1-1.20.5-1.21.X-merged.jar`.

Patchouli

1.21.1-93-NEOFORGE · both

Accessible, Data-Driven, Dependency-Free Documentation for Minecraft Modders and Pack Makers

Required by: none declared.

Optional integration from: Advanced Peripherals.

patchouli → neoforge: required; range [21.0.31-beta,); both; runtime.
patchouli → minecraft: required; range [1.21.1,1.21.2); both; runtime.

Source: pinned release; IDs: patchouli 1.21.1-93-NEOFORGE.

Archive: `Patchouli-1.21.1-93-NEOFORGE.jar`.

PingHUD

4.0 · both

PingHUD replaces the default bar graph ping display in the player list with a proper numerical display of the current ping of all players.

Author page excerpt, observed 2026-09-08; project summary.

Required by: none declared.

Optional integration from: none declared.

pinghud → neoforge: required; range [21.0.0-beta,); both; runtime.
pinghud → minecraft: required; range [1.21,); both; runtime.

Source: pinned release · author page; IDs: pinghud 4.0.

Archive: `PingHUD-4.0.jar`.

Placebo

9.9.2 · both

1 (one) library boi

Required by: Apotheosis, Apothic Attributes, Apothic Enchanting, Apothic Spawners, Click Machine, FastSuite, FastWorkbench, Gateways to Eternity, Hostile Neural Networks, Toast Control.

Optional integration from: none declared.

placebo → minecraft: required; range [1.21.1,); both; runtime.
placebo → neoforge: required; range [21.1.187,); both; runtime.

Source: pinned release; IDs: placebo 9.9.2.

Archive: `Placebo-1.21.1-9.9.2.jar`.

Player Rugs

2.1.0 · both

Everyone in #kihira on esper.net

Required by: none declared.

Optional integration from: none declared.

playerrugs → minecraft: required; range [1.21,1.22); both; runtime.
playerrugs → neoforge: required; range [21.1.1,); both; runtime.

Source: pinned release · author page; IDs: playerrugs 2.1.0.

Archive: `PlayerRugs-1.21.1-2.1.0.jar`.

playerAnimator

2.0.4+1.21.1 · both

A lightweight library to easily animate the player

Required by: Emotecraft (Forge), Iron's Spells 'n Spellbooks.

Optional integration from: none declared.

playeranimator → minecraft: required; range [1.21,1.21.2); both; runtime.

Source: pinned release · author page; IDs: playeranimator 2.0.4+1.21.1.

Archive: `player-animation-lib-forge-2.0.4+1.21.1.jar`.

Plonk

10.0.6 · both

Place items in the world like item frames but on any surface

Required by: none declared.

Optional integration from: none declared.

plonk → neoforge: required; range [21,); both; runtime.
plonk → minecraft: required; range [1.21,); both; runtime.

Source: pinned release · author page; IDs: plonk 10.0.6.

Archive: `plonk-1.21.1-10.0.6-neo.jar`.

Plushie Mod

1.5.1 · both

Adds a lot of cute Plushies to the game :)

Required by: none declared.

Optional integration from: none declared.

plushies → neoforge: required; range [21.0,); both; runtime.
plushies → minecraft: required; range [1.21,); both; runtime.
plushies → architectury: required; range [13.0.2,); both; Architectury API.

Source: pinned release; IDs: plushies 1.5.1.

Archive: `plushies-neoforge-1.5.1.jar`.

Polymorph (Fabric/Forge/Quilt)

1.1.0+1.21.1 · both

No more recipe conflicts! Adds an option to choose the crafting result if more than one is available.

Required by: none declared.

Optional integration from: none declared.

polymorph → neoforge: required; range [21.0.67,); both; runtime.
polymorph → minecraft: required; range [1.21, 1.22); both; runtime.

Source: pinned release · author page; IDs: polymorph 1.1.0+1.21.1.

Archive: `polymorph-neoforge-1.1.0+1.21.1.jar`.

Polymorphic Energistics

0.4.1 · both

Polymorph support for Applied Energistics 2.

Required by: none declared.

Optional integration from: none declared.

polyeng → ae2: unscoped; range [19.0.13-alpha,); both; Applied Energistics 2.
polyeng → polymorph: unscoped; range [1.0.4,); both; Polymorph (Fabric/Forge/Quilt).

Source: pinned release · author page; IDs: polyeng 0.4.1.

Archive: `polyeng-0.4.1.jar`.

Polytone

1.21-3.10.3 · client

Your Resource Packs Best Friend

Required by: none declared.

Optional integration from: none declared.

polytone → neoforge: required; range *; client; runtime.
polytone → minecraft: required; range [1.21.1]; client; runtime.
polytone → nautilus_studio: optional; range [1.21.1-1.4.1,); client; not indexed.
codecui → neoforge: required; range *; both; runtime.
codecui → minecraft: required; range [1.21.1, 1.21.2); both; runtime.

Bundled: codecui 1.21.1-1.3.6

Source: pinned release · author page · author page; IDs: polytone 1.21-3.10.3.

Archive: `polytone-neoforge-1.21-3.10.3.jar`.

Portfolio

1.21.1-1.5.5-neoforge · both

Portfolio is a small mod & datapack that adds a catalogue of new paintings to the game, all of which were made by the artist Yapetto. These include paintings such as Morning on the Seine, Justice, & Underworld.

Required by: none declared.

Optional integration from: none declared.

portfolio → neoforge: required; range [21.1.10,); both; runtime.
portfolio → minecraft: required; range [1.21.1]; both; runtime.

Source: pinned release; IDs: portfolio 1.21.1-1.5.5-neoforge.

Archive: `portfolio-1.21.1-1.5.5-neoforge.jar`.

Powah! (Rearchitected)

6.2.10 · both

Various ways to generate, store and transmit FE power.

Required by: none declared.

Optional integration from: none declared.

powah → neoforge: required; range [21.1.1,); both; runtime.
powah → cloth_config: required; range *; both; Cloth Config API (Fabric/Forge/NeoForge).
powah → guideme: required; range [21.1.7,); both; GuideME.
powah → jei: optional; range [19.18.3,); client; Just Enough Items (JEI).

Source: pinned release · author page; IDs: powah 6.2.10.

Archive: `Powah-6.2.10.jar`.

Prickle

21.1.11 · both

Bringing Prickle, the JSON based configuration file format to Minecraft.

Required by: AttributeFix, Distracting Trims, Enchantment Descriptions, Max Health Fix, Open Loader, Tip of the Loom, Tips, What The Bucket.

Optional integration from: none declared.

prickle → neoforge: required; range [21.1.61,); both; runtime.
prickle → minecraft: required; range [1.21.1, 1.22); both; runtime.

Source: pinned release · author page; IDs: prickle 21.1.11.

Archive: `prickle-neoforge-1.21.1-21.1.11.jar`.

Pufferfish's Skills [Fabric & Forge & NeoForge]

0.18.2 · both

Adds a fully configurable skill system to the game.

Required by: none declared.

Optional integration from: none declared.

puffish_skills → neoforge: required; range [21.0.0-beta,); both; runtime.
puffish_skills → minecraft: required; range [1.21,1.21.1); both; runtime.

Source: pinned release; IDs: puffish_skills 0.18.2.

Archive: `puffish_skills-0.18.2-1.21-neoforge.jar`.

Pyrotechnic Elytra

1.0.0 · both

Create a show everywhere you fly!

Required by: none declared.

Optional integration from: none declared.

pyrotechnic_elytra → neoforge: required; range [21.1,); both; runtime.
pyrotechnic_elytra → minecraft: required; range [1.21.1,); both; runtime.
pyrotechnic_elytra → cobweb: required; range [1.1.3,); both; Cobweb.

Source: pinned release · author page; IDs: pyrotechnic_elytra 1.0.0.

Archive: `pyrotechnic-elytra-neoforge-1.21.1-1.0.0.jar`.

Q

Quests Lang Splitter

1.0.5 · both

This mod splits the lang files of FTB Quests to better control versioning.

Required by: none declared.

Optional integration from: none declared.

ftbquestslangsplitter → neoforge: required; range [21.1.,); both; runtime.
ftbquestslangsplitter → minecraft: required; range [1.21.1]; both; runtime.
ftbquestslangsplitter → ftbquests: required; range [2101.1.14,); both; FTB Quests (NeoForge).

Source: pinned release; IDs: ftbquestslangsplitter 1.0.5.

Archive: `ftbquestslangsplitter-1.0.5.jar`.

R

Railcraft Reborn

1.2.10 · both

Railcraft Reborn is a port of Railcraft for modern versions of Minecraft.

Author page excerpt, observed 2026-09-08; project summary.

Required by: none declared.

Optional integration from: none declared.

railcraft → *neoforge*: required; range [21.1.50,); both; runtime.
railcraft → *minecraft*: required; range [1.21.1,1.22); both; runtime.
railcraft → *jei*: optional; range [19.21.0.247,); both; Just Enough Items (JEI).

Source: pinned release · author page; IDs: railcraft 1.2.10.

Archive: `railcraft-reborn-1.21.1-1.2.10.jar`.

Rechiseled

1.2.5 · both

Rechiseled allows you to exchange between various decorative blocks!

Required by: Rechiseled: Chipped.

Optional integration from: none declared.

rechiseled → *neoforge*: required; range [21.0.78-beta,); both; runtime.
rechiseled → *minecraft*: required; range [1.21,1.21.2); both; runtime.
rechiseled → *supermartijn642corelib*: required; range [1.1.20,1.2.0); both; SuperMartijn642's Core Lib.
rechiseled → *supermartijn642configlib*: required; range [1.1.6,); both; SuperMartijn642's Config Lib.
rechiseled → *fusion*: required; range [1.2.12,); client; Fusion (Connected Textures).

Source: pinned release · author page; IDs: rechiseled 1.2.5.

Archive: `rechiseled-1.2.5-neoforge-mc1.21.jar`.

Rechiseled: Chipped

1.3 · both

Adds a scrollbar to Rechiseled and integrates Chipped blocks into the Rechiseled Chiseling menu.

Required by: none declared.

Optional integration from: none declared.

rechiseled_chipped → *neoforge*: required; range [21,); both; runtime.
rechiseled_chipped → *minecraft*: required; range [1.21.0,1.22); both; runtime.
rechiseled_chipped → *chipped*: required; range [4.0.2,); both; Chipped.
rechiseled_chipped → *rechiseled*: required; range [1.1.6+a,); both; Rechiseled.

Source: pinned release; IDs: rechiseled_chipped 1.3.

Archive: `rechiseled_chipped-2.0-1.21.1.jar`.

Recoloured Tooltips

1.1 · client

Lets you configure the colour of item & GUI tooltips. Neoforge port of Coloured Tooltips.

Required by: none declared.

Optional integration from: none declared.

recolouredtooltips → *minecraft*: required; range [1.21.1,1.22); both; runtime.
recolouredtooltips → *neoforge*: required; range [21.1.120,); both; runtime.

Source: pinned release; IDs: recolouredtooltips 1.1.

Archive: `Recoloured-Tooltips-1.1.jar`.

Repeatable Trial Vaults

1.0.3 · both

Consume a key to be able to use another trial vault

Required by: none declared.

Optional integration from: none declared.

repeatable_trial_vaults → neoforge: required; range [21.0.37-beta,); both; runtime.
repeatable_trial_vaults → minecraft: required; range [1.21, 1.22); both; runtime.

Source: pinned release; IDs: repeatable_trial_vaults 1.0.3.

Archive: `repeatable_trial_vaults-neoforge-1.21-1.0.3.jar`.

Resourceful Config

3.0.11 · both

A library for creating config files for your mod across multiple platforms.

Required by: Structure Layout Optimizer.

Optional integration from: none declared.

resourcefulconfig → neoforge: required; range [20.5,); both; runtime.
resourcefulconfig → minecraft: required; range [1.20.5,); both; runtime.

Source: pinned release; IDs: resourcefulconfig 3.0.11.

Archive: `resourcefulconfig-neoforge-1.21-3.0.11.jar`.

Resourceful Lib

3.0.12 · both

Team Resourceful Library

Required by: Chipped.

Optional integration from: none declared.

resourcefullib → neoforge: required; range [21.0.0-beta,); both; runtime.
resourcefullib → minecraft: required; range [1.21,); both; runtime.

Source: pinned release; IDs: resourcefullib 3.0.12.

Archive: `resourcefullib-neoforge-1.21-3.0.12.jar`.

Respawning Structures

4.2 · both

respawningstructures allows structures to automatically regenerated after a set timeframe.

Required by: none declared.

Optional integration from: none declared.

respawningstructures → minecraft: required; range [1.21,1.30); both; runtime.
respawningstructures → cupboard: required; range [1.21-1.4,); both; Cupboard.

Source: pinned release; IDs: respawningstructures 4.2.

Archive: `respawningstructures-1.21.1-4.2.jar`.

RFTools Base

1.21-6.0.11 · both

The base class for all RFTools tech mods (and XNet/Deep Resonance)

Required by: RFTools Utility, XNet.

Optional integration from: none declared.

rftoolsbase → neoforge: required; range [21.0,); both; runtime.
rftoolsbase → mcjtylib: required; range [1.21-9.0.21,); both; McJtyLib.

Source: pinned release · author page; IDs: rftoolsbase 1.21-6.0.11.

Archive: `rftoolsbase-1.21-6.0.11.jar`.

RFTools Utility

1.21-7.0.12 · both

Generic RFTools utilities

Required by: none declared.

Optional integration from: none declared.

rftoolsutility → neoforge: required; range [21.0,); both; runtime.
rftoolsutility → mcjtylib: required; range [1.21-9.0.21,); both; McJtyLib.
rftoolsutility → rftoolsbase: required; range [1.21-6.0.11,); both; RFTools Base.

Source: pinned release · author page; IDs: rftoolsutility 1.21-7.0.12.

Archive: `rftoolsutility-1.21-7.0.12.jar`.

Rhino

2101.2.8-build.91 · both

A fork of Mozilla's Rhino library, modified for use in mods

Required by: KubeJS.

Optional integration from: none declared.

Source: pinned release · author page; IDs: rhino 2101.2.8-build.91.

Archive: `rhino-2101.2.8-build.91.jar`.

Rustic Delight

1.7.0 · both

A rustic add-on for Farmer's Delight that adds Pancakes, Cotton, Coffee, Bell Peppers, fried foods and more!

Required by: none declared.

Optional integration from: none declared.

rusticdelight → neoforge: required; range [21.1.219,); both; runtime.
rusticdelight → minecraft: required; range [1.21,1.21.2); both; runtime.
rusticdelight → farmersdelight: required; range [1.3.1,); both; Farmer's Delight.
rusticdelight → thirst: optional; range [1.21.0-2.0.0,); both; not indexed.

Source: pinned release · author page; IDs: rusticdelight 1.7.0.

Archive: `rusticdelight-neoforge-1.21-1.7.0.jar`.

S

Save Loot Tables

1.21-1.0.0.0 · both

Prevent Vanilla from discarding loot tables when one or more entries are invalid.

Required by: none declared.

Optional integration from: none declared.

saveloottables → minecraft: required; range 1.21,1.21.1; both; runtime.
saveloottables → neoforge: required; range [21,); both; runtime.

Source: pinned release · author page; IDs: saveloottables 1.21-1.0.0.0.

Archive: `saveloottables-neoforge-1.21-1.0.0.0.jar`.

Sawmill

1.21-1.7.7 · both

Simple, Elegant, Universal Sawmill

Required by: none declared.

Optional integration from: none declared.

sawmill → neoforge: required; range *; both; runtime.
sawmill → minecraft: required; range [1.21.1]; both; runtime.
sawmill → moonlight: required; range [1.21-2.29.17,); both; Moonlight Lib.

Source: pinned release · author page; IDs: sawmill 1.21-1.7.7.

Archive: `sawmill-neoforge-1.21-1.7.7.jar`.

ScalableLux

0.3.0-alpha.0.6+1.21.1 · both

Rewrites the light engine to fix lighting performance and lighting errors

Required by: none declared.

Optional integration from: none declared.

scalablelux → minecraft: required; range [1.21.1,); both; runtime.

Source: pinned release · author page; IDs: scalablelux 0.3.0-alpha.0.6+1.21.1.

Archive: `ScalableLux-neoforge-0.3.0-alpha.0.6-all.jar`.

Scholar

1.2.3 · both

Book improvements: two-page view, easy formatting, lectern editing, colored books, reading animation, QOL-features and more.

Required by: none declared.

Optional integration from: none declared.

scholar → neoforge: required; range [21,); both; runtime.
scholar → minecraft: required; range [1.21,); both; runtime.

Source: pinned release · author page; IDs: scholar 1.2.3.

Archive: `scholar-neoforge-1.21.1-1.2.3.jar`.

Searchables

1.0.2 · both

A library mod to facilitate adding search bars with auto complete and search types.

Required by: Controlling.

Optional integration from: FramedBlocks.

searchables → neoforge: required; range [4,); both; runtime.
searchables → minecraft: required; range [1.21.1]; both; runtime.

Source: pinned release · author page; IDs: searchables 1.0.2.

Archive: `Searchables-neoforge-1.21.1-1.0.2.jar`.

Server Performance - Smooth Chunk Save[Forge/Fabric]

4.1 · both

Spreads chunk saves over time smoothly

Required by: none declared.

Optional integration from: none declared.

Source: pinned release; IDs: smoothchunk 4.1.

Archive: `smoothchunk-1.21-4.1.jar`.

ShatterLib | OctoLib

0.6.2 · both

Collection of shared code for OctoStudios' mods

Required by: Not Enough Recipe Book [NERB].

Optional integration from: none declared.

octolib → neoforge: required; range [21.0,); both; runtime.
octolib → minecraft: required; range [1.21,); both; runtime.
octolib → architectury: required; range [13.0.2,); both; Architectury API.

Source: pinned release; IDs: octolib 0.6.2.

Archive: `OctoLib-NEOFORGE-0.6.2+1.21.jar`.

Showcase Item

1.21.1-1.1.0 · both

This mod allows to showcase items in the chat.

Required by: none declared.

Optional integration from: none declared.

showcaseitem → neoforge: required; range [21.1.0,); both; runtime.
showcaseitem → minecraft: required; range [1.21,1.21.1); both; runtime.

Source: pinned release · author page; IDs: showcaseitem 1.21.1-1.1.0.

Archive: `showcaseitem-1.21.1-1.1.0.jar`.

Shulker Box Tooltip [Fabric/Forge/NeoForge]

5.1.9+1.21.1 · both

What's in my shulker box?

Required by: none declared.

Optional integration from: none declared.

shulkerboxtooltip → neoforge: required; range [20.6.0-beta,); both; runtime.
shulkerboxtooltip → minecraft: required; range [1.21.1,); both; runtime.

Source: pinned release · author page; IDs: shulkerboxtooltip 5.1.9+1.21.1.

Archive: `shulkerboxtooltip-neoforge-5.1.9+1.21.1.jar`.

Sidekick

2.0.6+1.21.1 · both

Your creative companion — extended inventory, noclip, teleport, and other superpowers for Creative mode.

Required by: none declared.

Optional integration from: none declared.

sidekick → neoforge: required; range [21.1.125,); both; runtime.
sidekick → minecraft: required; range [1.21.1]; both; runtime.

Source: pinned release; IDs: sidekick 2.0.6+1.21.1.

Archive: `sidekick-neoforge-2.0.6+1.21.1.jar`.

Simple Backups

1.21-4.0.30 · both

A simple mod to create scheduled backups.

Required by: none declared.

Optional integration from: none declared.

simplebackups → neoforge: required; range [21.1.115,); both; runtime.
simplebackups → minecraft: required; range [1.21.1,); both; runtime.

Source: pinned release · author page; IDs: simplebackups 1.21-4.0.30.

Archive: `SimpleBackups-1.21-4.0.30.jar`.

Simple Creative Menu

1.0.0 · both

Small changes to the creative menu. Primarily allows you to defocus the search bar!

Required by: none declared.

Optional integration from: none declared.

simple_creative_menu → neoforge: required; range [21.1.70,); client; runtime.
simple_creative_menu → minecraft: required; range [1.21.1, 1.22); client; runtime.

Source: pinned release; IDs: simple_creative_menu 1.0.0.

Archive: `simple_creative_menu-1.21.1-1.0.0.jar`.

Simple Discord Link Bot

3.4.4 · server

A simple Minecraft to Discord Chat bot with Whitelisting

Required by: none declared.

Optional integration from: none declared.

sdlink → neoforge: required; range [20.4,); both; runtime.
sdlink → minecraft: required; range [1.20.4,); both; runtime.
sdlink → craterlib: required; range [3.1,); server; CraterLib.

Source: pinned release; IDs: sdlink 3.4.4.

Archive: `SimpleDiscordLink-Universal-3.4.4.jar`.

Simple Discord RPC

4.1.3+release.0 · client

A simple discord RPC plugin for modpacks

Required by: none declared.

Optional integration from: none declared.

simplerpc → neoforge: required; range [18.2,); both; runtime.
simplerpc → minecraft: required; range [1.18.2,); both; runtime.
simplerpc → craterlib: required; range [3.0,); client; CraterLib.

Source: pinned release · author page; IDs: simplerpc 4.1.3+release.0.

Archive: `SimpleRPC-4.1.4.jar`.

Simple Music Control

1.3.7 · both

Reduced delay between music tracks, next track keybind, creative music in survival, stop music on jukebox play

Required by: none declared.

Optional integration from: none declared.

simple_music_control → neoforge: required; range [21.0.0-beta,); both; runtime.
simple_music_control → minecraft: required; range [1.21,1.21.1]; both; runtime.

Source: pinned release; IDs: simple_music_control 1.3.7.

Archive: `simple_music_control-1.3.7+1.21.1.jar`.

Simple Snowy Fix (Forge / Fabric)

2.2.1 · both

Fixes incorrect snow generation on tree leaves MC-119599

Required by: none declared.

Optional integration from: none declared.

simple_snowy_fix → neoforge: required; range [21.1,); both; runtime.
simple_snowy_fix → minecraft: required; range [1.21.1,); both; runtime.

Source: pinned release; IDs: simple_snowy_fix 2.2.1.

Archive: `simple_snowy_fix-1.21.1-1.21.11-2.2.1-neoforge.jar`.

Simple Voice Chat

1.21.1-2.6.21; 2.6.20 · both

A working voice chat in Minecraft! The Simple Voice Chat API

Required by: none declared.

Optional integration from: none declared.

voicechat → neoforge: required; range [21.0.0-beta,); both; runtime.
voicechat → minecraft: required; range [1.21,1.21.1]; both; runtime.
voicechat → cloth_config: optional; range [15.0.127,); both; Cloth Config API (Fabric/Forge/NeoForge).

Source: pinned release · author page · author page; IDs: voicechat 1.21.1-2.6.21, voicechat_api 2.6.20.

Archive: `voicechat-neoforge-1.21.1-2.6.21.jar`.

Smart Completion

2.1.0 · both

Better suggestions for Minecraft commands Type only the initials of the words you want to type

Required by: none declared.

Optional integration from: none declared.

smartcompletion → neoforge: required; range [21.0,); both; runtime.
smartcompletion → minecraft: required; range [1.21,); both; runtime.

Source: pinned release · author page; IDs: smartcompletion 2.1.0.

Archive: `smartcompletion-1.21-neoforge-2.1.0.jar`.

Smarter Farmers (farmers replant)

1.21-2.2.4 · both

Makes Farmer Villagers smarter!

Required by: none declared.

Optional integration from: none declared.

smarterfarmers → neoforge: required; range [4,); both; runtime.
smarterfarmers → minecraft: required; range [1.21,1.22); both; runtime.
smarterfarmers → moonlight: required; range *; both; Moonlight Lib.

Source: pinned release · author page; IDs: smarterfarmers 1.21-2.2.4.

Archive: `smarterfarmers-1.21-2.2.4-neoforge.jar`.

Snow Under Trees

1.5.1 · both

Adds snow under trees in snowy biomes.

Required by: none declared.

Optional integration from: none declared.

snowundertrees → neoforge: required; range [21,); both; runtime.
snowundertrees → minecraft: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: snowundertrees 1.5.1.

Archive: `snowundertrees-1.21.1-1.5.1.jar`.

Sooty Chimneys

1.3.5 · *both*

Spiritual successor to campfires!

Required by: none declared.

Optional integration from: none declared.

sootychimneys → *neoforge*: required; range [21,); both; runtime.
sootychimneys → *minecraft*: required; range [1.21,); both; runtime.

Source: pinned release · author page; IDs: sootychimneys 1.3.5.

Archive: `sootychimneys-neoforge-1.3.5.jar`.

Sophisticated Backpacks

3.25.73 · *both*

Fancy and functional backpacks.

Required by: none declared.

Optional integration from: none declared.

sophisticatedbackpacks → *sophisticatedcore*: required; range [1.4.80,); both; Sophisticated Core.
sophisticatedbackpacks → *neoforge*: required; range [21.1.0,); both; runtime.
sophisticatedbackpacks → *minecraft*: required; range [1.21.1,1.21.2); both; runtime.

Source: pinned release · author page; IDs: sophisticatedbackpacks 3.25.73.

Archive: `sophisticatedbackpacks-1.21.1-3.25.73.2020.jar`.

Sophisticated Core

1.4.80 · *both*

A library / shared functionality mod for Sophisticated Storage and Backpacks

Required by: Sophisticated Backpacks.

Optional integration from: Etched.

sophisticatedcore → *jei*: optional; range [19.32.0.359,); client; Just Enough Items (JEI).
sophisticatedcore → *neoforge*: required; range [21.1.0,); both; runtime.
sophisticatedcore → *minecraft*: required; range [1.21.1,1.21.2); both; runtime.

Source: pinned release · author page; IDs: sophisticatedcore 1.4.80.

Archive: `sophisticatedcore-1.21.1-1.4.80.2194.jar`.

Soulplied Energistics

1.0.3 · *both*

A bridge addon for Industrial Foregoing souls and Applied Energistics

Required by: none declared.

Optional integration from: none declared.

soulplied_energistics → *neoforge*: required; range [21,); both; runtime.
soulplied_energistics → *minecraft*: required; range [1.21.1,1.22); both; runtime.
soulplied_energistics → *ae2*: required; range [19.0.20-beta,); both; Applied Energistics 2.
soulplied_energistics → *industrialforegoingsouls*: required; range [1.10.3,); both; Industrial Foregoing Souls.

Source: pinned release; IDs: soulplied_energistics 1.0.3.

Archive: `soulplied_energistics-1.0.3.jar`.

spark

1.10.124 · *both*

spark is a performance profiling plugin/mod for Minecraft clients, servers and proxies.

Required by: none declared.

Optional integration from: none declared.

spark → *neoforge*: required; range [20,); both; runtime.

Source: pinned release; IDs: spark 1.10.124.

Archive: `spark-1.10.124-neoforge.jar`.

Storage Delight (Forge & Neoforge)

26.07.01a-1.21-neoforge · *both*

A mod that adds more storage options to the game.

Required by: none declared.

Optional integration from: none declared.

storagedelight → *neoforge*: required; range [21.0.0-beta,); both; runtime.
storagedelight → *minecraft*: required; range [1.21,1.21.1); both; runtime.

Source: pinned release · author page; IDs: storagedelight 26.07.01a-1.21-neoforge.

Archive: `storagedelight-26.07.01a-1.21-neoforge.jar`.

Storage Labels

1.21-2.1.1 · *both*

Label everything!

Required by: none declared.

Optional integration from: none declared.

labels → *neoforge*: required; range *; both; runtime.
labels → *minecraft*: required; range [1.21.1]; both; runtime.
labels → *moonlight*: required; range [1.21-3.1.0c,); both; Moonlight Lib.

Source: pinned release · author page; IDs: labels 1.21-2.1.1.

Archive: `labels-neoforge-1.21-2.1.1.jar`.

Structure Essentials

5.0 · *both*

Essential Utilities for structures

Required by: none declared.

Optional integration from: none declared.

structureessentials → *minecraft*: required; range [1.21,1.30); both; runtime.
structureessentials → *cupboard*: required; range [1.21-1.4,); both; Cupboard.

Source: pinned release; IDs: structureessentials 5.0.

Archive: `structureessentials-1.21.1-5.0.jar`.

Structure Layout Optimizer

1.0.12 · *both*

An attempt at optimizing jigsaw generation

Required by: none declared.

Optional integration from: none declared.

structure_layout_optimizer → *neoforge*: required; range *; both; runtime.
structure_layout_optimizer → *minecraft*: required; range [1.21,1.22); both; runtime.
structure_layout_optimizer → *resourcefulconfig*: required; range *; both; Resourceful Config.

Source: pinned release · author page; IDs: structure_layout_optimizer 1.0.12.

Archive: `structure_layout_optimizer-neoforge-1.0.12.jar`.

Super Factory Manager (SFM)

4.34.0 · both

Adds a certain magical factory manager to the game. Automation is within your grasp!

Required by: none declared.

Optional integration from: none declared.

sfm → neoforge: required; range [21.0.0-beta,); both; runtime.
sfm → minecraft: required; range [1.21.1]; both; runtime.
sfm → mekanism: optional; range [10.3.2,); both; Mekanism.

Source: pinned release; IDs: sfm 4.34.0.

Archive: `SuperFactoryManager(SFM)-MC1.21.1-4.34.0.jar`.

SuperMartijn642's Config Lib

1.1.8 · both

Config Lib makes dealing with config files just a bit easier.

Required by: Durability Tooltip, Entangled, Rechiseled.

Optional integration from: none declared.

supermartijn642configlib → neoforge: required; range [21.0.78-beta,); both; runtime.
supermartijn642configlib → minecraft: required; range [1.21,1.22); both; runtime.

Source: pinned release · author page; IDs: supermartijn642configlib 1.1.8.

Archive: `supermartijn642configlib-1.1.8-neoforge-mc1.21.jar`.

SuperMartijn642's Core Lib

1.1.21 · both

SuperMartijn642's Core Lib adds lots of basic implementations for guis that allow for similar code between Minecraft 1.12, 1.14, 1.15, and 1.16!

Required by: Entangled, Rechiseled.

Optional integration from: none declared.

supermartijn642corelib → neoforge: required; range [21.0.102-beta,); both; runtime.
supermartijn642corelib → minecraft: required; range [1.21,1.21.2); both; runtime.

Source: pinned release · author page; IDs: supermartijn642corelib 1.1.21.

Archive: `supermartijn642corelib-1.1.21-neoforge-mc1.21.jar`.

Supplementaries

1.21.1-3.8.4 · both

Many functional and useful Vanilla+ blocks

Required by: Supplementaries Squared.

Optional integration from: none declared.

supplementaries → neoforge: required; range *; both; runtime.
supplementaries → minecraft: required; range 1.21.1; both; runtime.
supplementaries → moonlight: required; range [1.21-3.1.0c,]; both; Moonlight Lib.
supplementaries → create: optional; range [6.0.0,]; both; not indexed.
supplementaries → amendments: optional; range [1.21-2.0.0,]; both; Amendments.
supplementaries → farmersdelight: incompatible; range [0,1.3.0); both; Farmer's Delight.
supplementaries → sodium: incompatible; range [0,0.8.12-beta.1); both; not indexed.
sablecompanion → neoforge: required; range [21.1.80,); both; runtime.
sablecompanion → minecraft: required; range [1.21.1,); both; runtime.

Bundled: mixinsquared 0.3.3; sablecompanion 1.6.0

Source: pinned release · author page · author page; IDs: supplementaries 1.21.1-3.8.4.

Archive: `supplementaries-neoforge-1.21.1-3.8.4.jar`.

Supplementaries Squared

1.21-1.2.18 · both

Additional block variations for Supplementaries

Required by: none declared.

Optional integration from: none declared.

suppsquared → neoforge: required; range *; both; runtime.
suppsquared → minecraft: required; range [1.21.1]; both; runtime.
suppsquared → moonlight: required; range [1.21-2.29.17,); both; Moonlight Lib.
suppsquared → supplementaries: required; range [1.21-2.9.0,); both; Supplementaries.

Source: pinned release · author page; IDs: suppsquared 1.21-1.2.18.

Archive: `suppsquared-neoforge-1.21-1.2.18.jar`.

T

Tank Storage

1.1.1+1.21 · both

A portable fluid storage device.

Required by: none declared.

Optional integration from: none declared.

tankstorage → neoforge: required; range [21.1.0,); both; runtime.
tankstorage → minecraft: required; range [1.21.1,1.22); both; runtime.

Source: pinned release · author page; IDs: tankstorage 1.1.1+1.21.

Archive: `tankstorage-1.1.1+1.21.jar`.

Terralith

2.6.2 · both

Explore almost 100 new biomes consisting of both realism and light fantasy, using just Vanilla blocks. Complete with several immersive structures to compliment the overhauled terrain.

Required by: none declared.

Optional integration from: none declared.

terralith → lithostitched: required; range [1.7.7,); both; Lithostitched.
terralith → lithostitched: required; range [1.7.7,); both; Lithostitched.

Source: pinned release · author page; IDs: terralith 2.6.2.

Archive: `Terralith_1.21.x_v2.6.2.jar`.

The Block Box

0.1.3 · both

A collection of building blocks, furniture and decorations!

Required by: none declared.

Optional integration from: none declared.

blockbox → neoforge: required; range [21.1.92,); both; runtime.
blockbox → minecraft: required; range [1.21.1]; both; runtime.

Source: pinned release; IDs: blockbox 0.1.3.

Archive: `BlockBox-1.21.1-0.1.3.jar`.

TheObsidianBoat

21.1.2 · both

Adds an Obsidian Boat that works on lava

Required by: none declared.

Optional integration from: none declared.

obsidianboat → neoforge: required; range [1.0,); both; runtime.
obsidianboat → minecraft: required; range [1.21.1]; both; runtime.
obsidianboat → trenzalore: required; range [6.1.1,); both; Trenzalore.

Source: pinned release; IDs: obsidianboat 21.1.2.

Archive: `obsidianboat-neo-21.1.2+mc1.21.1.jar`.

Tide 2

2.1 · both

Expands the fishing system and adds 100+ new fish.

Required by: none declared.

Optional integration from: none declared.

tide → neoforge: required; range [21,); both; runtime.
tide → minecraft: required; range 1.21.1; both; runtime.
tide → cloth_config: required; range *; both; Cloth Config API (Fabric/Forge/NeoForge).

Source: pinned release; IDs: tide 2.1.

Archive: `tide-neoforge-1.21.1-2.1.jar`.

Tip of the Loom

21.1.3 · both

Adds tooltips to banner pattern buttons in the loom.

Required by: none declared.

Optional integration from: none declared.

tipoftheloom → neoforge: required; range [21.1.61,); both; runtime.
tipoftheloom → minecraft: required; range [1.21.1, 1.22); both; runtime.
tipoftheloom → bookshelf: required; range [21.1.10, 21.2); both; Bookshelf.
tipoftheloom → prickle: required; range [21.1, 21.2); both; Prickle.

Source: pinned release · author page; IDs: tipoftheloom 21.1.3.

Archive: `tipoftheloom-neoforge-1.21.1-21.1.3.jar`.

Tips

21.1.3 · client

Adds useful tips to various loading screens in game.

Required by: none declared.

Optional integration from: none declared.

tipsmod → neoforge: required; range [21.1.61,); both; runtime.
tipsmod → minecraft: required; range [1.21.1, 1.22); both; runtime.
tipsmod → bookshelf: required; range [21.1.10, 21.2); both; Bookshelf.
tipsmod → prickle: required; range [21.1, 21.2); both; Prickle.

Source: pinned release · author page; IDs: tipsmod 21.1.3.

Archive: `tipsmod-neoforge-1.21.1-21.1.3.jar`.

Titanium

4.0.45 · both

A Lib

Required by: Functional Storage, Industrial Foregoing Souls, Industrial Foregoing.

Optional integration from: none declared.

titanium → neoforge: required; range [21.0,); both; runtime.

Source: pinned release; IDs: titanium 4.0.45.

Archive: `titanium-1.21-4.0.45.jar`.

TNTUtils

1.21.1-2.0.4 · both

More control over explosions

Required by: none declared.

Optional integration from: none declared.

tntutils → neoforge: required; range [21.1.128,); both; runtime.
tntutils → minecraft: required; range [1.21.1, 1.21.2); both; runtime.

Source: pinned release · author page; IDs: tntutils 1.21.1-2.0.4.

Archive: `tntutils-neoforge-1.21.1-2.0.4.jar`.

Toast Control

9.0.1 · client

Blocking annoying popups since 1.12

Required by: none declared.

Optional integration from: none declared.

toastcontrol → minecraft: required; range [1.21.1,); both; runtime.
toastcontrol → neoforge: required; range [21.1.187,); both; runtime.
toastcontrol → placebo: required; range [9.9.0,); both; Placebo.

Source: pinned release; IDs: toastcontrol 9.0.1.

Archive: `ToastControl-1.21.1-9.0.1.jar`.

Too Fast

0.4.3.6 · both

Disables ”moved too quickly”.

Required by: none declared.

Optional integration from: none declared.

Source: pinned release · author page; IDs: toofast 0.4.3.6.

Archive: `toofast-1.21.0-0.4.3.6.jar`.

Torchmaster

21.1.9 · both

Special lamp and torch which prevents mob spawning.

Required by: none declared.

Optional integration from: none declared.

torchmaster → neoforge: required; range [21.1.41,); both; runtime.
torchmaster → minecraft: required; range [1.21.1, 1.22); both; runtime.

Source: pinned release; IDs: torchmaster 21.1.9.

Archive: `torchmaster-neoforge-1.21.1-21.1.9.jar`.

Touhou Little Maid

1.5.3-neoforge+mc1.21.1 · both

A new version of the minecraft mod inspired by the LittleMaidReengaged mod.

Required by: none declared.

Optional integration from: none declared.

touhou_little_maid → neoforge: required; range [21,); both; runtime.
touhou_little_maid → minecraft: required; range [1.21.1,1.21.2); both; runtime.
touhou_little_maid → kubejs: optional; range [2101.7.2-build.309,); both; KubeJS.

Source: pinned release · author page; IDs: touhou_little_maid 1.5.3-neoforge+mc1.21.1.

Archive: `touhoulittlemaid-1.5.3-neoforge+mc1.21.1.jar`.

Trade Cycling

1.21.1-1.0.18 · both

The trade cycling functionality from Easy Villagers.

Required by: none declared.

Optional integration from: none declared.

trade_cycling → neoforge: required; range [21.0.0-beta,); both; runtime.
trade_cycling → minecraft: required; range [1.21,1.21.1]; both; runtime.

Source: pinned release · author page; IDs: trade_cycling 1.21.1-1.0.18.

Archive: `trade-cycling-neoforge-1.21.1-1.0.18.jar`.

Transmog

1.6.0 · both

Change the appearance of your items without modifying their behavior/stats!

Required by: none declared.

Optional integration from: none declared.

transmog → neoforge: required; range [21.1.90,); both; runtime.
transmog → minecraft: required; range [1.21.1,1.21.2); both; runtime.

Source: pinned release; IDs: transmog 1.6.0.

Archive: `transmog-neoforge-1.6.0+1.21.1.jar`.

TrashSlot

21.1.11 · both

Adds a trash slot to the inventory screen that allows deletion of unwanted items.

Required by: none declared.

Optional integration from: none declared.

trashslot → neoforge: required; range [21-beta,); both; runtime.
trashslot → minecraft: required; range [1.21,); both; runtime.
trashslot → balm: required; range [21.0.39,); both; Balm.

Source: pinned release · author page; IDs: trashslot 21.1.11.

Archive: `trashslot-neoforge-1.21.1-21.1.11.jar`.

Trenzalore

6.1.1 · both

This mod adds a few small helpers to provide compatibility with Forge / Fabric.

Required by: TheObsidianBoat.

Optional integration from: none declared.

trenzalore → neoforge: required; range [1.0,); both; runtime.
trenzalore → minecraft: required; range [1.21.1]; both; runtime.

Source: pinned release; IDs: trenzalore 6.1.1.

Archive: `trenzalore-neo-6.1.1+mc1.21.1.jar`.

Trofers

8.0.1 · both

Adds trophies that can be customized through data packs

Required by: none declared.

Optional integration from: none declared.

trofers → neoforge: required; range *; both; runtime.
trofers → minecraft: required; range [1.21.1]; both; runtime.
trofers → architectury: required; range *; both; Architectury API.
trofers → cloth_config: required; range *; both; Cloth Config API (Fabric/Forge/NeoForge).

Source: pinned release · author page; IDs: trofers 8.0.1.

Archive: `trofers-neoforge-8.0.1.jar`.

TslatEntityStatus (TES)

1.8.3 · both

View entity health and other statuses. Make smacking things fun again!

Required by: none declared.

Optional integration from: none declared.

tslatentitystatus → neoforge: required; range [21.1.0,); both; runtime.
tslatentitystatus → minecraft: required; range [1.21,); both; runtime.

Source: pinned release; IDs: tslatentitystatus 1.8.3.

Archive: `TES-neoforge-1.21.1-1.8.3.jar`.

U

Umapyoi

1.4.12-1.21.1 · both

(On your marks Get set… Go!) Ooooooooooh (horsey-buds!) Ooooooh (horsey-hop! horsey-hop!) Horsey horsey meowsy meowsy 3 2 1 Fight!!

Required by: none declared.

Optional integration from: none declared.

umapyoi → neoforge: required; range [21.1.0,); both; runtime.
umapyoi → minecraft: required; range [1.21.1,1.22); both; runtime.
umapyoi → mysterious_mountain_lib: required; range [1.2.14-1.21.1,); both; Mysterious Mountain Lib.
umapyoi → curios: required; range [9.0.5+1.21,); both; Curios API (Forge/NeoForge).

Source: pinned release; IDs: umapyoi 1.4.12-1.21.1.

Archive: `umapyoi-1.4.12-1.21.1.jar`.

Unbreakables

21.1.15 · both

Configure blocks to be unbreakable under certain conditions. Compatible with Waystones.

Required by: none declared.

Optional integration from: none declared.

unbreakables → neoforge: required; range [21-beta,); both; runtime.
unbreakables → minecraft: required; range [1.21,); both; runtime.
unbreakables → balm: required; range [21.0.55,); both; Balm.

Source: pinned release · author page; IDs: unbreakables 21.1.15.

Archive: `unbreakables-neoforge-1.21.1-21.1.15.jar`.

Underground Bunkers

1.0.4 · both

Randomly generated bunkers hidden underground...

Required by: none declared.

Optional integration from: none declared.

underground_bunkers → neoforge: required; range [21.0.0-beta,); both; runtime.
underground_bunkers → minecraft: required; range [1.21,1.21.1); both; runtime.

Source: pinned release · author page; IDs: underground_bunkers 1.0.4.

Archive: `UndergroundBunkers-1.0.4-1.21.x-neoforge.jar`.

[UNOFFICIAL] TaCZ NeoForge Port

1.1.8-hotfix-r5 · both

Unofficial port of Timeless and Classics Zero to 1.21.1 NeoForge

Author page excerpt, observed 2026-09-08; project summary.

Required by: none declared.

Optional integration from: none declared.

simplebedrockmodel → neoforge: required; range [21,); both; runtime.
simplebedrockmodel → minecraft: required; range [1.21.1,1.22); both; runtime.

Bundled: simplebedrockmodel 2.2.1-neoforge+mc1.21.1

Source: pinned release; IDs: tacz 1.1.8-hotfix-r5.

Archive: `tacz-neoforge-1.21.1-1.1.8-hotfix-r5.jar`.

W

Waystones

21.1.38 · both

Teleport back to activated waystones. For Survival, Adventure or Servers.

Required by: none declared.

Optional integration from: FTB XMod Compat.

waystones → neoforge: required; range [21-beta,); both; runtime.
waystones → minecraft: required; range [1.21,); both; runtime.
waystones → balm: required; range [21.0.39,); both; Balm.

Source: pinned release · author page; IDs: waystones 21.1.38.

Archive: `waystones-neoforge-1.21.1-21.1.38.jar`.

What The Bucket

21.1.1 · both

Fixes MC-151457 which resulted in some bucket variants not producing an empty bucket when used as an ingredient.

Required by: none declared.

Optional integration from: none declared.

whatthebucket → neoforge: required; range [21.1.61,); both; runtime.
whatthebucket → minecraft: required; range [1.21.1, 1.22); both; runtime.
whatthebucket → bookshelf: required; range [21.1, 21.2); both; Bookshelf.
whatthebucket → prickle: required; range [21.1, 21.2); both; Prickle.

Source: pinned release · author page; IDs: whatthebucket 21.1.1.

Archive: `whatthebucket-neoforge-1.21.1-21.1.1.jar`.

When Dungeons Arise - Forge!

2.1.68 · both

Elegant - and likely dangerous - structures and roguelike dungeons to lose yourself in...

Required by: none declared.

Optional integration from: none declared.

dungeons_arise → neoforge: required; range [21.0.0-beta,); both; runtime.
dungeons_arise → minecraft: required; range [1.21,1.21.1); both; runtime.

Source: pinned release; IDs: dungeons_arise 2.1.68.

Archive: `DungeonsArise-1.21.1-2.1.68-release.jar`.

When Dungeons Arise - Seven Seas

1.0.4 · both

Elegant - and likely dangerous - vessels lost in the seven seas...

Required by: none declared.

Optional integration from: none declared.

dungeons_arise_seven_seas → neoforge: required; range [21,); server; runtime.
dungeons_arise_seven_seas → minecraft: required; range [1.20, 1.22); server; runtime.

Source: pinned release; IDs: dungeons_arise_seven_seas 1.0.4.

Archive: `DungeonsAriseSevenSeas-1.21.x-1.0.4-neoforge.jar`.

WITS (What Is This Structure?)

1.3.1 · both

Use ‘wits‘ command to get registry name of all structures where you are standing.

Required by: none declared.

Optional integration from: none declared.

wits → neoforge: required; range *; both; runtime.
wits → minecraft: required; range [1.21,); both; runtime.

Source: pinned release · author page; IDs: wits 1.3.1.

Archive: `wits-neoforge-1.3.1.jar`.

WorldEdit

7.3.8+6939-7d32b45 · server

WorldEdit is an easy-to-use in-game world editor for Minecraft, supporting both single- and multi-player.

Required by: none declared.

Optional integration from: none declared.

worldedit → minecraft: required; range [1.21,1.22); both; runtime.
worldedit → neoforge: required; range [21.0.16-beta,); both; runtime.

Source: pinned release · author page; IDs: worldedit 7.3.8+6939-7d32b45.

Archive: `worldedit-mod-7.3.8.jar`.

X

XNet

1.21-7.0.7 · both

Powerful item/fluid/energy transfer

Required by: XNet Gases.

Optional integration from: none declared.

xnet → neoforge: required; range [21.0,); both; runtime.

xnet → *mcjtylib*: required; range [1.21-9.0.21,); both; McJtyLib.
xnet → *rftoolsbase*: required; range [1.21-6.0.11,); both; RFTools Base.
Source: pinned release · author page; IDs: xnet 1.21-7.0.7.
Archive: `xnet-1.21-7.0.7.jar`.

XNet Gases

6.0.2 · both

A simple addon for XNet that enables the movement of chemicals from Mekanism.

Required by: none declared.

Optional integration from: none declared.

xnetgases → *neoforge*: required; range [21.1.0,); both; runtime.
xnetgases → *minecraft*: required; range [1.21.1,); both; runtime.
xnetgases → *mekanism*: required; range [1.21.1-10,); both; Mekanism.
xnetgases → *xnet*: required; range [1.21-7,); both; XNet.
Source: pinned release; IDs: xnetgases 6.0.2.
Archive: `xnetgases-1.21.1-6.0.2.jar`.

Y

Yeetus Experimentus

87.0.0 · client

Disables the Experimental Settings popup, which appears when you create or load world.

Required by: none declared.

Optional integration from: none declared.

yeetusexperimentus → *neoforge*: required; range [21,); both; runtime.
yeetusexperimentus → *minecraft*: required; range [1.21,); both; runtime.
Source: pinned release; IDs: yeetusexperimentus 87.0.0.
Archive: `yeetusexperimentus-neoforge-87.0.0.jar`.

YetAnotherConfigLib

3.8.2+1.21.1-neoforge · both

YetAnotherConfigLib (yacl) is just that. A builder-based configuration library for Minecraft.

Required by: Bridging Mod.

Optional integration from: Effect Timer Plus.

Source: pinned release; IDs: yet_another_config_lib_v3 3.8.2+1.21.1-neoforge.
Archive: `yet_another_config_lib_v3-3.8.2+1.21.1-neoforge.jar`.

You're in Grave Danger

2.0.13 · both

Adds graves and some other stuff to the game

Required by: none declared.

Optional integration from: none declared.

yigd → *neoforge*: required; range [21.1.0,); both; runtime.
yigd → *minecraft*: required; range [1.21,1.21.1); both; runtime.
Source: pinned release; IDs: yigd 2.0.13.
Archive: `youre-in-grave-danger-neoforge-2.0.13.jar`.

You've Goat to be Kidding Me!

1.21-1.4.3 · both

Ram blocks for automation, Viking helmets and Geeps!

Required by: none declared.

Optional integration from: none declared.

goated → neoforge: required; range [4,); both; runtime.
goated → minecraft: required; range [1.21,1.21.2); client; runtime.
goated → moonlight: required; range [1.21-2.14.19,]; both; Moonlight Lib.

Source: pinned release · author page; IDs: goated 1.21-1.4.3.

Archive: `goated-1.21-1.4.3-neoforge.jar`.

YUNG's API (NeoForge)

1.21.1-NeoForge-5.1.6 · both

API Library for YUNG's minecraft mods.

Required by: YUNG's Better Dungeons (NeoForge), YUNG's Better Jungle Temples (NeoForge), YUNG's Better Mineshafts (NeoForge), YUNG's Better Nether Fortresses (NeoForge), YUNG's Better Ocean Monuments (NeoForge), YUNG's Better Strongholds (NeoForge), YUNG's Better Witch Huts (NeoForge), YUNG's Extras (NeoForge).

Optional integration from: none declared.

yungsapi → minecraft: required; range [1.21, 1.22); both; runtime.
yungsapi → neoforge: required; range [21.0.0,); both; runtime.

Source: pinned release · author page; IDs: yungsapi 1.21.1-NeoForge-5.1.6.

Archive: `YungsApi-1.21.1-NeoForge-5.1.6.jar`.

YUNG's Better Dungeons (NeoForge)

1.21.1-NeoForge-5.1.4 · both

A complete redesign of Minecraft's dungeons!

Required by: none declared.

Optional integration from: none declared.

betterdungeons → minecraft: required; range [1.21, 1.22); both; runtime.
betterdungeons → neoforge: required; range [21.0.0,); both; runtime.
betterdungeons → yungsapi: required; range [1.21.1-NeoForge-5.1.3,); both; YUNG's API (NeoForge).

Source: pinned release · author page; IDs: betterdungeons 1.21.1-NeoForge-5.1.4.

Archive: `YungsBetterDungeons-1.21.1-NeoForge-5.1.4.jar`.

YUNG's Better Jungle Temples (NeoForge)

1.21.1-NeoForge-3.1.2 · both

A complete redesign of Minecraft's Jungle Temples!

Required by: none declared.

Optional integration from: none declared.

betterjungletemples → minecraft: required; range [1.21, 1.22); both; runtime.
betterjungletemples → neoforge: required; range [21.0.0,); both; runtime.
betterjungletemples → yungsapi: required; range [1.21.1-NeoForge-5.1.3,); both; YUNG's API (NeoForge).

Source: pinned release · author page; IDs: betterjungletemples 1.21.1-NeoForge-3.1.2.

Archive: `YungsBetterJungleTemples-1.21.1-NeoForge-3.1.2.jar`.

YUNG's Better Mineshafts (NeoForge)

1.21.1-NeoForge-5.1.1 · both

The long-awaited and much-needed abandoned mineshaft overhaul!

Required by: none declared.

Optional integration from: none declared.

bettermineshafts → minecraft: required; range [1.21, 1.22); both; runtime.
bettermineshafts → neoforge: required; range [21.0.0,); both; runtime.
bettermineshafts → yungsapi: required; range [1.21.1-NeoForge-5.1.2,); both; YUNG's API (NeoForge).

Source: pinned release · author page; IDs: bettermineshafts 1.21.1-NeoForge-5.1.1.

Archive: `YungsBetterMineshafts-1.21.1-NeoForge-5.1.1.jar`.

YUNG's Better Nether Fortresses (NeoForge)

1.21.1-NeoForge-3.1.5 · both

A complete redesign of Minecraft's Nether Fortresses!

Required by: none declared.

Optional integration from: none declared.

betterfortresses → minecraft: required; range [1.21, 1.22); both; runtime.
betterfortresses → neoforge: required; range [21.0.0,); both; runtime.
betterfortresses → yungsapi: required; range [1.21.1-NeoForge-5.1.4,); both; YUNG's API (NeoForge).

Source: pinned release · author page; IDs: betterfortresses 1.21.1-NeoForge-3.1.5.

Archive: `YungsBetterNetherFortresses-1.21.1-NeoForge-3.1.5.jar`.

YUNG's Better Ocean Monuments (NeoForge)

1.21.1-NeoForge-4.1.2 · both

A complete redesign of Minecraft's ocean monuments!

Required by: none declared.

Optional integration from: none declared.

betteroceanmonuments → minecraft: required; range [1.21, 1.22); both; runtime.
betteroceanmonuments → neoforge: required; range [21.0.0,); both; runtime.
betteroceanmonuments → yungsapi: required; range [1.21.1-NeoForge-5.1.3,); both; YUNG's API (NeoForge).

Source: pinned release · author page; IDs: betteroceanmonuments 1.21.1-NeoForge-4.1.2.

Archive: `YungsBetterOceanMonuments-1.21.1-NeoForge-4.1.2.jar`.

YUNG's Better Strongholds (NeoForge)

1.21.1-NeoForge-5.1.3 · both

A complete redesign of Minecraft's strongholds!

Required by: none declared.

Optional integration from: none declared.

betterstrongholds → minecraft: required; range [1.21, 1.22); both; runtime.
betterstrongholds → neoforge: required; range [21.0.0,); both; runtime.
betterstrongholds → yungsapi: required; range [1.21.1-NeoForge-5.1.4,); both; YUNG's API (NeoForge).

Source: pinned release · author page; IDs: betterstrongholds 1.21.1-NeoForge-5.1.3.

Archive: `YungsBetterStrongholds-1.21.1-NeoForge-5.1.3.jar`.

YUNG's Better Witch Huts (NeoForge)

1.21.1-NeoForge-4.1.1 · both

Adds new and improved witch huts to swamps!

Required by: none declared.

Optional integration from: none declared.

betterwitchhuts → minecraft: required; range [1.21, 1.22); both; runtime.
betterwitchhuts → neoforge: required; range [21.0.0,); both; runtime.
betterwitchhuts → yungsapi: required; range [1.21.1-NeoForge-5.1.2,); both; YUNG's API (NeoForge).

Source: pinned release · author page; IDs: betterwitchhuts 1.21.1-NeoForge-4.1.1.

Archive: `YungsBetterWitchHuts-1.21.1-NeoForge-4.1.1.jar`.

YUNG's Extras (NeoForge)

1.21.1-NeoForge-5.1.1 · both

Extra structures and vanilla+ content added throughout the game!

Required by: none declared.

Optional integration from: none declared.

yungsextras → minecraft: required; range [1.21, 1.22); both; runtime.
yungsextras → neoforge: required; range [21.0.0,); both; runtime.
yungsextras → yungsapi: required; range [1.21.1-NeoForge-5.1.2,); both; YUNG's API (NeoForge).

Source: pinned release · author page; IDs: yungsextras 1.21.1-NeoForge-5.1.1.

Archive: `YungsExtras-1.21.1-NeoForge-5.1.1.jar`.

Z

Zume

1.2.2 · both

An over-engineered Zoom mod by Nolij

Required by: none declared.

Optional integration from: none declared.

zume → neoforge: required; range [20.4.195,); client; runtime.
zume → minecraft: required; range [1.20.4,); client; runtime.

Source: pinned release · author page; IDs: zume 1.2.2.

Archive: `zume-1.2.2.jar`.