

MYSQL Table Data Job Creation Details

1. Create a log table

```
CREATE TABLE IF NOT EXISTS akasa_disposition_archive_log (  
  id BIGINT AUTO_INCREMENT PRIMARY KEY,  
  execution_time DATETIME NOT NULL,  
  archive_cutoff_date DATE NOT NULL,  
  inserted_rows BIGINT DEFAULT 0,  
  deleted_rows BIGINT DEFAULT 0,  
  status VARCHAR(20) NOT NULL,  
  message VARCHAR(1000),  
  completed_at DATETIME  
);
```

2. Create the Event

For example, schedule it daily at 2:30 AM:

```
DELIMITER $$
```

```
CREATE EVENT IF NOT EXISTS archive_akasa_disposition  
ON SCHEDULE EVERY 1 DAY  
STARTS '2026-08-28 02:30:00'  
DO  
BEGIN
```

```
  DECLARE v_inserted_rows BIGINT DEFAULT 0;  
  DECLARE v_deleted_rows BIGINT DEFAULT 0;  
  DECLARE v_cutoff_date DATE;
```

```
  SET v_cutoff_date = CURDATE() - INTERVAL 90 DAY;
```

```
  START TRANSACTION;
```

```
  BEGIN
```

```
    DECLARE EXIT HANDLER FOR SQLEXCEPTION  
    BEGIN
```

```
      ROLLBACK;
```

```
      INSERT INTO akasa_disposition_archive_log  
      (  
        execution_time,  
        archive_cutoff_date,  
        inserted_rows,  
        deleted_rows,  
        status,  
        message,  
        completed_at  
      )  
      VALUES  
      (  
        NOW(),  
        v_cutoff_date,  
        v_inserted_rows,
```

```

        v_deleted_rows,
        'FAILED',
        'Archive INSERT/DELETE failed. Transaction rolled back.',
        NOW()
    );

END;

INSERT INTO akasa_disposition_History
SELECT *
FROM akasa_disposition
WHERE created_at <= v_cutoff_date;

SET v_inserted_rows = ROW_COUNT();

DELETE FROM akasa_disposition
WHERE created_at <= v_cutoff_date;

SET v_deleted_rows = ROW_COUNT();

COMMIT;

INSERT INTO akasa_disposition_archive_log
(
    execution_time,
    archive_cutoff_date,
    inserted_rows,
    deleted_rows,
    status,
    message,
    completed_at
)
VALUES
(
    NOW(),
    v_cutoff_date,
    v_inserted_rows,
    v_deleted_rows,
    'SUCCESS',
    'Archive and delete completed successfully.',
    NOW()
);

END;

END$$

DELIMITER ;

```

3. Check the log

After the event runs:

```

SELECT *
FROM akasa_disposition_archive_log
ORDER BY id DESC;

```