

Query :

Find the blocking query

```
SELECT
  dlw.REQUESTING_ENGINE_TRANSACTION_ID AS waiting_trx_id,
  dlw.BLOCKING_ENGINE_TRANSACTION_ID AS blocking_trx_id,

  wt.PROCESSLIST_ID AS waiting_session_id,
  wt.PROCESSLIST_USER AS waiting_user,
  wt.PROCESSLIST_HOST AS waiting_host,
  wt.PROCESSLIST_DB AS waiting_db,
  wt.PROCESSLIST_INFO AS waiting_sql,

  bt.PROCESSLIST_ID AS blocking_session_id,
  bt.PROCESSLIST_USER AS blocking_user,
  bt.PROCESSLIST_HOST AS blocking_host,
  bt.PROCESSLIST_DB AS blocking_db,
  bt.PROCESSLIST_INFO AS blocking_sql

FROM performance_schema.data_lock_waits dlw

JOIN performance_schema.threads wt
  ON wt.THREAD_ID = dlw.REQUESTING_THREAD_ID

JOIN performance_schema.threads bt
  ON bt.THREAD_ID = dlw.BLOCKING_THREAD_ID;
```

Find the actual lock information

```
SELECT
  ENGINE_TRANSACTION_ID,
  THREAD_ID,
  EVENT_ID,
  OBJECT_SCHEMA,
  OBJECT_NAME,
  INDEX_NAME,
  LOCK_TYPE,
  LOCK_MODE,
  LOCK_STATUS,
  LOCK_DATA
FROM performance_schema.data_locks;
```

Long Running Transaction :

```
SELECT
  trx_id,
  trx_state,
  trx_started,
  trx_wait_started,
  trx_mysql_thread_id,
  trx_rows_locked,
  trx_rows_modified,
  trx_query
FROM information_schema.innodb_trx
ORDER BY trx_started;
```