

1. Directory structure

```
sudo mkdir -p /usr/local/mysql-monitor/{reports,logs}
```

Final structure :

```
/usr/local/mysql-monitor/  
├── config.conf  
├── generate_html_report.sh  
├── cpu_monitor.sh  
├── reports/  
└── logs/
```

2. Config.conf

```
sudo vi /usr/local/mysql-monitor/config.conf
```

```
MYSQL_HOST="127.0.0.1"  
MYSQL_PORT="3306"  
MYSQL_USER="monitor_user"
```

```
CPU_THRESHOLD=90  
MEMORY_THRESHOLD=90  
DISK_THRESHOLD=85
```

```
CONNECTION_WARNING=80  
CONNECTION_CRITICAL=90
```

```
LONG_QUERY_SECONDS=300
```

```
BACKUP_DIR="/backup/mysql"
```

```
BASE_DIR="/usr/local/mysql-monitor"  
REPORT_DIR="${BASE_DIR}/reports"  
LOG_DIR="${BASE_DIR}/logs"
```

```
vi ~/.my.cnf
```

```
[client]  
user=monitor_user  
password=YOUR_PASSWORD  
host=127.0.0.1  
port=3306
```

```
chmod 600 ~/.my.cnf
```

```
sudo vi /usr/local/mysql-monitor/generate_html_report.sh
```

```

#!/bin/bash

# =====
# MySQL DBA HTML Health Report
# =====

source /usr/local/mysql-monitor/config.conf

DATE=$(date '+%Y-%m-%d %H:%M:%S')
DAY=$(date '+%Y-%m-%d')

REPORT_DIR="${REPORT_DIR}/${DAY}"

mkdir -p "$REPORT_DIR"
mkdir -p "$LOG_DIR"

HTML_FILE="${REPORT_DIR}/mysql_health_report.html"

# =====
# VARIABLES
# =====

PASS=0
WARNING=0
CRITICAL=0

# =====
# MYSQL SERVICE
# =====

if systemctl is-active --quiet mysql; then
    MYSQL_STATUS="RUNNING"
    MYSQL_STATUS_CLASS="pass"
    MYSQL_STATUS_TEXT=" PASS"
    PASS=$((PASS+1))
else
    MYSQL_STATUS="DOWN"
    MYSQL_STATUS_CLASS="critical"
    MYSQL_STATUS_TEXT=" CRITICAL"
    CRITICAL=$((CRITICAL+1))
fi

# =====
# MYSQL CONNECTION
# =====

if mysql -e "SELECT 1;" >/dev/null 2>&1; then
    MYSQL_CONNECTION="SUCCESS"
    MYSQL_CONNECTION_CLASS="pass"
    MYSQL_CONNECTION_TEXT=" PASS"
    PASS=$((PASS+1))
else
    MYSQL_CONNECTION="FAILED"
    MYSQL_CONNECTION_CLASS="critical"
    MYSQL_CONNECTION_TEXT=" CRITICAL"

```

```

    CRITICAL=$((CRITICAL+1))
fi

# =====
# CPU
# =====

CPU=$(top -bn1 | awk '/Cpu\s\)/ {
    printf "%.0f", 100 - $8
}')

if [ -z "$CPU" ]; then
    CPU=0
fi

if [ "$CPU" -ge "$CPU_THRESHOLD" ]; then
    CPU_CLASS="critical"
    CPU_STATUS=" CRITICAL"
    CRITICAL=$((CRITICAL+1))
else
    CPU_CLASS="pass"
    CPU_STATUS=" PASS"
    PASS=$((PASS+1))
fi

# =====
# MEMORY
# =====

MEMORY=$(free | awk '/Mem:/ {
    printf "%.0f", ($3/$2)*100
}')

if [ "$MEMORY" -ge "$MEMORY_THRESHOLD" ]; then
    MEMORY_CLASS="critical"
    MEMORY_STATUS=" CRITICAL"
    CRITICAL=$((CRITICAL+1))
else
    MEMORY_CLASS="pass"
    MEMORY_STATUS=" PASS"
    PASS=$((PASS+1))
fi

# =====
# DISK
# =====

DISK=$(df -P /var/lib/mysql 2>/dev/null |
    awk 'NR==2 {gsub("%", "", $5); print $5}')

if [ -z "$DISK" ]; then
    DISK=0
fi

```

```

if [ "$DISK" -ge "$DISK_THRESHOLD" ]; then
    DISK_CLASS="critical"
    DISK_STATUS=" CRITICAL"
    CRITICAL=$((CRITICAL+1))
else
    DISK_CLASS="pass"
    DISK_STATUS=" PASS"
    PASS=$((PASS+1))
fi

# =====
# CONNECTIONS
# =====

CURRENT_CONNECTIONS=$(mysql -N -e \
"SHOW GLOBAL STATUS LIKE 'Threads_connected';" |
awk '{print $2}')

MAX_CONNECTIONS=$(mysql -N -e \
"SHOW VARIABLES LIKE 'max_connections';" |
awk '{print $2}')

if [ -n "$CURRENT_CONNECTIONS" ] &&
   [ -n "$MAX_CONNECTIONS" ] &&
   [ "$MAX_CONNECTIONS" -gt 0 ]; then

    CONNECTION_PERCENT=$((CURRENT_CONNECTIONS * 100 / MAX_CONNECTIONS))

else

    CURRENT_CONNECTIONS=0
    MAX_CONNECTIONS=0
    CONNECTION_PERCENT=0

fi

if [ "$CONNECTION_PERCENT" -ge "$CONNECTION_CRITICAL" ]; then

    CONNECTION_CLASS="critical"
    CONNECTION_STATUS=" CRITICAL"
    CRITICAL=$((CRITICAL+1))

elif [ "$CONNECTION_PERCENT" -ge "$CONNECTION_WARNING" ]; then

    CONNECTION_CLASS="warning"
    CONNECTION_STATUS=" WARNING"
    WARNING=$((WARNING+1))

else

    CONNECTION_CLASS="pass"
    CONNECTION_STATUS=" PASS"
    PASS=$((PASS+1))

fi

```

```

# =====
# LONG RUNNING QUERIES
# =====

LONG_QUERY_COUNT=$(mysql -N -e "
SELECT COUNT(*)
FROM information_schema.PROCESSLIST
WHERE COMMAND <> 'Sleep'
AND TIME >= ${LONG_QUERY_SECONDS};
")

if [ -z "$LONG_QUERY_COUNT" ]; then
    LONG_QUERY_COUNT=0
fi

if [ "$LONG_QUERY_COUNT" -gt 0 ]; then
    LONG_QUERY_CLASS="warning"
    LONG_QUERY_STATUS=" WARNING"
    WARNING=$((WARNING+1))
else
    LONG_QUERY_CLASS="pass"
    LONG_QUERY_STATUS=" PASS"
    PASS=$((PASS+1))
fi

# =====
# LONG QUERY DETAILS
# =====

LONG_QUERY_DETAILS=$(mysql -e "
SELECT
    ID,
    USER,
    DB,
    TIME,
    STATE,
    LEFT(INFO,120) AS QUERY
FROM information_schema.PROCESSLIST
WHERE COMMAND <> 'Sleep'
AND TIME >= ${LONG_QUERY_SECONDS}
ORDER BY TIME DESC;
" 2>/dev/null)

# =====
# DEADLOCKS
# =====

DEADLOCKS=$(mysql -N -e \
"SHOW GLOBAL STATUS LIKE 'Innodb_deadlocks';" |
awk '{print $2}')

if [ -z "$DEADLOCKS" ]; then

```

```

DEADLOCKS=0
fi

if [ "$DEADLOCKS" -gt 0 ]; then
    DEADLOCK_CLASS="warning"
    DEADLOCK_STATUS=" WARNING"
    WARNING=$((WARNING+1))
else
    DEADLOCK_CLASS="pass"
    DEADLOCK_STATUS=" PASS"
    PASS=$((PASS+1))
fi

# =====
# REPLICATION
# =====

REPL_STATUS=$(mysql -e "SHOW REPLICA STATUS\G" 2>/dev/null)

if [ -z "$REPL_STATUS" ]; then

    REPLICATION="NOT CONFIGURED"
    REPLICATION_CLASS="pass"
    REPLICATION_STATUS=" N/A"

else

    IO_RUNNING=$(echo "$REPL_STATUS" |
        awk -F': ' '/Replica_IO_Running:/ {print $2}')

    SQL_RUNNING=$(echo "$REPL_STATUS" |
        awk -F': ' '/Replica_SQL_Running:/ {print $2}')

    REPL_LAG=$(echo "$REPL_STATUS" |
        awk -F': ' '/Seconds_Behind_Source:/ {print $2}')

    if [ -z "$REPL_LAG" ]; then
        REPL_LAG="NULL"
    fi

    if [[ "$IO_RUNNING" == "Yes" &&
        "$SQL_RUNNING" == "Yes" ]]; then

        REPLICATION="RUNNING"
        REPLICATION_CLASS="pass"
        REPLICATION_STATUS=" PASS"
        PASS=$((PASS+1))

    else

        REPLICATION="STOPPED"
        REPLICATION_CLASS="critical"
        REPLICATION_STATUS=" CRITICAL"
        CRITICAL=$((CRITICAL+1))
    fi
fi

```

```

fi

fi

# =====
# BACKUP
# =====

if [ -d "$BACKUP_DIR" ]; then

    LAST_BACKUP=$(find "$BACKUP_DIR" \
        -type f \
        -printf '%T@ %p\n' 2>/dev/null |
        sort -n |
        tail -1 |
        cut -d' ' -f2-)

else

    LAST_BACKUP=""

fi

if [ -n "$LAST_BACKUP" ]; then

    BACKUP_TIME=$(stat -c %Y "$LAST_BACKUP")
    CURRENT_TIME=$(date +%s)

    BACKUP_AGE=$((CURRENT_TIME-BACKUP_TIME))
    BACKUP_AGE_HOURS=$((BACKUP_AGE/3600))

    if [ "$BACKUP_AGE_HOURS" -le 24 ]; then

        BACKUP_STATUS="SUCCESS"
        BACKUP_CLASS="pass"
        BACKUP_STATUS_TEXT=" PASS"
        PASS=$((PASS+1))

    else

        BACKUP_STATUS="OLD"
        BACKUP_CLASS="critical"
        BACKUP_STATUS_TEXT=" CRITICAL"
        CRITICAL=$((CRITICAL+1))

    fi

else

    BACKUP_STATUS="NOT FOUND"
    BACKUP_AGE_HOURS="N/A"
    BACKUP_CLASS="critical"
    BACKUP_STATUS_TEXT=" CRITICAL"
    CRITICAL=$((CRITICAL+1))

fi

```

```
# =====
# OVERALL STATUS
# =====

if [ "$CRITICAL" -gt 0 ]; then

    OVERALL=" CRITICAL"
    OVERALL_CLASS="critical"

elif [ "$WARNING" -gt 0 ]; then

    OVERALL=" WARNING"
    OVERALL_CLASS="warning"

else

    OVERALL=" HEALTHY"
    OVERALL_CLASS="pass"

fi

# =====
# GENERATE HTML
# =====

cat > "$HTML_FILE" <<EOF
<!DOCTYPE html>

<html>

<head>

<meta charset="UTF-8">

<meta name="viewport"
content="width=device-width, initial-scale=1.0">

<title>MySQL DBA Health Report</title>

<style>

* {
    box-sizing: border-box;
}

body {

    margin: 0;

    padding: 30px;

    font-family:
    Arial,
    Helvetica,
```



```
sans-serif;

background: #f4f6f9;

color: #222;
}

.container {

    max-width: 1200px;

    margin: auto;
}

.header {

    background:
        linear-gradient(
            135deg,
            #0066cc,
            #003f88
        );

    color: white;

    padding: 30px;

    border-radius: 12px;

    margin-bottom: 25px;

    box-shadow:
        0 4px 12px
        rgba(0,0,0,0.15);
}

.header h1 {

    margin: 0 0 15px 0;
}

.header p {

    margin: 5px 0;
}

.summary {

    display: grid;

    grid-template-columns:
        repeat(4, 1fr);

    gap: 15px;
```

```
    margin-bottom: 25px;
}
```

```
.card {

    background: white;

    padding: 20px;

    border-radius: 10px;

    text-align: center;

    box-shadow:
    0 2px 8px
    rgba(0,0,0,0.08);
}
```

```
.card h3 {

    color: #777;

    margin: 0;

    font-size: 14px;
}
```

```
.number {

    font-size: 30px;

    font-weight: bold;

    margin-top: 10px;
}
```

```
.section {

    background: white;

    margin-bottom: 20px;

    border-radius: 10px;

    overflow: hidden;

    box-shadow:
    0 2px 8px
    rgba(0,0,0,0.08);
}
```

```
.section-header {

    background: #e9ecef;

    padding: 15px 20px;
```

```
font-size: 18px;

font-weight: bold;

border-left:
5px solid #0066cc;
}

.section-body {

padding: 20px;
}

table {

width: 100%;

border-collapse:
collapse;
}

th {

background: #f1f3f5;

text-align: left;

padding: 12px;

border-bottom:
2px solid #ddd;
}

td {

padding: 12px;

border-bottom:
1px solid #eee;
}

.status {

display: inline-block;

padding: 6px 12px;

border-radius: 20px;

font-size: 13px;

font-weight: bold;
}

.pass {

color: #198754;
```

```
}

.warning {

    color: #f0ad00;
}

.critical {

    color: #dc3545;
}

.status-pass {

    background: #d1e7dd;

    color: #0f5132;
}

.status-warning {

    background: #fff3cd;

    color: #664d03;
}

.status-critical {

    background: #f8d7da;

    color: #842029;
}

.metric {

    margin-bottom: 20px;
}

.metric-title {

    display: flex;

    justify-content:
    space-between;

    margin-bottom: 7px;

    font-weight: bold;
}

.progress {

    height: 15px;

    background: #e9ecef;

    border-radius: 10px;
```

```
    overflow: hidden;
}

.progress-bar {

    height: 100%;

    border-radius: 10px;
}

.green {

    background: #198754;
}

.yellow {

    background: #ffc107;
}

.red {

    background: #dc3545;
}

.query-box {

    background: #212529;

    color: #00ff88;

    padding: 15px;

    border-radius: 6px;

    overflow-x: auto;

    font-family: monospace;

    white-space: pre-wrap;
}

.footer {

    text-align: center;

    color: #777;

    margin-top: 30px;

    font-size: 13px;
}

@media(max-width:800px) {

    .summary {
```

```
        grid-template-columns:
        repeat(2,1fr);

    }

}

@media(max-width:500px) {

    .summary {

        grid-template-columns: 1fr;

    }

    body {

        padding: 15px;

    }

}

</style>

</head>

<body>

<div class="container">

<!-- HEADER -->

<div class="header">

<h1> MySQL DBA Health Report</h1>

<p>
<strong>Server:</strong>
${hostname}
</p>

<p>
<strong>IP:</strong>
${hostname -I | awk '{print $1}'}
</p>

<p>
<strong>Date:</strong>
${DATE}
</p>

<p>
```

```
<strong>MySQL:</strong>
${MYSQL_STATUS}
</p>
```

```
</div>
```

```
<!-- SUMMARY -->
```

```
<div class="summary">
```

```
<div class="card">
```

```
<h3> PASS</h3>
```

```
<div class="number pass">
${PASS}
</div>
```

```
</div>
```

```
<div class="card">
```

```
<h3> WARNING</h3>
```

```
<div class="number warning">
${WARNING}
</div>
```

```
</div>
```

```
<div class="card">
```

```
<h3> CRITICAL</h3>
```

```
<div class="number critical">
${CRITICAL}
</div>
```

```
</div>
```

```
<div class="card">
```

```
<h3>OVERALL</h3>
```

```
<div class="number ${OVERALL_CLASS}">
${OVERALL}
</div>
```

```
</div>
```

```
</div>
```

```
<!-- MYSQL -->
```

```
<div class="section">
```

```
<div class="section-header">
```

```
1. MySQL Service
```

```
</div>
```

```
<div class="section-body">
```

```
<table>
```

```
<tr>
```

```
<th>Parameter</th>
```

```
<th>Value</th>
```

```
<th>Status</th>
```

```
</tr>
```

```
<tr>
```

```
<td>MySQL Service</td>
```

```
<td>${MYSQL_STATUS}</td>
```

```
<td>
```

```
<span class="status status-${MYSQL_STATUS_CLASS}">
```

```
${MYSQL_STATUS_TEXT}
```

```
</span>
```

```
</td>
```

```
</tr>
```

```
<tr>
```

```
<td>MySQL Connection</td>
```

```
<td>${MYSQL_CONNECTION}</td>
```

```
<td>
```

```
<span class="status status-${MYSQL_CONNECTION_CLASS}">
```

```
${MYSQL_CONNECTION_TEXT}
```

```
</span>
```



```
</td>
```

```
</tr>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
<!-- CPU -->
```

```
<div class="section">
```

```
<div class="section-header">
```

```
2. CPU Utilization
```

```
</div>
```

```
<div class="section-body">
```

```
<div class="metric">
```

```
<div class="metric-title">
```

```
<span>CPU Usage</span>
```

```
<span>${CPU}%</span>
```

```
</div>
```

```
<div class="progress">
```

```
<div
```

```
class="progress-bar
```

```
${
```

```
if [ "${CPU}" -ge "${CPU_THRESHOLD}" ];
```

```
then echo "red";
```

```
else echo "green";
```

```
fi
```

```
)"
```

```
style="width:${CPU}%">
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<p>
```

```
Threshold:
```

```
<strong>${CPU_THRESHOLD}%</strong>
```

```
</p>
```

```
<span class="status status-${CPU_CLASS}">
${CPU_STATUS}
</span>
```

```
</div>
```

```
</div>
```

```
<!-- MEMORY -->
```

```
<div class="section">
```

```
<div class="section-header">
```

```
3. Memory
```

```
</div>
```

```
<div class="section-body">
```

```
<div class="metric">
```

```
<div class="metric-title">
```

```
<span>Memory Usage</span>
```

```
<span>${MEMORY}%</span>
```

```
</div>
```

```
<div class="progress">
```

```
<div
```

```
class="progress-bar
```

```
${
```

```
if [ "${MEMORY}" -ge "${MEMORY_THRESHOLD} ];
```

```
then echo "red";
```

```
else echo "green";
```

```
fi
```

```
)"
```

```
style="width:${MEMORY}%">
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<span class="status status-${MEMORY_CLASS}">
```

```
${MEMORY_STATUS}
```

```
</span>
```

```
</div>
```

</div>

<!-- DISK -->

<div class="section">

<div class="section-header">

4. Disk Usage

</div>

<div class="section-body">

<table>

<tr>

<th>Filesystem</th>

<th>Usage</th>

<th>Threshold</th>

<th>Status</th>

</tr>

<tr>

<td>/var/lib/mysql</td>

<td>\${DISK}%</td>

<td>\${DISK_THRESHOLD}%</td>

<td>

\${DISK_STATUS}

</td>

</tr>

</table>

</div>

</div>

<!-- CONNECTIONS -->

```
<div class="section">
```

```
<div class="section-header">
```

```
5. MySQL Connections
```

```
</div>
```

```
<div class="section-body">
```

```
<div class="metric">
```

```
<div class="metric-title">
```

```
<span>Connection Usage</span>
```

```
<span>${CONNECTION_PERCENT}%</span>
```

```
</div>
```

```
<div class="progress">
```

```
<div
```

```
class="progress-bar
```

```
{
```

```
if [ "${CONNECTION_PERCENT}" -ge "${CONNECTION_CRITICAL}" ];
```

```
then echo "red";
```

```
elif [ "${CONNECTION_PERCENT}" -ge "${CONNECTION_WARNING}" ];
```

```
then echo "yellow";
```

```
else echo "green";
```

```
fi
```

```
}"
```

```
style="width:${CONNECTION_PERCENT}%">
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<table>
```

```
<tr>
```

```
<td>Current Connections</td>
```

```
<td>${CURRENT_CONNECTIONS}</td>
```

```
</tr>
```

```
<tr>
```

```
<td>max_connections</td>
```

```
<td>${MAX_CONNECTIONS}</td>
```

</tr>

</table>

$\{$ CONNECTION_STATUS $\}$

</div>

</div>

<!-- LONG QUERIES -->

<div class="section">

<div class="section-header">

6. Long Running Queries

</div>

<div class="section-body">

<p>

Threshold:

$\{$ LONG_QUERY_SECONDS $\}$ seconds

</p>

<p>

Queries Found:

$\{$ LONG_QUERY_COUNT $\}$

</p>

$\{$ LONG_QUERY_STATUS $\}$

EOF

```
# =====  
# LONG QUERY TABLE  
# =====
```

```
if [ "$LONG_QUERY_COUNT" -gt 0 ]; then
```

```
cat >> "$HTML_FILE" <<EOF
```

```
<table>
```

```
<tr>
```

```
<th>ID</th>  
<th>User</th>  
<th>Database</th>  
<th>Time</th>  
<th>State</th>  
<th>Query</th>
```

```
</tr>
```

EOF

```
mysql -N -e "  
SELECT  
ID,  
IFNULL(USER,""),  
IFNULL(DB,""),  
TIME,  
IFNULL(STATE,""),  
REPLACE(REPLACE(LEFT(INFO,120),'&','&'), '<','<');  
FROM information_schema.PROCESSLIST  
WHERE COMMAND <> 'Sleep'  
AND TIME >= ${LONG_QUERY_SECONDS}  
ORDER BY TIME DESC;  
" 2>/dev/null |  
while IFS=$'\t' read -r ID USER DB TIME STATE QUERY  
do
```

```
cat >> "$HTML_FILE" <<EOF
```

```
<tr>
```

```
<td>${ID}</td>
```

```
<td>${USER}</td>
```

```
<td>${DB}</td>
```

<td>\${TIME}s</td>

<td>\${STATE}</td>

<td>\${QUERY}</td>

</tr>

EOF

done

cat >> "\$HTML_FILE" <<EOF

</table>

EOF

else

cat >> "\$HTML_FILE" <<EOF

<p>

No long-running queries detected.

</p>

EOF

fi

cat >> "\$HTML_FILE" <<EOF

</div>

</div>

<!-- DEADLOCK -->

<div class="section">

<div class="section-header">

7. InnoDB Deadlocks

</div>

<div class="section-body">

<table>

<tr>

<th>Metric</th>

<th>Value</th>

<th>Status</th>

</tr>

<tr>

<td>InnoDB_deadlocks</td>

<td>\${DEADLOCKS}</td>

<td>

\${DEADLOCK_STATUS}

</td>

</tr>

</table>

</div>

</div>

<!-- REPLICATION -->

<div class="section">

<div class="section-header">

8. Replication

</div>

<div class="section-body">

<table>

<tr>

<th>Parameter</th>

<th>Value</th>

<th>Status</th>

</tr>

<tr>

<td>Replication</td>

<td>\${REPLICATION}</td>

<td>


```
<span class="status status-#{REPLICATION_CLASS}">
```

```
#{REPLICATION_STATUS}
```

```
</span>
```

```
</td>
```

```
</tr>
```

```
EOF
```

```
if [ -n "${REPL_LAG:-}" ]; then
```

```
cat >> "$HTML_FILE" <<EOF
```

```
<tr>
```

```
<td>Replication Lag</td>
```

```
<td>#{REPL_LAG} seconds</td>
```

```
<td>
```

```
<span class="status status-pass">
```

```
INFO
```

```
</span>
```

```
</td>
```

```
</tr>
```

```
EOF
```

```
fi
```

```
cat >> "$HTML_FILE" <<EOF
```

```
</table>
```

```
</div>
```

```
</div>
```

```
<!-- BACKUP -->
```

```
<div class="section">
```

```
<div class="section-header">
```

```
9. Backup
```

```
</div>
```

```
<div class="section-body">
```

```
<table>
```

```
<tr>
```

```
<th>Parameter</th>
```

```
<th>Value</th>
```

```
<th>Status</th>
```

```
</tr>
```

```
<tr>
```

```
<td>Last Backup</td>
```

```
<td>
```

```
  ${LAST_BACKUP:-Not Found}
```

```
</td>
```

```
<td>
```

```
<span class="status status-${BACKUP_CLASS}">
```

```
  ${BACKUP_STATUS_TEXT}
```

```
</span>
```

```
</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Backup Age</td>
```

```
<td>
```

```
  ${BACKUP_AGE_HOURS} hours
```

```
</td>
```

```
<td>
```

```
<span class="status status-${BACKUP_CLASS}">
```

```
  ${BACKUP_STATUS_TEXT}
```

```
</span>
```

```
</td>
```

```
</tr>
```

```
</table>
```

```
</div>
```

</div>

<!-- FINAL -->

<div class="section">

<div class="section-header">

10. Final Summary

</div>

<div class="section-body">

<table>

<tr>

<th>Status</th>

<th>Count</th>

</tr>

<tr>

<td> PASS</td>

<td>\${PASS}</td>

</tr>

<tr>

<td> WARNING</td>

<td>\${WARNING}</td>

</tr>

<tr>

<td> CRITICAL</td>

<td>\${CRITICAL}</td>

</tr>

</table>

<h2 class="\${OVERALL_CLASS}">

Overall Status:

\${OVERALL}

</h2>

</div>

</div>

<div class="footer">

MySQL DBA Monitoring System

Generated automatically:

\${DATE}

</div>

</div>

</body>

</html>

EOF

```
# =====  
# LOG  
# =====
```

```
echo "$(date '+%Y-%m-%d %H:%M:%S') HTML report generated: $HTML_FILE" \  
>> "${LOG_DIR}/health.log"
```

```
echo "$HTML_FILE"
```

```
sudo chmod +x /usr/local/mysql-monitor/generate_html_report.sh
```

```
sudo /usr/local/mysql-monitor/generate_html_report.sh
```

```
/usr/local/mysql-monitor/reports/2026-09-03/mysql_health_report.html
```


```
ls -lh /usr/local/mysql-monitor/reports/2026-09-03/
```

Crontab -e

```
* * * * * /usr/local/mysql-monitor/generate_html_report.sh >/dev/null 2>&1
```

Every 1 minute





Created By Ajit Yadav(DBA)