

Cloud Computing & DevOps

Practical – 2

In Terminal:

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\VIDIT\Downloads\pr> gitinit
gitinit : The term 'gitinit' is not recognized as the name of a cmdlet, function, script file, or operable program.
Check the spelling of the name, or if a path was included, verify that the path is correct and try again.
At line:1 char:1
+ gitinit
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (gitinit:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\VIDIT\Downloads\pr> git init
Initialized empty Git repository in C:/Users/VIDIT/Downloads/pr/.git/
PS C:\Users\VIDIT\Downloads\pr> echo "< myfile.txt"
< myfile.txt
PS C:\Users\VIDIT\Downloads\pr> echo "hello"> demo.txt
PS C:\Users\VIDIT\Downloads\pr> gh auth login
? Where do you use GitHub? GitHub.com
? What is your preferred protocol for Git operations on this host? HTTPS
? Authenticate Git with your GitHub credentials? Yes
? How would you like to authenticate GitHub CLI? Login with a web browser

! First copy your one-time code: 7F93-411C
Press Enter to open https://github.com/login/device in your browser...
PS C:\Users\VIDIT\Downloads\pr> gh auth login
? Where do you use GitHub? GitHub.com
? What is your preferred protocol for Git operations on this host? HTTPS
? Authenticate Git with your GitHub credentials? Yes
? How would you like to authenticate GitHub CLI? Login with a web browser

! First copy your one-time code: 028B-1921
Press Enter to open https://github.com/login/device in your browser...
✓ Authentication complete.
- gh config set -h github.com git_protocol https
✓ Configured git protocol
✓ Logged in as visa0618
PS C:\Users\VIDIT\Downloads\pr> gh repo create practical_B_093 --public --source=. --push
`--push` enabled but no commits found in C:\Users\VIDIT\Downloads\pr
PS C:\Users\VIDIT\Downloads\pr> gh repo create practical_B_093 --public
✓ Created repository visa0618/practical_B_093 on github.com
https://github.com/visa0618/practical_B_093
PS C:\Users\VIDIT\Downloads\pr> git add .
PS C:\Users\VIDIT\Downloads\pr> git status
On branch master

No commits yet

Changes to be committed:
(use "git rm --cached <file>..." to unstage)
  new file:   demo.txt

PS C:\Users\VIDIT\Downloads\pr> git branch -M main
PS C:\Users\VIDIT\Downloads\pr> git push origin main
error: src refspec main does not match any
```

In Terminal:

```
Windows PowerShell      +  -  X
No commits yet

Changes to be committed:
(use "git rm --cached <file>..." to unstage)
  new file:  demo.txt

PS C:\Users\VIDIT\Downloads\pr> git branch -M main
PS C:\Users\VIDIT\Downloads\pr> git push origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'
PS C:\Users\VIDIT\Downloads\pr> git config --global user.name ["Vidit"]
PS C:\Users\VIDIT\Downloads\pr> git config --global user.email ["viditparekh2002@gmail.com"]
PS C:\Users\VIDIT\Downloads\pr> git push origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'
PS C:\Users\VIDIT\Downloads\pr> git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'
PS C:\Users\VIDIT\Downloads\pr> git branch -M main
PS C:\Users\VIDIT\Downloads\pr> git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'
PS C:\Users\VIDIT\Downloads\pr> git commit -m "added"
[main (root-commit) 888753d] added
  1 file changed, 0 insertions(+), 0 deletions(-)
   create mode 100644 demo.txt
PS C:\Users\VIDIT\Downloads\pr> git push -u origin main
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Windows PowerShell      +  -  X
PS C:\Users\VIDIT\Downloads\pr> git push origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'
PS C:\Users\VIDIT\Downloads\pr> git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'
PS C:\Users\VIDIT\Downloads\pr> git branch -M main
PS C:\Users\VIDIT\Downloads\pr> git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'
PS C:\Users\VIDIT\Downloads\pr> git commit -m "added"
[main (root-commit) 888753d] added
  1 file changed, 0 insertions(+), 0 deletions(-)
   create mode 100644 demo.txt
PS C:\Users\VIDIT\Downloads\pr> git push -u origin main
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.
PS C:\Users\VIDIT\Downloads\pr> git remote add origin https://github.com/visa0618/practical_B_093.git
PS C:\Users\VIDIT\Downloads\pr> git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 229 bytes | 229.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/visa0618/practical_B_093.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS C:\Users\VIDIT\Downloads\pr> |
```

In GitHub:

The screenshot shows the GitHub interface with three main sections. The top section is the GitHub homepage with a search bar and navigation links. The middle section shows a repository named 'practical_B_093' created by user 'visa0618'. It displays basic repository statistics (1 branch, 0 tags), a commit history (added 'demo.txt' 15 minutes ago), and a README section with a 'Add a README' button. The bottom section shows the detailed view of the 'demo.txt' file, which contains the text '1 ♦♦hello'.

GitHub Home

- Top repositories
- Find a repository...
- visa0618/practical_B_093

Home

Ask anything

Task Create issue Write code Git Pull requests

practical_B_093 Public

main 1 Branch 0 Tags

[Vidit] added 888753d - 15 minutes ago 1 Commit

demo.txt added 15 minutes ago

README

Add a README

Help people interested in this repository understand your project.

practical_B_093 / demo.txt

[Vidit] added

Code Blame 3 lines (3 loc) · 16 Bytes

```
1 ♦♦hello
2
```

Practical - 3

In Terminal:

Output – 1:

```
Sum of Even Numbers: 2550
PS C:\Users\VIDIT\Downloads\pr> python r_h_pyramid.py
Right Half Pyramid Pattern:

*
* *
* * *
* * * *
* * * * *
* * * * * *
```

Output – 2:

```
PS C:\Users\VIDIT\Downloads\pr> python full_pyramid.py
*****
 *****
 ****
 ***
 *
PS C:\Users\VIDIT\Downloads\pr>
```

Output – 3:

```
PS C:\Users\VIDIT\Downloads\pr> python even_numbers.py
List of Even Numbers:
[2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62,
64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100]

Minimum Even Number: 2
Maximum Even Number: 100
Sum of Even Numbers: 2550
PS C:\Users\VIDIT\Downloads\pr> git add .
```

Practical - 4

In Terminal:

Output – 1:

```
PS C:\Users\VIDIT\Downloads\pr>
PS C:\Users\VIDIT\Downloads\pr> Python pyramid_num.py
1
2 3
4 5 6
7 8 9 1
2 3 4 5 6
PS C:\Users\VIDIT\Downloads\pr>
```

Output – 2:

```
PS C:\Users\VIDIT\Downloads\pr>
PS C:\Users\VIDIT\Downloads\pr> Python ialphabet_pyramid.py
A B C D E
 A B C D
  A B C
   A B
    A
PS C:\Users\VIDIT\Downloads\pr>
```

Output – 3:

```
PS C:\Users\VIDIT\Downloads\pr>
PS C:\Users\VIDIT\Downloads\pr> Python odd_numbers.py
Odd numbers between 1 and 50:
[1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49]

Three minimum odd numbers:
[1, 3, 5]

Three maximum odd numbers:
[45, 47, 49]

Average of odd numbers:
25.0
PS C:\Users\VIDIT\Downloads\pr> |
```