## Bharathi test suite

#### **Execution Environment**

Host name HP - 20.23.0.35 Local OS Windows 11 64bit

Katalon version 9.5.0.217

Browser Chrome 125.0.0.0

Device name

Summary

ID Test Suites/Bharathi test suite

Description

Total 5
Passed 0 Failed 5
Error 0 Incomplete 0

Skipped 0

Start 13-06-2024 14:43:00 End 13-06-2024 14:48:38

Elapsed 5m - 38.409s

#	ID	Description	Status
1	Test Cases/bharathi/Bharathi Home		FAILED
2	Test Cases/bharathi/Bharathi Home1		FAILED
3	Test Cases/bharathi/Bharathi Home2		FAILED
4	Test Cases/bharathi/Bharathi Home3		FAILED
5	Test Cases/bharathi/Bharathi Home4		FAILED

### Information

ID Test Cases/bharathi/Bharathi Home

Description

Tag

Start 13-06-2024 14:43:49 End 13-06-2024 14:44:05

Elapsed 15.903s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.756s	PASSED
2	openBrowser("")  Browser is opened with url: "	1.352s	PASSED
3	navigateToUrl("https://bvp.bharatividyapeeth.edu/")  Navigate to 'https://bvp.bharatividyapeeth.edu/" successfully	10.627s	PASSED
4	click(findTestObject("Object Repository/bharathi/Page_Bharati Vidyapeeth, Pune/a_ExploreBharati Vidyapeeth"))  Object: 'Object Repository/bharathi/Page_Bharati Vidyapeeth, Pune/a_ExploreBharati Vidyapeeth' is clicked on	0.429s	PASSED

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute liickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. lecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click lebUiBuiltInKeywords.groovy:659) at Bharathi Home.run(Bharathi Home:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.va:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.va:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 16) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 16) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 16) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 16) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 16)	ed Status	Elapsed	Description
ine/a_Hospital Administration' (Root cause: com.kms.katalon.core.exception.epspaliedException: Unable to click on object 'Object Repository/bharathi/Page_Bharati dyapeeth, Pune/a_Hospital Administration' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.groovy;64) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.ovy;74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.ovy;74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy;40) at com.kms.katalon.core.webui.keyword.liternal.KeywordExecutor.ecuteKeyword.proovy;40) at com.kms.katalon.core.webui.keywordExecutor.ecuteKeywordPriPatform(KeywordExecutor.groovy;74) at com.kms.katalon.core.webui.keywordWebUlBuiltinKeywords.click/ebUlBuiltinKeywords.groovy;659) at Bharathi Home.28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScript(TestCaseExecutor.va:148) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.va:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.va:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.processExecutor.processExecutor.processExecutor.processExecutor.va:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.Test	9s FAILE	0.709s	
ine/a_Hospital Administration' (Root cause: com.kms.katalon.core.exception.epspaliedException: Unable to click on object 'Object Repository/bharathi/Page_Bharati dyapeeth, Pune/a_Hospital Administration' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.groovy;64) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.ovy;74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.ovy;74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy;40) at com.kms.katalon.core.webui.keyword.liternal.KeywordExecutor.ecuteKeyword.proovy;40) at com.kms.katalon.core.webui.keywordExecutor.ecuteKeywordPriPatform(KeywordExecutor.groovy;74) at com.kms.katalon.core.webui.keywordWebUlBuiltinKeywords.click/ebUlBuiltinKeywords.groovy;659) at Bharathi Home.28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScript(TestCaseExecutor.va:148) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.va:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.va:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.processExecutor.processExecutor.processExecutor.processExecutor.va:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.Test			Unable to
epFailedException: Unable to click on object 'Object Repository/bharathi/Page_Bharati dyapeeth, Pune/a_Hospital Administration' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed //ebUlKeywordMain.groovy:64)			
dyapeeth, Pune/a_Hospital Administration' at com.kms. katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed //ebUlKeywordMain.groovy;64) at com.kms. katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword //ebUlKeywordMain.groovy;64) at com.kms. katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. oovy;74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute //ebUlKeyword.groovy;40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. //ecuteKeywordForPlatform(KeywordExecutor.groovy;74) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.click //ebUlBuiltInKeywords.groovy;659) at Bharathi Home.run(Bharathi Home:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. //a:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. //a:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.processExecutor.yava:418) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. //a:369) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.phase estSuiteExecutor.java:150) at com.kms.katalon.core.main			
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed //ebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword //ebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.oovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. eeuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.click //ebUlBuiltInKeywords.groovy:659) at Bharathi Home.run(Bharathi Home:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.va:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.va:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.va:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteMainPhase eommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:65) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 60) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 61) at com.kms			
//ebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword //ebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. //ebulKeyword.groovy:40) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute //ebulKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. //eeuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click //ebUiBuiltInKeywords.groovy:659) at Bharathi Home.run(Bharathi Home:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. //a:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. //a:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase //a:448) at com.kms.katalon.core.main.TestCaseExecutor.grocessExecutionPhase //a:239) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase //a:255) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:265) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160) at com.kms.kata			
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword //ebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. //ovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute //okkeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. //okeukeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click //okeulBuiltInKeywords.groovy:659) at Bharathi Home.run(Bharathi Home:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptITestCaseExecutor. //a:419) at com.kms.katalon.core.main.TestCaseExecutor.unScript(TestCaseExecutor. //a:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase //a:439) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase //a:656seExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: //doi/10.1016/2016/2016/2016/2016/2016/2016/2016/			
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.covy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click /ebUiBuiltInKeywords.groovy:659) at Bharathi Home.run(Bharathi Home:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. /a:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. /a:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. /a:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. /a:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. /a:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMainPhase emmonExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: /// at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: // at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: // at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: // at com.kms.katalon.core.main.TestCaseMain.startTestSuite			
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute lickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click //ebUiBuiltInKeywords.groovy:659)     at Bharathi Home.run(Bharathi Home:28)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. //a:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. //a:448)     at com.kms.katalon.core.main.TestCaseExecutor.dexecute(TestCaseExecutor. //a:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:285)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseExecutor. //a:369)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseExecutor. //a:369)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteMainPhase estSuiteExecutor.java:150)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:160)     at com.kms.katalon.core.main.TestCa			
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute liickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click //ebUiBuiltInKeywords.groovy:659) at Bharathi Home.run(Bharathi Home:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. //a:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. //a:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. //a:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseExecutor. //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseExecutor. //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.) //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.) //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.) //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:100) at TempTestSuite1718269973667.run(TempTestSuite171826997366			
dickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.click //ebUlBuiltInKeywords.groovy:659) at Bharathi Home.run(Bharathi Home:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. //a:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. //a:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:66) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:66) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:66) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:66) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:66) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:66) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:66) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:66) at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorI			groovy:74
at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click //ebUiBuiltInKeywords.groovy:659) at Bharathi Home.run(Bharathi Home:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. //a:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. //a:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. //a:449) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:16) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:16) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:16) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:16) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:16) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:16)			
actions. Kestalon. core. webui. keyword. WebUiBuiltInKeywords. click //ebUiBuiltInKeywords. groovy:659) at Bharathi Home. run(Bharathi Home:28) at com.kms. katalon. core. main. ScriptEngine. run(ScriptEngine. java:194) at com.kms. katalon. core. main. ScriptEngine. run(ScriptEngine. java:194) at com.kms. katalon. core. main. ScriptEngine. runScriptAsRawText(ScriptEngine. //a:119) at com.kms. katalon. core. main. TestCaseExecutor. runScript(TestCaseExecutor. //a:448) at com.kms. katalon. core. main. TestCaseExecutor. doExecute(TestCaseExecutor. //a:439) at com.kms. katalon. core. main. TestCaseExecutor. processExecutionPhase estCaseExecutor. java:418) at com.kms. katalon. core. main. TestCaseExecutor. accessMainPhase estCaseExecutor. java:410) at com.kms. katalon. core. main. TestCaseExecutor. execute(TestCaseExecutor. //a:285) at com.kms. katalon. core. main. TestCaseExecutor. execute(TestCaseExecutor. //a:369) at com.kms. katalon. core. main. TestSuiteExecutor. accessTestSuiteMainPhase estSuiteExecutor. java:150) at com.kms. katalon. core. main. TestSuiteExecutor. execute(TestSuiteExecutor. java:160) at com.kms. katalon. core. main. TestCaseMain. startTestSuite(TestCaseMain. java:160) at com.kms. katalon. core. main. TestCaseMain. startTestSuite(TestCaseMain. java:160) at TempTestSuite1718269973667. run(TempTestSuite1718269973667. groovy:35) at java. base/jdk. internal. reflect. NativeMethodAccessorImpl. invoke0(Native			
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click //ebUiBuiltInKeywords.groovy:659) at Bharathi Home.run(Bharathi Home:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. //a:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. //a:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. //a:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: //aioundainsecutor.java:150) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: //aioundainsecutor.java:150			
Activity of the content of the conte			
at Bharathi Home.run(Bharathi Home:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  /a:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  /a:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  /a:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase estSuiteExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:160) at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native			
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  /a:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  /a:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  /a:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase eommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  // ibit com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  // ibit com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java:  // ibit com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java:  // ibit com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java:  // ibit com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java:  // ibit com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  // ibit com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  // ibit com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  // ibit com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  // ibit com.kms.katalon.core.main.TestCaseMain.start			
at com.kms.katalon.core.main.TestCaseExecutor.runScriptAsRawText(ScriptEngine.  /a:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  /a:449) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:4418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:4410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase estSuiteExecutor.java:450) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  //a:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  //a:369) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  //a:369) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  //a:369) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  //a:369) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  /a:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  /a:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  estCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  estCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:285)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  ommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  estSuiteExecutor.java:150)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  // // // // // // // // // // // // //			
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  /a:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  /a:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase eommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java:  /// at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:  // at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  // at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  // at com.kms.katalon.core.main.TestCaseMain.star			
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  /a:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase  ommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java:  /// /// // // // // // // // // // //			
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. va:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. va:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. va:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase extommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 161) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 162) at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			java:448)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  va:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  va:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase eommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java:  161) at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native			
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. va:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. va:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase eommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase eestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 160 at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 161 at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 162 at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 163 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 164 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 165 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 166 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 167 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 168 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 169 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 160			java:439)
estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. va:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. va:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase eommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase eestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 161) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteFxecutor.java: 162) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 163) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 164) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 165) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			•
estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  formmonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  166) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  167) at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			(TestCase
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  /a:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  formmonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  166) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  177 187 187 187 187 187 187 187 187 18			
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  va:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase commonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  160 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  161 at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase commonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 160) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 161) at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  va:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase commonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  160 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  170 at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			java:285)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.va:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase ommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 160) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 170) at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  va:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase commonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  160) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  170) at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			java:369)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.exa:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase commonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 160) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 170) at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase commonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 160) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 170) at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase fommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 16)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 17)     at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  16)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  16)     at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase estSuiteExecutor.java:150)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  16)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  17)     at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			
estSuiteExecutor.java:150)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  16)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  160)     at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 80) at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			106)
at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod)			180)
ethod)			
at java hase/idk internal reflect NativeMethodAccessorImpl invoke			Method)
ativeMethodAccessorImpl.java:77)			
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke			
elegatingMethodAccessorImpl.java:43) aused by: org.openqa.selenium.ElementNotInteractableException: element not			

(Session info: chrome=125.0.6422.142)
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'

```
Description
                                                                                            Elapsed
                                                                                                              Status
System info: host: 'RUSALAB13', ip: '20.23.0.35', os.name: 'Windows 11', os.arch: 'amd64',
os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:57465}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: df6c71057d77d3f94e680d9c05a3cb8b
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openga.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.kevword.builtin.ClickKevword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
```

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke

Method)

(NativeMethodAccessorImpl.java:77)

# Description Elapsed Status

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

 $at\ com. kms. katalon. core. webui. keyword. builtin. Click Keyword \$\_click\_closure 1.$ 

doCall(ClickKeyword.groovy:67)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call (ClickKeyword.groovy)

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$ 

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)

at Script1718268009107.run(Script1718268009107.groovy:28)

... 18 more



### Information

ID Test Cases/bharathi/Bharathi Home1

Description

Tag

Start 13-06-2024 14:44:52 End 13-06-2024 14:45:09

Elapsed 16.751s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	3.531s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("https://bvp.bharatividyapeeth.edu/")	12.351s	PASSED
	Navigate to 'https://bvp.bharatividyapeeth.edu/' successfully		

Description	Elapsed	Status
click(findTestObject("Object Repository/Page_Bharati Vidyapeeth, Pune/a_Learn Academic Schools"))	0.846s	FAILED
Unable to click on object 'Object Repository/Page_Bharati Vidyapeeth, Pune/a_Learn Academic Schools' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Bharati Vidyapeeth, Pune/a_Learn Academic Schools'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:659)  at Bharathi Home1.run(Bharathi Home1:24)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not		
interactable (Session info: chrome=125.0.6422.142)  Build info: version: '3 141 59' revision: 'lunknown' time: 'lunknown'		
Build into: Version: '3 1/11 bu' revision: 'linknown' time: 'linknown'		

Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'

```
Description
                                                                                            Elapsed
                                                                                                              Status
System info: host: 'RUSALAB13', ip: '20.23.0.35', os.name: 'Windows 11', os.arch: 'amd64',
os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:58181}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 67edb9bc79f204f196406ceea8845312
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openga.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.kevword.builtin.ClickKevword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
```

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke

Method)

(NativeMethodAccessorImpl.java:77)

# Description Elapsed Status

 $at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke \\ (DelegatingMethodAccessorImpl.java:43)$ 

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.

doCall(ClickKeyword.groovy:67)

 $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call\ (ClickKeyword.groovy)$ 

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$ 

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)

at Script1718268732534.run(Script1718268732534.groovy:24)

... 18 more



### Information

ID Test Cases/bharathi/Bharathi Home2

Description

Tag

Start 13-06-2024 14:45:54 End 13-06-2024 14:46:06

Elapsed 11.413s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	1.879s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("https://bvp.bharatividyapeeth.edu/")	9.022s	PASSED
	Navigate to 'https://bvp.bharatividyapeeth.edu/' successfully		

Description	Elapsed	Status
click(findTestObject("Object Repository/Page_Bharati Vidyapeeth, Pune/a_Hostels"))	0.489s	FAILED
Unable to click on object 'Object Repository/Page_Bharati Vidyapeeth, Pune/a_Hostels' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Bharati Vidyapeeth, Pune/a_Hostels' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
at Bharathi Home2.run(Bharathi Home2:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:150)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable		
(Session info: chrome=125.0.6422.142) Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'		
System info: host: 'RLISALAR13' in: '20.23.0.35' os name: 'Windows 11' os arch: 'amd64'		

System info: host: 'RUSALAB13', ip: '20.23.0.35', os.name: 'Windows 11', os.arch: 'amd64',

os.version: '10.0', java.version: '17.0.7'

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:58881}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 0ec4c41fbd31e9a3c9e835834223a182
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ org. open qa. selenium. remote. Remote Web Element. click (Remote Web Element.
java:84)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.kevword.builtin.ClickKevword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.iava:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
```

(DelegatingMethodAccessorImpl.java:43)

# Description Elapsed Status

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1. doCall(ClickKeyword.groovy:67)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call (ClickKeyword.groovy)

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$ 

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)

 $at\ com. kms. katalon. core. webui. keyword. builtin. Click Keyword. execute (Click Keyword. groovy: 40)$ 

 $at\ com. kms. katalon. core. keyword. internal. Keyword Executor.$ 

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)

at Script1718268763759.run(Script1718268763759.groovy:24)

... 18 more



#### Information

ID Test Cases/bharathi/Bharathi Home3

Description

Tag

Start 13-06-2024 14:47:07 End 13-06-2024 14:47:28

Elapsed 21.107s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.924s	PASSED
2	navigateToUrl("https://bvp.bharatividyapeeth.edu/")  Navigate to 'https://bvp.bharatividyapeeth.edu/' successfully	12.838s	PASSED
3	click(findTestObject("Object Repository/bharathi Home3/Page_Bharati Vidyapeeth, Pune/img"))  Object: 'Object Repository/bharathi Home3/Page_Bharati Vidyapeeth, Pune/img' is clicked on	1.039s	PASSED
4	click(findTestObject("Object Repository/bharathi Home3/Page_Bharati Vidyapeeth, Pune/a_Careers"))  Object: 'Object Repository/bharathi Home3/Page_Bharati Vidyapeeth, Pune/a_Careers' is clicked on	1.397s	PASSED
5	click(findTestObject("Object Repository/bharathi Home3/Page_Job Opportunities and Careers/a_Sitemap"))  Object: 'Object Repository/bharathi Home3/Page_Job Opportunities and Careers/a_Sitemap' is clicked on	1.044s	PASSED
6	click(findTestObject("Object Repository/bharathi Home3/Page_Sitemap/span_Bharati"))  Object: 'Object Repository/bharathi Home3/Page_Sitemap/span_Bharati' is clicked on	0.295s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/bharathi Home3/Page_Sitemap/a_Bharati Publications"))	1.058s	PASSED

Object: 'Object Repository/bharathi Home3/Page\_Sitemap/a\_Bharati Publications' is clicked on


Description	Elapsed	Status
click(findTestObject("Object Repository/bharathi Home3/Page_Bharati Publications/a_Year 2013"))	0.493s	FAILED
Unable to click on object 'Object Repository/bharathi Home3/Page_Bharati Publications/a_Year 2013' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to click on object 'Object Repository/bharathi Home3/Page_Bharati Publications/a_Year 2013' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:659) at Bharathi Home3.run(Bharathi Home3:34) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180) at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable		
(Session info: chrome=125.0.6422.142) Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'		

Elapsed

Status

```
Description
System info: host: 'RUSALAB13', ip: '20.23.0.35', os.name: 'Windows 11', os.arch: 'amd64',
os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:59597}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 59592c2db57cbf34624fe96671dbe2be
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
          at jdk.internal.reflect.GeneratedMethodAccessor18.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at jdk.internal.reflect.GeneratedMethodAccessor16.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
```

Status



### Information

ID Test Cases/bharathi/Bharathi Home4

Description

Tag

Start 13-06-2024 14:48:18 End 13-06-2024 14:48:34

Elapsed 15.616s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.923s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("https://bvp.bharatividyapeeth.edu/")	12.172s	PASSED
	Navigate to 'https://bvp.bharatividyapeeth.edu/' successfully		

Description	Elapsed	Status
click(findTestObject("Object Repository/Page_Bharati Vidyapeeth, Pune/a_Architecture"))	0.502s	FAILED
Unable to click on object 'Object Repository/Page_Bharati Vidyapeeth, Pune/a_Architecture' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Bharati Vidyapeeth, Pune/a_Architecture' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
at Bharathi Home4.run(Bharathi Home4:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180) at TempTestSuite1718269973667.run(TempTestSuite1718269973667.groovy:35)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable		
(Session info: chrome=125.0.6422.142) Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'		
System info: host: 'RLISALAB13' in: '20.23.0.35', os name: 'Windows 11', os arch: 'amd64'		

System info: host: 'RUSALAB13', ip: '20.23.0.35', os.name: 'Windows 11', os.arch: 'amd64',

os.version: '10.0', java.version: '17.0.7'

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60419}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 7d513c2de04170788a3fc98ebbc0b4db
          at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown
Source)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ org. open qa. selenium. remote. Remote Web Element. click (Remote Web Element.
java:84)
          at jdk.internal.reflect.GeneratedMethodAccessor18.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at jdk.internal.reflect.GeneratedMethodAccessor16.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$ click closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$ click closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
```

groovy:74)

# Description Elapsed Status

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)

at Script1718268822969.run(Script1718268822969.groovy:24)

... 18 more

