

Cucumber Report

Apr 2, 2024, 2:20:22 PM

Start : Apr 02, 2:19:29.439 PM

End : Apr 02, 2:20:20.728 PM

Duration : 51.289 s

Features







PASSED - 2
FAILED - 3
SKIPPED - 0

Scenarios

PASSED - 137
FAILED - 18
SKIPPED - 0

Steps

PASSED - 439
FAILED - 18
SKIPPED - 8



<i>Feature</i>		<i>Scenario</i>				<i>Step</i>			
<i>Name</i>	<i>Duration</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<u>Post Request for User Login</u>	4.865 s	6	6	0	0	18	18	0	0
<u>Program Controller</u>	21.545 s	54	42	12	0	162	142	12	8
<u>ProgramBatchController Module</u>	9.542 s	24	19	5	0	72	67	5	0
<u>User Controller</u>	11.364 s	60	59	1	0	180	179	1	0
<u>User Role Program Batch Map Controller</u>	3.756 s	11	11	0	0	33	33	0	0

#	Feature Name	Scenario Name
1	<u>Program Controller</u>	<u>Check if Admin able to retrieve a program with valid program ID</u>
2		<u>Check if Admin able to retrieve a program with valid program ID</u>
3		<u>Check if Admin able to update programs with invalid Method and valid programName</u>
4		<u>Check if Admin able to retrieve a program with valid program ID</u>
5		<u>Check if admin is able to update the Admin login status by Admin ID</u>
6		<u>Check if Admin able to delete a program with valid program ID</u>
7		<u>Check if Admin able to delete a program with valid program ID</u>
8		<u>Check if Admin able to delete a program with valid program ID</u>
9		<u>Check if Admin able to delete a program with valid program ID</u>
10		<u>Check if Admin able to delete a program with valid program ID</u>

#	Feature Name	Scenario Name
11	<u>Program Controller</u>	<u>Check if Admin able to delete a program with valid program ID</u>
12		<u>Check if Admin able to delete a program with valid program ID</u>
13	<u>ProgramBatchController Module</u>	<u>Check if admin able to retrieve a batch with valid BATCH ID</u>
14		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>
15		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>
16		<u>Check if admin able to retrieve a batch with valid Program ID</u>
17		<u>Check if admin able to retrieve a batch with valid Program ID</u>
18	<u>User Controller</u>	<u>Check if admin is able to update Admin details with Admin id and all fields</u>

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
	@LoginWithValidCredential	1	1	0	0	1	1	0	0
	@tag	66	65	1	0	2	1	1	0
	@LoginWithInValidCredential	1	1	0	0	1	1	0	0
	@LoginWithInValidEndPoint	1	1	0	0	1	1	0	0
	@LogOutWithValidEndPoint	2	2	0	0	1	1	0	0
	@LogOutWithInvalidEndPoint	1	1	0	0	1	1	0	0
	@ProgramController	54	42	12	0	1	0	1	0
	@NoAuth-PostProgramController	1	1	0	0	1	0	1	0
	@01PostRequest_Program	1	1	0	0	1	0	1	0
	@01PostRequest_Program_InvalidEndpoint	1	1	0	0	1	0	1	0
	@01PostRequest_Program_2_InvalidBaseURI	1	1	0	0	1	0	1	0
	@01PostRequest_Program_InvalidMethod	1	1	0	0	1	0	1	0
	@NoAuth-GetAllPgmsProgramController	1	1	0	0	1	0	1	0
	@02GetRequest_AllPrograms	1	1	0	0	1	0	1	0
	@02GetRequest_AllPrograms_InvalidEndpoint	1	1	0	0	1	0	1	0
	@02GetRequest_AllPrograms_InvalidBaseURI	1	1	0	0	1	0	1	0
	@02GetRequest_AllPrograms_InvalidMethod	1	1	0	0	1	0	1	0

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@NoAuth-GetByProgramIDProgramController		1	1	0	0	1	0	1	0
@03GetRequest_ValidProgramID		7	7	0	0	1	0	1	0
@03GetRequest_ValidProgramID_Bug		1	0	1	0	1	0	1	0
@03GetRequest1_ValidProgramID		1	0	1	0	1	0	1	0
@03GetRequest_ProgramID_InvalidBaseURI		1	1	0	0	1	0	1	0
@03GetRequest_ProgramID_InvalidEndPoint		1	1	0	0	1	0	1	0
@03GetRequest_ValidProgramID_InvalidMethod		1	1	0	0	1	0	1	0
@04 GetAllPrograms_WithAdmins		1	1	0	0	1	0	1	0
@04 GetAllPrograms_WithAdmins_InvalidBaseURI		1	1	0	0	1	0	1	0
@04 GetAllPrograms_WithAdmins_InvalidEndPoint		1	1	0	0	1	0	1	0
@04 GetAllPrograms_WithAdmins_InvalidMethod		1	1	0	0	1	0	1	0
@NoAuth-PutProgramIDProgramController		1	1	0	0	1	0	1	0
@05PutRequest_updateProgrambyID_ValidID		1	1	0	0	1	0	1	0
@NoAuth-PutProgramNameProgramController		1	1	0	0	1	0	1	0
@05PutRequest_updateProgrambyProgramName_InvalidMethod		1	0	1	0	1	0	1	0
@NoAuth-DeleteProgramNameProgramController		1	1	0	0	1	0	1	0
@07DeleteRequest_ProgramName		7	7	0	0	1	0	1	0


TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@07DeleteRequest_ValidProgramID_Bug	1	0	1	0		1	0	1	0
@07DeleteRequest_ProgramName_InvalidBaseURI	1	1	0	0		1	0	1	0
@07DeleteRequest_ProgramName_InvalidEndpoint	1	1	0	0		1	0	1	0
@07DeleteRequest_ProgramName_InvalidMethod	1	1	0	0		1	0	1	0
@NoAuth-DeleteProgramIDProgramController	1	0	1	0		1	0	1	0
@08DeleteRequest_ProgramID	7	0	7	0		1	0	1	0
@08DeleteRequest_ProgramID_InvalidBaseURI	1	1	0	0		1	0	1	0
@08DeleteRequest_ProgramID_InvalidEndpoint	1	1	0	0		1	0	1	0
@08DeleteRequest_ProgramID_InvalidMethod	1	1	0	0		1	0	1	0
@ProgramBatchController	24	19	5	0		1	0	1	0
@01PostRequest_ProgramBatchController	1	1	0	0		1	0	1	0
@01PostRequest_ProgramBatchController_noauth	1	1	0	0		1	0	1	0
@01PostRequest_ProgramBatchController_InvalidEndpoint	1	1	0	0		1	0	1	0
@02GetRequest(All_Batches)_ProgramBatchController	1	1	0	0		1	0	1	0
@02GetRequest(All_Batches)_ProgramBatchController_noauth	1	1	0	0		1	0	1	0
@02GetRequest(All_Batches)_ProgramBatchController_InvalidEndpoi-nt	1	1	0	0		1	0	1	0

TAG	Scenario				Feature			
	Name	T	P	F	S	T	P	F
@02GetRequest(All_Batches)_ProgramBatchController_with_search_string	1	1	0	0	1	0	1	0
@3GETREQUEST{byBatchID}	6	4	2	0	1	0	1	0
@4GETREQUEST{byBatchName}	3	2	1	0	1	0	1	0
@4GETREQUEST{byinvalidendpointBatchName}	1	1	0	0	1	0	1	0
@5GETREQUEST{byprogramid}	4	2	2	0	1	0	1	0
@6PUTREQUEST{UpdateBatch_bybatchID}_noauth	1	1	0	0	1	0	1	0
@6PUTREQUEST{UpdateBatch_bybatchID}	2	2	0	0	1	0	1	0
@PostUserAllFields	1	1	0	0	1	0	1	0
@PostUserexistingValuesForUniqueFields	1	1	0	0	1	0	1	0
@PostUserInvalidValues	1	1	0	0	1	0	1	0
@PostUserMissingValues	1	1	0	0	1	0	1	0
@PostUserNoAuth	1	1	0	0	1	0	1	0
@PutUpdateUserRoleldwithValidUserId	1	1	0	0	1	0	1	0
@PutUpdateUserRoleldwithInvalidUserId	1	1	0	0	1	0	1	0
@PutUpdateUserInvalidRoleldwithValidUserId	1	1	0	0	1	0	1	0
@PutUpdateUserExistingRoleldwithValidUserId	1	1	0	0	1	0	1	0


TAG	Scenario				Feature			
	Name	T	P	F	S	T	P	F
@PutUpdateUserRoleldwithValidUserIdInvalidEndpoint	1	1	0	0	1	0	1	0
@PutUpdateUserRoleldwithValidUserIdNoAuth	1	1	0	0	1	0	1	0
@UpdateUserRoleStatusvaliddata	1	1	0	0	1	0	1	0
@UpdateUserRoleStatusinvaliddata	1	1	0	0	1	0	1	0
@UpdateUserRoleStatusinvalidUserId	1	1	0	0	1	0	1	0
@UpdateUserRoleStatusnonexisting/unassignedRoleID	1	1	0	0	1	0	1	0
@UpdateUserRoleStatusInvalidEndpoint	1	1	0	0	1	0	1	0
@UpdateUserRoleStatusNoAuth	2	2	0	0	1	0	1	0
@UpdateAdminRoleProgramBatchstatusValidData	1	1	0	0	1	0	1	0
@UpdateAdminRoleProgramBatchstatusInValidData	1	1	0	0	1	0	1	0
@UpdateAdminRoleProgramBatchstatusInValidUserId	1	1	0	0	1	0	1	0
@UpdateAdminRoleProgramBatchstatusInvalidEndPoint	1	1	0	0	1	0	1	0
@UpdateAdminloginstatusValiddata	1	1	0	0	1	0	1	0
@UpdateAdminloginstatusInValidData	1	1	0	0	1	0	1	0
@UpdateAdminloginstatusInValidUserId	1	1	0	0	1	0	1	0
@UpdateAdminloginstatusNoAuth	1	1	0	0	1	0	1	0
@UpdateUserInfoValiddata	1	1	0	0	1	0	1	0

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@UpdateUserInfoInvalidData		1	0	1	0	1	0	1	0
@UpdateUserInfoInvalidUserId		1	1	0	0	1	0	1	0
@UpdateUserInfoNoAuth		1	1	0	0	1	0	1	0
@GetAllRoles		1	1	0	0	1	0	1	0
@GetAllRoles-InvalidEndpoint		1	1	0	0	1	0	1	0
@GetAllRolesNoAuth		1	1	0	0	1	0	1	0
@GetAllUsers		1	1	0	0	1	0	1	0
@GetAllUsers-InvalidEndpoint		1	1	0	0	1	0	1	0
@GetAllUsersNoAuth		1	1	0	0	1	0	1	0
@GetCountOfActiveandInactiveUsers		1	1	0	0	1	0	1	0
@GetCountOfActiveandInactiveUsers-InvalidEndpoint		1	1	0	0	1	0	1	0
@GetCountOfActiveandInactiveUsersbyValidRoleId		1	1	0	0	1	0	1	0
@GetCountOfActiveandInactiveUsersbyInvalidRoleId		1	1	0	0	1	0	1	0
@GetCountOfActiveandInactiveUsersNoAuth		1	1	0	0	1	0	1	0
@ GetUserbyValidUserID		1	1	0	0	1	0	1	0
@ GetUserbyInvalidUserID		1	1	0	0	1	0	1	0
@ GetUserbyUserIDInvalidEndPoint		1	1	0	0	1	0	1	0

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@GetUserbyUserIDNoAuth		1	1	0	0	1	0	1	0
@GetUserbyValidRoleID		1	1	0	0	1	0	1	0
@GetUserbyInvalidRoleID		1	1	0	0	1	0	1	0
@GetUserbyInvalidEndPoint		1	1	0	0	1	0	1	0
@GetUserbyRoleIDNoAuth		1	1	0	0	1	0	1	0
@GetAllUserswithRoles		1	1	0	0	1	0	1	0
@GetAllUserswithRoles-InvalidEndpoint		1	1	0	0	1	0	1	0
@GetAllUserswithRoles-NoAuth		1	1	0	0	1	0	1	0
@GetallActiveUser		1	1	0	0	1	0	1	0
@GetAllActiveUsers-InvalidEndpoint		2	2	0	0	1	0	1	0
@GetAllActiveUsersNoAuth		2	2	0	0	1	0	1	0
@GetallUserswithFacets/Filters		1	1	0	0	1	0	1	0
@DeleteValidId		1	1	0	0	1	0	1	0
@DeleteInvalidId		1	1	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post Request for User Login</u>	6	6	0	0	4.865 s
2	<u>Program Controller</u>	54	42	12	0	21.545 s
3	<u>ProgramBatchController Module</u>	24	19	5	0	9.542 s
4	<u>User Controller</u>	60	59	1	0	11.364 s
5	<u>User Role Program Batch Map Controller</u>	11	11	0	0	3.756 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post Request for User Login</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	3.432 s
2		<u>Check if Admin able to generate token with invalid credential</u>	3	3	0	0	0.236 s
3		<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	0.169 s
4		<u>Check if Admin able to logout</u>	3	3	0	0	0.207 s
5		<u>Check if Admin able to logout with invalid endpoint</u>	3	3	0	0	0.260 s
6		<u>Check if Admin able to logout with no auth</u>	3	3	0	0	0.160 s
7	<u>Program Controller</u>	<u>Check if admin is able to update the Admin login status by Admin ID</u>	3	3	0	0	0.575 s
8		<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	2.209 s
9		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.528 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10		<u>Check if Admin able to create a program with invalid BaseURI and valid endpoint</u>	3	3	0	0	0.677 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Program Controller</u>	<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.386 s
12		<u>Check if admin is able to update the Admin login status by Admin ID</u>	3	3	0	0	0.145 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.555 s
14		<u>Check if Admin able to retrieve all programs with invalid Endpoint</u>	3	3	0	0	0.384 s
15		<u>Check if Admin able to retrieve all programs with invalid BaseURI and valid Endpoint</u>	3	3	0	0	0.362 s
16		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.364 s
17		<u>Check if admin is able to update the Admin login status by Admin ID</u>	3	3	0	0	0.175 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
18		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.379 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>Program Controller</u>	<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.354 s
20		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.386 s
21		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.413 s
22		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.342 s
23		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.359 s
24		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.354 s
25		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	2	1	0	0.396 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
26	<u>Program Controller</u>	<u>Check if Admin able to retrieve a program with valid program ID</u>	3	1	1	1	0.426 s
27		<u>Check if Admin able to retrieve a program with invalid baseURL and valid Endpoint</u>	3	3	0	0	0.342 s
28		<u>Check if Admin able to retrieve a program with valid baseURL and invalid Endpoint</u>	3	3	0	0	0.356 s
29		<u>Check if Admin able to retrieve all programs with valid programID along with invalid Method</u>	3	3	0	0	0.354 s
30		<u>Check if Admin able to retrieve all programs with admin details along with valid Endpoint</u>	3	3	0	0	0.444 s
31		<u>Check if Admin able to retrieve all programs with admins along with invalid baseURL and valid Endpoint</u>	3	3	0	0	0.357 s
32		<u>Check if Admin able to retrieve all programs with admins along with valid baseURL and invalid Endpoint</u>	3	3	0	0	0.472 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>Program Controller</u>	<u>Check if Admin able to retrieve all programs with admin along with invalid Method</u>	3	3	0	0	0.368 s
34		<u>Check if admin is able to update the Admin login status by Admin ID</u>	3	3	0	0	0.143 s
35		<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.357 s
36		<u>Check if admin is able to update the Admin login status by Admin ID</u>	3	3	0	0	0.156 s
37		<u>Check if Admin able to update programs with invalid Method and valid programName</u>	3	2	1	0	0.229 s
38		<u>Check if admin is able to update the Admin login status by Admin ID</u>	3	3	0	0	0.155 s
39		<u>Check if Admin able to delete a program with valid programName</u>	3	3	0	0	0.389 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>Program Controller</u>	<u>Check if Admin able to delete a program with valid programName</u>	3	3	0	0	0.365 s
41		<u>Check if Admin able to delete a program with valid programName</u>	3	3	0	0	0.359 s
42		<u>Check if Admin able to delete a program with valid programName</u>	3	3	0	0	0.349 s
43		<u>Check if Admin able to delete a program with valid programName</u>	3	3	0	0	0.363 s
44		<u>Check if Admin able to delete a program with valid programName</u>	3	3	0	0	0.351 s
45		<u>Check if Admin able to delete a program with valid programName</u>	3	3	0	0	0.349 s
46		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	2	1	0	0.355 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
47	<u>Program Controller</u>	<u>Check if Admin able to delete a program with invalid BaseURI and valid endpoint and valid programName</u>	3	3	0	0	0.365 s
48		<u>Check if Admin able to delete a program with valid BaseURI, Invalid endpoint and valid programName</u>	3	3	0	0	0.378 s
49		<u>Check if Admin able to delete programs with invalid Method and valid programName</u>	3	3	0	0	0.350 s
50		<u>Check if admin is able to update the Admin login status by Admin ID</u>	3	2	1	0	0.007 s
51		<u>Check if Admin able to delete a program with valid program ID</u>	3	1	1	1	0.216 s
52		<u>Check if Admin able to delete a program with valid program ID</u>	3	1	1	1	0.210 s
53		<u>Check if Admin able to delete a program with valid program ID</u>	3	1	1	1	0.238 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
54	<u>Program Controller</u>	<u>Check if Admin able to delete a program with valid program ID</u>	3	1	1	1	0.238 s
55		<u>Check if Admin able to delete a program with valid program ID</u>	3	1	1	1	0.237 s
56		<u>Check if Admin able to delete a program with valid program ID</u>	3	1	1	1	0.225 s
57		<u>Check if Admin able to delete a program with valid program ID</u>	3	1	1	1	0.240 s
58		<u>Check if Admin able to delete a program with invalid BaseURI and valid endpoint and valid programID</u>	3	3	0	0	0.366 s
59		<u>Check if Admin able to delete a program with valid BaseURI, Invalid endpoint and valid programID</u>	3	3	0	0	0.367 s
60		<u>Check if Admin able to delete programs with invalid Method and valid programID</u>	3	3	0	0	0.342 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
61	<u>ProgramBatchController Module</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	3	0	0	0.839 s
62		<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	3	0	0	0.510 s
63		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.347 s
64		<u>Check if admin able to retrieve all batches</u>	3	3	0	0	0.489 s
65		<u>Check if admin able to retrieve all batches</u>	3	3	0	0	0.134 s
66		<u>Check if admin able to retrieve all batches with invalid endpoint</u>	3	3	0	0	0.333 s
67		<u>Check if admin able to retrieve all batches with search string</u>	3	3	0	0	0.476 s
68		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	3	0	0	0.352 s
69		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	2	1	0	0.346 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
70		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	2	1	0	0.385 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
71	<u>ProgramBatchController Module</u>	<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	3	0	0	0.364 s
72		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	3	0	0	0.357 s
73		<u>Check if admin able to retrieve a batch with invalid endpoint</u>	3	3	0	0	0.392 s
74		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	3	0	0	0.392 s
75		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	3	0	0	0.386 s
76		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	2	1	0	0.347 s
77		<u>Check if admin able to retrieve a batch with invalid endpoint</u>	3	3	0	0	0.361 s
78		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	3	0	0	0.349 s
79		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	2	1	0	0.341 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
80		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	2	1	0	0.352 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
81	<u>ProgramBatchController Module</u>	<u>Check if admin able to retrieve a batch with invalid Program Id</u>	3	3	0	0	0.347 s
82		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	3	0	0	0.144 s
83		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	3	0	0	0.349 s
84		<u>Check if admin able to update a Batch with invalid endpoint</u>	3	3	0	0	0.339 s
85	<u>User Controller</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with</u>	3	3	0	0	0.564 s
86		<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>	3	3	0	0	0.213 s
87		<u>Check if admin is able to create a Admin with valid endpoint and invalid values in request body</u>	3	3	0	0	0.206 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
88		<u>Check if Admin able to create a Admin missing mandatory fields in request body</u>	3	3	0	0	0.247 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
89	User Controller	<u>Check if Admin able to create a Admin with all mandatory fields in request body</u>	3	3	0	0	0.220 s
90		<u>Check if admin is able to update role id of a Admin by valid Admin id</u>	3	3	0	0	0.154 s
91		<u>Check if admin is able to update role id of a Admin by Invalid Admin id</u>	3	3	0	0	0.145 s
92		<u>Check if admin is able to update role id of a Admin by valid Admin id</u>	3	3	0	0	0.152 s
93		<u>Check if admin is able to update a Admin with Admin Role Id with already existing Admin role ID</u>	3	3	0	0	0.144 s
94		<u>Check if admin is able to update a Admin role ID with valid Admin role ID with invalid1 endpoint1</u>	3	3	0	0	0.246 s
95		<u>Check if admin is able to update role id of a Admin by valid Admin id</u>	3	3	0	0	0.127 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
96	<u>User Controller</u>	<u>Check if admin is able to update role status of a Admin with valid Admin id</u>	3	3	0	0	0.147 s
97		<u>Check if admin is able to update role status of a Admin with valid Admin id and invalid role status</u>	3	3	0	0	0.151 s
98		<u>Check if admin is able to update role status of a Admin with invalid Admin id</u>	3	3	0	0	0.143 s
99		<u>Check if admin is able to update role status of a Admin for nonexisting/unassigned RoleID</u>	3	3	0	0	0.142 s
10-0		<u>Check if admin is able to update role status of a Admin with invalid1 endpoint1</u>	3	3	0	0	0.162 s
10-1		<u>Check if admin is able to update role status of a Admin with valid Admin id with No Authorization</u>	3	3	0	0	0.139 s
10-2		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	3	3	0	0	0.155 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-3	<u>User Controller</u>	<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	3	3	0	0	0.140 s
10-4		<u>Check if admin is able to assign Admin to with program/batch by invalid Admin Id</u>	3	3	0	0	0.143 s
10-5		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	3	3	0	0	0.140 s
10-6		<u>Check if admin is able to update role status of a Admin with valid Admin id with No Authorization</u>	3	3	0	0	0.133 s
10-7		<u>Check if admin is able to update the Admin login status by Admin ID</u>	3	3	0	0	0.150 s
10-8		<u>Check if admin is able to update the Admin login status by Admin ID</u>	3	3	0	0	0.132 s
10-9		<u>Check if admin is able to update the Admin login status by Admin ID</u>	3	3	0	0	0.142 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-0	<u>User Controller</u>	<u>Check if admin is able to update the Admin login status by Admin ID</u>	3	3	0	0	0.141 s
11-1		<u>Check if admin is able to update Admin details with Admin id and all fields</u>	3	3	0	0	0.144 s
11-2		<u>Check if admin is able to update Admin details with Admin id and all fields</u>	3	2	1	0	0.192 s
11-3		<u>Check if admin is able to update Admin details with Admin id and all fields</u>	3	3	0	0	0.145 s
11-4		<u>Check if admin is able to update Admin details with Admin id and all fields</u>	3	3	0	0	0.143 s
11-5		<u>Check if admin is able to retrieve all the available roles</u>	3	3	0	0	0.144 s
11-6		<u>Check if admin is able to retrieve all the available roles with invalid End point</u>	3	3	0	0	0.141 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-7		<i><u>Check if admin is able to retrieve all the available roles</u></i>	3	3	0	0	0.135 s
11-8		<i><u>Check if admin able to retrieve all Admin with valid endpoint</u></i>	3	3	0	0	0.128 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-9	<u>User Controller</u>	<u>Check if admin is able to retrieve all the users with invalid End point</u>	3	3	0	0	0.139 s
12-0		<u>Check if admin is able to retrieve all the available users</u>	3	3	0	0	0.128 s
12-1		<u>Check if admin is able to get count of active and inactive Admins</u>	3	3	0	0	0.144 s
12-2		<u>Check if admin is able to get count of active and inactive Admins with invalid1 endpoint1</u>	3	3	0	0	0.129 s
12-3		<u>Check if admin is able to get count of active and inactive Admins by roleId</u>	3	3	0	0	0.142 s
12-4		<u>Check if admin is able to get count of active and inactive Admins by invalid roleId</u>	3	3	0	0	0.133 s
12-5		<u>Check if admin is able to retrieve all the available roles</u>	3	3	0	0	0.147 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
12-6		<i>Check if admin able to retrieve a Admin with valid Admin ID</i>	3	3	0	0	0.168 s
12-7		<i>Check if admin able to retrieve a Admin with valid Admin ID</i>	3	3	0	0	0.140 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-8	<u>User Controller</u>	<u>Check if admin able to retrieve a Admin with valid Admin ID</u>	3	3	0	0	0.145 s
12-9		<u>Check if admin able to retrieve a Admin with valid Admin ID</u>	3	3	0	0	0.137 s
13-0		<u>Check if admin is able to retreive Admins by valid role ID</u>	3	3	0	0	0.266 s
13-1		<u>Check if admin is able to retreive Admins by valid role ID</u>	3	3	0	0	0.154 s
13-2		<u>Check if admin is able to retreive Admins by valid role ID</u>	3	3	0	0	0.137 s
13-3		<u>Check if admin is able to retreive all the available roles</u>	3	3	0	0	0.137 s
13-4		<u>Check if admin able to retrieve all Admin with Roles</u>	3	3	0	0	0.465 s
13-5		<u>Check if admin is able to retreive all the available roles with invalid End point</u>	3	3	0	0	0.118 s
13-6		<u>Check if admin is able to retreive all the available roles</u>	3	3	0	0	0.123 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
13-7		<u>Check if admin able to retrieve all Admin with valid endpoint</u>	3	3	0	0	0.258 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
13-8	<u>User Controller</u>	<u>Check if admin is able to retrieve all the available roles with invalid End point</u>	3	3	0	0	0.147 s
13-9		<u>Check if admin is able to retrieve all the available roles</u>	3	3	0	0	0.122 s
14-0		<u>Check if admin is able to retrieve all Admins with filters</u>	3	3	0	0	0.484 s
14-1		<u>Check if admin is able to retrieve all Admins with filters with invalid1 endpoint1</u>	3	3	0	0	0.129 s
14-2		<u>Check if admin is able to retrieve all Admins with filters with No Authorization</u>	3	3	0	0	0.132 s
14-3		<u>Check if Admin able to delete a Admin with valid Admin Id</u>	3	3	0	0	0.127 s
14-4		<u>Check if Admin able to delete a Invalid Admin Id</u>	3	3	0	0	0.123 s
14-5	<u>User Role Program Batch Map Controller</u>	<u>Check if admin is able to retrieve all Admins with assigned program batches</u>	3	3	0	0	0.397 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
14-6		<u>Check if admin is able to retrieve all Admins with assigned program batches with No Authorization</u>	3	3	0	0	0.132 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
14-7	<u>User Role Program Batch Map Controller</u>	<u>Check if admin is able to retrieve all Admins with assigned program batches with invalid2 endpoint2</u>	3	3	0	0	0.354 s
14-8		<u>Check if admin is able to retrieve assigned program batches for valid AdminId</u>	3	3	0	0	0.366 s
14-9		<u>Check if admin is able to retrieve assigned program batches for valid AdminId</u>	3	3	0	0	0.346 s
15-0		<u>Check if admin is able to retrieve assigned program batches for valid AdminId</u>	3	3	0	0	0.353 s
15-1		<u>Check if admin is able to retrieve assigned program batches for valid AdminId</u>	3	3	0	0	0.345 s
15-2		<u>Check if admin is able to retrieve all Admins with assigned program batches with No Authorization</u>	3	3	0	0	0.140 s
15-3		<u>Check if admin is able to retrieve assigned program batches for valid adminId with invalid2 endpoint2</u>	3	3	0	0	0.395 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
15-4	<u>User Role Program Batch Map</u> <u>Controller</u>	<i>Check if admin is able to delete the program batch for a Admin</i>	3	3	0	0	0.354 s
15-5		<i>Check if admin is able to delete the program batch for a Admin</i>	3	3	0	0	0.355 s

Post Request for User Login

PASSED	DURATION - 4.865 s	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0		Steps Total - 18 Pass - 18 Fail - 0 Skip - 0	
/ 2:19:29.439 PM // 2:19:34.304 PM /					

Check if Admin able to generate token with valid credential

PASSED	DURATION - 3.432 s	3	2	1	0	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:29.444 PM // 2:19:32.876 PM /							
Post Request for User Login							
@LoginWithValidCredential @tag							


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.616 s
2	When Admin calls Post Https method with valid endpoint	PASSED	2.133 s
3	Then Admin1 received 200 created with auto generated token	PASSED	0.663 s

Check if Admin able to generate token with invalid credential

PASSED	DURATION - 0.236 s	0.3	0.2	0.1	0	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:33.007 PM // 2:19:33.243 PM /							
Post Request for User Login							
@LoginWithInValidCredential @tag							


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.003 s
2	When Admin calls Post Https method with valid endpoint and invalid credentials	PASSED	0.226 s
3	Then Admin receives 401 Bad request	PASSED	0.005 s

Check if Admin able to generate token with valid credential





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.003 s
2	When Admin calls Post Https method with invalid endpoint and valid credentials	PASSED	0.156 s
3	Then Admin receives 401 Bad request	PASSED	0.006 s

Check if Admin able to logout





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with Auth	PASSED	0.007 s
2	When Admin calls Get Https method with valid Logout endpoint	PASSED	0.174 s
3	Then Admin1 received 200 ok and response with "Logout successful"	PASSED	0.023 s

Check if Admin able to logout with invalid endpoint

PASSED	DURATION - 0.260 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:33.831 PM // 2:19:34.091 PM /				
Post Request for User Login				
@LogOutWithValidEndPoint @tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with Auth	PASSED	0.002 s
2	When Admin calls Get Https method with invalid Logout endpoint	PASSED	0.252 s
3	Then Admin receives status 404	PASSED	0.004 s

Check if Admin able to logout with no auth


PASSED	DURATION - 0.160 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:34.144 PM // 2:19:34.304 PM /				
Post Request for User Login				
@LogOutWithInvalidEndPoint @tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with No Auth for LogOut	PASSED	0.005 s
2	When Admin calls Get Https method with valid Logout endpoint	PASSED	0.146 s
3	Then Admin receives 401 Bad request	PASSED	0.004 s

Program Controller




Check if admin is able to update the Admin login status by Admin ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates Post Program Controller Request with No Auth	PASSED	0.405 s
2	When Admin sends HTTPS Program Controller Request with endpoint valid data for login status in request body	PASSED	0.166 s
3	Then Admin receives 401 Bad Request Status for program controller with message and boolean success details	PASSED	0.003 s


Check if Admin able to create a program with valid endpoint and request body with Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.342 s
2	When Admin sends HTTPS post program Request and request Body with endpoint	PASSED	1.166 s


#	Step / Hook Details	Status	Duration
3	Then Admin receives 201 Created program Status with response body.	PASSED	0.699 s

Check if Admin able to create a program with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.211 s
2	When Admin sends HTTPS post program Request and request Body with invalid endpoint	PASSED	0.308 s
3	Then Admin receives 404 not found program Status with message and boolean success details	PASSED	0.005 s

Check if Admin able to create a program with invalid BaseURI and valid endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.230 s
2	When Admin sends HTTPS post program Request and request Body with invalid BaseURI and valid endpoint	PASSED	0.156 s
3	Then Admin receives 404 not found program Status with message and boolean success details	PASSED	0.289 s

Check if Admin able to create a program with invalid method

PASSED	DURATION - 0.386 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:38.511 PM // 2:19:38.897 PM /				
Program Controller				
@ProgramController @01PostRequest_Program_InvalidMethod				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.228 s
2	When Admin sends HTTPS post program Request and request Body with endpoint along with invalid method	PASSED	0.151 s
3	Then Admin receives 405 Method Not Allowed for program controller	PASSED	0.004 s

Check if admin is able to update the Admin login status by Admin ID

PASSED	DURATION - 0.145 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:38.933 PM // 2:19:39.078 PM /				
Program Controller				
@ProgramController @NoAuth- GetAllPgmsProgramController				


#	Step / Hook Details	Status	Duration
1	Given Admin creates get all programs Request with No Auth	PASSED	0.003 s
2	When Admin sends HTTPS get all programs Request with endpoint valid data for login status in request body	PASSED	0.137 s
3	Then Admin receives 401 Bad Request Status for program controller with message and boolean success details	PASSED	0.003 s

Check if Admin able to retrieve all programs with valid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.222 s
2	When Admin sends HTTPS get program Request with endpoint	PASSED	0.165 s
3	Then Admin receives 200 OK get program Status with response body.	PASSED	0.166 s

Check if Admin able to retrieve all programs with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.243 s
2	When Admin sends HTTPS program Request with invalid endpoint	PASSED	0.136 s
3	Then Admin receives 404 not found program Status with message and boolean success details	PASSED	0.002 s

Check if Admin able to retrieve all programs with invalid BaseURI and valid Endpoint

PASSED	DURATION - 0.362 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:40.094 PM // 2:19:40.456 PM /				
Program Controller				
@ProgramController @02GetRequest_AllPrograms_InvalidBaseURI				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.222 s
2	When Admin sends HTTPS program get Request with invalid BaseURI and valid endpoint	PASSED	0.127 s
3	Then Admin receives 404 not found program Status with message and boolean success details	PASSED	0.009 s

Check if Admin able to retrieve all programs with invalid Method

PASSED	DURATION - 0.364 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:40.496 PM // 2:19:40.860 PM /				
Program Controller				
@ProgramController @02GetRequest_AllPrograms_InvalidMethod				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.220 s
2	When Admin sends HTTPS program Request and request Body with endpoint along with invalidmethod	PASSED	0.140 s
3	Then Admin receives 405 Method Not Allowed for program controller	PASSED	0.002 s

Check if admin is able to update the Admin login status by Admin ID

PASSED	DURATION - 0.175 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:40.894 PM // 2:19:41.069 PM /				
Program Controller				
@ProgramController @NoAuth- GetByProgramIDProgramController				



#	Step / Hook Details	Status	Duration
1	Given Admin creates get all programs Request with No Auth	PASSED	0.002 s
2	When Admin sends HTTPS get by "<programID>" Request with endpoint valid data for login status in request body	PASSED	0.168 s
3	Then Admin receives 401 Bad Request Status for program controller with message and boolean success details	PASSED	0.003 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.379 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:41.120 PM // 2:19:41.499 PM /				
Program Controller				
@ProgramController @03GetRequest_ValidProgramID				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program by ID Request for the LMS API with valid "16595"	PASSED	0.221 s
2	When Admin sends HTTPS get by program ID Request with endpoint	PASSED	0.153 s
3	Then Admin receives "200" program Status with response body.	PASSED	0.002 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.354 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:41.522 PM // 2:19:41.876 PM /				
Program Controller				
@ProgramController @03GetRequest_ValidProgramID				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program by ID Request for the LMS API with valid "ffg16jhg83g9"	PASSED	0.212 s
2	When Admin sends HTTPS get by program ID Request with endpoint	PASSED	0.138 s
3	Then Admin receives "400" program Status with response body.	PASSED	0.002 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.386 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:41.912 PM // 2:19:42.298 PM /				
Program Controller				
@ProgramController @03GetRequest_ValidProgramID				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program by ID Request for the LMS API with valid "asdffdf"	PASSED	0.228 s
2	When Admin sends HTTPS get by program ID Request with endpoint	PASSED	0.152 s
3	Then Admin receives "400" program Status with response body.	PASSED	0.003 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.413 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:42.339 PM // 2:19:42.752 PM /				
Program Controller				
@ProgramController @03GetRequest_ValidProgramID				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program by ID Request for the LMS API with valid "#@\$%^&**"	PASSED	0.262 s
2	When Admin sends HTTPS get by program ID Request with endpoint	PASSED	0.146 s
3	Then Admin receives "401" program Status with response body.	PASSED	0.002 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.342 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:42.776 PM // 2:19:43.118 PM /				
Program Controller				
@ProgramController @03GetRequest_ValidProgramID				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program by ID Request for the LMS API with valid "!@#\$%1235556"	PASSED	0.207 s
2	When Admin sends HTTPS get by program ID Request with endpoint	PASSED	0.133 s
3	Then Admin receives "401" program Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program by ID Request for the LMS API with valid ""	PASSED	0.213 s
2	When Admin sends HTTPS get by program ID Request with endpoint	PASSED	0.142 s
3	Then Admin receives "404" program Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program by ID Request for the LMS API with valid "125"	PASSED	0.213 s
2	When Admin sends HTTPS get by program ID Request with endpoint	PASSED	0.136 s
3	Then Admin receives "404" program Status with response body.	PASSED	0.002 s

Check if Admin able to retrieve a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program by ID Request for the LMSAPI with valid "1 6 5 9 5"	PASSED	0.214 s
2	When Admin sends HTTPS get by programID Request with endpoint	PASSED	0.145 s
3	<p>Then Admin receives "400" program get Status with response body.</p> <pre>java.lang.AssertionError: expected [400] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at com.LMSAPI.Utilities.TestValidationPage.GetValidationgetrequest_Bug(TestValidationPage.java:77) at com.LMSAPI.StepDef.ProgramController.admin_receives_program_get_status_with_response_body(ProgramController.java:279) at ?.Admin receives "400" program get Status with response body.(file:///C:/Users/sanka/git/Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/02.ProgramContoller.feature:89)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.035 s

Check if Admin able to retrieve a program with valid program ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program by ID Request for the LMS API with valid programID	PASSED	0.220 s
2	When Admin sends HTTPS get by program ID Request with valid endpoint java.lang.NullPointerException: Cannot invoke "org.apache.poi.ss.usermodel.Cell.getStringCellValue()" because the return value of "org.apache.poi.ss.usermodel.Row.getCell(int)" is null at com.LMSAPI.Utilities.UserExcelUtility.readSheet(UserExcelUtility.java:51) at com.LMSAPI.Utilities.UserExcelUtility.getData(UserExcelUtility.java:28) at com.LMSAPI.PayLoad.ProgramControllerPayload.GetProgramRequest(ProgramControllerPayload.java:57) at com.LMSAPI.StepDef.ProgramController.admin_sends_https_get_by_program_id_request_with_valid_endpoint(ProgramController.java:290) at ?.Admin sends HTTPS get by program ID Request with valid endpoint(file:///C:/Users/sanka/git/Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/02.ProgramController.feature:97) * Not displayable characters are replaced by '?'.	FAILED	0.200 s
3	Then Admin receives status program Status with response body.	SKIPPED	0.004 s

Check if Admin able to retrieve a program with invalid baseURL and valid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.215 s
2	When Admin sends HTTPS program Request with invalid baseURL and valid endpoint	PASSED	0.117 s
3	Then Admin receives 404 Not Found get program Status with message and boolean success details	PASSED	0.008 s

Check if Admin able to retrieve a program with valid BaseURL and invalid Endpoint

PASSED	DURATION - 0.356 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:45.151 PM // 2:19:45.507 PM /				
Program Controller				
@ProgramController @03GetRequest_ProgramID_InvalidEndPoint				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.228 s
2	When Admin sends HTTPS program Request with valid BaseURI and invalid endpoint	PASSED	0.126 s
3	Then Admin receives 405 Method Not Allowed for program controller	PASSED	0.002 s

Check if Admin able to retrieve all programs with valid programID along with invalid Method

PASSED	DURATION - 0.354 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:45.531 PM // 2:19:45.885 PM /				
Program Controller				
@ProgramController @03GetRequest_ValidProgramID_InvalidMethod				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.223 s
2	When Admin sends HTTPS program Request and request Body with endpoint along with invalidmethod and valid programID	PASSED	0.125 s
3	Then Admin receives 405 Method Not Allowed for program controller	PASSED	0.004 s

Check if Admin able to retrieve all programs with admin details along with valid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.211 s
2	When Admin sends HTTPS program Request with endpoint	PASSED	0.187 s
3	Then Admin receives 200 OK get program Status with response body.	PASSED	0.044 s

Check if Admin able to retrieve all programs with admins along with invalid baseURL and valid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.211 s
2	When Admin sends HTTPS get all program Request with invalid baseURL and valid endpoint	PASSED	0.128 s
3	Then Admin receives 404 Not Found get program Status with message and boolean success details	PASSED	0.009 s

Check if Admin able to retrieve all programs with admins along with valid BaseURL and invalid Endpoint

PASSED	DURATION - 0.472 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:46.757 PM // 2:19:47.229 PM /				
Program Controller				
@04GetAllPrograms_WithAdmins_InvalidEndPoint @ProgramController				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.216 s
2	When Admin sends HTTPS get all program with users Request with valid BaseURI and invalid endpoint	PASSED	0.252 s
3	Then Admin receives 404 Not Found get program Status with message and boolean success details	PASSED	0.003 s

Check if Admin able to retrieve all programs with admin along with invalid Method

PASSED	DURATION - 0.368 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:47.254 PM // 2:19:47.622 PM /				
Program Controller				
@ProgramController @04GetAllPrograms_WithAdmins_InvalidMethod				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.216 s
2	When Admin sends HTTPS get all programs with users program Request and request Body with endpoint along with invalidmethod	PASSED	0.147 s
3	Then Admin receives 405 Method Not Allowed for program controller	PASSED	0.002 s

Check if admin is able to update the Admin login status by Admin ID

PASSED	DURATION - 0.143 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:47.643 PM // 2:19:47.786 PM /				
Program Controller				
@ProgramController @NoAuth- PutProgramIDProgramController				



#	Step / Hook Details	Status	Duration
1	Given Admin updates program details by "<programId>" Request with No Auth	PASSED	0.002 s
2	When Admin sends HTTPS update Request by programID with endpoint valid data for login status in request body	PASSED	0.137 s
3	Then Admin receives 401 Bad Request Status for program controller with message and boolean success details	PASSED	0.002 s

Check if Admin able to update a program with valid programID endpoint and valid request body

PASSED	DURATION - 0.357 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:47.821 PM // 2:19:48.178 PM /				
Program Controller				
@ProgramController @05PutRequest_updateProgrambyID_ValidID				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT program Request for the LMS API endpoint with request Body with mandatory , additional fields "<programID>".	PASSED	0.217 s
2	When Admin sends HTTPS program Request with valid endpoint	PASSED	0.136 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.002 s

Check if admin is able to update the Admin login status by Admin ID

PASSED	DURATION - 0.156 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:48.199 PM // 2:19:48.355 PM /				
Program Controller				
@ProgramController @NoAuth- PutProgramNameProgramController				



#	Step / Hook Details	Status	Duration
1	Given Admin updates program details by "<programName>" Request with NoAuth	PASSED	0.001 s
2	When Admin sends HTTPS update Request by programName with endpoint valid data for login status in request body	PASSED	0.152 s
3	Then Admin receives 401 Bad Request Status for program controller with message and boolean success details	PASSED	0.002 s

Check if Admin able to update programs with invalid Method and valid programName

FAILED	DURATION - 0.229 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:19:48.381 PM // 2:19:48.610 PM /				
Program Controller				
@ProgramController @05PutRequest_updateProgrambyProgramName_InvalidMethod				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET program Request for the LMS API	PASSED	0.225 s
2	When Admin sends HTTPS program Request and request Body with endpoint along with invalid method and valid Program Name	PASSED	0.000 s
3	Then Admin receives 405 Method Not Allowed for program controller java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.then()" because "response" is null at com.LMSAPI.Utilities.TestValidationPage.GetValidation_Method(TestValidationPage.java:37) at com.LMSAPI.StepDef.ProgramController.admin_receives_method_not_allowed_for_program_controller(ProgramController.java:194) at ?.Admin receives 405 Method Not Allowed for program controller(file:///C:/Users/sanka/git/Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/02.ProgramController.feature:215) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

Check if admin is able to update the Admin login status by Admin ID

PASSED	DURATION - 0.155 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:48.639 PM // 2:19:48.794 PM /				
Program Controller				
@ProgramController @NoAuth-DeleteProgramNameProgramController				



#	Step / Hook Details	Status	Duration
1	Given Admin deletes program details by "<programName>" Request with NoAuth	PASSED	0.001 s
2	When Admin sends HTTPS delete Request by programName with endpoint valid data for login status in request body	PASSED	0.147 s
3	Then Admin receives 401 Bad Request Status for program controller with message and boolean success details	PASSED	0.003 s

Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.389 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:48.820 PM // 2:19:49.209 PM /				
Program Controller				
@ProgramController @07DeleteRequest_ProgramName				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE program Request for the LMS API endpoint with valid "abcd"	PASSED	0.237 s
2	When Admin sends HTTPS delete program name Request with endpoint	PASSED	0.149 s
3	Then Admin receives "404" delete program Status with response body.	PASSED	0.002 s

Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.365 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:49.231 PM // 2:19:49.596 PM /				
Program Controller				
@ProgramController @07DeleteRequest_ProgramName				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE program Request for the LMS API endpoint with valid "abcd233ass"	PASSED	0.215 s
2	When Admin sends HTTPS delete program name Request with endpoint	PASSED	0.145 s
3	Then Admin receives "404" delete program Status with response body.	PASSED	0.003 s

Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.359 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:49.619 PM // 2:19:49.978 PM /				
Program Controller				
@ProgramController @07DeleteRequest_ProgramName				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE program Request for the LMS API endpoint with valid "asdfdfdsfd"	PASSED	0.216 s
2	When Admin sends HTTPS delete program name Request with endpoint	PASSED	0.140 s
3	Then Admin receives "404" delete program Status with response body.	PASSED	0.001 s

Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.349 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:50.010 PM // 2:19:50.359 PM /				
Program Controller				
@ProgramController @07DeleteRequest_ProgramName				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE program Request for the LMS API endpoint with valid "#@\$%^&**"	PASSED	0.215 s
2	When Admin sends HTTPS delete program name Request with endpoint	PASSED	0.131 s
3	Then Admin receives "404" delete program Status with response body.	PASSED	0.002 s

Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.363 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:50.391 PM // 2:19:50.754 PM /				
Program Controller				
@ProgramController @07DeleteRequest_ProgramName				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE program Request for the LMS API endpoint with valid ""	PASSED	0.219 s
2	When Admin sends HTTPS delete program name Request with endpoint	PASSED	0.137 s
3	Then Admin receives "404" delete program Status with response body.	PASSED	0.003 s

Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.351 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:50.783 PM // 2:19:51.134 PM /				
Program Controller				
@ProgramController @07DeleteRequest_ProgramName				


#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE program Request for the LMS API endpoint with valid "!@#\$%1235556"	PASSED	0.208 s
2	When Admin sends HTTPS delete program name Request with endpoint	PASSED	0.139 s
3	Then Admin receives "404" delete program Status with response body.	PASSED	0.001 s

Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.349 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:51.150 PM // 2:19:51.499 PM /				
Program Controller				
@ProgramController @07DeleteRequest_ProgramName				


#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE program Request for the LMS API endpoint with valid "team9RestASSuredHackathonMarch2056_SDET3"	PASSED	0.209 s
2	When Admin sends HTTPS delete program name Request with endpoint	PASSED	0.136 s
3	Then Admin receives "200" delete program Status with response body.	PASSED	0.003 s

Check if Admin able to retrieve a program with valid program ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates delete program by ID Request for the LMSAPI with valid "<programId>"	PASSED	0.214 s
2	When Admin sends HTTPS program delete by programID Request with endpoint	PASSED	0.138 s
3	<p>Then Admin receives "<status>" program delete Status with response body.</p> <pre>java.lang.AssertionError: expected [400] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at com.LMSAPI.Utilities.TestValidationPage.GetValidationgetrequest_Bug(TestValidationPage.java:77) at com.LMSAPI.StepDef.ProgramController.admin_receives_program_delete_status_with_response_body(ProgramController.java:528) at ?.Admin receives "<status>" program delete Status with response body.(file:///C:/Users/sanka/git/Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/02.ProgramContoller.feature:243)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.003 s

Check if Admin able to delete a program with invalid BaseURI and valid endpoint and valid programName





#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE program Request for the LMS API endpoint	PASSED	0.227 s
2	When Admin sends HTTPS delete program name Request with invalid base url and valid endpoint	PASSED	0.135 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.002 s

Check if Admin able to delete a program with valid BaseURI, Invalid endpoint and valid programName

PASSED	DURATION - 0.378 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:52.296 PM // 2:19:52.674 PM /				
Program Controller				
@ProgramController @07DeleteRequest_ProgramName_InvalidEndpoint				


#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE program Request for the LMS API endpoint	PASSED	0.229 s
2	When Admin sends HTTPS program delete Request with endpoint	PASSED	0.143 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.002 s

Check if Admin able to delete programs with invalid Method and valid programName

PASSED	DURATION - 0.350 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:52.696 PM // 2:19:53.046 PM /				
Program Controller				
@ProgramController @07DeleteRequest_ProgramName_InvalidMethod				


#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE program Request for the LMS API endpoint	PASSED	0.213 s
2	When Admin sends HTTPS program delete Request and request Body with endpoint along with invalid method and valid Program Name	PASSED	0.133 s
3	Then Admin receives 405 Method Not Allowed for program controller	PASSED	0.003 s

Check if admin is able to update the Admin login status by Admin ID



#	Step / Hook Details	Status	Duration
1	Given Admin deletes program details by "<programId>" Request with No Auth	PASSED	0.001 s
2	When Admin sends HTTPS delete Request by programID with endpoint valid data for login status in request body	PASSED	0.001 s
3	Then Admin receives 401 Bad Request Status for program controller with message and boolean success details java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.then()" because "response" is null at com.LMSAPI.Utilities.TestValidationPage.NoAuth(TestValidationPage.java:82) at com.LMSAPI.StepDef.ProgramController. admin_receives_bad_request_status_for_program_controller_with_message_and_boolean_success_details(ProgramController.java:78) at ?.Admin receives 401 Bad Request Status for program controller with message and boolean success details(file:///C:/Users/sanka/git/Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/02.ProgramContoller.feature:267) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s

Check if Admin able to delete a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE programRequest by program ID for the LMS API endpoint "abcd"	PASSED	0.199 s
2	When Admin sends HTTPS Delete program Request by ID with endpoint java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 0, was 1. Redundant path parameters are: ProgramId=abcd.	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56)		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:148) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy:184) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy) at com.LMSAPI.StepDef.ProgramController.admin_sends_https_delete_program_request_by_id_with_endpoint(ProgramController.java:587) at ?.Admin sends HTTPS Delete program Request by ID with endpoint(file:///C:/Users/sanka/git/ Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/02.ProgramContoller.feature:271) * Not displayable characters are replaced by '?'.		
3	Then Admin receives "<Status>" Ok status with message	SKIPPED	0.000 s

Check if Admin able to delete a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE programRequest by program ID for the LMS API endpoint "abcd233ass"	PASSED	0.205 s
2	When Admin sends HTTPS Delete program Request by ID with endpoint java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 0, was 1. Redundant path parameters are: ProgramId=abcd233ass. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:148) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) </pre>		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy:184) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy) at com.LMSAPI.StepDef.ProgramController.admin_sends_https_delete_program_request_by_id_with_endpoint(ProgramController.java:587) at ?.Admin sends HTTPS Delete program Request by ID with endpoint(file:///C:/Users/sanka/git/ Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/02.ProgramContoller.feature:271) * Not displayable characters are replaced by '?'.		
3	Then Admin receives "<Status>" Ok status with message	SKIPPED	0.000 s

Check if Admin able to delete a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE programRequest by program ID for the LMS API endpoint "asfdfdsfd"	PASSED	0.224 s
2	<p>When Admin sends HTTPS Delete program Request by ID with endpoint</p> <pre>java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 0, was 1. Redundant path parameters are: ProgramId=asfdfdsfd. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)</pre>	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:148) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) </pre>		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy:184) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy) at com.LMSAPI.StepDef.ProgramController.admin_sends_https_delete_program_request_by_id_with_endpoint(ProgramController.java:587) at ?.Admin sends HTTPS Delete program Request by ID with endpoint(file:///C:/Users/sanka/git/ Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/02.ProgramContoller.feature:271) * Not displayable characters are replaced by '?'.		
3	Then Admin receives "<Status>" Ok status with message	SKIPPED	0.000 s

Check if Admin able to delete a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE programRequest by program ID for the LMS API endpoint "#@\$%^&**"	PASSED	0.223 s
2	When Admin sends HTTPS Delete program Request by ID with endpoint	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 0, was 1. Redundant path parameters are: ProgramId=#@%^^&**. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56)</pre>		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:148) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy:184) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy) at com.LMSAPI.StepDef.ProgramController.admin_sends_https_delete_program_request_by_id_with_endpoint(ProgramController.java:587) at ?.Admin sends HTTPS Delete program Request by ID with endpoint(file:///C:/Users/sanka/git/ Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/02.ProgramController.feature:271) * Not displayable characters are replaced by '?'.		
3	Then Admin receives "<Status>" Ok status with message	SKIPPED	0.001 s

Check if Admin able to delete a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE programRequest by program ID for the LMS API endpoint ""	PASSED	0.224 s
2	When Admin sends HTTPS Delete program Request by ID with endpoint java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 0, was 1. Redundant path parameters are: ProgramId=. at java.base/jdk/internal/reflect/DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java/lang/reflect/Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java/lang/reflect/Constructor.newInstance(Constructor.java:483) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at java.base/jdk/internal/reflect/DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java/lang/reflect/Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:148) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) </pre>		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy:184) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy) at com.LMSAPI.StepDef.ProgramController.admin_sends_https_delete_program_request_by_id_with_endpoint(ProgramController.java:587) at ?.Admin sends HTTPS Delete program Request by ID with endpoint(file:///C:/Users/sanka/git/ Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/02.ProgramContoller.feature:271) * Not displayable characters are replaced by '?'.		
3	Then Admin receives "<Status>" Ok status with message	SKIPPED	0.001 s

Check if Admin able to delete a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE programRequest by program ID for the LMS API endpoint "!@#\$%1235556"	PASSED	0.214 s
2	<p>When Admin sends HTTPS Delete program Request by ID with endpoint</p> <p>java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 0, was 1. Redundant path parameters are: ProgramId=!@#\$%1235556.</p> <pre>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)</pre>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:148) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) </pre>		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy:184) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy) at com.LMSAPI.StepDef.ProgramController.admin_sends_https_delete_program_request_by_id_with_endpoint(ProgramController.java:587) at ?.Admin sends HTTPS Delete program Request by ID with endpoint(file:///C:/Users/sanka/git/ Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/02.ProgramContoller.feature:271) * Not displayable characters are replaced by '?'.		
3	Then Admin receives "<Status>" Ok status with message	SKIPPED	0.000 s

Check if Admin able to delete a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE programRequest by program ID for the LMS API endpoint "16595"	PASSED	0.226 s
2	When Admin sends HTTPS Delete program Request by ID with endpoint	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 0, was 1. Redundant path parameters are: ProgramId=16595. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56)</pre>		

#	Step / Hook Details	Status	Duration
	at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:148) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		


#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy:184) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy) at com.LMSAPI.StepDef.ProgramController.admin_sends_https_delete_program_request_by_id_with_endpoint(ProgramController.java:587) at ?.Admin sends HTTPS Delete program Request by ID with endpoint(file:///C:/Users/sanka/git/ Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/02.ProgramContoller.feature:271) * Not displayable characters are replaced by '?'.		
3	Then Admin receives "<Status>" Ok status with message	SKIPPED	0.001 s

Check if Admin able to delete a program with invalid BaseURI and valid endpoint and valid programID




#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE program Request for the LMS API endpoint	PASSED	0.220 s
2	When Admin sends HTTPS Delete program Request with Invalid BaseURI endpoint	PASSED	0.139 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.005 s

Check if Admin able to delete a program with valid BaseURI, Invalid endpoint and valid programID




#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE program Request for the LMS API endpoint	PASSED	0.227 s
2	When Admin sends HTTPS delete program Request with valid baseurl and invalid endpoint	PASSED	0.131 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.007 s

Check if Admin able to delete programs with invalid Method and valid programID



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE program Request for the LMS API endpoint	PASSED	0.215 s
2	When Admin sends HTTPS program delete Request and request Body with endpoint along with invalid method and valid Program ID	PASSED	0.125 s
3	Then Admin receives 405 Method Not Allowed for program controller	PASSED	0.001 s

ProgramBatchController Module



Check if admin able to create a Batch with valid endpoint and request body (non existing values)

PASSED	DURATION - 0.839 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:55.995 PM // 2:19:56.834 PM /				
ProgramBatchController Module				
@ProgramBatchController @01PostRequest_ProgramBatchController				



#	Step / Hook Details	Status	Duration
1	Given Admin creates programBatch request	PASSED	0.208 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.549 s
3	Then Admin receives 201 Created programbatch Status with response body.	PASSED	0.081 s

Check if admin able to create a Batch with valid endpoint and request body (non existing values)

PASSED	DURATION - 0.510 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:56.857 PM // 2:19:57.367 PM /				
ProgramBatchController Module				
@ProgramBatchController @01PostRequest_ProgramBatchController_noauth				



#	Step / Hook Details	Status	Duration
1	Given Admin creates programBatch request with no auth	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.505 s
3	Then Admin receives 401 Created programbatch Status with response body.	PASSED	0.003 s

Check if admin able to create a batch with invalid endpoint

PASSED	DURATION - 0.347 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:57.397 PM // 2:19:57.744 PM /				
ProgramBatchController Module				
@ProgramBatchController @01PostRequest_ProgramBatchController_InvalidEndpoint				



#	Step / Hook Details	Status	Duration
1	Given Admin creates programBatch request	PASSED	0.204 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.137 s
3	Then Admin receives 404 not found programbatch Status with message and boolean success details	PASSED	0.003 s

Check if admin able to retrieve all batches

PASSED	DURATION - 0.489 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:57.771 PM // 2:19:58.260 PM /				
ProgramBatchController Module				
@ProgramBatchController @02GetRequest(All_Batches)_ProgramBatchController				



#	Step / Hook Details	Status	Duration
1	Given Admin creates programBatch request	PASSED	0.225 s
2	When Admin sends HTTPS GET Request with endpoint	PASSED	0.201 s
3	Then Admin receives 200 Ok Status with response body	PASSED	0.061 s

Check if admin able to retrieve all batches

PASSED	DURATION - 0.134 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:58.276 PM // 2:19:58.410 PM /				
ProgramBatchController Module				
@ProgramBatchController @02GetRequest(All_Batches)_ProgramBatchController-_noauth				



#	Step / Hook Details	Status	Duration
1	Given Admin creates programBatch request with no auth	PASSED	0.002 s
2	When Admin sends HTTPS GET Request with endpoint	PASSED	0.131 s
3	Then Admin receives 401 Created programbatch Status with response body.	PASSED	0.000 s

Check if admin able to retrieve all batches with invalid endpoint

PASSED	DURATION - 0.333 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:58.441 PM // 2:19:58.774 PM /				
ProgramBatchController Module				
@ProgramBatchController @02GetRequest(All_Batches)_ProgramBatchController-_InvalidEndpoint				



#	Step / Hook Details	Status	Duration
1	Given Admin creates programBatch request	PASSED	0.205 s
2	When Admin sends HTTPS GET Request with invalid endpoint	PASSED	0.125 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.002 s

Check if admin able to retrieve all batches with search string

PASSED	DURATION - 0.476 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:58.794 PM // 2:19:59.270 PM /				
ProgramBatchController Module				
@ProgramBatchController @02GetRequest(All_Batches)_ProgramBatchController- _with_search_string				


#	Step / Hook Details	Status	Duration
1	Given Admin creates programBatch request with search string	PASSED	0.219 s
2	When Admin sends HTTPS GET Request with endpoint	PASSED	0.200 s
3	Then Admin receives 200 Ok Status with response body	PASSED	0.056 s

Check if admin able to retrieve a batch with valid BATCH ID

PASSED	DURATION - 0.352 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:19:59.289 PM // 2:19:59.641 PM /				
ProgramBatchController Module				
@ProgramBatchController @3GETREQUEST{byBatchID}				


#	Step / Hook Details	Status	Duration
1	Given Admin creates programBatch request by ID Request for the LMS API with valid "8600"	PASSED	0.212 s
2	When Admin sends HTTPS GET Request by batch id with endpoint	PASSED	0.136 s
3	Then Admin receives "200" program Status with response body programbatch	PASSED	0.002 s

Check if admin able to retrieve a batch with valid BATCH ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates programBatch request by ID Request for the LMS API with valid "170361"	PASSED	0.210 s
2	When Admin sends HTTPS GET Request by batch id with endpoint	PASSED	0.130 s
3	<p>Then Admin receives "404" program Status with response body programbatch</p> <pre>java.lang.AssertionError: expected [404] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at com.LMSAPI.StepDef.ProgramBatchController. admin_receives_program_status_with_response_body_programbatch(ProgramBatchController.java:162) at ?.Admin receives "404" program Status with response body programbatch(file:///C:/Users/sanka/git/ Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/03.ProgramBatchContoller.feature:50)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.003 s

Check if admin able to retrieve a batch with valid BATCH ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates programBatch request by ID Request for the LMS API with valid "9803"	PASSED	0.247 s
2	When Admin sends HTTPS GET Request by batch id with endpoint	PASSED	0.132 s
3	<p>Then Admin receives "200" program Status with response body programbatch</p> <pre>java.lang.AssertionError: expected [404] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at com.LMSAPI.StepDef.ProgramBatchController. admin_receives_program_status_with_response_body_programbatch(ProgramBatchController.java:162) at ?.Admin receives "200" program Status with response body programbatch(file:///C:/Users/sanka/git/ Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/03.ProgramBatchController.feature:50)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.003 s

Check if admin able to retrieve a batch with valid BATCH ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates programBatch request by ID Request for the LMS API with valid "hello"	PASSED	0.224 s
2	When Admin sends HTTPS GET Request by batch id with endpoint	PASSED	0.135 s
3	Then Admin receives "404" program Status with response body programbatch	PASSED	0.002 s

Check if admin able to retrieve a batch with valid BATCH ID

PASSED	DURATION - 0.357 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:00.846 PM // 2:20:01.203 PM /				
ProgramBatchController Module				
@ProgramBatchController @3GETREQUEST{byBatchID}				



#	Step / Hook Details	Status	Duration
1	Given Admin creates programBatch request by ID Request for the LMS API with valid "8b5rt7jhb0"	PASSED	0.215 s
2	When Admin sends HTTPS GET Request by batch id with endpoint	PASSED	0.136 s
3	Then Admin receives "405" program Status with response body programbatch	PASSED	0.001 s

Check if admin able to retrieve a batch with invalid endpoint

PASSED	DURATION - 0.392 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:01.225 PM // 2:20:01.617 PM /				
ProgramBatchController Module				
@ProgramBatchController @3GETREQUEST{byBatchID}				



#	Step / Hook Details	Status	Duration
1	Given Admin creates programBatch request by ID Request for the LMS API with valid "8600"	PASSED	0.247 s
2	When Admin sends HTTPS GET Request by batch id with invalid endpoint	PASSED	0.141 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.003 s

Check if admin able to retrieve a batch with valid BATCH NAME

PASSED	DURATION - 0.392 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:01.640 PM // 2:20:02.032 PM /				
ProgramBatchController Module				
@ProgramBatchController @4GETREQUEST{byBatchName}				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid "SDET1"	PASSED	0.221 s
2	When Admin sends HTTPS Request with endpoint by batchname with valid endpoint	PASSED	0.168 s
3	Then Admin receives "200" program Status with response body programbatch	PASSED	0.001 s

Check if admin able to retrieve a batch with valid BATCH NAME

PASSED	DURATION - 0.386 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:02.054 PM // 2:20:02.440 PM /				
ProgramBatchController Module				
@ProgramBatchController @4GETREQUEST{byBatchName}				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid "testteam1459"	PASSED	0.218 s
2	When Admin sends HTTPS Request with endpoint by batchname with valid endpoint	PASSED	0.164 s
3	Then Admin receives "200" program Status with response body programbatch	PASSED	0.002 s

Check if admin able to retrieve a batch with valid BATCH NAME



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid "testteamwert"	PASSED	0.215 s
2	When Admin sends HTTPS Request with endpoint by batchname with valid endpoint	PASSED	0.126 s
3	<p>Then Admin receives "404" program Status with response body programbatch</p> <pre>java.lang.AssertionError: expected [404] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at com.LMSAPI.StepDef.ProgramBatchController. admin_receives_program_status_with_response_body_programbatch(ProgramBatchController.java:162) at ?.Admin receives "404" program Status with response body programbatch(file:///C:/Users/sanka/git/ Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/03.ProgramBatchContoller.feature:72)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.004 s

Check if admin able to retrieve a batch with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid "SDET1"	PASSED	0.207 s
2	When Admin sends HTTPS Request with endpoint by batchname with invalid endpoint	PASSED	0.150 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.001 s

Check if admin able to retrieve a batch with valid Program ID

PASSED	DURATION - 0.349 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:03.200 PM // 2:20:03.549 PM /				
ProgramBatchController Module				
@ProgramBatchController				
@5GETREQUEST{byprogramid}				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid programid "16595"	PASSED	0.211 s
2	When Admin sends HTTPS GET Request by program id with endpoint	PASSED	0.136 s
3	Then Admin receives "200" program Status with response body programbatch	PASSED	0.002 s


Check if admin able to retrieve a batch with valid Program ID

FAILED	DURATION - 0.341 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:20:03.566 PM // 2:20:03.907 PM /				
ProgramBatchController Module				
@ProgramBatchController				
@5GETREQUEST{byprogramid}				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid programid "170361"	PASSED	0.205 s
2	When Admin sends HTTPS GET Request by program id with endpoint	PASSED	0.132 s
3	Then Admin receives "404" program Status with response body programbatch	FAILED	0.002 s
	java.lang.AssertionError: expected [404] but found [400]		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at com.LMSAPI.StepDef.ProgramBatchController. admin_receives_program_status_with_response_body_programbatch(ProgramBatchController.java:162) at ?.Admin receives "404" program Status with response body programbatch(file:///C:/Users/sanka/git/ Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/03.ProgramBatchController.feature:93) * Not displayable characters are replaced by '?'. </pre>		

Check if admin able to retrieve a batch with valid Program ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid programid "17225"	PASSED	0.226 s
2	When Admin sends HTTPS GET Request by program id with endpoint	PASSED	0.122 s
3	<p>Then Admin receives "200" program Status with response body programbatch</p> <pre> java.lang.AssertionError: expected [404] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at com.LMSAPI.StepDef.ProgramBatchController. admin_receives_program_status_with_response_body_programbatch(ProgramBatchController.java:162) at ?.Admin receives "200" program Status with response body programbatch(file:///C:/Users/sanka/git/ </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/03.ProgramBatchController.feature:93) * Not displayable characters are replaced by '?'.		

Check if admin able to retrieve a batch with invalid Program Id

PASSED	DURATION - 0.347 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:04.296 PM // 2:20:04.643 PM /				
ProgramBatchController Module				
@ProgramBatchController @5GETREQUEST{byprogramid}				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid programid "16595"	PASSED	0.211 s
2	When Admin sends HTTPS GET Request by program id with invalid endpoint	PASSED	0.133 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.002 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

PASSED	DURATION - 0.144 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:04.664 PM // 2:20:04.808 PM /				
ProgramBatchController Module				
@ProgramBatchController @6PUTREQUEST{UpdateBatch_bybatchID}_noauth				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data no auth "<batchID>"	PASSED	0.002 s
2	When Admin sends HTTPS put batch Request with endpoint	PASSED	0.141 s
3	Then Admin receives 401 Created programbatch Status with response body.	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

PASSED	DURATION - 0.349 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:04.826 PM // 2:20:05.175 PM /				
ProgramBatchController Module				
@ProgramBatchController @6PUTREQUEST{UpdateBatch_bybatchID}				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data "<batchID>"	PASSED	0.223 s
2	When Admin sends HTTPS put batch Request with endpoint	PASSED	0.124 s
3	Then Admin receives 201 Created programbatch Status with response body.	PASSED	0.000 s

Check if admin able to update a Batch with invalid enpoint


PASSED	DURATION - 0.339 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:05.198 PM // 2:20:05.537 PM /				
ProgramBatchController Module				
@ProgramBatchController @6PUTREQUEST{UpdateBatch_bybatchID}				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data "<batchID>"	PASSED	0.210 s
2	When Admin sends HTTPS put batch Request with invalid endpoint	PASSED	0.127 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.001 s

User Controller




Check if admin is able to create a new Admin with valid endpoint and request body with



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint mandatory fields and additional fields	PASSED	0.522 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.040 s


Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint and existingValuesForUniqueFields	PASSED	0.207 s


#	Step / Hook Details	Status	Duration
3	Then Admin receives 400 Bad Request Status with error message.	PASSED	0.001 s

Check if admin is able to create a Admin with valid endpoint and invalid values in request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint and invalid values	PASSED	0.200 s
3	Then Admin receives 400 Bad Request Status with error message.	PASSED	0.002 s

Check if Admin able to create a Admin missing mandatory fields in request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint and with missing mandatory fields in request body	PASSED	0.241 s
3	Then Admin receives 400 Bad Request Status with error message.	PASSED	0.003 s

Check if Admin able to create a Admin with all mandatory fields in request body

PASSED	DURATION - 0.220 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:06.903 PM // 2:20:07.123 PM /				
User Controller				
@PostUserNoAuth @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with No Auth	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint mandatory fields and additional fields	PASSED	0.216 s
3	Then Admin receives status 401 with Unauthorized message	PASSED	0.002 s

Check if admin is able to update role id of a Admin by valid Admin id

PASSED	DURATION - 0.154 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:07.144 PM // 2:20:07.298 PM /				
User Controller				
@tag @PutUpdateUserRoleldwithValidUserId				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint, valid request body and valid UserId	PASSED	0.150 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if admin is able to update role id of a Admin by Invalid Admin id

PASSED	DURATION - 0.145 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:07.317 PM // 2:20:07.462 PM /				
User Controller				
@PutUpdateUserRoleldwithInvalidUserId @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint, valid request body and Invalid UserId	PASSED	0.139 s
3	Then Admin receives 404 Bad Request Status with message and Boolean1 success details	PASSED	0.005 s

Check if admin is able to update role id of a Admin by valid Admin id

PASSED	DURATION - 0.152 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:07.479 PM // 2:20:07.631 PM /				
User Controller				
@PutUpdateUserInvalidRoleldwithValidUserId @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint, invalid request body and valid UserId	PASSED	0.147 s
3	Then Admin receives 400 Bad Request Status with message and Boolean1 success details	PASSED	0.001 s

Check if admin is able to update a Admin with Admin Role Id with already existing Admin role ID

PASSED	DURATION - 0.144 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:07.650 PM // 2:20:07.794 PM /				
User Controller				
@PutUpdateUserExistingRoleIdwithValidUserId @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint, existing RoleId and valid UserId	PASSED	0.140 s
3	Then Admin receives 400 Bad Request Status with message and Boolean1 success details	PASSED	0.002 s

Check if admin is able to update a Admin role ID with valid Admin role ID with invalid1 endpoint1

PASSED	DURATION - 0.246 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:07.821 PM // 2:20:08.067 PM /				
User Controller				
@PutUpdateUserRoleIdwithValidUserIdInvalidEndpoint @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid1 endpoint1, valid request body and valid UserId	PASSED	0.242 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s

Check if admin is able to update role id of a Admin by valid Admin id

PASSED	DURATION - 0.127 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:08.090 PM // 2:20:08.217 PM /				
User Controller				
@PutUpdateUserRole withValidUserIdNoAuth @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint, valid request body and valid UserId	PASSED	0.124 s
3	Then Admin receives status 401 with Unauthorized message	PASSED	0.002 s

Check if admin is able to update role status of a Admin with valid Admin id

PASSED	DURATION - 0.147 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:08.238 PM // 2:20:08.385 PM /				
User Controller				
@UpdateUserRoleStatusvaliddata @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint and valid data in request body	PASSED	0.142 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.003 s

Check if admin is able to update role status of a Admin with valid Admin id and invalid role status

PASSED	DURATION - 0.151 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:08.406 PM // 2:20:08.557 PM /				
User Controller				
@UpdateUserRoleStatusinvaliddata @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint and invalid data in request body	PASSED	0.147 s
3	Then Admin receives 404 Bad Request Status with message and Boolean1 success details	PASSED	0.002 s

Check if admin is able to update role status of a Admin with invalid Admin id

PASSED	DURATION - 0.143 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:08.577 PM // 2:20:08.720 PM /				
User Controller				
@tag @UpdateUserRoleStatusinvalidUserId				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint valid data, Invalid userId in request body	PASSED	0.141 s
3	Then Admin receives 404 Bad Request Status with message and Boolean1 success details	PASSED	0.001 s

Check if admin is able to update role status of a Admin for nonexisting/unassigned RoleID

PASSED	DURATION - 0.142 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:08.743 PM // 2:20:08.885 PM /				
User Controller				
@UpdateUserRoleStatusnonexisting/unassignedRoleID @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint valid data,valid userId,nonexisting/unassigned RoleID in request body	PASSED	0.138 s
3	Then Admin receives 404 Bad Request Status with message and Boolean1 success details	PASSED	0.001 s

Check if admin is able to update role status of a Admin with invalid1 endpoint1

PASSED	DURATION - 0.162 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:08.905 PM // 2:20:09.067 PM /				
User Controller				
@UpdateUserRoleStatusInvalidEndpoint @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with invalid1 endpoint1 and valid data in request body	PASSED	0.157 s
3	Then Admin receives 404 Bad Request Status with message and Boolean1 success details	PASSED	0.002 s

Check if admin is able to update role status of a Admin with valid Admin id with No Authorization

PASSED	DURATION - 0.139 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:09.093 PM // 2:20:09.232 PM /				
User Controller				
@UpdateUserRoleStatusNoAuth @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint and valid data in request body	PASSED	0.136 s
3	Then Admin receives 401 Bad Request Status with message and Boolean1 success details	PASSED	0.002 s

Check if admin is able to assign Admin to with program/batch by Admin Id

PASSED	DURATION - 0.155 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:09.255 PM // 2:20:09.410 PM /				
User Controller				
@UpdateAdminRoleProgramBatchstatusValidData @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint and valid data in request body	PASSED	0.150 s
3	Then Admin receives 200 Ok Status with response message	PASSED	0.003 s

Check if admin is able to assign Admin to with program/batch by Admin Id

PASSED	DURATION - 0.140 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:09.439 PM // 2:20:09.579 PM /				
User Controller				
@UpdateAdminRoleProgramBatchstatusInValidData @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint and invalid data in request body	PASSED	0.136 s
3	Then Admin receives 404 Bad Request Status with message and Boolean1 success details	PASSED	0.002 s

Check if admin is able to assign Admin to with program/batch by invalid Admin Id

PASSED	DURATION - 0.143 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:09.596 PM // 2:20:09.739 PM /				
User Controller				
@UpdateAdminRoleProgramBatchstatusInValidUserId @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint,valid data in request body and Invalid UserId	PASSED	0.140 s
3	Then Admin receives 404 Bad Request Status with message and Boolean1 success details	PASSED	0.001 s

Check if admin is able to assign Admin to with program/batch by Admin Id

PASSED	DURATION - 0.140 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:09.759 PM // 2:20:09.899 PM /				
User Controller				
@UpdateAdminRoleProgramBatchstatusInvalidEndPoint @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid1 endpoint1 and valid ProgramBatchstatus in request body	PASSED	0.134 s
3	Then Admin receives 404 Bad Request Status with message and Boolean1 success details	PASSED	0.002 s

Check if admin is able to update role status of a Admin with valid Admin id with No Authorization

PASSED	DURATION - 0.133 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:09.914 PM // 2:20:10.047 PM /				
User Controller				
@UpdateUserRoleStatusNoAuth @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint and valid data in request body	PASSED	0.130 s
3	Then Admin receives 401 Bad Request Status with message and Boolean1 success details	PASSED	0.001 s

Check if admin is able to update the Admin login status by Admin ID

PASSED	DURATION - 0.150 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:10.066 PM // 2:20:10.216 PM /				
User Controller				
@tag @UpdateAdminloginstatusValiddata				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint valid data for login status in request body	PASSED	0.145 s
3	Then Admin receives 200 OK	PASSED	0.002 s

Check if admin is able to update the Admin login status by Admin ID

PASSED	DURATION - 0.132 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:10.237 PM // 2:20:10.369 PM /				
User Controller				
@tag @UpdateAdminloginstatusInValidData				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint invalid data for login status in request body	PASSED	0.129 s
3	Then Admin receives 400 Bad Request Status with message and Boolean1 success details	PASSED	0.001 s

Check if admin is able to update the Admin login status by Admin ID

PASSED	DURATION - 0.142 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:10.390 PM // 2:20:10.532 PM /				
User Controller				
@UpdateAdminloginstatusInValidUserId @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint invalid UserId for login status in request body	PASSED	0.137 s
3	Then Admin receives 404 Bad Request Status with message and Boolean1 success details	PASSED	0.002 s

Check if admin is able to update the Admin login status by Admin ID

PASSED	DURATION - 0.141 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:10.560 PM // 2:20:10.701 PM /				
User Controller				
@tag @UpdateAdminloginstatusNoAuth				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint valid data for login status in request body	PASSED	0.137 s
3	Then Admin receives 401 Bad Request Status with message and Boolean1 success details	PASSED	0.001 s

Check if admin is able to update Admin details with Admin id and all fields

PASSED	DURATION - 0.144 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:10.724 PM // 2:20:10.868 PM /				
User Controller				
@UpdateUserInfoValiddata @tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.001 s
2	When Admin sends HTTPS request with endpoint and valid data in request body (values only in all fields)	PASSED	0.141 s
3	Then Admin receives 200 Ok status with message	PASSED	0.000 s


Check if admin is able to update Admin details with Admin id and all fields

FAILED	DURATION - 0.192 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:20:10.879 PM // 2:20:11.071 PM /				
User Controller				
@UpdateUserInfoInvaliddata @tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.000 s
2	When Admin sends HTTPS request with endpoint and Invalid data in request body	PASSED	0.156 s
3	Then Admin receives 400 Bad Request Status with error message. java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)	FAILED	0.036 s



#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at com.LMSAPI.StepDef.UserController.admin_receives_bad_request_status_with_error_message(UserController.java:77) at ?.Admin receives 400 Bad Request Status with error message.(file:///C:/Users/sanka/git/ Team9_APICodeCommandos_LMSPhase2_March2024/src/test/resources/Feature/04UserControllerPost.feature:171) * Not displayable characters are replaced by '?'. </pre>		

Check if admin is able to update Admin details with Admin id and all fields





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request	PASSED	0.001 s
2	When Admin sends HTTPS request with endpoint, valid data in request body and Invalid UserId	PASSED	0.140 s
3	Then Admin receives 404 Bad Request Status with error message.	PASSED	0.002 s

Check if admin is able to update Admin details with Admin id and all fields

PASSED	DURATION - 0.143 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:11.260 PM // 2:20:11.403 PM /				
User Controller				
@UpdateUserInfoNoAuth @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with No Auth	PASSED	0.001 s
2	When Admin sends HTTPS request with endpoint and valid data in request body (values only in all fields)	PASSED	0.137 s
3	Then Admin receives 401 Bad Request Status with message and Boolean1 success details	PASSED	0.001 s

Check if admin is able to retrieve all the available roles

PASSED	DURATION - 0.144 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:11.429 PM // 2:20:11.573 PM /				
User Controller				
@tag @GetAllRoles				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with GET All Roles endpoint	PASSED	0.139 s
3	Then Admin receives 200 OK	PASSED	0.002 s

Check if admin is able to retrieve all the available roles with invalid End point

PASSED	DURATION - 0.141 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:11.593 PM // 2:20:11.734 PM /				
User Controller				
@tag @GetAllRoles-InvalidEndpoint				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with invalid1 endpoint1	PASSED	0.134 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.003 s

Check if admin is able to retrieve all the available roles

PASSED	DURATION - 0.135 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:11.752 PM // 2:20:11.887 PM /				
User Controller				
@GetAllRolesNoAuth @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request with GET All Roles endpoint	PASSED	0.132 s
3	Then Admin receives status 401 with Unauthorized message	PASSED	0.001 s

Check if admin able to retrieve all Admin with valid endpoint

PASSED	DURATION - 0.128 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:11.904 PM // 2:20:12.032 PM /				
User Controller				
@GetAllUsers @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with GET All Users endpoint	PASSED	0.123 s
3	Then Admin receives 200 OK	PASSED	0.002 s

Check if admin is able to retrieve all the users with invalid End point

PASSED	DURATION - 0.139 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:12.060 PM // 2:20:12.199 PM /				
User Controller				
@GetAllUsers-InvalidEndpoint @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.002 s
2	When Admin sends HTTPS Request GET All Users with invalid1 endpoint1	PASSED	0.133 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.002 s

Check if admin is able to retrieve all the available users

PASSED	DURATION - 0.128 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:12.217 PM // 2:20:12.345 PM /				
User Controller				
@GetAllUsersNoAuth @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request with GET All Users endpoint	PASSED	0.125 s
3	Then Admin receives status 401 with Unauthorized message	PASSED	0.001 s

Check if admin is able to get count of active and inactive Admins

PASSED	DURATION - 0.144 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:12.357 PM // 2:20:12.501 PM /				
User Controller				
@GetCountOfActiveandInactiveUsers @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request GET Count Of ActiveandInactive Users	PASSED	0.141 s
3	Then Admin receives 200 OK	PASSED	0.001 s

Check if admin is able to get count of active and inactive Admins with invalid1 endpoint1

PASSED	DURATION - 0.129 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:12.518 PM // 2:20:12.647 PM /				
User Controller				
@tag @GetCountOfActiveandInactiveUsers- InvalidEndpoint				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Request GET Count Of ActiveandInactive Users with invalid1 endpoint1	PASSED	0.125 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s

Check if admin is able to get count of active and inactive Admins by roleId

PASSED	DURATION - 0.142 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:12.666 PM // 2:20:12.808 PM /				
User Controller				
@GetCountOfActiveandInactiveUsersbyValidRoleId @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with Valid roleId	PASSED	0.137 s
3	Then Admin receives 200 OK	PASSED	0.001 s

Check if admin is able to get count of active and inactive Admins by invalid roleId

PASSED	DURATION - 0.133 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:12.819 PM // 2:20:12.952 PM /				
User Controller				
@GetCountOfActiveandInactiveUsersbyInvalidRoleId @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid roleId	PASSED	0.130 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s

Check if admin is able to retrieve all the available roles

PASSED	DURATION - 0.147 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:12.976 PM // 2:20:13.123 PM /				
User Controller				
@tag @GetCountOfActiveandInactiveUsersNoAuth				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request GET Count Of ActiveandInactive Users	PASSED	0.144 s
3	Then Admin receives status 401 with Unauthorized message	PASSED	0.001 s

Check if admin able to retrieve a Admin with valid Admin ID

PASSED	DURATION - 0.168 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:13.146 PM // 2:20:13.314 PM /				
User Controller				
@GetUserbyValidUserID @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint and valid UserId	PASSED	0.163 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s

Check if admin able to retrieve a Admin with valid Admin ID

PASSED	DURATION - 0.140 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:13.325 PM // 2:20:13.465 PM /				
User Controller				
@tag @GetUserbyInvalidUserID				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint and Invalid UserId	PASSED	0.137 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s

Check if admin able to retrieve a Admin with valid Admin ID

PASSED	DURATION - 0.145 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:13.487 PM // 2:20:13.632 PM /				
User Controller				
@tag @GetUserbyUserIDinvalidEndPoint				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid1 endpoint1 and valid UserId	PASSED	0.140 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s

Check if admin able to retrieve a Admin with valid Admin ID

PASSED	DURATION - 0.137 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:13.668 PM // 2:20:13.805 PM /				
User Controller				
@tag @GetUserbyUserIDNoAuth				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid1 endpoint1 and valid UserId	PASSED	0.133 s
3	Then Admin receives status 401 with Unauthorized message	PASSED	0.001 s

Check if admin is able to retreive Admins by valid role ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint and valid role ID	PASSED	0.212 s
3	Then Admin receives 200 OK	PASSED	0.049 s

Check if admin is able to retrieve Admins by valid role ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint and Invalid role ID	PASSED	0.150 s
3	Then Admin receives status 404 with Not Found error message	PASSED	0.002 s

Check if admin is able to retrieve Admins by valid role ID

PASSED	DURATION - 0.137 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:14.286 PM // 2:20:14.423 PM /				
User Controller				
@GetUserbyInvalidEndPoint @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with invalid1 endpoint1 and valid role ID	PASSED	0.133 s
3	Then Admin receives status 404 with Not Found error message	PASSED	0.002 s

Check if admin is able to retrieve all the available roles

PASSED	DURATION - 0.137 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:14.442 PM // 2:20:14.579 PM /				
User Controller				
@GetUserbyRoleIDNoAuth @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint and valid role ID	PASSED	0.134 s
3	Then Admin receives status 401 with Unauthorized message	PASSED	0.001 s

Check if admin able to retrieve all Admin with Roles

PASSED	DURATION - 0.465 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:14.595 PM // 2:20:15.060 PM /				
User Controller				
@GetAllUserswithRoles @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Request to GET All UserswithRoles with valid endpoint	PASSED	0.150 s
3	Then Admin receives 200 OK	PASSED	0.313 s

Check if admin is able to retrieve all the available roles with invalid End point

PASSED	DURATION - 0.118 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:15.069 PM // 2:20:15.187 PM /				
User Controller				
@GetAllUserswithRoles-InvalidEndpoint @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Request to GET All UserswithRoles with invalid1 endpoint1	PASSED	0.117 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s

Check if admin is able to retrieve all the available roles

PASSED	DURATION - 0.123 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:15.197 PM // 2:20:15.320 PM /				
User Controller				
@GetAllUserswithRoles-NoAuth @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with No Auth	PASSED	0.002 s
2	When Admin sends HTTPS Request to GET All UserswithRoles with valid endpoint	PASSED	0.119 s
3	Then Admin receives status 401 with Unauthorized message	PASSED	0.001 s

Check if admin able to retrieve all Admin with valid endpoint

PASSED	DURATION - 0.258 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:15.339 PM // 2:20:15.597 PM /				
User Controller				
@GetallActiveUser @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with GET All ActiveUsers endpoint	PASSED	0.146 s
3	Then Admin receives 200 OK	PASSED	0.108 s

Check if admin is able to retreive all the available roles with invalid End point

PASSED	DURATION - 0.147 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:15.614 PM // 2:20:15.761 PM /				
User Controller				
@GetAllActiveUsers-InvalidEndpoint @tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Request GET All ActiveUsers with invalid1 endpoint1	PASSED	0.145 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.000 s

Check if admin is able to retrieve all the available roles

PASSED	DURATION - 0.122 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:15.769 PM // 2:20:15.891 PM /				
User Controller				
@GetAllActiveUsersNoAuth @tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request GET All ActiveUsers with invalid1 endpoint1	PASSED	0.120 s
3	Then Admin receives status 401 with Unauthorized message	PASSED	0.001 s

Check if admin is able to retrieve all Admins with filters





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.002 s
2	When Admin sends HTTPS Request with GET All Users withFacets/Filters endpoint	PASSED	0.374 s
3	Then Admin receives 200 OK	PASSED	0.106 s

Check if admin is able to retrieve all Admins with filters with invalid1 endpoint1





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Request GET All Users withFacets/Filters invalid1 endpoint1	PASSED	0.127 s
3	Then Admin receives status 404 with Not Found error message Negative	PASSED	0.001 s

Check if admin is able to retrieve all Admins with filters with No Authorization

PASSED	DURATION - 0.132 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:16.557 PM // 2:20:16.689 PM /				
User Controller				
@GetAllActiveUsersNoAuth @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request with GET All Users withFacets/Filters endpoint	PASSED	0.130 s
3	Then Admin receives status 401 with Unauthorized message	PASSED	0.001 s

Check if Admin able to delete a Admin with valid Admin Id

PASSED	DURATION - 0.127 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:16.702 PM // 2:20:16.829 PM /				
User Controller				
@DeleteValidId @tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin details	PASSED	0.002 s
2	When Admin sends HTTPS request with endpoiint with Valid ID	PASSED	0.123 s
3	Then Admin receives 200 Ok status with message	PASSED	0.002 s

Check if Admin able to delete a Invalid Admin Id



PASSED	DURATION - 0.123 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:16.837 PM // 2:20:16.960 PM /				
User Controller				
@DeleteInvalidId @tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin details	PASSED	0.000 s
2	When Admin sends HTTPS request with endpoint with Invalid ID	PASSED	0.120 s
3	Then Admin receives status 404 with Not Found error message	PASSED	0.002 s

User Role Program Batch Map Controller

PASSED	DURATION - 3.756 s	Scenarios Total - 11 Pass - 11 Fail - 0 Skip - 0		Steps Total - 33 Pass - 33 Fail - 0 Skip - 0	
/ 2:20:16.972 PM // 2:20:20.728 PM /					


Check if admin is able to retrieve all Admins with assigned program batches

PASSED	DURATION - 0.397 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:16.972 PM // 2:20:17.369 PM /				
User Role Program Batch Map Controller				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches	PASSED	0.215 s
2	When Admin sends HTTPS Request	PASSED	0.176 s


#	Step / Hook Details	Status	Duration
3	Then Admin2 received 200 OK	PASSED	0.005 s

Check if admin is able to retrieve all Admins with assigned program batches with No Authorization





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches without authorization	PASSED	0.000 s
2	When Admin sends HTTPS Request without authorization	PASSED	0.129 s
3	Then admin1 received status 401 with Unauthorized message	PASSED	0.002 s

Check if admin is able to retrieve all Admins with assigned program batches with invalid2 endpoint2





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches	PASSED	0.226 s
2	When Admin sends HTTPS Request with invalid2 endpoint2	PASSED	0.124 s
3	Then admin1 received status 404	PASSED	0.002 s

Check if admin is able to retrieve assigned program batches for valid AdminId

PASSED	DURATION - 0.366 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:17.916 PM // 2:20:18.282 PM /				
User Role Program Batch Map Controller				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by AdminId	PASSED	0.219 s
2	When Admin sends HTTPS Request to get assigned program by adminId "U1489" endpoint	PASSED	0.143 s
3	Then Admin received "200" in response body	PASSED	0.002 s

Check if admin is able to retrieve assigned program batches for valid AdminId

PASSED	DURATION - 0.346 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:18.306 PM // 2:20:18.652 PM /				
User Role Program Batch Map Controller				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by AdminId	PASSED	0.203 s
2	When Admin sends HTTPS Request to get assigned program by adminId "U@1489" endpoint	PASSED	0.140 s
3	Then Admin received "404" in response body	PASSED	0.001 s

Check if admin is able to retrieve assigned program batches for valid AdminId

PASSED	DURATION - 0.353 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:18.680 PM // 2:20:19.033 PM /				
User Role Program Batch Map Controller				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by AdminId	PASSED	0.216 s
2	When Admin sends HTTPS Request to get assigned program by adminId "143" endpoint	PASSED	0.134 s
3	Then Admin received "404" in response body	PASSED	0.002 s

Check if admin is able to retrieve assigned program batches for valid AdminId

PASSED	DURATION - 0.345 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:19.050 PM // 2:20:19.395 PM /				
User Role Program Batch Map Controller				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by AdminId	PASSED	0.209 s
2	When Admin sends HTTPS Request to get assigned program by adminId "null" endpoint	PASSED	0.133 s
3	Then Admin received "404" in response body	PASSED	0.002 s

Check if admin is able to retrieve all Admins with assigned program batches with No Authorization

PASSED	DURATION - 0.140 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:19.419 PM // 2:20:19.559 PM /				
User Role Program Batch Map Controller				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with no authorization	PASSED	0.001 s
2	When Admin sends HTTPS Request without authorization	PASSED	0.137 s
3	Then admin1 received status 401 with Unauthorized message	PASSED	0.001 s

Check if admin is able to retreive assigned program batches for valid adminId with invalid2 endpoint2

PASSED	DURATION - 0.395 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:20:19.579 PM // 2:20:19.974 PM /				
User Role Program Batch Map Controller				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by AdminId	PASSED	0.263 s
2	When Admin sends HTTPS Request to get assigned program by adminId "U1489" with invalid2 endpoint2	PASSED	0.130 s
3	Then admin1 received status 404	PASSED	0.001 s

Check if admin is able to delete the program batch for a Admin



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId	PASSED	0.217 s
2	When Admin sends HTTPS Request to delete endpoint by "U1596"	PASSED	0.133 s
3	Then Admin received "200" in response body	PASSED	0.001 s

Check if admin is able to delete the program batch for a Admin



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId	PASSED	0.217 s
2	When Admin sends HTTPS Request to delete endpoint by "U@157"	PASSED	0.137 s
3	Then Admin received "404" in response body	PASSED	0.001 s